

U.S. Alcohol Epidemiologic
Data Reference Manual
Volume 9

**ALCOHOL-RELATED EMERGENCY
DEPARTMENT VISITS AND HOSPITALIZATIONS
AND THEIR CO-OCCURRING DRUG-RELATED,
MENTAL HEALTH, AND INJURY CONDITIONS
IN THE UNITED STATES:**

**FINDINGS FROM THE 2006–2010
NATIONWIDE EMERGENCY DEPARTMENT SAMPLE (NEDS)
AND NATIONWIDE INPATIENT SAMPLE (NIS)**

September 2013

National Institutes of Health

National Institute on Alcohol Abuse and Alcoholism
5635 Fishers Lane, MSC 9304
Bethesda, MD 20892-9304

Acknowledgments

This publication was developed by CSR, Incorporated, under Contract No. HHSN267200800023 for the operation of the Alcohol Epidemiologic Data System (AEDS) for the Division of Epidemiology and Prevention Research (DEPR) of the National Institute on Alcohol Abuse and Alcoholism (NIAAA), National Institutes of Health (NIH). Principal authors of this manual are Chiung M. Chen, M.A., Young-Hee Yoon, Ph.D., and Hsiao-ye Yi, Ph.D., of CSR. Ralph W. Hingson, Sc.D., Director of DEPR, contributed to the conceptualization of this manual. Aaron M. White, Ph.D., and Rosalind A. Breslow, Ph.D., of DEPR reviewed the draft. Dr. Breslow also served as NIAAA's Project Officer on the above-referenced contract and oversaw the completion of this manual.

All material appearing in this manual is in the public domain and may be reproduced or copied without the permission of NIAAA. Citation of the source is appreciated.

Table of Contents

	Page
List of Tables	2
List of Exhibits	8
Foreword	9
1. Introduction	10
2. Data Sources	11
2.1. Emergency Department (ED) Visit and Hospitalization Data	11
2.2. Population Data	13
3. Data Coverage	14
4. Data Tables	20
4.1. Alcohol-Related ED Visits and Hospitalizations	20
4.2. Co-occurrence of Alcohol-Related and Drug-Related ED Visits and Hospitalizations.....	23
4.3. Co-occurrence of Alcohol-Related and Mental Health-Related ED Visits and Hospitalizations.....	25
4.4. Co-occurrence of Alcohol-Related and Injury-Related ED Visits and Hospitalizations.....	27
4.5. Charge Estimates for Alcohol-Related ED Visits and Cost Estimates for Alcohol-Related Hospitalizations	30
References	32

List of Tables

Chapter I. Emergency Department Visits

		Page
Table A1	Percent distribution of emergency department visits with first-listed alcohol-related diagnoses among total emergency department visits for persons ages 12 years and older, by sex and age group, United States, 2006–2010.....	33
Table A2	Percent distribution of emergency department visits with all-listed alcohol-related diagnoses among total emergency department visits for persons ages 12 years and older, by sex and age group, United States, 2006–2010.....	34
Table A3	Percent distribution of emergency department visits with first-listed alcohol-related diagnoses among total emergency department visits for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010	35
Table A4	Percent distribution of emergency department visits with all-listed alcohol-related diagnoses among total emergency department visits for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010	39
Table A5	Percent distribution that had co-occurring drug-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010	43
Table A6	Percent distribution that had co-occurring drug-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010	48
Table A7	Percent distribution that had co-occurring mental health-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010	53
Table A8	Percent distribution that had co-occurring mental health-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010	60
Table A9	Percent distribution that had co-occurring injury-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010	67
Table A10	Percent distribution that had co-occurring injury-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010	74

Table B1	Number of emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.....	81
Table B2	Number of emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.....	82
Table B3	Number of emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010.....	83
Table B4	Number of emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010.....	87
Table B5	Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.....	91
Table B6	Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.....	96
Table B7	Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.....	101
Table B8	Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.....	108
Table B9	Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.....	115
Table B10	Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.....	122
Table C1	Rate of emergency department visits with first-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.....	129
Table C2	Rate of emergency department visits with all-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.....	130

Table C3	Rate of emergency department visits with first-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010	131
Table C4	Rate of emergency department visits with all-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010	135
Table C5	Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010	139
Table C6	Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010	144
Table C7	Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.....	149
Table C8	Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.....	156
Table C9	Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010	163
Table C10	Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010	170
Table D1-1	Median charge of emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2010.....	177
Table D1-2	Total charge (in millions) of emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2010	178
Table D2-1	Median charge of emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2010.....	179
Table D2-2	Total charge (in millions) of emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2010	180

Chapter II. Hospitalizations

	Page
Table A1	Percent distribution of hospitalizations with first-listed alcohol-related diagnoses among total hospitalizations for persons ages 12 years and older, by sex and age group, United States, 2006–2010 181
Table A2	Percent distribution of hospitalizations with all-listed alcohol-related diagnoses among total hospitalizations for persons ages 12 years and older, by sex and age group, United States, 2006–2010 182
Table A3	Percent distribution of hospitalizations with first-listed alcohol-related diagnoses among total hospitalizations for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010 183
Table A4	Percent distribution of hospitalizations with all-listed alcohol-related diagnoses among total hospitalizations for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010 187
Table A5	Percent distribution that had co-occurring drug-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010 191
Table A6	Percent distribution that had co-occurring drug-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010 196
Table A7	Percent distribution that had co-occurring mental health-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010..... 201
Table A8	Percent distribution that had co-occurring mental health-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010 208
Table A9	Percent distribution that had co-occurring injury-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010 215
Table A10	Percent distribution that had co-occurring injury-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010 222
Table B1	Number of hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010..... 229
Table B2	Number of hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010..... 230

Table B3	Number of hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010.....	231
Table B4	Number of hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010.....	235
Table B5	Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010	239
Table B6	Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010	244
Table B7	Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010	249
Table B8	Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010	256
Table B9	Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010	263
Table B10	Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010	270
Table C1	Rate of hospitalizations with first-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010	277
Table C2	Rate of hospitalizations with all-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010	278
Table C3	Rate of hospitalizations with first-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010	279
Table C4	Rate of hospitalizations with all-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010	283
Table C5	Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010	287
Table C6	Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010	292

Table C7	Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.....	297
Table C8	Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.....	304
Table C9	Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.....	311
Table C10	Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.....	318
<hr/>		
Table D1-1	Median cost of hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2010.....	325
Table D1-2	Total cost (in millions) of hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2010	326
Table D2-1	Median cost of hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2010.....	327
Table D2-2	Total cost (in millions) of hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2010	328

List of Exhibits

	Page
Exhibit 1 ICD-9-CM Codes for Alcohol-Related Diagnoses.....	15
Exhibit 2 ICD-9-CM Codes for Drug-Related Diagnoses	16
Exhibit 3 ICD-9-CM Codes for Mental Health-Related Diagnoses	18
Exhibit 4 ICD-9-CM Codes for Injury-Related Diagnoses.....	19

Foreword

The National Institute on Alcohol Abuse and Alcoholism (NIAAA), a part of the National Institutes of Health, is the primary Federal agency that conducts and supports epidemiologic, biomedical and behavioral research related to the causes, consequences, treatment, and prevention of alcohol-related problems.

The Alcohol Epidemiologic Data Reference Manuals (AEDRMs) produced by the Alcohol Epidemiologic Data System (AEDS) of NIAAA provide detailed epidemiologic data useful to researchers, health care planners, and others interested in the topics of alcohol use, abuse, and associated morbidity and mortality.

This manual is the first publication in Volume 9 of the AEDRM series, presenting an extensive compilation of data on alcohol-related emergency department visits and hospitalizations and their co-occurring drug-related conditions, mental health disorders, and injuries. The source data for the manual came from the 2006–2010 Nationwide Emergency Department Sample (NEDS) and Nationwide Inpatient Sample (NIS) of the Healthcare Cost and Utilization Project (HCUP), sponsored by Agency for Healthcare Research and Quality (AHRQ), U.S. Department of Health and Human Services. The NEDS and the NIS are the largest national databases of hospital-based emergency department (ED) visits and hospital inpatient stays in the United States.

Other volumes of the AEDRM series include information on alcohol use and alcohol use disorders, per capita alcohol consumption, liver cirrhosis mortality, county alcohol-problem indicators, hospital discharges with alcohol-related conditions, and State trends in drinking behaviors and alcohol-related mortality. We hope that these documents will serve as a useful reference for both researchers and others interested in the alcoholism field.

Kenneth R. Warren, Ph.D.
Acting Director
National Institute on Alcohol Abuse and Alcoholism

1. Introduction

This manual presents national statistics on alcohol-related morbidity in the United States based on patient data from emergency department (ED) visits and hospital discharge records. It was compiled and published by the Alcohol Epidemiologic Data System (AEDS) of the Division of Epidemiology and Prevention Research (DEPR), National Institute on Alcohol Abuse and Alcoholism (NIAAA) as part of a series of alcohol epidemiologic data reference manuals. These manuals serve as tools for monitoring trends in alcohol consumption and related problems. While several of the earlier manuals have focused on alcohol-related mortality (Caces, Stinson, & Elliott, 1991; Grant, 1985; Stinson & Nephew, 1996; Stinson & Prouditt, 1994), none have yet reported data on alcohol-related morbidity and comorbidity. One of the NIAAA surveillance reports that AEDS has maintained since 1987 reports trends in alcohol-related morbidity based on data from the annual National Hospital Discharge Survey conducted by the National Center for Health Statistics (NCHS), but using hospital discharge data alone misses a substantial proportion of patients who are treated in emergency rooms. To expand our morbidity surveillance to alcohol-related emergency department (ED) visits, this manual presents the recently available data from the Nationwide Emergency Department Sample (NEDS) as well as the Nationwide Inpatient Sample (NIS). Together, these two databases provide a more complete picture of health care utilization for alcohol-related health problems.

This manual is the first to present the prevalence of co-occurrence of drug-related, mental health-related, and injury-related diagnoses among alcohol-related ED visits and hospitalizations. In addition, it provides short trends in ED visits and hospitalization rates for several specific alcohol-related diagnoses, including alcoholic psychoses, alcohol dependence syndrome, nondependent abuse of alcohol, chronic liver diseases and cirrhosis, and alcohol poisoning, as well as their co-occurring conditions for drug-related, mental health-related, and injury-related diagnoses. Against the backdrop of overcrowding of ED health care services (Institute of Medicine, 2004) and a rising trend of utilization among patients with mental health and substance use disorders in the ED setting (Larkin et al., 2005), this manual is timely and especially relevant for the intervention and prevention purposes.

2. Data Sources

2.1. Emergency Department (ED) Visit and Hospitalization Data

The data presented in this manual are based on the annual ED and hospitalization data from the Nationwide Emergency Department Sample (NEDS) and the Nationwide Inpatient Sample (NIS) respectively, from 2006 to 2010. The NEDS and the NIS are part of the Healthcare Cost and Utilization Project (HCUP), a Federal-State-Industry partnership sponsored by the Agency for Healthcare Research and Quality (AHRQ), U.S. Department of Health and Human Services. The NEDS and the NIS are unique and powerful databases of emergency department visits and of hospital inpatient stays, respectively. Researchers and policymakers use the NEDS and the NIS to identify, track, and analyze national and regional trends in hospital emergency department and hospital care utilization, access, charges, and quality.

The NEDS is the largest publicly available all-payer ED database in the United States, containing discharge information on all ED visits from a stratified sample of hospital-based EDs in the participating states that provide the HCUP with ED data. The NEDS is constructed using records from two sets of the HCUP state databases: the State Emergency Department Databases (SEDD) and the State Inpatient Databases (SID). The SEDD capture information on more than 80% of ED visits that do not result in an admission (i.e., treat-and-release visits and transfers to another hospital). The SID capture information on patients initially seen in the emergency room and then admitted to the same hospital. Accordingly, the NEDS provides information on care that began in the emergency department, regardless of whether the patients were treated and released or admitted to the hospital. Each year the NEDS contains about 25 to 30 million records for ED visits from over 950 hospitals, approximating a 20-percent stratified sample of U.S. hospital-based EDs. The numbers of EDs included in the NEDS from 2006 to 2010 are 955, 966, 980, 964, and 961, respectively. The numbers of participating states included in the NEDS from 2006 to 2010 are 24, 27, 28, 29, and 28, respectively.

The NIS is the largest publicly available all-payer inpatient care database in the United States, containing discharge information on all inpatient stays from a 20% stratified sample of hospitals in the states that participated in the HCUP. The NIS is constructed using records from the SID. Each year the NIS contains about 8 million records for inpatient stays from about 1,000 hospitals, approximating a 20-percent stratified sample of U.S. community hospitals. The numbers of hospitals included in the NIS from 2006 to 2010 are 1045, 1044, 1056, 1050, and 1051, respectively. The numbers of participating states included in the NIS from 2006 to 2010 are 30, 40, 42, 44, and 45, respectively.

Both the NEDS and NIS samples are based on U.S. community hospitals. The U.S. community hospitals are identified by the American Hospital Association (AHA) Annual Survey of Hospitals to be “all non-Federal, short-term, general, and other specialty hospitals, excluding hospital units of institutions.” Included among community hospitals are specialty hospitals such as obstetrics-gynecology, ear-nose-throat, short-term rehabilitation, orthopedic, and pediatric institutions. Also included are public hospitals, academic medical centers, and long-term acute care facilities. These facilities provide acute care services to patients who need long-term hospitalization (stays of more than 25 days). Excluded are short-term rehabilitation hospitals,

long-term non-acute care hospitals, psychiatric hospitals, and alcoholism/chemical dependency treatment facilities.

The NEDS and the NIS share a similar sampling design referred to as the stratified, single-stage cluster sampling. A stratified random sample of hospital-based EDs (or hospitals) is drawn from the sampling frame (namely SEDD and SID for NEDS, and SID for NIS), and then all ED visits from selected hospital-based EDs (or discharges from hospitals) are included. Stratifying the hospital-based EDs (or hospitals) on important hospital-based ED (or hospital) characteristics ensures that the stratified sample is representative of the target universe—all U.S. community hospital-based EDs for the NEDS, and all U.S. community hospitals for the NIS.

Five hospital characteristics are used as stratifiers for creating the NEDS and the NIS samples. Four of these are the same for both samples: U.S. regions (Northeast, Midwest, West, or South); location (urban or rural); teaching status (teaching or non-teaching); and ownership (government non-Federal or public, private not-for-profit or voluntary, or private investor-owned or proprietary). The fifth stratifier for the NIS is hospital bed size (small, medium, or large, based on the number of hospital beds) and for the NEDS is the trauma center designation (level I, II, and III). A trauma center is a hospital equipped to provide comprehensive emergency medical services to patients with traumatic injuries 24 hours a day, 365 days per year. The trauma-level designation is a modified version of the Trauma Information Exchange Program (TIEP) trauma-level designation. Once the institutions (i.e., hospital-based EDs or hospitals) have been stratified, a 20-percent random sample is taken, and all patient records in these institutions will be used to construct the NEDS and the NIS.

It is important to note that the NEDS and the NIS contain event-level or discharge-level records, not patient-level records. This means that individual patients who visit the ED multiple times in 1 year may be present in the NEDS multiple times, and that individual patients who are hospitalized multiple times in 1 year may be present in the NIS multiple times. Therefore, estimates generated from these databases are referred to as ED visits or hospitalizations rather than patients.

The ED visit or discharge weight variable provided in the NEDS or NIS database is applied to the data tables in this manual to produce national or regional representative estimates. To indicate the precision of the estimates, standard errors are presented. Standard errors can be used to determine if differences between two estimates are statistically significant, or to construct confidence intervals for sample estimates of population statistics. The Taylor-series linearization method was used to calculate standard errors, taking into account the cluster and stratification aspects of the NEDS and NIS sample design using SUDAAN (Research Triangle Institute, 2008), a computer program that uses appropriate statistical techniques to adjust for sample design effects.

Interested readers may consult the HCUP Website, <http://www.hcup-us.ahrq.gov>, for more thorough descriptions about the NEDS and the NIS and for detailed information on the weighting of these databases and the calculation of standard errors.

2.2. Population Data

To calculate population-based rates in this manual, population data were used as the denominator while numbers estimated from the NEDS and the NIS were used as the numerator. The population data used in this manual were obtained from the U.S. Census Bureau, including *Intercensal Estimates of the Resident Population by Single Year of Age and Sex for States and the United States: April 1, 2000 to July 1, 2010* (U.S. Census Bureau, 2011a) and *Intercensal Estimates of the Resident Population for the United States, Regions, States, and Puerto Rico: April 1, 2000 to July 1, 2010* (U.S. Census Bureau, 2011b).

3. Data Coverage

Data provided in this manual cover four broad categories of medical conditions—alcohol-related diagnoses plus three co-occurring condition categories (drug-related diagnoses, mental health-related diagnoses, and injury-related diagnoses) among ED visits and hospital discharges of persons ages 12 and older. The medical conditions are ascertained by the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) as indicated on patient discharge records in the NEDS and the NIS. Exhibits 1–4 list the ICD-9-CM codes used in this manual to define the four broad categories (and their subcategories), respectively.

On each patient record, the NEDS contains up to 15 diagnoses, and the NIS contains up to 25 diagnoses (15 before the 2009 NIS). In this manual, health condition categories are presented as the first-listed diagnoses as well as all-listed diagnoses. For hospital-based inpatient services, the first-listed diagnosis is the principal diagnosis, defined by the ICD-9-CM coding guidelines as the “condition established after study to be chiefly responsible for occasioning the admission of the patient to the hospital for care.” For hospital-based ED services, the first-listed diagnosis would be the “code for the diagnosis, condition, problem or other reason for encounter/visit shown in the medical record to be chiefly responsible for the services provided” (Senathirajah et al., 2011). To qualify for an all-listed diagnosis of a certain condition category, any one of the ICD-9-CM codes for that condition category appearing as a diagnosis on the discharge record, regardless of its location, would suffice. There are also up to four external cause-of-injury codes (E-codes) retained in separate data elements on each patient record. For injury or poisonings that were indicated by E-codes, the identification of these cases was based on all available E-codes on the discharge records, because the first-listed E-code is not necessarily the underlying or principal cause of the injury. In this manual, the number and rate for all-listed diagnoses pertain to the count of events (either ED visits or hospital stays) that involve one or more diagnoses for a given condition category, not the count of diagnoses.

Exhibit 1. ICD-9-CM Codes for Alcohol-Related Diagnoses

Alcohol-Related Diagnoses	Classification Codes in ICD-9-CM	
Alcoholic psychoses	291.0	Alcohol withdrawal delirium
	291.1	Alcohol amnestic syndrome
	291.2	Other alcoholic dementia
	291.3	Alcohol withdrawal hallucinosis
	291.4	Idiosyncratic alcohol intoxication
	291.5	Alcoholic jealousy
	291.8	Other specified alcoholic psychosis
	291.9	Unspecified alcoholic psychosis
Alcohol dependence syndrome	303.0	Acute alcoholic intoxication
	303.9	Other and unspecified alcohol dependence
	357.5	Alcoholic Polyneuropathy
	425.5	Alcoholic Cardiomyopathy
	535.3	Alcoholic Gastritis
Nondependent abuse of alcohol	305.0	Nondependent abuse of alcohol
Chronic liver disease and cirrhosis		
Alcoholic liver disease	571.0	Alcoholic fatty liver
	571.1	Acute alcoholic hepatitis
	571.2	Alcoholic cirrhosis of liver
	571.3	Alcoholic liver damage, unspecified
Other specified liver cirrhosis without mention of alcohol	571.4	Chronic hepatitis
	571.6	Biliary cirrhosis
	571.8	Other chronic nonalcoholic liver disease
	572.3	Portal hypertension
Unspecified liver cirrhosis without mention of alcohol	571.5	Cirrhosis of liver without mention of alcohol
	571.9	Unspecified chronic liver disease without mention of alcohol
Alcohol poisoning	790.3	Excessive blood level of alcohol
	980	Toxic effect of alcohol
	E860	Accidental poisoning by alcohol, n.e.c.

Note: Alcohol-related diagnosis codes were selected according to NIAAA's surveillance report on alcohol-related morbidity (Chen & Yi, 2012). Alcohol poisoning was included according to NCHS's definition of alcohol-induced conditions (Murphy, 2000).

Exhibit 2. ICD-9-CM Codes for Drug-Related Diagnoses

Drug-Related Diagnoses	Classification Codes in ICD-9-CM	
Drug psychoses	292.0 292.1 292.2 292.8 292.9	Drug withdrawal syndrome Paranoid and/or hallucinatory states related by drugs Pathological drug intoxication Other specified drug-related mental disorders Unspecified drug-related mental disorder
Drug dependence	304.0 304.1 304.2 304.3 304.4 304.5 304.6 304.7 304.8 304.9	Opioid type dependence Barbiturate and similarly acting sedative or hypnotic dependence Cocaine dependence Cannabis dependence Amphetamine and other psychostimulant dependence Hallucinogen dependence Other specified drug dependence Combinations of opioid type drug with any other Combination of drug dependence excluding opioid type drug Unspecified drug dependence
Nondependent abuse of drugs	305.2 305.3 305.4 305.5 305.6 305.7 305.8 305.9	Cannabis abuse Hallucinogen abuse Barbiturate and similarly acting sedative or hypnotic abuse Opioid abuse Cocaine abuse Amphetamine or related acting sympathomimetic abuse Antidepressant type abuse Other, mixed, or unspecified drug abuse
Poisoning by drugs, medicinal and biological substances	960 961 962 963 964 965 966 967 968 969 970 971 972	Poisoning by antibiotics Poisoning by other anti-infectives Poisoning by hormones and synthetic substitutes Poisoning primarily systemic agents Poisoning by agents primarily affecting blood constituents Poisoning by analgesic, antipyretics, and antirheumatics Poisoning by anticonvulsants and anti-parkinsonism drugs Poisoning by sedatives and hypnotics Poisoning by other central nervous system depressants and anesthetics Poisoning by psychotropic agents Poisoning by central nervous system stimulants Poisoning by drugs primarily affecting the autonomic nervous system Poisoning by agents primarily affecting the cardiovascular system

	973	Poisoning by agents primarily affecting the gastrointestinal system
	974	Poisoning by water, mineral, and uric acid metabolism drugs
	975	Poisoning by agents primarily acting on the smooth and skeletal muscles and respiratory system
	976	Poisoning by agents primarily affecting skin and mucous membrane, ophthalmological, otorhinolaryngological, and dental drugs
	977	Poisoning by other and unspecified drugs and medicinal substances
	978	Poisoning by bacterial vaccines
	979	Poisoning by other vaccines and biological substances
Accidental drug poisoning	E850	Analgesics, antipyretics, and antirheumatics
	E851	Barbiturates
	E852	Other sedatives and hypnotics
	E853	Tranquilizers
	E854	Other psychotropic agents
	E855	Other drugs acting on central and autonomic nervous system
	E856	Antibiotics
	E857	Other anti-infectives
	E858	Other drugs
Suicidal drug poisoning	E950.0	Analgesics, antipyretics, and antirheumatics
	E950.1	Barbiturates
	E950.2	Other sedatives and hypnotics
	E950.3	Tranquilizers and other psychotropic agents
	E950.4	Other specified drugs and medicinal substances
	E950.5	Unspecified drug or medicinal substance
Assault by drugs and medicinal substances	E962.0	Assault by drugs and medicinal substances
Poisoning by solid or liquid substances, undetermined whether accidentally or purposely inflicted due to drugs	E980.0	Analgesics, antipyretics, and antirheumatics
	E980.1	Barbiturates
	E980.2	Other sedatives and hypnotics
	E980.3	Tranquilizers and other psychotropic agents
	E980.4	Other specified drugs and medicinal substances
	E980.5	Unspecified drug or medicinal substance

Note: Drug-related diagnosis codes were selected according to NCHS's definition of drug-induced conditions (Murphy, 2000).

Exhibit 3. ICD-9-CM Codes for Mental Health-Related Diagnoses

Mental Health-Related Diagnoses	Classification Codes in ICD-9-CM
Adjustment disorders	309.0, 309.1, 309.22, 309.23, 309.24, 309.28, 309.29, 309.3, 309.4 309.82, 309.83, 309.89, 309.9
Anxiety disorders	293.84, 300.00–300.02, 300.09, 300.10, 300.20–300.23, 300.29, 300.3, 300.5, 300.89, 300.9, 308.0–308.4, 308.9, 309.81, 313.0, 313.1, 313.21, 313.22, 313.3, 313.82, 313.83
Mood disorders:	
Bipolar disorders	296.00–296.06, 296.10–296.16, 296.40–296.46, 296.50–296.56, 296.60–296.66, 296.7, 296.80–296.82, 296.89, 296.90, 296.99
Depressive disorders	293.83, 296.20–296.26, 296.30–296.36, 300.4, 311
Personality disorders	301.0, 301.10–301.13, 301.20–301.22, 301.3, 301.4, 301.50, 301.51, 301.59, 301.6, 301.7, 301.81–301.84, 301.89, 301.9
Schizophrenia and other psychotic disorders	293.81, 293.82, 295.00–295.05, 295.10–295.15, 295.20–295.25, 295.30–295.35, 295.40–295.45, 295.50–295.55, 295.60–295.65, 295.70–295.75, 295.80–295.85, 295.90–295.95, 297.0–297.3, 297.8, 297.9, 298.0–298.4, 298.8, 298.9
All other mental disorders:	
Attention deficit, and amnesic and other cognitive disorders	312.00–312.03, 312.10–312.13, 312.20–312.23, 312.4, 312.8, 312.81, 312.82, 312.89, 312.9, 313.81, 314.00, 314.01, 314.1, 314.2, 314.8, 314.9
Disorders usually diagnosed in infancy, childhood, or adolescence	299.00, 299.01, 299.10, 299.11, 299.80, 299.81, 299.90, 299.91, 307.20, 307.21–307.23, 307.3, 307.6, 307.7, 309.21, 313.23, 313.89, 313.9
Impulse control disorders, not elsewhere classified	312.30–312.35, 312.39
Miscellaneous disorders, including eating disorders, mental disorders in pregnancy, dissociative disorders, factitious disorders, sleep disorders, and somatoform disorders	293.89, 293.9 300.11–300.16, 300.19, 300.6, 300.7, 300.81, 300.82, 302.1–302.4, 302.50–302.53, 302.6, 302.70–302.76, 302.79, 302.81–302.85, 302.89, 302.9, 306.0–306.4, 306.50–306.53, 306.59, 306.6–306.9, 307.1, 307.40–307.49, 307.50–307.54, 307.59, 307.80, 307.81, 307.89, 310.1, 316, 648.40–648.44, V40.2, V40.3, V40.9, V67.3

Note: Mental health-related diagnosis codes and categorization are adopted from HCUP's definition (Owens, Mutter, & Stocks, 2010). Some groupings among the diagnoses were made due to small case numbers.

Exhibit 4. ICD-9-CM Codes for Injury-Related Diagnoses.

Injury-Related Diagnoses	Classification Codes in ICD-9-CM
Any injury-related diagnoses	800–909.2, 909.4, 909.9, 910–994.9, 995.50–995.59, 995.80–995.85, E800–E848, E850–E869, E880–E929, E950–E999
Unintentional injuries	E800–E848, E850–E869, E880–E929
Falls	E880.0–E886.9, E888
Struck by or against objects or persons	E916–E917.9
Motor vehicle traffic	E810.0–E819.9
Cut or pierce	E920.0–E920.9
Poisoning	E850–E858, E859–E869
Intentional injuries	E950–E959, E960–E969, E979, E999.1

Note: The ICD-9-CM codes used in this manual to identify injuries are adopted from the CDC guideline (Thomas & Johnson, 2012), with a minor modification that E849 (place of injury occurrence) was excluded from the list. E849 is intended to provide supplemental information for other E-codes, including E-codes for injury and non-injury cases. Based on our analysis of the data, almost all cases that had E849 as the only E-code on record were related to complications/adverse effects of surgical and medical care procedures. Excluding E849 prevents incorrectly identifying non-injury cases as injury cases.

4. Data Tables

Four sets of data tables (A, B, C, and D series) based on the NEDS and the NIS for ED visits and hospitalizations are provided in Chapter I and Chapter II, respectively. In each chapter, Tables A1–A10 present the percentage of events (i.e., ED visits or hospitalizations); Tables B1–B10 present the number of events; Tables C1–C10 present the rate of events in the population; and Tables D1-1 to D2-2 present the cost or charge of these events. In each table, data are shown for both sexes and all ages 12 and older combined, separately for males and females ages 12 and older, and separately for both sexes combined in each of five age categories (12–20, 21–24, 25–44, 45–64, and 65 and older). Because the same scheme is used to number the tables in the two chapters, the chapter number is indicated at the top outside corner on each page of the tables. This will help readers to easily tell whether a specific table refers to ED visits or hospitalizations.

It is important to note that the numbers presented in the data tables are estimates, because they are derived from a representative sample of hospitals and all the discharges within the sampled hospitals. In a sample, each visit/discharge represents one or more visits/discharges in the population to which the estimates apply. To enable readers to assess the precision of the estimates provided, each estimate is accompanied by a value for the standard error of the estimate (labeled S.E. in the tables). Multiplying the standard error by 1.96 provides a margin of error above and below each estimate. This range defines a 95-percent confidence interval that will have a 95-percent chance of including the true value being estimated. All standard errors in this manual were calculated using SUDAAN, as discussed earlier. Estimates with very large standard errors or based on very small samples can be extremely unreliable. Following the HCUP data suppression rule, estimates derived from 10 or fewer records are not reported. Tables cells suppressed under this rule are marked by a “–” symbol.

The following sections discuss the tables related to the major topics covered in the manual. Portions of selected tables are shown as examples on the following pages, in which certain numbers cited in the text are boldfaced for illustration purposes.

4.1. Alcohol-Related ED Visits and Hospitalizations

As described earlier, Exhibit 1 lists the specific medical conditions and their associated ICD-9-CM codes that comprise the alcohol-related diagnoses for defining alcohol-related ED visits and hospitalizations in this manual. These alcohol-related diagnoses include alcoholic psychoses; alcohol dependence syndrome; nondependent abuse of alcohol; chronic liver disease and cirrhosis, such as alcoholic liver disease; and alcohol poisoning. Relevant tables on this topic are Tables A1–A4, B1–B4, and C1–C4.

For example, Table A1 of Chapter I shows that 1.1276 percent of ED visits in 2010 for those ages 12 and older had a first-listed diagnosis of alcohol-related conditions. The percentage of males (1.8767) was about 3 times as high as that of females (0.5629). In addition, 0.5745 percent of the ED visits had a diagnosis of nondependent abuse of alcohol, a percentage that had increased from 0.4791 percent in 2006.

Chapter I, Table A1. [Percent distribution of emergency department visits with first-listed alcohol-related diagnoses]

First-listed alcohol-related diagnoses by year	Total		Sex			
			Male		Female	
	Percent	S.E.	Percent	S.E.	Percent	S.E.
Any alcohol-related diagnoses						
2010	1.1276	0.0366	1.8767	0.0656	0.5629	0.0151
2009	1.1017	0.0312	1.8296	0.0577	0.5535	0.0126
2008	1.0692	0.0349	1.7505	0.0633	0.5477	0.0140
2007	1.0275	0.0305	1.6658	0.0550	0.5323	0.0126
2006	0.9684	0.0270	1.5633	0.0481	0.5020	0.0114
Alcoholic psychoses						
2010	0.1696	0.0074	0.3003	0.0134	0.0710	0.0031
2009	0.1753	0.0081	0.3130	0.0147	0.0716	0.0035
2008	0.1588	0.0070	0.2789	0.0128	0.0669	0.0030
2007	0.1529	0.0083	0.2693	0.0154	0.0626	0.0030
2006	0.1406	0.0055	0.2447	0.0095	0.0590	0.0026
Alcohol dependence syndrome						
2010	0.2812	0.0153	0.4902	0.0283	0.1237	0.0058
2009	0.2697	0.0130	0.4653	0.0235	0.1225	0.0055
2008	0.2491	0.0133	0.4232	0.0238	0.1157	0.0058
2007	0.2444	0.0123	0.4126	0.0214	0.1138	0.0057
2006	0.2255	0.0106	0.3801	0.0191	0.1043	0.0045
Nondependent abuse of alcohol						
2010	0.5745	0.0257	0.9354	0.0462	0.3025	0.0106
2009	0.5486	0.0209	0.8925	0.0392	0.2894	0.0081
2008	0.5472	0.0219	0.8795	0.0396	0.2929	0.0088
2007	0.5132	0.0174	0.8128	0.0311	0.2808	0.0077
2006	0.4791	0.0183	0.7585	0.0337	0.2600	0.0072

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Chapter I, Table A2. [Percent distribution of emergency department visits with all-listed alcohol-related diagnoses]

All-listed alcohol-related diagnoses by year	Total		Sex			
			Male		Female	
	Percent	S.E.	Percent	S.E.	Percent	S.E.
Any alcohol-related diagnoses						
2010	3.5591	0.0640	5.6673	0.1061	1.9699	0.0324
2009	3.3928	0.0603	5.4128	0.1026	1.8722	0.0302
2008	3.2974	0.0616	5.2249	0.1002	1.8211	0.0325
2007	3.1593	0.0605	4.9951	0.1011	1.7341	0.0305
2006	3.0447	0.0550	4.7977	0.0893	1.6705	0.0289
Alcoholic psychoses						
2010	0.3613	0.0114	0.6400	0.0204	0.1512	0.0049
2009	0.3701	0.0127	0.6568	0.0227	0.1543	0.0056
2008	0.3489	0.0117	0.6107	0.0200	0.1486	0.0058
2007	0.3329	0.0127	0.5828	0.0228	0.1391	0.0051
2006	0.3154	0.0093	0.5469	0.0157	0.1340	0.0044
Alcohol dependence syndrome						
2010	1.1591	0.0305	1.9857	0.0526	0.5359	0.0140
2009	1.1433	0.0289	1.9491	0.0502	0.5366	0.0138
2008	1.0819	0.0307	1.8287	0.0520	0.5103	0.0154
2007	1.0394	0.0327	1.7494	0.0567	0.4885	0.0150
2006	0.9704	0.0271	1.6216	0.0452	0.4599	0.0132
Nondependent abuse of alcohol						
2010	1.8390	0.0441	3.0084	0.0740	0.9574	0.0219
2009	1.7223	0.0401	2.8202	0.0693	0.8953	0.0190
2008	1.7197	0.0384	2.7948	0.0634	0.8958	0.0192
2007	1.6698	0.0367	2.6978	0.0614	0.8712	0.0183
2006	1.6551	0.0368	2.6637	0.0618	0.8644	0.0181

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table A2 of Chapter I shows that the percentage of ED visits with an all-listed diagnosis of alcohol-related conditions (3.5591) was about 3 times as high as that for first-listed (1.1276). While ED visits for all-listed alcohol psychoses (0.3613) was twice as high as that for first-listed (0.1696), all-listed alcohol dependence syndrome (1.1591) was about 4 times as high as that for first-listed (0.2812).

As shown in Table B2 of Chapter II, the number of hospitalizations among male patients ages 12 and older with a diagnosis of alcohol dependence syndrome increased from 625,651 in 2006 to 739,813 in 2010. The number of hospitalizations among female patients with a diagnosis of nondependent abuse of alcohol increased from 193,942 in 2006 to 220,499 in 2010.

The population rates corresponding to the numbers reported in Table B2 of Chapter II are shown in Table C2 of Chapter II. The rate of hospitalization for males ages 12 and older with a diagnosis of alcohol dependence syndrome increased from 51.1823 per 10,000 population in 2006 to 58.1953 per 10,000 population in 2010. The rate of hospitalizations for females with a diagnosis of nondependent abuse of alcohol increased from 15.1053 per 10,000 population in 2006 to 16.5391 per 10,000 population in 2010.

Chapter II, Table B2. [Number of hospitalizations with all-listed alcohol-related diagnoses]

All-listed alcohol-related diagnoses by year	Total		Sex			
			Male		Female	
	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol dependence syndrome						
2010	1,013,634	40,892	739,813	31,856	273,614	10,629
2009	968,922	39,678	707,382	30,919	261,352	10,084
2008	919,020	40,200	660,481	30,130	258,266	11,425
2007	865,866	32,988	628,827	25,703	236,513	8,670
2006	855,480	38,351	625,651	29,891	229,477	9,378
Nondependent abuse of alcohol						
2010	774,177	28,020	553,207	20,947	220,499	7,551
2009	701,914	25,176	500,419	18,748	201,038	6,888
2008	660,381	24,345	467,762	17,630	192,277	7,230
2007	686,721	26,283	488,959	20,082	197,302	6,801
2006	700,593	27,648	506,342	21,067	193,942	7,160
All chronic liver disease and cirrhosis						
2010	852,354	24,173	497,794	14,920	354,505	9,929
2009	796,890	23,307	465,795	13,753	331,003	10,069
2008	731,913	22,756	428,432	13,839	303,380	9,369
2007	660,920	17,516	392,988	11,446	267,789	6,627
2006	633,730	17,320	377,263	11,068	256,381	6,840
Alcohol poisoning						
2010	29,822	1,665	16,400	1,082	13,423	669
2009	27,349	1,213	14,594	700	12,750	605
2008	29,430	1,353	15,876	799	13,553	661
2007	24,825	1,158	13,078	611	11,706	627
2006	25,322	1,214	13,770	744	11,548	570

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Chapter II, Table C2. [Rate of hospitalizations with all-listed alcohol-related diagnoses per 10,000 population]

All-listed alcohol-related diagnoses by year	Total		Sex			
			Male		Female	
	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcohol dependence syndrome						
2010	38.9193	1.5701	58.1953	2.5058	20.5232	0.7973
2009	37.5341	1.5370	56.1576	2.4546	19.7723	0.7629
2008	35.9351	1.5719	52.9295	2.4145	19.7212	0.8724
2007	34.1958	1.3028	50.9085	2.0809	18.2372	0.6685
2006	34.1327	1.5301	51.1823	2.4453	17.8729	0.7304
Nondependent abuse of alcohol						
2010	29.7252	1.0759	43.5165	1.6478	16.5391	0.5664
2009	27.1907	0.9753	39.7273	1.4884	15.2093	0.5211
2008	25.8219	0.9519	37.4854	1.4128	14.6822	0.5521
2007	27.1208	1.0380	39.5851	1.6258	15.2136	0.5244
2006	27.9529	1.1031	41.4221	1.7234	15.1053	0.5576
All chronic liver disease and cirrhosis						
2010	32.7268	0.9281	39.1576	1.1736	26.5906	0.7448
2009	30.8699	0.9029	36.9785	1.0918	25.0416	0.7617
2008	28.6190	0.8898	34.3336	1.1090	23.1660	0.7154
2007	26.1018	0.6917	31.8155	0.9266	20.6488	0.5110
2006	25.2852	0.6910	30.8626	0.9055	19.9684	0.5328
Alcohol poisoning						
2010	1.1451	0.0639	1.2900	0.0851	1.0068	0.0502
2009	1.0594	0.0470	1.1586	0.0556	0.9646	0.0458
2008	1.1507	0.0529	1.2723	0.0640	1.0349	0.0505
2007	0.9804	0.0457	1.0588	0.0495	0.9027	0.0484
2006	1.0103	0.0484	1.1264	0.0608	0.8994	0.0444

SOURCE: Nationwide Inpatient Sample, 2006–2010.

4.2. Co-occurrence of Alcohol-Related and Drug-Related ED Visits and Hospitalizations

Exhibit 2 lists the specific medical conditions and their associated ICD-9-CM codes that comprise the co-occurring drug-related diagnoses for alcohol-related ED visits and hospitalizations in this manual. These co-occurring drug-related diagnoses include drug psychoses, drug dependence, nondependent abuse of drugs, and poisoning by drugs and medicinal and biological substances. Relevant tables on this topic are Tables A5–A6, B5–B6, and C5–C6 in both chapters.

For example, Table A5 of Chapter I shows that among ED visits by patients ages 12–20 with a first-listed diagnosis of alcohol-related conditions in 2009, 10.4149 percent also had a drug-related diagnosis. The percentage increased in the 21–24 age group (11.7141) and the 25–44 age group (13.7157), then dropped in the 45–64 age group (9.2758) and was lowest (2.8101) in the 65+ age group.

Chapter I, Table A5. [Percent distribution that had co-occurring drug-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses]

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Age group									
	12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Any alcohol-related diagnoses										
Any drug-related diagnoses										
2010	10.5599	0.4219	11.1513	0.4497	12.9930	0.4796	8.9504	0.4104	2.9796	0.1903
2009	10.4149	0.4110	11.7141	0.4572	13.7157	0.4964	9.2758	0.3398	2.8101	0.1973
2008	11.5120	0.4542	11.6685	0.5534	13.8112	0.5388	9.0148	0.3147	2.7641	0.1972
2007	11.3011	0.4901	12.3541	0.5488	15.1027	0.7752	9.4118	0.4104	2.5223	0.1728
2006	11.0244	0.3706	12.8177	0.5033	14.0358	0.3996	8.2116	0.2387	1.8994	0.1338
Drug psychoses										
2010	0.2028	0.0376	0.5814	0.0782	1.0272	0.0760	0.8031	0.0561	0.4134	0.0540
2009	0.3198	0.0420	0.9691	0.1191	1.1103	0.0865	0.8716	0.0564	0.4617	0.1084
2008	0.2725	0.0455	0.6934	0.1006	1.0218	0.0971	0.8519	0.0697	0.5469	0.1122
2007	0.2793	0.0493	0.4792	0.0731	1.1079	0.1461	0.8046	0.0791	0.4145	0.0673
2006	0.2524	0.0396	0.4898	0.0632	0.9461	0.0908	0.7031	0.0471	0.3167	0.0539
Drug dependence										
2010	0.6147	0.0743	1.5440	0.1532	3.0271	0.3357	2.4929	0.3389	0.8933	0.1186
2009	0.6473	0.0796	1.9478	0.1834	3.5266	0.3228	2.6302	0.2209	0.7518	0.1272
2008	0.8890	0.1582	1.7710	0.2155	3.4651	0.4248	2.5073	0.2763	0.6742	0.0812
2007	0.9954	0.1955	1.6613	0.1996	4.1473	0.7179	2.6390	0.3890	0.6474	0.1044
2006	0.5907	0.0695	1.5715	0.1590	2.8421	0.2019	1.7897	0.1136	0.4796	0.0648

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Chapter II, Table C6. [Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population]

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Age group									
	12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcohol poisoning										
Drug dependence										
2010	0.0261	0.0060	0.0823	0.0160	0.1164	0.0122	0.1041	0.0187	—	—
2009	0.0344	0.0077	0.0917	0.0177	0.1283	0.0140	0.0899	0.0126	—	—
2008	0.0341	0.0075	0.0740	0.0169	0.1193	0.0116	0.1046	0.0108	—	—
2007	0.0236	0.0059	0.0976	0.0183	0.0978	0.0100	0.0624	0.0071	—	—
2006	0.0204	0.0050	0.0729	0.0188	0.1239	0.0142	0.0683	0.0085	—	—
Nondependent abuse of drugs										
2010	0.1286	0.0155	0.3691	0.0382	0.3489	0.0266	0.2711	0.0272	0.0208	0.0051
2009	0.1642	0.0169	0.3578	0.0356	0.3435	0.0223	0.2109	0.0163	0.0244	0.0059
2008	0.1613	0.0164	0.3379	0.0368	0.3636	0.0246	0.2254	0.0181	—	—
2007	0.1357	0.0165	0.3304	0.0368	0.3475	0.0267	0.1832	0.0160	0.0167	0.0059
2006	0.1665	0.0192	0.3255	0.0366	0.3216	0.0216	0.1742	0.0140	0.0188	0.0065
Drug poisoning										
2010	0.3063	0.0256	0.9157	0.0673	1.1070	0.0564	0.8803	0.0446	0.1575	0.0168
2009	0.3239	0.0265	0.9448	0.0670	1.0884	0.0536	0.8350	0.0429	0.1625	0.0160
2008	0.3785	0.0292	1.0508	0.0764	1.2283	0.0632	0.9222	0.0504	0.1558	0.0153
2007	0.2941	0.0265	0.8655	0.0608	1.0441	0.0595	0.7257	0.0429	0.1636	0.0166
2006	0.3545	0.0281	0.9346	0.0699	1.0963	0.0605	0.7247	0.0398	0.1292	0.0147

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table C6 of Chapter II shows that in 2010, the rate of hospitalizations for patients ages 25 to 44 diagnosed with alcohol poisoning and a co-occurring drug poisoning was 1.1070 per 10,000 population. The exact number of these hospitalizations used as the numerator of this rate can be found in Table B6 of Chapter II, which shows that 9,102 hospitalizations in 2010 were among this group of inpatients. Note that in Tables B6 and C6, some of the values for the 65+ age group are suppressed and marked with a “—” symbol, because these cells had 10 or fewer patient records in the samples.

Chapter II, Table B6. [Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses]

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Age group									
	12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol poisoning										
Drug dependence										
2010.....	102	23	141	27	957	100	851	153	—	—
2009.....	134	30	156	30	1,054	115	722	101	—	—
2008.....	133	29	125	28	983	96	823	85	—	—
2007.....	92	23	164	31	807	83	481	55	—	—
2006.....	79	19	122	32	1,024	117	513	64	—	—
Nondependent abuse of drugs										
2010.....	500	60	632	65	2,869	219	2,217	222	84	21
2009.....	641	66	608	61	2,824	183	1,693	131	97	23
2008.....	630	64	570	62	2,996	202	1,772	142	—	—
2007.....	529	64	556	62	2,867	220	1,412	124	63	22
2006.....	646	74	546	61	2,658	178	1,310	106	70	24
Drug poisoning										
2010.....	1,191	100	1,567	115	9,102	464	7,199	365	637	68
2009.....	1,265	104	1,606	114	8,948	441	6,703	344	644	63
2008.....	1,479	114	1,773	129	10,121	521	7,250	396	604	59
2007.....	1,146	103	1,457	102	8,615	491	5,593	331	619	63
2006.....	1,376	109	1,569	117	9,060	500	5,451	299	480	55

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

4.3. Co-occurrence of Alcohol-Related and Mental Health-Related ED Visits and Hospitalizations

Exhibit 3 lists the specific medical conditions and their associated ICD-9-CM codes that comprise the co-occurring mental health-related diagnoses for alcohol-related ED visits and hospitalizations in this manual. These co-occurring mental health-related diagnoses include adjustment disorders, anxiety disorders, mood disorders, personality disorders, schizophrenia and other psychotic disorders, and all other mental disorders. Relevant tables on this topic are Tables A7–A8, B7–B8, and C7–C8.

Table A8 of Chapter II shows that in 2010, among hospitalizations of patients ages 12 and older, 46.6544 percent of those with an all-listed diagnosis of alcohol dependence syndrome also had a co-occurring mental health-related diagnosis. Notably, the percentage has increased from 41.3193 in 2006, and it was higher for females (60.4148 in 2010) than for males (41.5631 in 2010). Table B8 of Chapter II shows that in 2010, there were 307,489 hospitalizations of male

patients ages 12 and older who had any alcohol dependence syndrome and any co-occurring mental health condition. The corresponding number for females was only 165,303.

Chapter II, Table A8. [Percent distribution that had co-occurring mental health-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses]

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex			
			Male		Female	
	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol dependence syndrome						
Any mental health-related diagnoses						
2010	46.6544	0.8947	41.5631	0.8652	60.4148	0.8622
2009	46.3867	0.9253	41.1334	0.9010	60.6138	0.8710
2008	46.5773	1.1603	41.2822	1.1281	60.1322	1.0919
2007	42.5940	0.8667	37.4338	0.8256	56.3621	0.9034
2006	41.3193	1.0071	36.4255	0.9643	54.6981	1.0109
Anxiety disorder						
2010	10.9845	0.4003	9.0305	0.3348	16.2743	0.5439
2009	10.8263	0.4141	8.7645	0.3597	16.4127	0.5570
2008	10.0776	0.4454	8.2431	0.3773	14.7799	0.5990
2007	8.8600	0.3386	7.1467	0.2851	13.4314	0.4843
2006	7.9802	0.3401	6.5430	0.2798	11.9108	0.5075
Depressive disorder						
2010	25.2395	0.6450	22.0132	0.6173	33.9460	0.6538
2009	25.1998	0.6209	21.8199	0.6014	34.3562	0.6007
2008	25.2779	0.7726	21.8725	0.7210	33.9925	0.8402
2007	23.4403	0.5695	20.1554	0.5302	32.1994	0.6417
2006	22.3070	0.6762	19.0272	0.6238	31.2664	0.7349

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Chapter II, Table B8. [Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses]

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex			
			Male		Female	
	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol dependence syndrome						
Any mental health-related diagnoses						
2010	472,905	21,744	307,489	14,751	165,303	7,582
2009	449,451	20,298	290,971	13,596	158,415	7,184
2008	428,055	22,648	272,661	14,225	155,301	8,782
2007	368,807	17,009	235,394	11,438	133,304	6,041
2006	353,478	18,050	227,896	12,150	125,519	6,219
Anxiety disorder						
2010	111,342	5,496	66,809	3,209	44,529	2,429
2009	104,898	5,632	61,999	3,336	42,895	2,451
2008	92,616	5,649	54,444	3,136	38,172	2,639
2007	76,716	3,835	44,940	2,224	31,767	1,757
2006	68,269	3,780	40,936	2,273	27,333	1,639
Depressive disorder						
2010	255,836	11,348	162,857	7,451	92,881	4,177
2009	244,167	10,777	154,350	6,875	89,791	4,124
2008	232,309	12,623	144,464	7,613	87,791	5,263
2007	202,962	9,120	126,742	5,934	76,156	3,454
2006	190,831	9,266	119,044	5,901	71,749	3,532

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table C8 of Chapter II similarly shows that the corresponding rate for males was higher than that for females (24.1878 per 10,000 population versus 12.3990 per 10,000 population). Although Table A8 of Chapter II suggests that the co-occurrence of mental health conditions was more prevalent among females diagnosed with alcohol dependence syndrome than among their male counterparts, Tables B8 and C8 show a smaller number and a lower rate for females than for males. This was largely because fewer females (273,614) than males (739,813) were hospitalized for alcohol dependence syndrome, as shown in Table B2 of Chapter II.

Chapter II, Table C8. [Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population]

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex			
			Male		Female	
	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcohol dependence syndrome						
Any mental health-related diagnoses						
2010	18.1576	0.8349	24.1878	1.1603	12.3990	0.5687
2009	17.4108	0.7863	23.0996	1.0794	11.9847	0.5435
2008	16.7376	0.8856	21.8505	1.1400	11.8588	0.6706
2007	14.5654	0.6717	19.0570	0.9260	10.2789	0.4658
2006	14.1034	0.7202	18.6434	0.9940	9.7761	0.4844
Anxiety disorder						
2010	4.2751	0.2110	5.2553	0.2524	3.3400	0.1822
2009	4.0635	0.2182	4.9220	0.2648	3.2452	0.1854
2008	3.6214	0.2209	4.3630	0.2513	2.9148	0.2015
2007	3.0298	0.1515	3.6383	0.1800	2.4495	0.1355
2006	2.7239	0.1508	3.3489	0.1859	2.1288	0.1276
Depressive disorder						
2010	9.8230	0.4357	12.8107	0.5861	6.9668	0.3133
2009	9.4585	0.4175	12.2535	0.5458	6.7930	0.3120
2008	9.0837	0.4936	11.5770	0.6101	6.7037	0.4019
2007	8.0156	0.3602	10.2608	0.4804	5.8723	0.2663
2006	7.6140	0.3697	9.7386	0.4827	5.5882	0.2751

SOURCE: Nationwide Inpatient Sample, 2006–2010.

4.4. Co-occurrence of Alcohol-Related and Injury-Related ED Visits and Hospitalizations

Exhibit 4 lists the specific medical conditions and their associated ICD-9-CM codes that comprise the co-occurring injury-related diagnoses for alcohol-related ED visits and hospitalizations in this manual. These co-occurring injury-related diagnoses include unintentional injuries (such as falling, being struck by or against objects or persons, motor vehicle traffic, being cut or pierced, and being poisoned) and intentional injuries. Relevant tables on this topic are Tables A9–A10, B9–B10, and C9–C10 in both chapters. Portions of the selected tables are shown below as examples, in which certain numbers are boldfaced for illustration purposes.

For example, Table A10 of Chapter I shows that in 2010, among ED visits by patients ages 12–20, 28.9635 percent of those with an all-listed diagnosis of nondependent abuse of alcohol also had any injury-related diagnosis. The percentage increased in the 21–24 age group (38.7219),

then dropped in the 25–44 and 45–64 age groups (30.3525 and 23.4314, respectively) and increased slightly in the 65+ age group (26.3012). Notably, the percentages of co-occurring injuries declined significantly between 2006 and 2010 for the two youngest groups (12–20 and 21–24) but remained almost unchanged for the older age groups.

In 2010, unintentional fall injury that co-occurred with nondependent abuse of alcohol among ED visits was most prevalent in the 65+ age group (18.3112 percent) and least prevalent in the 21–24 age group (5.0222 percent). By contrast, the co-occurring motor vehicle traffic injury was least prevalent in the 65+ age group (1.3144 percent) and most prevalent in the 21–24 age group (7.3974 percent), although the prevalence in the latter age group had decreased from 10.7162 percent in 2006.

Chapter I, Table A10. [Percent distribution that had co-occurring injury-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses]

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Age group									
	12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Nondependent abuse of alcohol										
Any injury-related diagnoses										
2010.....	28.9635	0.6097	38.7219	0.6426	30.3525	0.5083	23.4314	0.4390	26.3012	0.4173
2009.....	29.7761	0.5628	41.0545	0.6735	31.3989	0.5331	23.7447	0.4149	26.3597	0.4130
2008.....	30.5641	0.6163	41.5644	0.7319	32.4790	0.5735	24.1788	0.4161	26.7597	0.4662
2007.....	30.4140	0.6129	42.6934	0.6531	32.1494	0.5284	23.9188	0.3806	25.9390	0.4383
2006.....	32.7560	0.6001	44.5662	0.6746	31.6111	0.5913	23.5468	0.4247	26.0200	0.4452
Unintentional Injuries										
2010.....	16.9575	0.4421	22.6701	0.5475	17.5930	0.3778	16.6448	0.3483	23.2976	0.4390
2009.....	16.9693	0.3980	23.8687	0.5590	17.9323	0.3795	16.6121	0.3218	23.2402	0.4169
2008.....	17.2035	0.4009	23.8847	0.5468	18.2744	0.3788	16.5421	0.3042	23.3224	0.4484
2007.....	17.4857	0.4909	24.8362	0.5908	17.9595	0.4255	16.0924	0.3654	22.2461	0.5038
2006.....	19.0759	0.4843	25.0840	0.5469	17.8484	0.3948	16.1161	0.3477	22.3990	0.4720
Falls										
2010.....	5.0222	0.2042	6.8799	0.2073	6.0455	0.1339	9.0020	0.1845	18.3112	0.3711
2009.....	4.6174	0.1773	6.4886	0.2380	6.0311	0.1290	8.9033	0.1803	18.2889	0.3717
2008.....	4.5084	0.1802	6.5663	0.2412	5.6983	0.1210	8.5477	0.1620	18.2265	0.3776
2007.....	4.1950	0.1533	6.2412	0.2316	5.4252	0.1481	8.2080	0.1987	17.2390	0.4361
2006.....	4.4599	0.2157	5.9898	0.1984	5.3912	0.1493	8.2498	0.1947	17.5324	0.4145
Motor vehicle traffic										
2010.....	4.9098	0.2369	7.3974	0.3423	4.5269	0.1879	2.1827	0.1037	1.3144	0.0935
2009.....	5.3253	0.2747	8.8442	0.4015	4.9741	0.2031	2.3859	0.1003	1.2216	0.0795
2008.....	5.7237	0.2360	8.8879	0.3677	5.5914	0.2096	2.6456	0.0953	1.4851	0.0801
2007.....	6.4302	0.2831	10.1499	0.4045	5.6323	0.2014	2.7217	0.1060	1.4601	0.0976
2006.....	7.5148	0.3181	10.7162	0.4165	5.6272	0.2214	2.7406	0.1080	1.4324	0.0966

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table C10 of Chapter I shows that in 2010, the population rate of ED visits by patients ages 21 to 24 who were diagnosed with any nondependent abuse of alcohol and co-occurring unintentional motor vehicle traffic injury was 6.8205 per 10,000 population, a decrease from 8.2799 per 10,000 population in 2006. The exact number of hospital discharges used as the numerator of this rate can be found in Table B10 of Chapter I, which shows that 11,671 ED visits in 2010 and 13,900 ED visits in 2006 were made by those ages 21 to 24 diagnosed with nondependent abuse of alcohol and co-occurring motor vehicle traffic injury.

Chapter I, Table C10. [Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 100,000 population]

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Age group									
	12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Nondependent abuse of alcohol										
Any injury-related diagnoses										
2010.....	11.8894	0.4146	35.7022	1.2730	26.5042	0.8649	24.1977	0.7907	9.9134	0.3206
2009.....	11.9091	0.4300	35.7312	1.3983	25.7423	0.8743	22.1173	0.7480	9.2248	0.2827
2008.....	12.4306	0.5021	36.6091	1.5022	26.5899	0.9043	21.5722	0.7160	9.5195	0.3125
2007.....	12.1563	0.4474	35.1461	1.3123	25.3595	0.8739	19.9527	0.6396	8.9272	0.2946
2006.....	12.3883	0.4074	34.4340	1.1726	24.5317	0.7465	19.6269	0.6058	9.0737	0.2840
Unintentional Injuries										
2010.....	6.9609	0.2596	20.9022	0.8075	15.3624	0.5313	17.1892	0.5880	8.7813	0.2962
2009.....	6.7869	0.2620	20.7738	0.8973	14.7018	0.5258	15.4735	0.5291	8.1331	0.2579
2008.....	6.9968	0.2858	21.0372	0.9042	14.9609	0.5038	14.7587	0.4856	8.2968	0.2766
2007.....	6.9890	0.2719	20.4457	0.8477	14.1665	0.5202	13.4241	0.4385	7.6563	0.2645
2006.....	7.2145	0.2710	19.3811	0.7355	13.8512	0.4391	13.4332	0.4354	7.8110	0.2583
Falls										
2010.....	2.0616	0.1051	6.3434	0.2736	5.2790	0.1910	9.2964	0.3215	6.9018	0.2402
2009.....	1.8468	0.1011	5.6473	0.3051	4.9446	0.1832	8.2930	0.2897	6.4003	0.2142
2008.....	1.8336	0.1023	5.7835	0.3248	4.6651	0.1658	7.6262	0.2551	6.4839	0.2226
2007.....	1.6767	0.0796	5.1379	0.2736	4.2794	0.1654	6.8470	0.2348	5.9330	0.2200
2006.....	1.6867	0.1006	4.6280	0.2131	4.1838	0.1532	6.8764	0.2455	6.1139	0.2103
Motor vehicle traffic										
2010.....	2.0155	0.1062	6.8205	0.3681	3.9530	0.1814	2.2541	0.1136	0.4954	0.0361
2009.....	2.1299	0.1175	7.6974	0.4243	4.0780	0.1951	2.2224	0.1068	0.4275	0.0287
2008.....	2.3279	0.1150	7.8283	0.4203	4.5776	0.1972	2.3604	0.0986	0.5283	0.0317
2007.....	2.5701	0.1226	8.3556	0.4089	4.4428	0.1912	2.2704	0.0961	0.5025	0.0342
2006.....	2.8421	0.1353	8.2799	0.3972	4.3670	0.1827	2.2843	0.0894	0.4995	0.0340

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Chapter I, Table B10. [Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 100,000 population]

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Age group									
	12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Nondependent abuse of alcohol										
Any injury-related diagnoses										
2010.....	46,236	1,612	61,091	2,178	217,940	7,112	197,888	6,467	40,087	1,296
2009.....	46,490	1,679	60,745	2,377	211,630	7,188	177,541	6,005	36,552	1,120
2008.....	48,568	1,962	61,787	2,535	219,101	7,451	169,595	5,629	36,915	1,212
2007.....	47,372	1,743	59,171	2,209	209,241	7,211	153,772	4,929	33,768	1,114
2006.....	48,099	1,582	57,808	1,969	202,728	6,169	147,626	4,557	33,722	1,055
Unintentional Injuries										
2010.....	27,070	1,009	35,766	1,382	126,323	4,369	140,572	4,808	35,510	1,198
2009.....	26,494	1,023	35,316	1,526	120,865	4,322	124,210	4,247	32,226	1,022
2008.....	27,337	1,117	35,506	1,526	123,278	4,151	116,029	3,818	32,173	1,073
2007.....	27,235	1,060	34,422	1,427	116,887	4,292	103,457	3,380	28,960	1,001
2006.....	28,011	1,052	32,537	1,235	114,465	3,628	101,040	3,275	29,029	960
Falls										
2010.....	8,017	409	10,854	468	43,408	1,570	76,026	2,629	27,909	971
2009.....	7,209	395	9,601	519	40,650	1,506	66,571	2,325	25,360	849
2008.....	7,164	400	9,761	548	38,440	1,366	59,955	2,006	25,143	863
2007.....	6,534	310	8,650	461	35,309	1,365	52,769	1,810	22,442	832
2006.....	6,549	391	7,769	358	34,575	1,266	51,722	1,847	22,722	782
Motor vehicle traffic										
2010.....	7,838	413	11,671	630	32,505	1,492	18,434	929	2,003	146
2009.....	8,314	459	13,086	721	33,525	1,604	17,840	858	1,694	114
2008.....	9,095	449	13,212	709	37,719	1,625	18,557	775	2,049	123
2007.....	10,016	478	14,067	688	36,657	1,577	17,498	740	1,901	130
2006.....	11,035	525	13,900	667	36,088	1,510	17,182	673	1,856	126

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

4.5. Charge Estimates for Alcohol-Related ED Visits and Cost Estimates for Alcohol-Related Hospitalizations

Unlike the other topics covered in this manual showing the short trend data from 2006 to 2010, charge and cost estimates presented here are based on data from the most recent year, 2010. The charge data are available from both the NEDS and the NIS. However, the cost-to-charge ratios, necessary for converting charges to costs, are available only for the NIS and not for the NEDS. Consequently, cost estimates are presented for alcohol-related hospitalizations, whereas charge estimates rather than cost estimates are presented for alcohol-related ED visits. In general, costs are less than charges. Costs tend to reflect the actual costs to produce hospital services. Charges represent the amount the hospital billed for the entire hospital stay (which does not include professional or physician fees). For each hospital, a hospital-wide cost-to-charge ratio is used, because detailed charges are not available across all HCUP states (Wier et al., 2011). A sizable proportion of ED visits and hospital stays have missing information on charges. To account for these cases where no charge data are recorded, the estimates of the aggregated charges or costs, as shown in Tables D1-2 and D2-2, are obtained by multiplying the numbers of all cases and the average charges or costs estimated from cases with valid charge or cost information. Essentially, this uses the average charges or costs based on known values to substitute for the charges or costs for cases where no charge data are recorded. Relevant tables on this topic are Tables D1-1, D1-2, D2-1, and D2-2.

Table D1-1 of Chapter II shows that in 2010, the median cost was \$8,109 for males ages 12 and older who were hospitalized with the first-listed or principal diagnosis of alcohol-related conditions. The cost was \$2,838 for females with the first-listed or principal diagnosis of nondependent abuse of alcohol. Table D2-2 of Chapter I shows that in 2010, the aggregate charges to patients ages 45 to 64 for their ED visits related to any alcohol-related diagnoses were \$5,258.8 million, which was the highest among all age groups. Of these charges, \$2,572.7 million was for ED visits related to nondependent abuse of alcohol, which was the highest among all alcohol-related diagnoses.

Chapter II, Table D1-1. [Median cost of hospitalizations with first-listed alcohol-related diagnoses]

First-listed alcohol-related diagnoses	Total		Sex			
			Male		Female	
	Median	S.E.	Median	S.E.	Median	S.E.
Any alcohol-related diagnoses	\$4,182	\$176	\$4,091	\$195	\$4,416	\$154
Alcoholic psychoses	\$3,777	\$195	\$3,842	\$209	\$3,596	\$179
Alcohol dependence syndrome	\$3,194	\$148	\$3,168	\$166	\$3,318	\$124
Nondependent abuse of alcohol	\$2,942	\$86	\$2,985	\$93	\$2,838	\$113
All chronic liver disease and cirrhosis.....	\$8,104	\$174	\$8,109	\$186	\$8,095	\$179
Alcoholic liver disease	\$8,059	\$164	\$8,043	\$182	\$8,101	\$188
Alcohol poisoning	\$4,829	\$260	\$5,002	\$301	\$4,510	\$253

SOURCE: Nationwide Inpatient Sample, 2010.

Chapter I, Table D2-2. [Total charge (in millions) of ED visits with all-listed alcohol-related diagnoses]

All-listed alcohol-related diagnoses	Age group									
	12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.
Any alcohol-related diagnoses	\$500.4	\$20.5	\$592.1	\$25.7	\$3,615.2	\$146.5	\$5,285.8	\$200.1	\$1,189.5	\$49.0
Alcoholic psychoses.....	\$4.8	\$0.5	\$15.0	\$1.1	\$269.9	\$12.4	\$463.3	\$20.0	\$85.4	\$4.2
Alcohol dependence syndrome.....	\$41.6	\$3.1	\$83.6	\$5.8	\$925.0	\$41.0	\$1,651.5	\$64.9	\$300.5	\$12.3
Nondependent abuse of alcohol	\$421.8	\$18.1	\$462.8	\$20.6	\$2,188.4	\$97.4	\$2,572.7	\$109.4	\$447.2	\$19.0
All chronic liver disease and cirrhosis.....	\$27.4	\$2.5	\$43.0	\$3.4	\$637.5	\$35.2	\$1,528.0	\$70.2	\$503.2	\$26.6
Alcoholic liver disease	\$0.5	\$0.1	\$3.9	\$0.5	\$171.8	\$8.9	\$517.3	\$23.5	\$97.7	\$5.0
Alcohol poisoning.....	\$18.6	\$1.6	\$14.3	\$1.2	\$60.8	\$3.7	\$50.6	\$3.5	\$6.2	\$0.6

SOURCE: Nationwide Emergency Department Sample, 2010.

References

- Caces, M.F., Stinson, F.S., & Elliott, S.D. (1991). *U.S. Alcohol Epidemiologic Data Reference Manual. Volume 3, Third Edition: County Alcohol Problem Indicators, 1979–1985*. Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism.
- Chen, C.M., & Yi, H. (2012). *Surveillance Report #94: Trends in alcohol-related morbidity among short-stay community hospital discharges, United States, 1979–2010*. Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism, Division of Epidemiology and Prevention Research.
- Grant, B.F. (1985). *U.S. Alcohol Epidemiologic Data Reference Manual. Volume 2: Liver Cirrhosis Mortality in the United States*. Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism.
- Institute of Medicine. (2004). *Hospital-based emergency care at the breaking point*. Washington, DC: Author.
- Larkin, G.L., Claassen, C.A., Emond, J.A., Pelletier, A.J., & Camargo, C.A. (2005). Trends in U.S. emergency department visits for mental health conditions, 1992 to 2001. *Psychiatric Services*, 56, 671–677.
- Murphy, S.L. (2000). *Deaths: Final data for 1998* (National Vital Statistics Reports Vol. 48, No. 11). Hyattsville, MD: National Center for Health Statistics.
- Owens, P.L., Mutter, R., & Stocks, C. (2010). *Mental health and substance abuse-related emergency department visits among adults, 2007* (HCUP Statistical Brief #92). Rockville, MD: Agency for Healthcare Research and Quality. Retrieved from <http://www.hcup-us.ahrq.gov/reports/statbriefs/sb92.pdf>
- Research Triangle Institute. (2008). Software for Survey Data Analyses (SUDAAN) Version 10.0). Research Triangle Park, NC: Author.
- Senathirajah, M., Owens, P., Mutter, R., & Nagamine, M. (2011). *Special study on the meaning of the first-listed diagnosis on emergency department and ambulatory surgery records*. (HCUP Methods Series Report # 2011-03). Rockville, MD: U.S. Agency for Healthcare Research and Quality. Retrieved from <http://www.hcup-us.ahrq.gov/reports/methods/methods.jsp>.
- Stinson, F.S. & Nephew, T.M. (1996). *U.S. Alcohol Epidemiologic Data Reference Manual. Volume 5, First Edition: State Trends in Alcohol-Related Mortality, 1979–92*. NIH Publication No. 96-4174. Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism.
- Stinson, F.S. & Prouditt, A.H. (1994). *U.S. Alcohol Epidemiologic Data Reference Manual. Volume 3, Fourth Edition: County Alcohol Problem Indicators, 1986–1990*. NIH Publication No. 94-3747. Bethesda, MD: National Institute on Alcohol Abuse and Alcoholism.
- Thomas, K.E. & Johnson, R.L. (2012). *State Injury Indicators Report: Instruction for Preparing 2010 Data*. Atlanta, GA: Center for Disease Control and Prevention, National Center for Injury Prevention and Control.
- U.S. Census Bureau. (2011a). *Intercensal estimates of the resident population by sex and age for the United States: April 1, 2000 to July 1, 2010* [data file]. Washington, DC: Author. Retrieved from <http://www.census.gov/popest/data/intercensal/national/nat2010.html>
- U.S. Census Bureau. (2011b). *Intercensal estimates of the resident population for the United States, regions, states, and Puerto Rico: April 1, 2000 to July 1, 2010* [data file]. Washington, DC: Author. Retrieved from <http://www.census.gov/popest/data/intercensal/state/state2010.html>
- Wier, L.M., Pfuntner, A., Maeda, J., Stranges, E., Ryan, K., Jagadish, P., Collins Sharp, B., & Elixhauser, A. (2011). *HCUP facts and figures: Statistics on hospital-based care in the United States, 2009*. Rockville, MD: Agency for Healthcare Research and Quality. Retrieved from <http://www.hcup-us.ahrq.gov/reports.jsp>

Table A1. Percent distribution of emergency department visits with first-listed alcohol-related diagnoses among total emergency department visits for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Any alcohol-related diagnoses																
2010	1.1276	0.0366	1.8767	0.0656	0.5629	0.0151	0.7060	0.0279	0.8147	0.0271	1.1803	0.0402	1.9774	0.0716	0.3108	0.0094
2009	1.1017	0.0312	1.8296	0.0577	0.5535	0.0126	0.6643	0.0228	0.7947	0.0244	1.1802	0.0363	1.9377	0.0602	0.3180	0.0090
2008	1.0692	0.0349	1.7505	0.0633	0.5477	0.0140	0.6970	0.0239	0.8066	0.0303	1.1724	0.0444	1.8171	0.0611	0.3062	0.0081
2007	1.0275	0.0305	1.6658	0.0550	0.5323	0.0126	0.6857	0.0204	0.7522	0.0231	1.1209	0.0400	1.7486	0.0538	0.3119	0.0080
2006	0.9684	0.0270	1.5633	0.0481	0.5020	0.0114	0.6387	0.0197	0.6485	0.0197	1.0699	0.0321	1.6719	0.0549	0.2869	0.0074
Alcoholic psychoses																
2010	0.1696	0.0074	0.3003	0.0134	0.0710	0.0031	0.0078	0.0008	0.0453	0.0029	0.1906	0.0092	0.3483	0.0147	0.0507	0.0022
2009	0.1753	0.0081	0.3130	0.0147	0.0716	0.0035	0.0075	0.0007	0.0424	0.0029	0.2035	0.0105	0.3634	0.0163	0.0543	0.0021
2008	0.1588	0.0070	0.2789	0.0128	0.0669	0.0030	0.0070	0.0007	0.0414	0.0027	0.1887	0.0093	0.3261	0.0138	0.0453	0.0019
2007	0.1529	0.0083	0.2693	0.0154	0.0626	0.0030	0.0077	0.0007	0.0332	0.0022	0.1873	0.0120	0.3104	0.0155	0.0452	0.0020
2006	0.1406	0.0055	0.2447	0.0095	0.0590	0.0026	0.0057	0.0006	0.0293	0.0018	0.1742	0.0076	0.2857	0.0108	0.0428	0.0018
Alcohol dependence syndrome																
2010	0.2812	0.0153	0.4902	0.0283	0.1237	0.0058	0.0674	0.0056	0.1448	0.0103	0.3105	0.0168	0.5490	0.0312	0.0687	0.0038
2009	0.2697	0.0130	0.4653	0.0235	0.1225	0.0055	0.0670	0.0049	0.1437	0.0073	0.3056	0.0149	0.5273	0.0265	0.0674	0.0036
2008	0.2491	0.0133	0.4232	0.0238	0.1157	0.0058	0.0583	0.0044	0.1302	0.0078	0.2992	0.0175	0.4695	0.0246	0.0611	0.0029
2007	0.2444	0.0123	0.4126	0.0214	0.1138	0.0057	0.0620	0.0050	0.1263	0.0071	0.2948	0.0163	0.4565	0.0224	0.0652	0.0035
2006	0.2255	0.0106	0.3801	0.0191	0.1043	0.0045	0.0613	0.0053	0.1068	0.0057	0.2724	0.0122	0.4292	0.0233	0.0558	0.0025
Nondependent abuse of alcohol																
2010	0.5745	0.0257	0.9354	0.0462	0.3025	0.0106	0.6076	0.0267	0.6010	0.0221	0.6098	0.0274	0.8566	0.0505	0.1128	0.0057
2009	0.5486	0.0209	0.8925	0.0392	0.2894	0.0081	0.5616	0.0216	0.5820	0.0214	0.5974	0.0242	0.8078	0.0393	0.1131	0.0058
2008	0.5472	0.0219	0.8795	0.0396	0.2929	0.0088	0.6030	0.0231	0.6090	0.0260	0.6083	0.0267	0.7670	0.0364	0.1087	0.0051
2007	0.5132	0.0174	0.8128	0.0311	0.2808	0.0077	0.5880	0.0194	0.5698	0.0200	0.5617	0.0208	0.7145	0.0308	0.1062	0.0048
2006	0.4791	0.0183	0.7585	0.0337	0.2600	0.0072	0.5408	0.0181	0.4885	0.0166	0.5372	0.0220	0.6762	0.0369	0.0928	0.0047
All chronic liver disease and cirrhosis																
2010	0.0879	0.0017	0.1301	0.0026	0.0561	0.0014	0.0031	0.0004	0.0075	0.0007	0.0539	0.0015	0.2056	0.0041	0.0752	0.0020
2009	0.0897	0.0019	0.1315	0.0030	0.0582	0.0014	0.0026	0.0003	0.0071	0.0008	0.0533	0.0016	0.2159	0.0047	0.0793	0.0023
2008	0.0960	0.0021	0.1429	0.0033	0.0602	0.0015	0.0032	0.0004	0.0065	0.0006	0.0573	0.0017	0.2309	0.0054	0.0869	0.0023
2007	0.1015	0.0021	0.1490	0.0033	0.0646	0.0015	0.0030	0.0004	0.0075	0.0007	0.0602	0.0017	0.2488	0.0057	0.0920	0.0023
2006	0.1042	0.0022	0.1526	0.0032	0.0663	0.0017	0.0027	0.0004	0.0060	0.0008	0.0651	0.0018	0.2563	0.0059	0.0924	0.0025
Alcoholic liver disease																
2010	0.0542	0.0012	0.0894	0.0019	0.0276	0.0008	—	—	0.0034	0.0005	0.0390	0.0012	0.1358	0.0030	0.0259	0.0009
2009	0.0558	0.0013	0.0918	0.0023	0.0288	0.0008	0.0004	0.0001	0.0029	0.0004	0.0388	0.0012	0.1447	0.0034	0.0284	0.0013
2008	0.0587	0.0014	0.0970	0.0025	0.0295	0.0008	0.0005	0.0001	0.0031	0.0004	0.0427	0.0014	0.1500	0.0037	0.0307	0.0011
2007	0.0606	0.0014	0.0984	0.0025	0.0312	0.0009	—	—	0.0033	0.0005	0.0432	0.0013	0.1587	0.0038	0.0314	0.0012
2006	0.0645	0.0014	0.1049	0.0022	0.0328	0.0010	0.0006	0.0002	0.0031	0.0006	0.0487	0.0014	0.1680	0.0037	0.0324	0.0012
Alcohol poisoning																
2010	0.0143	0.0011	0.0206	0.0018	0.0096	0.0006	0.0200	0.0017	0.0160	0.0015	0.0156	0.0012	0.0179	0.0016	0.0034	0.0003
2009	0.0185	0.0020	0.0274	0.0033	0.0118	0.0011	0.0256	0.0029	0.0194	0.0024	0.0204	0.0023	0.0233	0.0029	0.0040	0.0005
2008	0.0180	0.0017	0.0260	0.0029	0.0119	0.0009	0.0255	0.0022	0.0196	0.0020	0.0189	0.0016	0.0236	0.0032	0.0042	0.0007
2007	0.0156	0.0012	0.0221	0.0020	0.0105	0.0007	0.0250	0.0019	0.0153	0.0014	0.0169	0.0014	0.0185	0.0019	0.0032	0.0003
2006	0.0190	0.0018	0.0274	0.0028	0.0125	0.0011	0.0281	0.0023	0.0179	0.0019	0.0211	0.0020	0.0245	0.0032	0.0031	0.0004

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table A2. Percent distribution of emergency department visits with all-listed alcohol-related diagnoses among total emergency department visits for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	
Any alcohol-related diagnoses																	
2010	3.5591	0.0640	5.6673	0.1061	1.9699	0.0324	1.3816	0.0408	2.2322	0.0544	3.3779	0.0713	6.3922	0.1135	2.0230	0.0292	
2009	3.3928	0.0603	5.4128	0.1026	1.8722	0.0302	1.2904	0.0357	2.1498	0.0527	3.3169	0.0681	6.1130	0.1062	1.9390	0.0286	
2008	3.2974	0.0616	5.2249	0.1002	1.8211	0.0325	1.3524	0.0439	2.1883	0.0582	3.2749	0.0747	5.8235	0.1006	1.8688	0.0272	
2007	3.1593	0.0605	4.9951	0.1011	1.7341	0.0305	1.3267	0.0393	2.0704	0.0520	3.2026	0.0751	5.5308	0.0987	1.8023	0.0260	
2006	3.0447	0.0550	4.7977	0.0893	1.6705	0.0289	1.2577	0.0332	1.9424	0.0456	3.1169	0.0624	5.3528	0.1008	1.7481	0.0271	
Alcoholic psychoses																	
2010	0.3613	0.0114	0.6400	0.0204	0.1512	0.0049	0.0146	0.0012	0.0810	0.0050	0.3440	0.0140	0.7553	0.0221	0.2016	0.0050	
2009	0.3701	0.0127	0.6568	0.0227	0.1543	0.0056	0.0151	0.0012	0.0800	0.0050	0.3655	0.0159	0.7864	0.0251	0.1997	0.0049	
2008	0.3489	0.0117	0.6107	0.0200	0.1486	0.0058	0.0144	0.0013	0.0773	0.0048	0.3481	0.0147	0.7349	0.0229	0.1922	0.0048	
2007	0.3329	0.0127	0.5828	0.0228	0.1391	0.0051	0.0155	0.0013	0.0634	0.0037	0.3429	0.0171	0.6958	0.0243	0.1872	0.0048	
2006	0.3154	0.0093	0.5469	0.0157	0.1340	0.0044	0.0119	0.0010	0.0555	0.0028	0.3288	0.0112	0.6599	0.0187	0.1819	0.0048	
Alcohol dependence syndrome																	
2010	1.1591	0.0305	1.9857	0.0526	0.5359	0.0140	0.1377	0.0079	0.3883	0.0173	1.0847	0.0338	2.3966	0.0606	0.6029	0.0129	
2009	1.1433	0.0289	1.9491	0.0502	0.5366	0.0138	0.1373	0.0070	0.3895	0.0144	1.1086	0.0333	2.3782	0.0574	0.5963	0.0126	
2008	1.0819	0.0307	1.8287	0.0520	0.5103	0.0154	0.1330	0.0107	0.3673	0.0162	1.0700	0.0395	2.2263	0.0549	0.5681	0.0113	
2007	1.0394	0.0327	1.7494	0.0567	0.4885	0.0150	0.1312	0.0093	0.3489	0.0154	1.0597	0.0427	2.1137	0.0586	0.5577	0.0125	
2006	0.9704	0.0271	1.6216	0.0452	0.4599	0.0132	0.1232	0.0074	0.3060	0.0123	0.9915	0.0313	1.9892	0.0550	0.5291	0.0118	
Nondependent abuse of alcohol																	
2010	1.8390	0.0441	3.0084	0.0740	0.9574	0.0219	1.1707	0.0390	1.7179	0.0460	1.9646	0.0494	2.9036	0.0770	0.6908	0.0159	
2009	1.7223	0.0401	2.8202	0.0693	0.8953	0.0190	1.0824	0.0339	1.6533	0.0469	1.9008	0.0474	2.6906	0.0675	0.6410	0.0140	
2008	1.7197	0.0384	2.7948	0.0634	0.8958	0.0192	1.1493	0.0389	1.7106	0.0494	1.9152	0.0458	2.6131	0.0604	0.6465	0.0143	
2007	1.6698	0.0367	2.6978	0.0614	0.8712	0.0183	1.1327	0.0352	1.6339	0.0447	1.8822	0.0465	2.5105	0.0562	0.6355	0.0132	
2006	1.6551	0.0368	2.6637	0.0618	0.8644	0.0181	1.0752	0.0309	1.5515	0.0395	1.8814	0.0435	2.5226	0.0655	0.6414	0.0151	
All chronic liver disease and cirrhosis																	
2010	0.7993	0.0138	1.0861	0.0182	0.5831	0.0113	0.0522	0.0032	0.1150	0.0046	0.4770	0.0109	1.7257	0.0284	0.8586	0.0154	
2009	0.7418	0.0130	1.0150	0.0174	0.5367	0.0105	0.0452	0.0025	0.0933	0.0043	0.4420	0.0101	1.6350	0.0268	0.8184	0.0151	
2008	0.7001	0.0123	0.9561	0.0167	0.5041	0.0098	0.0408	0.0030	0.0884	0.0047	0.4167	0.0092	1.5536	0.0268	0.7703	0.0138	
2007	0.6468	0.0114	0.8869	0.0156	0.4605	0.0088	0.0354	0.0025	0.0706	0.0035	0.3804	0.0085	1.4544	0.0253	0.7357	0.0130	
2006	0.6174	0.0115	0.8494	0.0158	0.4356	0.0088	0.0282	0.0018	0.0594	0.0038	0.3724	0.0087	1.3949	0.0255	0.7036	0.0126	
Alcoholic liver disease																	
2010	0.3007	0.0059	0.5068	0.0096	0.1454	0.0035	0.0019	0.0002	0.0181	0.0013	0.1912	0.0049	0.7383	0.0140	0.2077	0.0048	
2009	0.2961	0.0060	0.4989	0.0101	0.1435	0.0034	0.0026	0.0003	0.0180	0.0014	0.1907	0.0054	0.7438	0.0144	0.2045	0.0048	
2008	0.2843	0.0056	0.4761	0.0093	0.1375	0.0032	0.0024	0.0005	0.0170	0.0014	0.1889	0.0049	0.7101	0.0136	0.1978	0.0047	
2007	0.2729	0.0057	0.4546	0.0095	0.1320	0.0031	0.0020	0.0003	0.0157	0.0016	0.1812	0.0049	0.6879	0.0140	0.1973	0.0043	
2006	0.2802	0.0055	0.4629	0.0088	0.1371	0.0034	0.0018	0.0003	0.0134	0.0011	0.1943	0.0051	0.7037	0.0133	0.2029	0.0047	
Alcohol poisoning																	
2010	0.0458	0.0020	0.0583	0.0029	0.0365	0.0016	0.0425	0.0025	0.0529	0.0031	0.0563	0.0025	0.0594	0.0030	0.0097	0.0006	
2009	0.0519	0.0031	0.0684	0.0049	0.0395	0.0019	0.0479	0.0036	0.0585	0.0039	0.0650	0.0038	0.0673	0.0044	0.0107	0.0007	
2008	0.0524	0.0027	0.0669	0.0041	0.0412	0.0018	0.0508	0.0029	0.0613	0.0036	0.0655	0.0031	0.0666	0.0044	0.0103	0.0009	
2007	0.0474	0.0020	0.0599	0.0029	0.0376	0.0015	0.0482	0.0026	0.0539	0.0029	0.0608	0.0026	0.0573	0.0030	0.0092	0.0006	
2006	0.0522	0.0027	0.0676	0.0041	0.0401	0.0018	0.0530	0.0030	0.0607	0.0037	0.0665	0.0035	0.0645	0.0044	0.0087	0.0007	

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table A3. Percent distribution of emergency department visits with first-listed alcohol-related diagnoses among total emergency department visits for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Any alcohol-related diagnoses																
 Northeast																
2010	2.0117	0.1445	3.3311	0.2548	0.9306	0.0550	1.1758	0.0940	1.3365	0.0802	2.0738	0.1498	3.6367	0.2906	0.5270	0.0416
2009	1.7573	0.1124	2.9578	0.2099	0.7810	0.0368	0.9925	0.0708	1.1704	0.0814	1.8602	0.1323	3.1854	0.2181	0.4848	0.0374
2008	1.6760	0.1503	2.8177	0.2657	0.7580	0.0528	1.0198	0.0793	1.2091	0.1210	1.8585	0.1916	2.9092	0.2576	0.4428	0.0331
2007	1.5667	0.1225	2.5283	0.2179	0.7732	0.0443	1.1020	0.0696	1.0909	0.0819	1.7393	0.1662	2.6435	0.2052	0.4468	0.0317
2006	1.5185	0.0953	2.4357	0.1685	0.7362	0.0346	0.9429	0.0670	0.8973	0.0564	1.6685	0.1037	2.7523	0.2077	0.3805	0.0271
 Midwest																
2010	0.8768	0.0493	1.4426	0.0864	0.4602	0.0226	0.5360	0.0416	0.7495	0.0603	0.9826	0.0621	1.4934	0.0870	0.2040	0.0102
2009	0.9883	0.0518	1.5932	0.0860	0.5420	0.0265	0.6290	0.0489	0.8461	0.0547	1.1581	0.0626	1.6536	0.0894	0.2318	0.0108
2008	0.8852	0.0474	1.3999	0.0751	0.4955	0.0276	0.5819	0.0421	0.7471	0.0508	1.0136	0.0589	1.4726	0.0815	0.2154	0.0098
2007	0.8438	0.0463	1.3261	0.0771	0.4758	0.0246	0.5544	0.0397	0.7128	0.0412	0.9751	0.0581	1.4016	0.0818	0.2203	0.0109
2006	0.7925	0.0414	1.2278	0.0675	0.4595	0.0225	0.5617	0.0341	0.6877	0.0463	0.9396	0.0553	1.2906	0.0741	0.2084	0.0098
 South																
2010	0.7589	0.0295	1.2933	0.0496	0.3768	0.0152	0.3826	0.0232	0.4873	0.0257	0.7630	0.0349	1.3812	0.0522	0.2528	0.0080
2009	0.7866	0.0328	1.3395	0.0604	0.3885	0.0135	0.3541	0.0139	0.4892	0.0196	0.7935	0.0353	1.4651	0.0670	0.2782	0.0099
2008	0.7991	0.0264	1.3318	0.0440	0.4082	0.0141	0.4258	0.0212	0.5556	0.0313	0.8390	0.0341	1.4107	0.0488	0.2757	0.0079
2007	0.7770	0.0269	1.2969	0.0459	0.3893	0.0144	0.4017	0.0188	0.5353	0.0290	0.8159	0.0341	1.3889	0.0515	0.2781	0.0079
2006	0.7144	0.0272	1.1881	0.0473	0.3601	0.0133	0.3774	0.0187	0.4310	0.0221	0.7631	0.0347	1.2785	0.0502	0.2589	0.0087
 West																
2010	1.3112	0.0681	2.0270	0.1065	0.7408	0.0357	1.1285	0.0870	1.1058	0.0652	1.4461	0.0770	2.0613	0.1102	0.3402	0.0168
2009	1.2258	0.0616	1.8913	0.1002	0.7038	0.0341	1.0138	0.0696	1.0168	0.0579	1.3519	0.0699	1.9626	0.1092	0.3375	0.0162
2008	1.2430	0.0597	1.9007	0.0951	0.7116	0.0302	1.0673	0.0748	1.0429	0.0535	1.4168	0.0704	1.9414	0.0920	0.3372	0.0178
2007	1.2311	0.0511	1.9152	0.0871	0.6773	0.0225	1.0323	0.0486	0.9553	0.0432	1.3410	0.0592	1.9648	0.0865	0.3516	0.0172
2006	1.1347	0.0453	1.7602	0.0760	0.6243	0.0240	0.9807	0.0581	0.8255	0.0499	1.2519	0.0545	1.7800	0.0740	0.3461	0.0158
Alcoholic psychoses																
 Northeast																
2010	0.2703	0.0286	0.4641	0.0523	0.1115	0.0103	0.0123	0.0022	0.0733	0.0100	0.2955	0.0359	0.5609	0.0559	0.0806	0.0075
2009	0.2650	0.0307	0.4678	0.0567	0.1001	0.0109	0.0088	0.0015	0.0586	0.0101	0.3045	0.0398	0.5598	0.0618	0.0773	0.0068
2008	0.2195	0.0246	0.3915	0.0453	0.0812	0.0086	0.0097	0.0017	0.0465	0.0078	0.2630	0.0339	0.4567	0.0461	0.0594	0.0061
2007	0.2257	0.0341	0.3961	0.0631	0.0852	0.0098	0.0107	0.0020	0.0456	0.0066	0.2852	0.0531	0.4522	0.0587	0.0595	0.0055
2006	0.1859	0.0156	0.3124	0.0263	0.0780	0.0070	0.0088	0.0019	0.0314	0.0052	0.2201	0.0213	0.3906	0.0301	0.0563	0.0045
 Midwest																
2010	0.1365	0.0100	0.2457	0.0178	0.0560	0.0045	0.0069	0.0017	0.0315	0.0037	0.1656	0.0128	0.2783	0.0207	0.0365	0.0033
2009	0.1653	0.0152	0.2900	0.0247	0.0733	0.0086	0.0089	0.0017	0.0440	0.0054	0.2124	0.0212	0.3357	0.0293	0.0424	0.0045
2008	0.1439	0.0119	0.2468	0.0199	0.0660	0.0060	0.0061	0.0014	0.0456	0.0058	0.1788	0.0163	0.2971	0.0234	0.0342	0.0031
2007	0.1358	0.0112	0.2325	0.0185	0.0621	0.0059	0.0083	0.0014	0.0360	0.0049	0.1727	0.0155	0.2809	0.0229	0.0339	0.0029
2006	0.1393	0.0131	0.2402	0.0225	0.0621	0.0063	0.0056	0.0011	0.0327	0.0042	0.1878	0.0193	0.2851	0.0264	0.0351	0.0034
 South																
2010	0.1122	0.0067	0.2060	0.0112	0.0452	0.0037	0.0038	0.0007	0.0251	0.0029	0.1125	0.0077	0.2402	0.0145	0.0430	0.0029
2009	0.1180	0.0080	0.2188	0.0146	0.0455	0.0036	0.0045	0.0008	0.0237	0.0025	0.1229	0.0091	0.2521	0.0176	0.0461	0.0028
2008	0.1149	0.0087	0.2071	0.0154	0.0473	0.0040	0.0043	0.0009	0.0266	0.0033	0.1205	0.0103	0.2460	0.0185	0.0430	0.0030
2007	0.1047	0.0076	0.1892	0.0127	0.0417	0.0040	0.0041	0.0007	0.0197	0.0026	0.1143	0.0088	0.2211	0.0161	0.0425	0.0034
2006	0.0951	0.0059	0.1717	0.0103	0.0378	0.0029	0.0035	0.0006	0.0161	0.0015	0.1061	0.0074	0.2006	0.0124	0.0377	0.0027
 West																
2010	0.2311	0.0168	0.3855	0.0268	0.1079	0.0083	0.0129	0.0025	0.0831	0.0089	0.2951	0.0221	0.4382	0.0305	0.0535	0.0044
2009	0.2168	0.0133	0.3669	0.0226	0.0990	0.0070	0.0105	0.0019	0.0669	0.0082	0.2688	0.0175	0.4277	0.0263	0.0623	0.0042
2008	0.2099	0.0143	0.3475	0.0230	0.0987	0.0075	0.0108	0.0020	0.0663	0.0066	0.2853	0.0182	0.3943	0.0260	0.0488	0.0040
2007	0.2035	0.0146	0.3465	0.0258	0.0879	0.0061	0.0114	0.0021	0.0482	0.0058	0.2715	0.0174	0.3845	0.0301	0.0497	0.0038
2006	0.1916	0.0129	0.3254	0.0209	0.0825	0.0069	0.0072	0.0014	0.0536	0.0060	0.2608	0.0187	0.3522	0.0227	0.0487	0.0046

See footnotes at end of table.

Table A3. Percent distribution of emergency department visits with first-listed alcohol-related diagnoses among total emergency department visits for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol dependence syndrome																
 Northeast																
2010	0.6046	0.0691	1.0371	0.1227	0.2502	0.0253	0.1520	0.0223	0.3081	0.0416	0.6443	0.0734	1.1977	0.1379	0.1470	0.0182
2009	0.4677	0.0467	0.7967	0.0825	0.2002	0.0193	0.1232	0.0167	0.2408	0.0255	0.5113	0.0540	0.9375	0.0917	0.1121	0.0146
2008	0.4411	0.0549	0.7587	0.0981	0.1857	0.0205	0.1035	0.0161	0.2239	0.0312	0.5311	0.0721	0.8429	0.0997	0.0998	0.0118
2007	0.4306	0.0466	0.7045	0.0799	0.2047	0.0200	0.1196	0.0171	0.2164	0.0262	0.5298	0.0644	0.7908	0.0807	0.1108	0.0129
2006	0.3937	0.0412	0.6526	0.0722	0.1728	0.0161	0.1054	0.0157	0.1528	0.0175	0.4576	0.0426	0.7904	0.0958	0.0866	0.0087
 Midwest																
2010	0.2064	0.0219	0.3520	0.0387	0.0993	0.0097	0.0405	0.0094	0.1127	0.0207	0.2422	0.0253	0.4067	0.0430	0.0411	0.0039
2009	0.2295	0.0190	0.3845	0.0326	0.1153	0.0099	0.0496	0.0075	0.1209	0.0110	0.2906	0.0236	0.4387	0.0397	0.0494	0.0046
2008	0.2303	0.0251	0.3791	0.0404	0.1175	0.0148	0.0422	0.0063	0.1201	0.0123	0.2890	0.0340	0.4396	0.0491	0.0508	0.0047
2007	0.2078	0.0216	0.3404	0.0343	0.1067	0.0129	0.0495	0.0098	0.1059	0.0104	0.2643	0.0276	0.3913	0.0410	0.0496	0.0060
2006	0.1889	0.0153	0.3037	0.0250	0.1010	0.0085	0.0398	0.0061	0.1062	0.0100	0.2513	0.0215	0.3548	0.0311	0.0413	0.0037
 South																
2010	0.1784	0.0117	0.3200	0.0210	0.0772	0.0054	0.0370	0.0039	0.0853	0.0078	0.1924	0.0137	0.3495	0.0236	0.0491	0.0032
2009	0.1967	0.0169	0.3539	0.0322	0.0834	0.0060	0.0412	0.0046	0.1031	0.0081	0.2119	0.0186	0.3881	0.0351	0.0568	0.0042
2008	0.1726	0.0099	0.3019	0.0171	0.0778	0.0048	0.0421	0.0050	0.0921	0.0075	0.1987	0.0129	0.3209	0.0182	0.0519	0.0028
2007	0.1668	0.0109	0.2966	0.0199	0.0700	0.0046	0.0320	0.0034	0.0844	0.0078	0.1928	0.0136	0.3198	0.0210	0.0503	0.0027
2006	0.1555	0.0102	0.2732	0.0183	0.0674	0.0044	0.0390	0.0051	0.0726	0.0064	0.1828	0.0128	0.2932	0.0201	0.0462	0.0034
 West																
2010	0.2533	0.0174	0.4104	0.0287	0.1281	0.0092	0.0770	0.0132	0.1458	0.0147	0.3098	0.0222	0.4494	0.0330	0.0624	0.0046
2009	0.2652	0.0244	0.4280	0.0394	0.1376	0.0136	0.0831	0.0139	0.1571	0.0172	0.3120	0.0275	0.4941	0.0507	0.0659	0.0065
2008	0.2306	0.0178	0.3627	0.0267	0.1239	0.0110	0.0628	0.0092	0.1269	0.0127	0.2877	0.0229	0.4247	0.0315	0.0524	0.0042
2007	0.2558	0.0224	0.4192	0.0369	0.1236	0.0115	0.0808	0.0134	0.1553	0.0164	0.3072	0.0268	0.4609	0.0417	0.0656	0.0085
2006	0.2371	0.0201	0.3841	0.0345	0.1170	0.0096	0.0909	0.0202	0.1361	0.0181	0.2911	0.0246	0.4125	0.0349	0.0607	0.0050
Nondependent abuse of alcohol																
 Northeast																
2010	1.0297	0.1084	1.6769	0.1902	0.4993	0.0421	0.9769	0.0919	0.9263	0.0703	1.0597	0.1129	1.6609	0.2208	0.2088	0.0254
2009	0.9053	0.0831	1.5166	0.1549	0.4081	0.0266	0.8095	0.0676	0.8280	0.0731	0.9594	0.0969	1.4435	0.1596	0.2032	0.0253
2008	0.8914	0.0951	1.4811	0.1670	0.4172	0.0351	0.8602	0.0770	0.8974	0.1014	0.9793	0.1171	1.3489	0.1564	0.1828	0.0213
2007	0.7895	0.0694	1.2534	0.1217	0.4066	0.0284	0.9323	0.0693	0.7973	0.0683	0.8431	0.0832	1.1449	0.1217	0.1700	0.0192
2006	0.8039	0.0688	1.2735	0.1244	0.4033	0.0237	0.7847	0.0638	0.6783	0.0477	0.8889	0.0783	1.2748	0.1486	0.1445	0.0195
 Midwest																
2010	0.4522	0.0287	0.7257	0.0505	0.2508	0.0135	0.4725	0.0377	0.5849	0.0445	0.5165	0.0353	0.6244	0.0473	0.0668	0.0047
2009	0.5046	0.0323	0.7916	0.0548	0.2922	0.0157	0.5518	0.0451	0.6567	0.0481	0.5906	0.0377	0.6760	0.0534	0.0748	0.0056
2008	0.4304	0.0240	0.6586	0.0401	0.2576	0.0129	0.5111	0.0375	0.5600	0.0432	0.4881	0.0257	0.5557	0.0406	0.0675	0.0050
2007	0.4116	0.0254	0.6268	0.0435	0.2473	0.0125	0.4718	0.0331	0.5558	0.0355	0.4807	0.0305	0.5182	0.0441	0.0644	0.0055
2006	0.3746	0.0228	0.5586	0.0384	0.2339	0.0122	0.4874	0.0311	0.5258	0.0392	0.4399	0.0295	0.4427	0.0348	0.0600	0.0046
 South																
2010	0.3739	0.0171	0.6243	0.0294	0.1948	0.0088	0.3266	0.0222	0.3612	0.0211	0.3997	0.0197	0.5766	0.0279	0.0834	0.0042
2009	0.3714	0.0169	0.6153	0.0300	0.1958	0.0083	0.2935	0.0127	0.3462	0.0160	0.4006	0.0185	0.5881	0.0341	0.0899	0.0054
2008	0.4030	0.0173	0.6580	0.0287	0.2160	0.0097	0.3629	0.0207	0.4184	0.0288	0.4551	0.0219	0.5900	0.0286	0.0874	0.0045
2007	0.3950	0.0170	0.6451	0.0293	0.2084	0.0091	0.3515	0.0185	0.4127	0.0262	0.4417	0.0213	0.5856	0.0291	0.0886	0.0053
2006	0.3516	0.0189	0.5747	0.0343	0.1848	0.0085	0.3160	0.0162	0.3281	0.0193	0.4023	0.0246	0.5205	0.0331	0.0776	0.0041
 West																
2010	0.6841	0.0435	1.0256	0.0680	0.4119	0.0240	1.0010	0.0829	0.8352	0.0561	0.7342	0.0468	0.8746	0.0656	0.1311	0.0104
2009	0.6056	0.0362	0.9013	0.0601	0.3737	0.0201	0.8759	0.0669	0.7581	0.0503	0.6595	0.0393	0.7591	0.0569	0.1165	0.0103
2008	0.6421	0.0398	0.9630	0.0649	0.3829	0.0198	0.9509	0.0736	0.8156	0.0487	0.7224	0.0470	0.7814	0.0558	0.1256	0.0119
2007	0.6044	0.0294	0.9103	0.0495	0.3565	0.0146	0.8895	0.0464	0.7160	0.0408	0.6365	0.0331	0.7568	0.0460	0.1265	0.0101
2006	0.5282	0.0280	0.7975	0.0473	0.3084	0.0149	0.8371	0.0505	0.6002	0.0398	0.5658	0.0310	0.6310	0.0434	0.1107	0.0091

See footnotes at end of table.

Table A3. Percent distribution of emergency department visits with first-listed alcohol-related diagnoses among total emergency department visits for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
All chronic liver disease and cirrhosis																
 Northeast																
2010	0.0859	0.0037	0.1221	0.0054	0.0563	0.0031	0.0049	0.0012	0.0072	0.0017	0.0529	0.0030	0.1879	0.0092	0.0858	0.0055
2009	0.0833	0.0039	0.1209	0.0058	0.0527	0.0032	0.0033	0.0009	0.0042	0.0009	0.0475	0.0029	0.1957	0.0093	0.0849	0.0050
2008	0.0884	0.0038	0.1307	0.0059	0.0544	0.0029	0.0042	0.0009	0.0059	0.0013	0.0521	0.0031	0.2043	0.0101	0.0918	0.0051
2007	0.0953	0.0036	0.1379	0.0060	0.0600	0.0029	0.0028	0.0007	0.0053	0.0013	0.0547	0.0032	0.2207	0.0094	0.1009	0.0055
2006	0.0963	0.0039	0.1395	0.0057	0.0594	0.0032	—	—	0.0042	0.0011	0.0596	0.0037	0.2348	0.0123	0.0876	0.0038
 Midwest																
2010	0.0692	0.0032	0.1014	0.0049	0.0455	0.0025	0.0019	0.0007	0.0058	0.0013	0.0443	0.0029	0.1669	0.0080	0.0568	0.0034
2009	0.0733	0.0037	0.1050	0.0054	0.0503	0.0028	—	—	0.0059	0.0015	0.0447	0.0031	0.1847	0.0101	0.0626	0.0035
2008	0.0673	0.0028	0.0982	0.0042	0.0440	0.0023	0.0019	0.0006	0.0055	0.0012	0.0422	0.0024	0.1659	0.0076	0.0606	0.0033
2007	0.0761	0.0038	0.1095	0.0061	0.0507	0.0025	0.0028	0.0010	0.0042	0.0010	0.0432	0.0027	0.1969	0.0117	0.0710	0.0040
2006	0.0758	0.0044	0.1065	0.0066	0.0523	0.0032	0.0018	0.0006	0.0057	0.0023	0.0444	0.0030	0.1955	0.0122	0.0704	0.0044
 South																
2010	0.0847	0.0025	0.1286	0.0036	0.0533	0.0021	0.0023	0.0005	0.0064	0.0010	0.0481	0.0019	0.2028	0.0062	0.0741	0.0030
2009	0.0896	0.0029	0.1356	0.0048	0.0565	0.0020	0.0026	0.0005	0.0075	0.0015	0.0462	0.0020	0.2218	0.0071	0.0820	0.0045
2008	0.0980	0.0035	0.1496	0.0057	0.0602	0.0022	0.0032	0.0007	0.0065	0.0008	0.0532	0.0026	0.2404	0.0091	0.0909	0.0036
2007	0.1011	0.0034	0.1520	0.0054	0.0631	0.0023	0.0030	0.0006	0.0090	0.0013	0.0564	0.0025	0.2504	0.0090	0.0940	0.0037
2006	0.1013	0.0032	0.1535	0.0048	0.0624	0.0024	0.0029	0.0007	0.0055	0.0009	0.0595	0.0026	0.2514	0.0079	0.0943	0.0042
 West																
2010	0.1232	0.0047	0.1800	0.0072	0.0778	0.0034	0.0048	0.0012	0.0134	0.0023	0.0832	0.0049	0.2798	0.0108	0.0903	0.0046
2009	0.1183	0.0056	0.1685	0.0087	0.0790	0.0039	0.0041	0.0009	0.0114	0.0022	0.0898	0.0058	0.2622	0.0123	0.0893	0.0047
2008	0.1388	0.0064	0.2004	0.0094	0.0890	0.0049	0.0038	0.0010	0.0090	0.0018	0.0961	0.0054	0.3192	0.0160	0.1056	0.0066
2007	0.1452	0.0063	0.2091	0.0096	0.0934	0.0047	0.0035	0.0010	0.0117	0.0024	0.1011	0.0054	0.3429	0.0160	0.1055	0.0065
2006	0.1565	0.0069	0.2239	0.0099	0.1016	0.0056	0.0046	0.0011	0.0096	0.0021	0.1115	0.0055	0.3616	0.0177	0.1233	0.0073
Alcoholic liver disease																
 Northeast																
2010	0.0538	0.0022	0.0849	0.0037	0.0283	0.0018	—	—	—	—	0.0400	0.0025	0.1297	0.0063	0.0290	0.0022
2009	0.0528	0.0026	0.0849	0.0046	0.0267	0.0016	—	—	—	—	0.0344	0.0022	0.1372	0.0073	0.0307	0.0025
2008	0.0536	0.0024	0.0884	0.0045	0.0256	0.0017	—	—	—	—	0.0387	0.0028	0.1351	0.0067	0.0321	0.0025
2007	0.0561	0.0024	0.0901	0.0041	0.0279	0.0020	—	—	—	—	0.0396	0.0027	0.1397	0.0065	0.0366	0.0027
2006	0.0624	0.0024	0.0971	0.0040	0.0329	0.0018	—	—	0.0034	0.0009	0.0484	0.0032	0.1578	0.0069	0.0339	0.0022
 Midwest																
2010	0.0426	0.0019	0.0707	0.0033	0.0218	0.0014	—	—	—	—	0.0318	0.0023	0.1126	0.0049	0.0167	0.0016
2009	0.0470	0.0026	0.0757	0.0042	0.0259	0.0017	—	—	0.0022	0.0008	0.0349	0.0025	0.1272	0.0070	0.0206	0.0021
2008	0.0425	0.0018	0.0690	0.0031	0.0224	0.0012	—	—	0.0031	0.0008	0.0319	0.0019	0.1120	0.0050	0.0210	0.0016
2007	0.0449	0.0023	0.0715	0.0040	0.0247	0.0015	—	—	—	—	0.0335	0.0025	0.1254	0.0066	0.0192	0.0017
2006	0.0468	0.0026	0.0745	0.0042	0.0257	0.0017	—	—	0.0032	0.0019	0.0332	0.0024	0.1320	0.0074	0.0224	0.0020
 South																
2010	0.0505	0.0018	0.0862	0.0029	0.0251	0.0013	—	—	0.0028	0.0006	0.0330	0.0015	0.1298	0.0050	0.0256	0.0014
2009	0.0542	0.0019	0.0924	0.0036	0.0268	0.0012	—	—	0.0024	0.0006	0.0319	0.0015	0.1458	0.0054	0.0285	0.0026
2008	0.0587	0.0024	0.0994	0.0044	0.0287	0.0013	—	—	0.0034	0.0006	0.0387	0.0021	0.1543	0.0066	0.0301	0.0019
2007	0.0608	0.0024	0.1011	0.0041	0.0308	0.0015	—	—	0.0034	0.0007	0.0393	0.0019	0.1630	0.0066	0.0329	0.0021
2006	0.0620	0.0022	0.1041	0.0034	0.0306	0.0015	—	—	0.0022	0.0006	0.0442	0.0022	0.1645	0.0057	0.0314	0.0019
 West																
2010	0.0785	0.0035	0.1255	0.0056	0.0410	0.0024	—	—	0.0083	0.0018	0.0632	0.0044	0.1850	0.0075	0.0355	0.0027
2009	0.0746	0.0039	0.1189	0.0067	0.0398	0.0023	—	—	0.0060	0.0017	0.0664	0.0046	0.1717	0.0089	0.0359	0.0024
2008	0.0865	0.0043	0.1375	0.0072	0.0452	0.0026	—	—	0.0045	0.0012	0.0733	0.0047	0.2041	0.0106	0.0420	0.0030
2007	0.0874	0.0046	0.1389	0.0077	0.0457	0.0029	—	—	0.0075	0.0020	0.0717	0.0042	0.2133	0.0110	0.0384	0.0029
2006	0.0952	0.0041	0.1539	0.0065	0.0473	0.0034	—	—	0.0045	0.0011	0.0796	0.0042	0.2288	0.0108	0.0460	0.0038

See footnotes at end of table.

Table A3. Percent distribution of emergency department visits with first-listed alcohol-related diagnoses among total emergency department visits for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol poisoning																
 Northeast																
2010	0.0212	0.0044	0.0310	0.0073	0.0132	0.0024	0.0298	0.0062	0.0216	0.0049	0.0214	0.0051	0.0293	0.0067	0.0048	0.0012
2009	0.0360	0.0086	0.0558	0.0138	0.0200	0.0048	0.0477	0.0129	0.0387	0.0106	0.0375	0.0092	0.0489	0.0118	0.0073	0.0020
2008	0.0356	0.0082	0.0557	0.0136	0.0195	0.0041	0.0422	0.0090	0.0354	0.0083	0.0331	0.0072	0.0563	0.0159	0.0090	0.0032
2007	0.0256	0.0051	0.0364	0.0078	0.0168	0.0030	0.0366	0.0075	0.0264	0.0051	0.0265	0.0059	0.0349	0.0083	0.0055	0.0012
2006	0.0388	0.0083	0.0575	0.0125	0.0227	0.0051	0.0423	0.0088	0.0306	0.0078	0.0422	0.0092	0.0618	0.0152	0.0054	0.0015
 Midwest																
2010	0.0126	0.0017	0.0179	0.0025	0.0087	0.0011	0.0142	0.0026	0.0147	0.0022	0.0140	0.0019	0.0170	0.0029	0.0028	0.0005
2009	0.0155	0.0038	0.0221	0.0063	0.0107	0.0021	0.0176	0.0027	0.0185	0.0035	0.0198	0.0049	0.0185	0.0065	0.0027	0.0007
2008	0.0133	0.0013	0.0173	0.0019	0.0104	0.0012	0.0206	0.0026	0.0159	0.0023	0.0155	0.0018	0.0143	0.0021	0.0024	0.0005
2007	0.0125	0.0009	0.0169	0.0013	0.0091	0.0008	0.0220	0.0022	0.0109	0.0016	0.0142	0.0015	0.0143	0.0017	0.0014	0.0004
2006	0.0139	0.0011	0.0188	0.0016	0.0102	0.0009	0.0270	0.0036	0.0173	0.0027	0.0162	0.0016	0.0126	0.0015	0.0016	0.0005
 South																
2010	0.0096	0.0005	0.0144	0.0009	0.0062	0.0004	0.0129	0.0015	0.0093	0.0012	0.0103	0.0007	0.0120	0.0010	0.0033	0.0005
2009	0.0108	0.0009	0.0157	0.0016	0.0073	0.0006	0.0122	0.0016	0.0088	0.0012	0.0118	0.0014	0.0150	0.0014	0.0034	0.0005
2008	0.0105	0.0008	0.0152	0.0012	0.0070	0.0006	0.0134	0.0014	0.0120	0.0016	0.0115	0.0010	0.0134	0.0012	0.0025	0.0004
2007	0.0094	0.0006	0.0140	0.0010	0.0061	0.0005	0.0113	0.0012	0.0094	0.0012	0.0107	0.0008	0.0120	0.0010	0.0027	0.0004
2006	0.0108	0.0007	0.0150	0.0012	0.0078	0.0006	0.0158	0.0016	0.0087	0.0013	0.0124	0.0011	0.0128	0.0012	0.0031	0.0005
 West																
2010	0.0196	0.0026	0.0254	0.0038	0.0150	0.0019	0.0328	0.0053	0.0283	0.0051	0.0239	0.0032	0.0194	0.0033	0.0029	0.0007
2009	0.0198	0.0025	0.0266	0.0041	0.0145	0.0016	0.0401	0.0054	0.0232	0.0039	0.0219	0.0030	0.0194	0.0032	0.0035	0.0007
2008	0.0216	0.0022	0.0270	0.0033	0.0172	0.0018	0.0389	0.0044	0.0251	0.0043	0.0253	0.0031	0.0219	0.0028	0.0047	0.0012
2007	0.0222	0.0031	0.0302	0.0056	0.0158	0.0018	0.0471	0.0058	0.0240	0.0050	0.0247	0.0042	0.0197	0.0038	0.0043	0.0007
2006	0.0213	0.0028	0.0293	0.0041	0.0148	0.0020	0.0409	0.0056	0.0261	0.0047	0.0228	0.0034	0.0228	0.0040	0.0026	0.0006

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table A4. Percent distribution of emergency department visits with all-listed alcohol-related diagnoses among total emergency department visits for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Any alcohol-related diagnoses																
 Northeast																
2010	4.4332	0.1937	7.0112	0.3288	2.3208	0.0915	1.9072	0.1221	2.8632	0.1305	4.3402	0.2133	7.8045	0.3673	2.2761	0.0775
2009	3.9814	0.1633	6.3720	0.2861	2.0374	0.0776	1.6108	0.0970	2.5155	0.1387	3.9614	0.1928	7.1079	0.3030	2.1714	0.0642
2008	3.7879	0.1942	6.0965	0.3265	1.9314	0.0849	1.6132	0.1094	2.4704	0.1656	3.8779	0.2526	6.6127	0.3196	2.0626	0.0630
2007	3.6632	0.1865	5.7117	0.3162	1.9728	0.0843	1.7230	0.0976	2.4109	0.1374	3.8671	0.2468	6.1879	0.3035	1.9637	0.0671
2006	3.6565	0.1594	5.6226	0.2610	1.9796	0.0741	1.5659	0.0965	2.2098	0.1024	3.8040	0.1647	6.4700	0.3213	1.9200	0.0805
 Midwest																
2010	3.1059	0.1088	4.8868	0.1755	1.7943	0.0604	1.1903	0.0665	2.1813	0.1207	3.0967	0.1350	5.5804	0.1873	1.6225	0.0411
2009	3.1511	0.1174	4.9427	0.1895	1.8315	0.0629	1.2791	0.0809	2.3398	0.1273	3.3080	0.1361	5.5933	0.1972	1.5936	0.0434
2008	3.0103	0.1359	4.6576	0.1997	1.7591	0.0859	1.3157	0.1211	2.3174	0.1396	3.1613	0.1582	5.2230	0.2081	1.5031	0.0481
2007	2.8799	0.1184	4.4522	0.1864	1.6774	0.0685	1.2998	0.1067	2.1786	0.1106	3.1071	0.1481	4.9190	0.1803	1.4857	0.0396
2006	2.7104	0.1029	4.1616	0.1602	1.6000	0.0609	1.2556	0.0707	2.1616	0.1180	3.0096	0.1337	4.5385	0.1635	1.4209	0.0379
 South																
2010	2.9850	0.0730	4.8912	0.1153	1.6214	0.0414	0.8369	0.0389	1.5268	0.0664	2.6467	0.0807	5.6327	0.1257	1.9503	0.0419
2009	2.9451	0.0766	4.8359	0.1308	1.5841	0.0381	0.8018	0.0281	1.5018	0.0503	2.6833	0.0836	5.6091	0.1348	1.8817	0.0446
2008	2.8951	0.0633	4.7051	0.1001	1.5671	0.0364	0.8977	0.0355	1.6266	0.0640	2.7105	0.0731	5.3741	0.1164	1.8122	0.0414
2007	2.7703	0.0658	4.5084	0.1060	1.4737	0.0377	0.8598	0.0347	1.5489	0.0586	2.6611	0.0779	5.1243	0.1183	1.7504	0.0394
2006	2.6645	0.0719	4.3536	0.1146	1.4016	0.0403	0.8133	0.0359	1.3994	0.0537	2.5965	0.0798	4.9264	0.1294	1.7178	0.0440
 West																
2010	4.4923	0.1655	6.8016	0.2591	2.6515	0.0820	2.2589	0.1320	3.3182	0.1370	4.4501	0.1712	7.5160	0.2702	2.4251	0.0858
2009	4.0602	0.1685	6.1525	0.2747	2.4188	0.0858	2.0041	0.1156	3.0476	0.1642	4.1208	0.1866	6.7641	0.2838	2.2558	0.0828
2008	4.0409	0.1467	6.0930	0.2296	2.3827	0.0750	2.0873	0.1226	3.0748	0.1397	4.1327	0.1677	6.6867	0.2207	2.2236	0.0741
2007	3.8650	0.1586	5.9610	0.2601	2.1685	0.0742	1.9603	0.1043	2.8269	0.1668	3.8845	0.1843	6.4617	0.2379	2.1599	0.0751
2006	3.6265	0.1182	5.5726	0.1914	2.0387	0.0639	1.8978	0.0963	2.6254	0.1296	3.6622	0.1366	5.9995	0.1964	2.0583	0.0571
Alcoholic psychoses																
 Northeast																
2010	0.5127	0.0420	0.8779	0.0760	0.2133	0.0158	0.0254	0.0041	0.1273	0.0200	0.5027	0.0555	1.0620	0.0774	0.2533	0.0132
2009	0.5190	0.0474	0.8995	0.0847	0.2096	0.0186	0.0197	0.0035	0.1195	0.0189	0.5274	0.0619	1.1055	0.0927	0.2513	0.0124
2008	0.4462	0.0391	0.7815	0.0670	0.1766	0.0174	0.0200	0.0035	0.0906	0.0149	0.4660	0.0517	0.9426	0.0753	0.2170	0.0114
2007	0.4413	0.0465	0.7589	0.0849	0.1793	0.0144	0.0200	0.0029	0.0811	0.0093	0.4868	0.0694	0.8998	0.0814	0.2154	0.0124
2006	0.3893	0.0247	0.6480	0.0418	0.1688	0.0104	0.0172	0.0029	0.0620	0.0076	0.4124	0.0294	0.8107	0.0508	0.2113	0.0123
 Midwest																
2010	0.2993	0.0169	0.5348	0.0295	0.1258	0.0077	0.0131	0.0021	0.0623	0.0058	0.3034	0.0200	0.6327	0.0352	0.1546	0.0087
2009	0.3449	0.0235	0.6067	0.0389	0.1520	0.0126	0.0171	0.0023	0.0798	0.0085	0.3710	0.0292	0.7381	0.0470	0.1642	0.0087
2008	0.3289	0.0247	0.5628	0.0389	0.1519	0.0142	0.0158	0.0034	0.0892	0.0107	0.3467	0.0317	0.6961	0.0482	0.1673	0.0082
2007	0.3056	0.0219	0.5236	0.0347	0.1393	0.0122	0.0157	0.0031	0.0686	0.0091	0.3316	0.0288	0.6459	0.0432	0.1634	0.0083
2006	0.2995	0.0203	0.5158	0.0346	0.1339	0.0098	0.0120	0.0017	0.0561	0.0057	0.3414	0.0274	0.6393	0.0419	0.1491	0.0085
 South																
2010	0.2801	0.0115	0.5151	0.0188	0.1121	0.0063	0.0077	0.0010	0.0513	0.0047	0.2265	0.0116	0.6057	0.0234	0.2018	0.0080
2009	0.2854	0.0129	0.5248	0.0230	0.1130	0.0061	0.0095	0.0015	0.0457	0.0041	0.2419	0.0144	0.6245	0.0263	0.1946	0.0078
2008	0.2792	0.0133	0.5058	0.0227	0.1130	0.0066	0.0087	0.0014	0.0500	0.0055	0.2383	0.0143	0.6109	0.0279	0.1902	0.0079
2007	0.2610	0.0130	0.4705	0.0217	0.1047	0.0068	0.0098	0.0014	0.0396	0.0038	0.2305	0.0141	0.5705	0.0272	0.1818	0.0078
2006	0.2534	0.0115	0.4565	0.0195	0.1015	0.0058	0.0078	0.0013	0.0347	0.0031	0.2277	0.0126	0.5520	0.0243	0.1823	0.0075
 West																
2010	0.4594	0.0272	0.7710	0.0436	0.2110	0.0130	0.0199	0.0030	0.1279	0.0116	0.5050	0.0321	0.8982	0.0516	0.2081	0.0119
2009	0.4274	0.0240	0.7262	0.0403	0.1930	0.0119	0.0193	0.0028	0.1168	0.0118	0.4690	0.0278	0.8535	0.0474	0.2027	0.0119
2008	0.4241	0.0242	0.7054	0.0398	0.1969	0.0119	0.0185	0.0027	0.1118	0.0095	0.4839	0.0289	0.8276	0.0435	0.2010	0.0121
2007	0.4112	0.0267	0.7031	0.0475	0.1752	0.0101	0.0228	0.0042	0.0946	0.0105	0.4646	0.0287	0.8053	0.0562	0.1981	0.0111
2006	0.3895	0.0227	0.6584	0.0369	0.1701	0.0117	0.0147	0.0023	0.0972	0.0092	0.4493	0.0286	0.7482	0.0405	0.1923	0.0118

See footnotes at end of table.

Table A4. Percent distribution of emergency department visits with all-listed alcohol-related diagnoses among total emergency department visits for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol dependence syndrome																
 Northeast																
2010	1.7102	0.1098	2.8595	0.1893	0.7684	0.0464	0.2584	0.0283	0.6824	0.0605	1.7061	0.1238	3.4139	0.2117	0.7555	0.0377
2009	1.5256	0.0829	2.5567	0.1452	0.6872	0.0371	0.2190	0.0213	0.5761	0.0439	1.5510	0.1011	3.1103	0.1560	0.7118	0.0304
2008	1.4095	0.1038	2.3855	0.1839	0.6248	0.0405	0.1859	0.0224	0.5169	0.0514	1.4910	0.1411	2.8281	0.1788	0.6672	0.0307
2007	1.3930	0.1116	2.2856	0.1979	0.6565	0.0416	0.2047	0.0217	0.5270	0.0488	1.5732	0.1587	2.6707	0.1853	0.6321	0.0347
2006	1.2655	0.0827	2.0380	0.1381	0.6066	0.0364	0.1727	0.0188	0.3882	0.0309	1.3287	0.0924	2.5869	0.1780	0.6133	0.0325
 Midwest																
2010	0.9831	0.0487	1.6728	0.0802	0.4751	0.0252	0.1057	0.0136	0.3345	0.0345	0.9648	0.0583	2.0805	0.0938	0.4648	0.0172
2009	1.0591	0.0541	1.7760	0.0887	0.5308	0.0300	0.1254	0.0132	0.3731	0.0291	1.1126	0.0680	2.2225	0.1088	0.4984	0.0193
2008	1.0304	0.0676	1.6989	0.1004	0.5239	0.0430	0.1422	0.0341	0.3862	0.0373	1.0934	0.0867	2.1155	0.1185	0.4820	0.0198
2007	0.9673	0.0577	1.5880	0.0894	0.4936	0.0346	0.1421	0.0278	0.3465	0.0325	1.0458	0.0749	1.9823	0.1021	0.4769	0.0179
2006	0.8978	0.0502	1.4661	0.0800	0.4629	0.0281	0.1099	0.0121	0.3447	0.0300	1.0274	0.0673	1.8091	0.0947	0.4397	0.0183
 South																
2010	0.8922	0.0337	1.5859	0.0552	0.3960	0.0174	0.0862	0.0076	0.2514	0.0200	0.7549	0.0368	1.9136	0.0666	0.5255	0.0161
2009	0.9136	0.0357	1.6175	0.0634	0.4068	0.0159	0.0878	0.0072	0.2691	0.0169	0.8044	0.0390	1.9631	0.0718	0.5260	0.0173
2008	0.8645	0.0321	1.5168	0.0538	0.3859	0.0162	0.0898	0.0094	0.2602	0.0177	0.7723	0.0374	1.8409	0.0642	0.5090	0.0148
2007	0.8145	0.0330	1.4255	0.0557	0.3588	0.0166	0.0776	0.0065	0.2363	0.0162	0.7495	0.0395	1.7321	0.0640	0.4957	0.0166
2006	0.7678	0.0326	1.3376	0.0539	0.3418	0.0166	0.0834	0.0086	0.2037	0.0146	0.7173	0.0367	1.6250	0.0654	0.4792	0.0177
 West																
2010	1.3839	0.0682	2.2482	0.1107	0.6949	0.0337	0.1607	0.0201	0.4587	0.0312	1.3406	0.0670	2.7279	0.1428	0.7782	0.0391
2009	1.3429	0.0814	2.1858	0.1357	0.6815	0.0407	0.1685	0.0205	0.4818	0.0377	1.3239	0.0875	2.6808	0.1651	0.7440	0.0382
2008	1.2741	0.0595	2.0388	0.0904	0.6564	0.0349	0.1516	0.0206	0.4256	0.0315	1.2779	0.0665	2.5490	0.1059	0.6884	0.0337
2007	1.2480	0.0791	2.0500	0.1308	0.5990	0.0386	0.1515	0.0229	0.4224	0.0385	1.2280	0.0839	2.4954	0.1489	0.7179	0.0377
2006	1.1778	0.0651	1.9305	0.1071	0.5637	0.0326	0.1739	0.0264	0.4012	0.0328	1.1868	0.0711	2.3214	0.1228	0.6585	0.0297
Nondependent abuse of alcohol																
 Northeast																
2010	2.2824	0.1389	3.6282	0.2336	1.1796	0.0669	1.5827	0.1181	2.0913	0.1132	2.4104	0.1502	3.5886	0.2620	0.8334	0.0498
2009	2.0234	0.1150	3.2702	0.2014	1.0094	0.0528	1.3289	0.0932	1.8550	0.1243	2.1935	0.1363	3.1759	0.2097	0.7712	0.0411
2008	1.9678	0.1152	3.2006	0.1901	0.9763	0.0527	1.3631	0.1041	1.8593	0.1373	2.1665	0.1418	3.0174	0.1815	0.7606	0.0365
2007	1.8645	0.1087	2.9282	0.1784	0.9868	0.0539	1.4606	0.0957	1.7991	0.1114	2.0828	0.1396	2.7454	0.1759	0.7131	0.0377
2006	1.9952	0.1080	3.0955	0.1827	1.0567	0.0474	1.3201	0.0943	1.7382	0.0878	2.2532	0.1169	3.1198	0.2204	0.7296	0.0463
 Midwest																
2010	1.5978	0.0711	2.5979	0.1182	0.8614	0.0373	1.0182	0.0592	1.7218	0.0902	1.8070	0.0855	2.4520	0.1320	0.5039	0.0208
2009	1.6259	0.0760	2.6162	0.1273	0.8944	0.0370	1.0921	0.0729	1.8570	0.1089	1.9137	0.0883	2.4289	0.1283	0.4865	0.0208
2008	1.5621	0.0783	2.4707	0.1211	0.8707	0.0452	1.1097	0.0938	1.8258	0.1127	1.8053	0.0898	2.2613	0.1180	0.4879	0.0246
2007	1.5099	0.0689	2.3950	0.1141	0.8317	0.0356	1.0968	0.0854	1.7509	0.0896	1.8114	0.0885	2.1101	0.1019	0.4730	0.0193
2006	1.4509	0.0611	2.2719	0.0979	0.8227	0.0350	1.0862	0.0641	1.7394	0.0949	1.7615	0.0791	2.0065	0.0942	0.4805	0.0192
 South																
2010	1.5424	0.0467	2.6328	0.0777	0.7624	0.0248	0.6893	0.0359	1.1612	0.0563	1.5720	0.0539	2.6451	0.0777	0.6801	0.0204
2009	1.5118	0.0492	2.5738	0.0840	0.7472	0.0239	0.6564	0.0254	1.1391	0.0428	1.5830	0.0570	2.5961	0.0843	0.6593	0.0197
2008	1.5335	0.0424	2.5755	0.0696	0.7687	0.0228	0.7533	0.0327	1.2675	0.0569	1.6547	0.0511	2.5234	0.0750	0.6449	0.0204
2007	1.5330	0.0423	2.5652	0.0695	0.7628	0.0234	0.7369	0.0323	1.2377	0.0510	1.6734	0.0524	2.5369	0.0699	0.6559	0.0193
2006	1.5128	0.0506	2.5391	0.0844	0.7454	0.0264	0.6877	0.0322	1.1308	0.0470	1.6671	0.0591	2.5234	0.0869	0.6735	0.0245
 West																
2010	2.3396	0.1229	3.6345	0.1917	1.3073	0.0632	1.9820	0.1305	2.6588	0.1327	2.6327	0.1360	3.2828	0.1796	0.8065	0.0451
2009	1.9862	0.1115	3.0943	0.1862	1.1168	0.0543	1.7156	0.1136	2.4010	0.1543	2.3163	0.1398	2.6871	0.1559	0.6684	0.0355
2008	2.0733	0.1052	3.2281	0.1690	1.1399	0.0499	1.8159	0.1222	2.4809	0.1309	2.4270	0.1254	2.8037	0.1455	0.7238	0.0395
2007	1.9833	0.1064	3.1287	0.1763	1.0559	0.0488	1.6979	0.1015	2.2704	0.1592	2.2631	0.1380	2.6878	0.1319	0.7202	0.0367
2006	1.8500	0.0842	2.9162	0.1399	0.9798	0.0419	1.6426	0.0886	2.0795	0.1239	2.1003	0.1076	2.4815	0.1170	0.6923	0.0328

See footnotes at end of table.

Table A4. Percent distribution of emergency department visits with all-listed alcohol-related diagnoses among total emergency department visits for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
All chronic liver disease and cirrhosis																
 Northeast																
2010	0.6792	0.0285	0.9230	0.0372	0.4795	0.0238	0.0409	0.0062	0.0759	0.0097	0.3753	0.0198	1.4113	0.0586	0.8379	0.0326
2009	0.6272	0.0253	0.8728	0.0322	0.4275	0.0207	0.0296	0.0042	0.0626	0.0068	0.3278	0.0190	1.3660	0.0509	0.8154	0.0259
2008	0.6068	0.0262	0.8522	0.0352	0.4094	0.0211	0.0265	0.0035	0.0614	0.0057	0.3351	0.0176	1.3100	0.0568	0.7768	0.0330
2007	0.5790	0.0242	0.7917	0.0310	0.4035	0.0203	0.0286	0.0046	0.0576	0.0072	0.3149	0.0180	1.2416	0.0503	0.7480	0.0294
2006	0.5771	0.0258	0.7868	0.0349	0.3983	0.0192	0.0248	0.0038	0.0443	0.0065	0.3258	0.0170	1.2833	0.0549	0.7144	0.0292
 Midwest																
2010	0.7150	0.0271	0.9465	0.0365	0.5447	0.0219	0.0451	0.0059	0.1125	0.0092	0.4497	0.0234	1.5839	0.0607	0.7376	0.0256
2009	0.6594	0.0252	0.8804	0.0349	0.4989	0.0192	0.0394	0.0039	0.0882	0.0077	0.4253	0.0210	1.4890	0.0573	0.6934	0.0243
2008	0.5850	0.0240	0.7720	0.0309	0.4436	0.0199	0.0380	0.0044	0.0856	0.0086	0.3803	0.0200	1.3336	0.0508	0.6057	0.0223
2007	0.5743	0.0229	0.7604	0.0318	0.4327	0.0173	0.0363	0.0057	0.0631	0.0076	0.3692	0.0193	1.3243	0.0528	0.6292	0.0219
2006	0.5228	0.0218	0.6928	0.0306	0.3926	0.0166	0.0289	0.0029	0.0564	0.0063	0.3446	0.0186	1.1904	0.0487	0.5821	0.0213
 South																
2010	0.7681	0.0226	1.0637	0.0288	0.5567	0.0188	0.0478	0.0046	0.1092	0.0074	0.4473	0.0172	1.6610	0.0433	0.8594	0.0275
2009	0.7151	0.0193	0.9956	0.0253	0.5132	0.0163	0.0423	0.0034	0.0832	0.0067	0.4047	0.0138	1.5996	0.0371	0.7964	0.0281
2008	0.6838	0.0166	0.9474	0.0225	0.4905	0.0133	0.0357	0.0040	0.0883	0.0087	0.3915	0.0118	1.5331	0.0346	0.7605	0.0220
2007	0.6124	0.0164	0.8531	0.0219	0.4329	0.0130	0.0293	0.0032	0.0683	0.0051	0.3486	0.0110	1.3811	0.0359	0.7191	0.0213
2006	0.5692	0.0160	0.8021	0.0213	0.3951	0.0125	0.0214	0.0025	0.0481	0.0036	0.3259	0.0113	1.2952	0.0336	0.6839	0.0212
 West																
2010	1.1184	0.0309	1.5006	0.0445	0.8139	0.0247	0.0844	0.0109	0.1808	0.0116	0.7074	0.0264	2.3908	0.0703	1.0356	0.0389
2009	1.0393	0.0380	1.3912	0.0522	0.7633	0.0290	0.0769	0.0093	0.1652	0.0144	0.6941	0.0311	2.1795	0.0790	1.0239	0.0385
2008	0.9967	0.0381	1.3304	0.0536	0.7270	0.0291	0.0729	0.0121	0.1268	0.0127	0.6311	0.0292	2.1342	0.0898	0.9810	0.0367
2007	0.9100	0.0321	1.2495	0.0454	0.6354	0.0237	0.0556	0.0083	0.1050	0.0109	0.5565	0.0234	2.0284	0.0691	0.9045	0.0352
2006	0.8928	0.0333	1.2186	0.0463	0.6272	0.0261	0.0466	0.0067	0.1082	0.0172	0.5713	0.0254	1.9660	0.0780	0.8954	0.0325
Alcoholic liver disease																
 Northeast																
2010	0.3002	0.0116	0.4904	0.0188	0.1443	0.0075	0.0027	0.0006	0.0174	0.0024	0.1940	0.0102	0.7091	0.0308	0.2257	0.0092
2009	0.2808	0.0122	0.4658	0.0194	0.1303	0.0068	—	—	0.0137	0.0022	0.1716	0.0099	0.6999	0.0302	0.2208	0.0091
2008	0.2710	0.0102	0.4560	0.0168	0.1222	0.0063	—	—	0.0121	0.0022	0.1747	0.0093	0.6649	0.0274	0.2170	0.0099
2007	0.2534	0.0104	0.4144	0.0164	0.1205	0.0066	—	—	0.0095	0.0021	0.1626	0.0084	0.6120	0.0274	0.2158	0.0096
2006	0.2807	0.0126	0.4465	0.0194	0.1393	0.0075	—	—	0.0114	0.0023	0.1840	0.0096	0.6941	0.0302	0.2300	0.0121
 Midwest																
2010	0.2509	0.0120	0.4229	0.0197	0.1242	0.0074	—	—	0.0142	0.0026	0.1655	0.0114	0.6468	0.0292	0.1532	0.0079
2009	0.2643	0.0128	0.4375	0.0219	0.1370	0.0072	0.0024	0.0006	0.0162	0.0027	0.1972	0.0138	0.6784	0.0301	0.1562	0.0074
2008	0.2382	0.0112	0.3891	0.0174	0.1241	0.0070	0.0023	0.0006	0.0204	0.0033	0.1768	0.0118	0.6097	0.0251	0.1433	0.0069
2007	0.2349	0.0113	0.3857	0.0182	0.1199	0.0067	0.0020	0.0006	0.0118	0.0021	0.1740	0.0119	0.6078	0.0269	0.1553	0.0072
2006	0.2310	0.0113	0.3766	0.0183	0.1196	0.0066	0.0025	0.0007	0.0112	0.0026	0.1792	0.0129	0.5974	0.0272	0.1481	0.0065
 South																
2010	0.2613	0.0077	0.4580	0.0125	0.1206	0.0045	0.0012	0.0003	0.0133	0.0017	0.1485	0.0053	0.6555	0.0192	0.1939	0.0063
2009	0.2579	0.0075	0.4511	0.0133	0.1188	0.0041	0.0015	0.0004	0.0105	0.0015	0.1425	0.0056	0.6718	0.0201	0.1827	0.0083
2008	0.2528	0.0076	0.4379	0.0131	0.1169	0.0039	0.0010	0.0003	0.0128	0.0017	0.1500	0.0059	0.6471	0.0189	0.1833	0.0078
2007	0.2473	0.0077	0.4215	0.0130	0.1175	0.0043	0.0015	0.0004	0.0141	0.0019	0.1495	0.0060	0.6393	0.0200	0.1829	0.0071
2006	0.2455	0.0074	0.4180	0.0116	0.1165	0.0045	0.0013	0.0003	0.0096	0.0012	0.1570	0.0062	0.6283	0.0183	0.1859	0.0074
 West																
2010	0.4581	0.0170	0.7378	0.0282	0.2352	0.0094	0.0034	0.0008	0.0369	0.0049	0.3294	0.0147	1.0660	0.0371	0.2874	0.0167
2009	0.4413	0.0193	0.7178	0.0321	0.2245	0.0114	0.0070	0.0009	0.0450	0.0060	0.3231	0.0186	1.0274	0.0424	0.2928	0.0119
2008	0.4329	0.0178	0.6936	0.0296	0.2223	0.0104	0.0064	0.0028	0.0288	0.0050	0.3209	0.0147	1.0203	0.0437	0.2729	0.0138
2007	0.4098	0.0189	0.6711	0.0328	0.1983	0.0087	0.0029	0.0008	0.0342	0.0078	0.2941	0.0149	0.9858	0.0430	0.2652	0.0125
2006	0.4206	0.0159	0.6848	0.0253	0.2052	0.0105	0.0029	0.0010	0.0278	0.0041	0.3130	0.0146	0.9979	0.0367	0.2817	0.0124

See footnotes at end of table.

Table A4. Percent distribution of emergency department visits with all-listed alcohol-related diagnoses among total emergency department visits for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	
Alcohol poisoning																	
Northeast																	
2010	0.0520	0.0059	0.0677	0.0088	0.0390	0.0043	0.0539	0.0078	0.0543	0.0072	0.0590	0.0066	0.0722	0.0091	0.0111	0.0017	
2009	0.0674	0.0104	0.0940	0.0161	0.0457	0.0063	0.0684	0.0143	0.0729	0.0141	0.0788	0.0116	0.0911	0.0141	0.0137	0.0025	
2008	0.0656	0.0101	0.0919	0.0162	0.0445	0.0057	0.0651	0.0105	0.0677	0.0106	0.0734	0.0102	0.0963	0.0185	0.0134	0.0036	
2007	0.0537	0.0069	0.0691	0.0099	0.0411	0.0047	0.0562	0.0088	0.0637	0.0091	0.0644	0.0085	0.0704	0.0108	0.0104	0.0015	
2006	0.0739	0.0109	0.1016	0.0166	0.0504	0.0066	0.0666	0.0103	0.0709	0.0118	0.0917	0.0136	0.1055	0.0190	0.0113	0.0020	
Midwest																	
2010	0.0491	0.0052	0.0637	0.0077	0.0384	0.0036	0.0390	0.0053	0.0629	0.0079	0.0623	0.0063	0.0647	0.0076	0.0087	0.0012	
2009	0.0549	0.0081	0.0713	0.0131	0.0431	0.0047	0.0421	0.0056	0.0698	0.0087	0.0749	0.0108	0.0694	0.0127	0.0088	0.0012	
2008	0.0567	0.0058	0.0684	0.0082	0.0477	0.0043	0.0501	0.0051	0.0708	0.0081	0.0785	0.0076	0.0649	0.0082	0.0083	0.0015	
2007	0.0512	0.0038	0.0614	0.0046	0.0433	0.0034	0.0519	0.0045	0.0566	0.0056	0.0704	0.0053	0.0591	0.0051	0.0064	0.0013	
2006	0.0551	0.0043	0.0674	0.0058	0.0458	0.0035	0.0584	0.0060	0.0714	0.0082	0.0772	0.0063	0.0599	0.0055	0.0067	0.0012	
South																	
2010	0.0335	0.0016	0.0435	0.0023	0.0264	0.0014	0.0279	0.0020	0.0338	0.0027	0.0419	0.0023	0.0429	0.0025	0.0089	0.0008	
2009	0.0360	0.0020	0.0476	0.0031	0.0277	0.0015	0.0279	0.0024	0.0381	0.0030	0.0431	0.0028	0.0497	0.0033	0.0096	0.0008	
2008	0.0371	0.0020	0.0487	0.0030	0.0285	0.0016	0.0305	0.0024	0.0409	0.0035	0.0464	0.0029	0.0485	0.0030	0.0083	0.0008	
2007	0.0354	0.0017	0.0457	0.0024	0.0278	0.0015	0.0268	0.0017	0.0375	0.0028	0.0458	0.0025	0.0451	0.0026	0.0095	0.0008	
2006	0.0373	0.0021	0.0484	0.0030	0.0289	0.0017	0.0355	0.0024	0.0417	0.0038	0.0475	0.0027	0.0445	0.0031	0.0086	0.0010	
West																	
2010	0.0623	0.0054	0.0718	0.0066	0.0546	0.0051	0.0667	0.0074	0.0843	0.0101	0.0793	0.0074	0.0745	0.0073	0.0114	0.0015	
2009	0.0665	0.0060	0.0800	0.0088	0.0558	0.0046	0.0759	0.0084	0.0754	0.0080	0.0884	0.0081	0.0776	0.0082	0.0123	0.0019	
2008	0.0663	0.0050	0.0756	0.0066	0.0587	0.0045	0.0788	0.0068	0.0907	0.0102	0.0848	0.0070	0.0756	0.0065	0.0136	0.0022	
2007	0.0627	0.0052	0.0790	0.0081	0.0496	0.0040	0.0818	0.0082	0.0799	0.0096	0.0801	0.0071	0.0670	0.0071	0.0107	0.0013	
2006	0.0565	0.0050	0.0685	0.0068	0.0466	0.0040	0.0688	0.0075	0.0797	0.0093	0.0669	0.0064	0.0676	0.0065	0.0085	0.0013	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table A5. Percent distribution that had co-occurring drug-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	
Any alcohol-related diagnoses																	
Any drug-related diagnoses																	
2010	10.2777	0.3749	10.2101	0.4218	10.4476	0.2977	10.5599	0.4219	11.1513	0.4497	12.9930	0.4796	8.9504	0.4104	2.9796	0.1903	
2009	10.6976	0.3553	10.6156	0.3952	10.9117	0.3025	10.4149	0.4110	11.7141	0.4572	13.7157	0.4964	9.2758	0.3398	2.8101	0.1973	
2008	10.7799	0.3627	10.7625	0.4039	10.8217	0.3348	11.5120	0.4542	11.6685	0.5534	13.8112	0.5388	9.0148	0.3147	2.7641	0.1972	
2007	11.4277	0.4917	11.4608	0.5531	11.3504	0.3914	11.3011	0.4901	12.3541	0.5488	15.1027	0.7752	9.4118	0.4104	2.5223	0.1728	
2006	10.5116	0.2501	10.4900	0.2694	10.5626	0.2583	11.0244	0.3706	12.8177	0.5033	14.0358	0.3996	8.2116	0.2387	1.8994	0.1338	
Drug psychoses																	
2010	0.7995	0.0533	0.8034	0.0584	0.7900	0.0554	0.2028	0.0376	0.5814	0.0782	1.0272	0.0760	0.8031	0.0561	0.4134	0.0540	
2009	0.8932	0.0593	0.8817	0.0590	0.9216	0.0738	0.3198	0.0420	0.9691	0.1191	1.1103	0.0865	0.8716	0.0564	0.4617	0.1084	
2008	0.8371	0.0702	0.8187	0.0717	0.8825	0.0759	0.2725	0.0455	0.6934	0.1006	1.0218	0.0971	0.8519	0.0697	0.5469	0.1122	
2007	0.8257	0.0902	0.8376	0.1072	0.7973	0.0689	0.2793	0.0493	0.4792	0.0731	1.1079	0.1461	0.8046	0.0791	0.4145	0.0673	
2006	0.7188	0.0516	0.7080	0.0558	0.7453	0.0536	0.2524	0.0396	0.4898	0.0632	0.9461	0.0908	0.7031	0.0471	0.3167	0.0539	
Drug dependence																	
2010	2.3877	0.2800	2.4708	0.3174	2.1792	0.1972	0.6147	0.0743	1.5440	0.1532	3.0271	0.3357	2.4929	0.3389	0.8933	0.1186	
2009	2.6363	0.2246	2.6828	0.2447	2.5237	0.1938	0.6473	0.0796	1.9478	0.1834	3.5266	0.3228	2.6302	0.2209	0.7518	0.1272	
2008	2.5675	0.2888	2.6836	0.3508	2.2828	0.1762	0.8890	0.1582	1.7710	0.2155	3.4651	0.4248	2.5073	0.2763	0.6742	0.0812	
2007	2.8660	0.4493	3.0035	0.5231	2.5337	0.2942	0.9954	0.1955	1.6613	0.1996	4.1473	0.7179	2.6390	0.3890	0.6474	0.1044	
2006	1.9851	0.1267	1.9680	0.1305	2.0280	0.1348	0.5907	0.0695	1.5715	0.1590	2.8421	0.2019	1.7897	0.1136	0.4796	0.0648	
Nondependent abuse of drugs																	
2010	7.3412	0.2161	7.3668	0.2410	7.2763	0.1919	9.3201	0.3829	8.6609	0.3685	9.3815	0.2941	5.9869	0.2042	1.6466	0.1257	
2009	7.4232	0.2318	7.4905	0.2604	7.2603	0.2044	8.9942	0.3640	9.0001	0.3647	9.4682	0.3166	6.1072	0.2210	1.4654	0.1120	
2008	7.5575	0.2701	7.6251	0.2973	7.3918	0.2460	9.8132	0.3662	9.0052	0.4287	9.6443	0.4140	5.9610	0.2183	1.4050	0.1156	
2007	7.8755	0.2632	7.9460	0.3016	7.7053	0.2221	9.4437	0.3972	9.6932	0.4649	10.2099	0.4056	6.2091	0.2184	1.2629	0.1051	
2006	7.7677	0.1965	7.9458	0.2138	7.3299	0.1985	9.3785	0.3380	10.0938	0.4169	10.2950	0.3439	5.8457	0.1745	1.0467	0.0993	
Drug poisoning																	
2010	0.7368	0.0335	0.5691	0.0277	1.1586	0.0648	0.8330	0.0783	1.1290	0.1046	0.9151	0.0468	0.5846	0.0346	0.3290	0.0462	
2009	0.8261	0.0342	0.6291	0.0296	1.3190	0.0594	0.9896	0.0881	1.1134	0.0980	1.0588	0.0540	0.6251	0.0333	0.4599	0.0566	
2008	0.8137	0.0382	0.5991	0.0328	1.3390	0.0626	1.1144	0.0810	1.1994	0.1048	1.0344	0.0561	0.5714	0.0365	0.3707	0.0564	
2007	0.8405	0.0392	0.6490	0.0347	1.3061	0.0675	1.1343	0.1069	1.3526	0.1095	1.0414	0.0577	0.5916	0.0355	0.4216	0.0617	
2006	0.8741	0.0419	0.6857	0.0387	1.3346	0.0670	1.2781	0.1038	1.3752	0.1263	1.1478	0.0662	0.5743	0.0360	0.2249	0.0451	
Alcoholic psychoses																	
Any drug-related diagnoses																	
2010	15.2731	0.5359	14.9770	0.5503	16.2220	0.6346	28.0498	3.5334	24.2271	1.8459	18.4326	0.7009	13.7616	0.5048	4.7448	0.4335	
2009	16.2973	0.7563	15.8827	0.7679	17.6797	0.8689	31.2565	3.7242	30.2602	2.2009	20.1168	0.9956	14.1090	0.6557	5.7534	0.7339	
2008	15.4666	0.6935	15.2794	0.7456	16.0569	0.7605	33.4692	3.7318	26.5280	2.0947	18.8423	0.9363	13.3485	0.6156	5.5162	0.5698	
2007	17.6145	2.2560	17.5668	2.4751	17.7783	1.5975	36.6943	3.6601	29.0068	2.5159	22.2555	3.2096	14.5891	1.6971	5.4929	0.6680	
2006	13.7739	0.5213	13.5152	0.5281	14.6223	0.7002	30.4594	4.1422	24.0224	2.1285	17.6607	0.7459	11.2084	0.4486	3.7391	0.4491	
Drug psychoses																	
2010	2.8072	0.1778	2.6555	0.1802	3.2922	0.2633	5.5284	1.8110	3.9552	0.7065	3.4691	0.2384	2.4492	0.1787	1.2434	0.2240	
2009	3.0585	0.2284	2.8093	0.2040	3.8836	0.3795	6.1596	1.6426	9.2015	1.5097	3.4933	0.3193	2.6336	0.1889	1.7694	0.5834	
2008	2.8043	0.1837	2.5917	0.1853	3.4829	0.2624	8.2629	1.9709	6.0502	0.8642	3.1561	0.2431	2.4672	0.1801	1.6854	0.2943	
2007	3.1290	0.4641	3.0319	0.5228	3.4541	0.3899	6.3704	2.4150	6.1921	1.1060	3.8757	0.6975	2.6011	0.3290	1.1386	0.2427	
2006	2.5084	0.1864	2.2478	0.1815	3.3571	0.2847	6.4330	1.7827	4.7023	0.9278	3.1066	0.2931	2.0982	0.1519	0.7921	0.1813	
Drug dependence																	
2010	5.3011	0.3286	5.0052	0.3171	6.2468	0.4431	8.4851	2.2325	7.7921	1.2011	6.3483	0.4507	4.8525	0.2935	1.6155	0.2381	
2009	6.5393	0.6376	6.1747	0.6383	7.7482	0.7263	8.7402	2.2417	11.3074	1.5035	8.0565	0.8360	5.7102	0.5569	2.6023	0.6345	
2008	5.9272	0.5903	5.7212	0.6714	6.5856	0.4715	11.7930	2.7493	9.6549	1.4844	7.0544	0.7940	5.2780	0.5107	2.0811	0.3487	
2007	7.9597	2.3537	7.9039	2.5985	8.1481	1.5827	14.9567	2.9714	8.9810	1.9753	10.6562	3.3315	6.2730	1.7934	2.4746	0.5060	
2006	4.9691	0.4461	4.5560	0.4287	6.3150	0.5940	11.4731	3.7130	8.7872	1.4169	6.4833	0.6557	3.9473	0.3231	1.2930	0.2521	

See footnotes at end of table.

Table A5. Percent distribution that had co-occurring drug-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcoholic psychoses																
Nondependent abuse of drugs																
2010	9.8617	0.3438	9.9148	0.3802	9.6951	0.4054	19.7289	2.8930	16.2378	1.3323	12.3119	0.4595	8.6419	0.3434	2.3433	0.3369
2009	9.5196	0.3615	9.5584	0.3969	9.4002	0.4111	21.1441	2.9926	19.0967	1.6399	12.0651	0.5062	8.0472	0.3283	2.3740	0.3352
2008	9.4230	0.3871	9.4670	0.3927	9.2746	0.5235	22.2144	2.9903	17.5271	1.5783	11.9378	0.5639	7.8255	0.3320	2.2989	0.3473
2007	9.2895	0.7081	9.3560	0.7981	9.0702	0.5230	22.4853	3.0262	19.3398	1.8810	11.3769	1.1401	7.8888	0.4958	2.1574	0.3641
2006	8.5008	0.2862	8.7194	0.3099	7.7942	0.3818	19.5500	3.3698	15.0048	1.6656	10.9512	0.4134	6.8676	0.3156	2.2444	0.3752
Drug poisoning																
2010	0.3724	0.0354	0.3268	0.0377	0.5179	0.0842	—	—	—	—	0.3423	0.0518	0.3887	0.0469	—	—
2009	0.4480	0.0418	0.3957	0.0453	0.6212	0.0914	—	—	—	—	0.5120	0.0713	0.3819	0.0441	0.3390	0.1068
2008	0.3800	0.0486	0.3162	0.0398	0.5835	0.1211	—	—	—	—	0.4308	0.0582	0.3093	0.0549	—	—
2007	0.3822	0.0394	0.3229	0.0367	0.5803	0.1063	—	—	—	—	0.3931	0.0594	0.3161	0.0483	—	—
2006	0.3096	0.0384	0.2471	0.0338	0.5129	0.1042	—	—	—	—	0.3532	0.0556	0.2802	0.0498	—	—
Alcohol dependence syndrome																
Any drug-related diagnoses																
2010	12.8095	0.9778	12.6703	1.0829	13.2210	0.7374	12.7138	1.2136	13.1458	1.1012	16.0914	1.0900	11.2048	1.0790	4.9049	0.5062
2009	13.2235	0.8071	13.1324	0.8762	13.4959	0.6918	13.4176	1.1425	15.2618	1.1150	16.8500	1.0080	11.3077	0.7951	3.5932	0.4402
2008	13.9606	0.8981	14.0518	1.0129	13.6998	0.7636	17.8391	1.8406	16.5452	1.4287	17.9369	1.1917	11.1821	0.7839	4.0354	0.4689
2007	13.7375	0.8724	13.5939	0.8917	14.1460	0.9136	16.5212	2.3758	16.5914	1.3328	17.7993	1.1897	10.9818	0.6956	2.7935	0.3956
2006	11.9496	0.5449	11.7243	0.5839	12.5928	0.5582	12.5694	1.0880	16.3293	1.1928	15.6070	0.7159	9.2809	0.5117	3.1564	0.3778
Drug psychoses																
2010	0.9137	0.1101	0.9070	0.1209	0.9337	0.1178	—	—	0.7457	0.1798	1.1459	0.1521	0.8341	0.1058	0.5369	0.1397
2009	1.0089	0.1235	0.9873	0.1239	1.0717	0.1523	0.7484	0.2154	1.2423	0.2590	1.2444	0.1736	0.8843	0.1113	0.4769	0.1523
2008	1.1573	0.1894	1.1404	0.1931	1.2051	0.1996	0.7004	0.2096	1.2071	0.3730	1.4127	0.2361	1.0485	0.1730	0.3845	0.1767
2007	0.9437	0.1219	0.9142	0.1385	1.0268	0.1159	0.9557	0.2841	0.8219	0.1964	1.0914	0.1663	0.8662	0.1089	0.5847	0.2215
2006	0.8741	0.1247	0.8563	0.1354	0.9259	0.1235	—	—	0.6794	0.1867	1.0528	0.1858	0.8215	0.1155	0.6270	0.1834
Drug dependence																
2010	4.8810	0.9612	5.0299	1.0538	4.4366	0.7029	2.7564	0.4978	4.0084	0.5963	6.1369	1.0346	4.4691	1.0930	1.8703	0.4014
2009	5.0018	0.6469	5.0098	0.6916	4.9831	0.5622	3.7655	0.5991	5.1133	0.6521	6.6341	0.8840	4.2468	0.5873	1.1780	0.2544
2008	5.6117	0.8429	5.8481	0.9981	4.9457	0.5277	5.8460	1.3123	6.0713	0.7913	7.5274	1.1382	4.4184	0.7373	1.1168	0.2448
2007	5.3486	0.6650	5.3158	0.6646	5.4425	0.7448	6.0598	1.6950	5.5255	0.7780	7.2557	0.9569	4.1288	0.4862	0.8746	0.2300
2006	3.8338	0.2898	3.6621	0.2931	4.3275	0.3371	3.4280	0.5256	5.0211	0.6839	5.1757	0.4016	2.8922	0.2511	1.0547	0.2174
Nondependent abuse of drugs																
2010	7.6529	0.2893	7.5302	0.3122	8.0146	0.3192	9.8655	0.9362	8.8511	0.7520	9.7586	0.3892	6.4082	0.2750	2.6063	0.2896
2009	7.8820	0.3873	7.9339	0.4240	7.7397	0.3900	9.7208	0.8692	9.9985	0.8111	9.9340	0.4510	6.6469	0.4091	1.9542	0.2886
2008	8.0211	0.4504	8.0120	0.4654	8.0449	0.4692	12.2546	1.0595	10.2623	0.9410	10.1989	0.6554	6.3097	0.3660	2.3971	0.3374
2007	8.0781	0.4563	8.0399	0.4931	8.1884	0.4290	10.2473	1.3656	10.6203	0.9392	10.3434	0.6163	6.4829	0.3988	1.3292	0.2259
2006	7.6364	0.3280	7.6950	0.3648	7.4646	0.3526	9.0590	0.8427	10.8073	0.8796	9.9000	0.4545	5.9285	0.3246	1.5890	0.2670
Drug poisoning																
2010	0.5229	0.0428	0.4134	0.0411	0.8504	0.0880	—	—	0.5284	0.1743	0.6602	0.0702	0.4553	0.0452	—	—
2009	0.6563	0.0465	0.4881	0.0405	1.1395	0.1109	0.6986	0.1939	0.6917	0.1698	0.7935	0.0748	0.5945	0.0541	—	—
2008	0.5279	0.0575	0.3958	0.0480	0.8981	0.1111	0.8522	0.2291	0.7459	0.2047	0.6609	0.0810	0.4016	0.0546	—	—
2007	0.4840	0.0440	0.3909	0.0383	0.7458	0.0990	0.7863	0.2494	0.7655	0.2379	0.5875	0.0702	0.3716	0.0443	—	—
2006	0.5991	0.0485	0.4793	0.0459	0.9417	0.1040	0.6479	0.2071	0.7070	0.1876	0.8036	0.0844	0.4613	0.0545	—	—
Nondependent abuse of alcohol																
Any drug-related diagnoses																
2010	7.7159	0.3063	7.4642	0.3327	8.3034	0.2858	9.8757	0.4273	9.3159	0.4326	9.5459	0.3934	5.5686	0.2999	2.0844	0.2442
2009	7.9806	0.3170	7.6650	0.3511	8.7218	0.2859	9.4929	0.4041	9.2338	0.4133	9.9493	0.4405	5.9345	0.2994	2.0316	0.2232
2008	8.2535	0.3578	7.9795	0.3955	8.8857	0.3184	10.2664	0.4134	9.3051	0.4849	10.0832	0.4921	5.9994	0.3205	1.7272	0.2374
2007	8.8986	0.3048	8.6475	0.3327	9.4636	0.3070	10.0953	0.3986	10.0697	0.4895	11.2987	0.4442	6.3497	0.2690	1.8552	0.1997
2006	9.1697	0.2662	9.0773	0.2986	9.3762	0.2816	10.2709	0.3750	10.7971	0.4876	11.8358	0.5314	6.2687	0.2276	1.2511	0.1916

See footnotes at end of table.

Table A5. Percent distribution that had co-occurring drug-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	
Nondependent abuse of alcohol																	
Drug psychoses																	
2010	0.2133	0.0307	0.2074	0.0326	0.2271	0.0342	0.1109	0.0283	0.2764	0.0549	0.2405	0.0476	0.2105	0.0304	0.1986	0.0600	
2009	0.2155	0.0227	0.2124	0.0241	0.2206	0.0297	0.1429	0.0276	0.2835	0.0585	0.2644	0.0351	0.1950	0.0263	—	—	
2008	0.1949	0.0254	0.1688	0.0248	0.2549	0.0390	0.1254	0.0317	0.1790	0.0486	0.2396	0.0379	0.1799	0.0299	—	—	
2007	0.1747	0.0184	0.1608	0.0206	0.2061	0.0256	0.1091	0.0277	—	—	0.2553	0.0304	0.1536	0.0262	—	—	
2006	0.1725	0.0209	0.1675	0.0223	0.1840	0.0312	0.1565	0.0331	0.1422	0.0432	0.2313	0.0392	0.1343	0.0234	—	—	
Drug dependence																	
2010	0.4692	0.0315	0.4649	0.0342	0.4794	0.0430	0.2826	0.0487	0.4683	0.0652	0.5571	0.0437	0.4552	0.0421	0.4460	0.1544	
2009	0.4523	0.0373	0.4534	0.0450	0.4507	0.0428	0.1578	0.0323	0.5324	0.0808	0.6334	0.0647	0.4083	0.0397	—	—	
2008	0.4044	0.0370	0.3819	0.0408	0.4563	0.0478	0.2760	0.0566	0.3470	0.0628	0.5272	0.0557	0.3700	0.0406	—	—	
2007	0.4372	0.0617	0.4456	0.0650	0.4188	0.0664	0.3010	0.0576	0.4029	0.0815	0.5940	0.1016	0.3779	0.0514	—	—	
2006	0.4029	0.0310	0.4018	0.0353	0.4055	0.0431	0.1688	0.0336	0.3631	0.0674	0.6026	0.0564	0.3265	0.0372	—	—	
Nondependent abuse of drugs																	
2010	6.6882	0.2790	6.5886	0.3107	6.9209	0.2492	9.1881	0.4061	7.9928	0.3990	8.3102	0.3642	4.6498	0.2645	1.3520	0.1709	
2009	6.9105	0.2917	6.7572	0.3247	7.2721	0.2619	8.8035	0.3862	7.9778	0.3804	8.4961	0.3932	5.0656	0.2801	1.5697	0.2013	
2008	7.2032	0.3236	7.1275	0.3623	7.3792	0.2878	9.4056	0.3816	8.1741	0.4319	8.7338	0.4491	5.1406	0.2856	1.2421	0.1691	
2007	7.8136	0.2732	7.7410	0.3032	7.9766	0.2738	9.2594	0.3739	8.8552	0.4475	9.9235	0.3999	5.4231	0.2408	1.3902	0.1748	
2006	8.1261	0.2686	8.1988	0.2955	7.9547	0.2765	9.3843	0.3592	9.5866	0.4481	10.4485	0.5481	5.4908	0.2115	0.9282	0.1613	
Drug poisoning																	
2010	0.5988	0.0368	0.4447	0.0308	0.9580	0.0710	0.5248	0.0640	0.9300	0.1155	0.7310	0.0476	0.4660	0.0445	0.2560	0.0659	
2009	0.6707	0.0393	0.5003	0.0355	1.0688	0.0692	0.5758	0.0601	0.8318	0.1060	0.9096	0.0638	0.4783	0.0465	0.3399	0.0839	
2008	0.6657	0.0397	0.4859	0.0348	1.0793	0.0699	0.6294	0.0684	0.8893	0.0984	0.8673	0.0624	0.4750	0.0422	—	—	
2007	0.7266	0.0436	0.5247	0.0362	1.1808	0.0806	0.6785	0.0989	1.0234	0.1154	0.8842	0.0623	0.5511	0.0483	0.3140	0.0840	
2006	0.6947	0.0423	0.5342	0.0381	1.0622	0.0801	0.7687	0.0853	0.8929	0.1111	0.8961	0.0669	0.4556	0.0456	—	—	
All chronic liver disease and cirrhosis																	
Any drug-related diagnoses																	
2010	6.5747	0.2550	7.1688	0.3129	5.5365	0.3351	—	—	7.7737	2.4825	8.8964	0.4730	7.3717	0.3376	0.9286	0.1573	
2009	6.4266	0.2635	7.1635	0.3433	5.1703	0.2887	—	—	11.3243	2.5568	8.8076	0.5072	7.3384	0.3459	0.4966	0.1167	
2008	6.6796	0.2724	7.4014	0.3176	5.3670	0.3421	—	—	—	—	10.1654	0.5632	7.2870	0.3220	0.9616	0.1697	
2007	6.9173	0.2610	7.5775	0.3211	5.7362	0.3691	—	—	8.4906	2.6270	10.1698	0.4931	7.6192	0.3584	0.9715	0.1744	
2006	6.7440	0.3039	7.4692	0.3569	5.4361	0.3676	—	—	14.7950	3.8164	10.7693	0.6315	7.0791	0.3474	0.6570	0.1305	
Drug psychoses																	
2010	0.2560	0.0334	0.2772	0.0433	0.2189	0.0527	—	—	—	—	0.2809	0.0804	0.3090	0.0440	—	—	
2009	0.3565	0.0416	0.3441	0.0559	0.3777	0.0688	—	—	—	—	0.6066	0.1238	0.3483	0.0567	—	—	
2008	0.3050	0.0403	0.3162	0.0517	0.2847	0.0555	—	—	—	—	0.2947	0.0910	0.3552	0.0538	—	—	
2007	0.2639	0.0348	0.2810	0.0457	0.2332	0.0540	—	—	—	—	0.4332	0.1111	0.2272	0.0401	—	—	
2006	0.3200	0.0423	0.3202	0.0538	0.3198	0.0664	—	—	—	—	0.4082	0.0979	0.3328	0.0556	—	—	
Drug dependence																	
2010	1.3483	0.1026	1.4008	0.1272	1.2564	0.1402	—	—	—	—	1.3810	0.1789	1.6681	0.1536	—	—	
2009	1.4757	0.1202	1.5048	0.1584	1.4260	0.1392	—	—	—	—	1.5265	0.2081	1.8577	0.1708	—	—	
2008	1.5695	0.1701	1.7089	0.1863	1.3161	0.2102	—	—	—	—	2.0146	0.2993	1.8585	0.2161	—	—	
2007	1.6113	0.1573	1.7724	0.1730	1.3230	0.1920	—	—	—	—	2.2416	0.2633	1.8432	0.1963	—	—	
2006	1.3749	0.1091	1.5201	0.1352	1.1129	0.1281	—	—	—	—	2.1196	0.2755	1.4703	0.1342	—	—	
Nondependent abuse of drugs																	
2010	5.0913	0.2121	5.6010	0.2522	4.2004	0.2898	—	—	—	—	7.4213	0.4411	5.5326	0.2744	0.6659	0.1353	
2009	4.7040	0.2296	5.4494	0.3046	3.4333	0.2298	—	—	7.2017	2.1122	7.0444	0.4484	5.2100	0.2986	0.3150	0.0851	
2008	4.8446	0.2061	5.4924	0.2631	3.6666	0.2479	—	—	—	—	7.8914	0.4595	5.2006	0.2583	0.4140	0.1233	
2007	5.1917	0.2045	5.7381	0.2657	4.2140	0.3035	—	—	—	—	7.8448	0.4484	5.6945	0.2869	0.5343	0.1190	
2006	5.1658	0.2494	5.7597	0.2999	4.0945	0.3089	—	—	11.5132	3.3096	8.3869	0.5051	5.4330	0.2969	0.3051	0.0908	

See footnotes at end of table.

Table A5. Percent distribution that had co-occurring drug-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
All chronic liver disease and cirrhosis																
Drug poisoning																
2010	0.2029	0.0335	0.1852	0.0368	0.2337	0.0621	—	—	—	—	0.2588	0.0823	0.2348	0.0476	—	—
2009	0.1930	0.0414	0.1948	0.0596	0.1898	0.0468	—	—	—	—	0.2519	0.0734	0.1878	0.0613	—	—
2008	0.2316	0.0345	0.1929	0.0390	0.3020	0.0659	—	—	—	—	0.3456	0.0897	0.1884	0.0407	—	—
2007	0.1446	0.0258	0.1124	0.0278	0.2023	0.0528	—	—	—	—	—	—	0.1346	0.0316	—	—
2006	0.1615	0.0315	0.1598	0.0412	0.1646	0.0494	—	—	—	—	0.2540	0.0724	0.1421	0.0378	—	—
Alcoholic liver disease																
Any drug-related diagnoses																
2010	8.2942	0.3446	8.2431	0.3763	8.4186	0.5690	—	—	—	—	10.1528	0.5788	8.4903	0.4257	1.8720	0.3968
2009	7.7192	0.3321	7.8737	0.4109	7.3475	0.4679	—	—	17.2006	4.5162	9.6423	0.5981	8.0417	0.4202	0.8433	0.2517
2008	8.2106	0.3206	8.3547	0.3479	7.8472	0.5191	—	—	—	—	10.9329	0.6079	8.2142	0.3645	1.9217	0.4088
2007	8.2989	0.3212	8.3197	0.3858	8.2507	0.5687	—	—	—	—	11.0046	0.6266	8.3075	0.4081	1.5932	0.4074
2006	8.1544	0.3815	8.2123	0.3944	8.0093	0.5975	—	—	21.3556	5.5400	11.3853	0.7235	7.9167	0.4007	0.9731	0.2646
Drug psychoses																
2010	0.2937	0.0466	0.3123	0.0578	—	—	—	—	—	—	—	—	0.3269	0.0584	—	—
2009	0.3395	0.0506	0.3288	0.0619	0.3653	0.0995	—	—	—	—	0.6340	0.1450	0.2751	0.0601	—	—
2008	0.3575	0.0553	0.3611	0.0648	0.3482	0.0888	—	—	—	—	0.3711	0.1193	0.4016	0.0712	—	—
2007	0.2881	0.0448	0.2917	0.0548	0.2792	0.0816	—	—	—	—	0.4096	0.1145	0.2667	0.0540	—	—
2006	0.3513	0.0597	0.3335	0.0704	0.3960	0.1148	—	—	—	—	0.3959	0.1121	0.3608	0.0760	—	—
Drug dependence																
2010	1.5346	0.1307	1.4262	0.1431	1.7990	0.2466	—	—	—	—	1.4817	0.2088	1.7178	0.1822	—	—
2009	1.6594	0.1429	1.5603	0.1741	1.8979	0.2311	—	—	—	—	1.4643	0.2278	1.9606	0.1892	—	—
2008	1.5943	0.1445	1.6709	0.1486	1.4012	0.2540	—	—	—	—	1.7961	0.2515	1.7289	0.1814	—	—
2007	1.4956	0.1531	1.5135	0.1830	1.4522	0.2394	—	—	—	—	1.8161	0.2561	1.5482	0.1720	—	—
2006	1.6354	0.1464	1.6766	0.1602	1.5321	0.2206	—	—	—	—	2.3141	0.3326	1.5839	0.1705	—	—
Nondependent abuse of drugs																
2010	6.6176	0.2915	6.6366	0.3120	6.5712	0.4962	—	—	—	—	8.6084	0.5400	6.5801	0.3499	1.5161	0.3491
2009	5.7250	0.3026	5.9978	0.3788	5.0688	0.3758	—	—	—	—	7.8322	0.5306	5.7487	0.3795	—	—
2008	6.2518	0.2652	6.3911	0.3173	5.9005	0.4180	—	—	—	—	8.8180	0.5512	6.1563	0.3195	0.9561	0.3250
2007	6.6021	0.2820	6.6644	0.3406	6.4519	0.5193	—	—	—	—	8.9292	0.5957	6.5933	0.3631	0.9473	0.2638
2006	6.2827	0.2959	6.3242	0.3175	6.1788	0.4803	—	—	—	—	8.8653	0.5638	6.0780	0.3207	—	—
Drug poisoning																
2010	0.2563	0.0480	0.2392	0.0507	—	—	—	—	—	—	—	—	0.2836	0.0635	—	—
2009	0.2665	0.0648	0.2467	0.0838	0.3141	0.0850	—	—	—	—	0.3105	0.0946	0.2384	0.0897	—	—
2008	0.3358	0.0518	0.2636	0.0555	0.5177	0.1206	—	—	—	—	0.4037	0.1130	0.2567	0.0594	—	—
2007	0.2048	0.0404	0.1437	0.0391	0.3544	0.1024	—	—	—	—	—	—	0.1714	0.0453	—	—
2006	0.1901	0.0441	0.1739	0.0536	—	—	—	—	—	—	—	—	0.1889	0.0535	—	—
Alcohol poisoning																
Any drug-related diagnoses																
2010	26.9054	1.7925	26.0539	2.0219	28.2800	2.1378	18.0584	1.9999	26.5627	2.7846	33.7901	2.4417	26.1490	2.3236	12.8051	2.5427
2009	22.1070	1.8471	20.4011	1.9841	25.1045	1.9177	17.4049	1.8515	19.4100	2.6128	26.0505	2.3217	21.7152	2.3290	17.5682	3.3019
2008	24.0716	1.8213	21.3864	1.9496	28.5474	1.8356	21.5288	1.6700	23.3169	2.6759	29.3283	2.1922	20.9144	2.4329	18.8147	4.4004
2007	27.1872	1.8695	26.8795	2.2139	27.7118	1.8885	19.8147	1.8798	28.1787	3.5772	32.7889	2.4293	26.1651	2.6918	21.4324	3.8195
2006	23.7882	1.8402	22.2806	1.9529	26.3890	2.0103	18.8526	1.5013	28.0128	2.7603	29.9403	2.6194	20.0007	2.2956	10.2967	2.8087
Drug psychoses																
2010	1.6418	0.2376	1.7202	0.3100	1.5153	0.3480	—	—	—	—	2.1614	0.4141	1.8499	0.4202	—	—
2009	1.3858	0.2218	1.4536	0.2727	1.2668	0.3011	1.2856	0.3897	—	—	1.4158	0.3296	1.4098	0.3499	—	—
2008	1.4126	0.2722	1.3092	0.2784	1.5849	0.5052	—	—	—	—	0.8996	0.2539	1.3200	0.3471	—	—
2007	1.4745	0.2451	1.3135	0.2487	1.7391	0.4880	—	—	—	—	1.4716	0.3381	2.0471	0.5944	—	—
2006	1.5886	0.2442	2.0207	0.3239	0.8430	0.2474	—	—	—	—	1.5913	0.3801	1.9332	0.4912	—	—

See footnotes at end of table.

Table A5. Percent distribution that had co-occurring drug-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol poisoning																
Drug dependence																
2010	2.2771	0.3182	2.4585	0.4084	1.9842	0.4291	—	—	—	—	2.7791	0.5476	2.9449	0.5511	—	—
2009	1.5508	0.2490	1.5531	0.2943	1.5467	0.3329	—	—	—	—	1.7337	0.3840	2.1984	0.4578	—	—
2008	1.8916	0.2755	1.8131	0.3122	2.0223	0.4369	—	—	—	—	2.2717	0.4768	2.0186	0.4378	—	—
2007	2.1107	0.3348	2.4870	0.4911	1.4968	0.3400	—	—	—	—	2.6928	0.5352	2.9372	0.6931	—	—
2006	1.2031	0.2107	1.2013	0.2501	1.2062	0.3059	—	—	—	—	1.9039	0.3852	1.0449	0.3142	—	—
Nondependent abuse of drugs																
2010	11.3878	0.8192	12.8240	1.0836	9.0692	0.9256	8.0538	1.1393	11.5307	2.0413	14.7312	1.2528	10.6037	1.1827	—	—
2009	9.2530	0.7505	10.0227	0.9714	7.9005	0.7843	8.4064	0.9618	10.8460	1.9380	11.3888	1.0832	8.0589	1.0227	—	—
2008	9.9236	0.6549	10.1235	0.8531	9.5904	0.8164	11.2902	1.1804	10.3253	1.5914	12.5903	1.0439	7.3668	0.8193	—	—
2007	10.3382	0.8030	11.4375	1.0624	8.5477	0.9062	8.4737	1.2762	13.6151	2.8005	12.8865	1.2170	8.5445	1.0494	—	—
2006	9.1344	0.6812	9.6899	0.8643	8.1760	0.7935	8.5296	1.2237	11.1710	1.7371	11.9534	1.0815	6.5910	0.8552	—	—
Drug poisoning																
2010	18.0455	1.5565	15.8763	1.5953	21.5475	2.0000	11.8300	1.7032	15.9633	2.1921	22.4919	2.1985	18.0683	2.0087	10.8793	2.3488
2009	14.5934	1.4622	11.9811	1.4137	19.1835	1.7427	10.4829	1.5643	13.3060	2.0877	16.9934	1.8742	14.2547	1.8761	17.2011	3.2737
2008	16.1671	1.5692	13.0061	1.5279	21.4361	1.7775	13.0071	1.5051	15.4963	2.2775	20.4610	1.9865	14.4360	2.1158	10.2302	2.7681
2007	19.2495	1.5452	17.6413	1.7318	21.8956	1.6968	12.7904	1.3934	18.1306	2.7193	24.2673	2.1491	18.3340	2.1962	17.2690	3.5285
2006	16.7329	1.7063	14.5866	1.7352	20.4353	1.9313	12.7160	1.3261	20.0503	2.4373	21.3515	2.4641	13.7782	2.0453	9.2446	2.7004

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table A6. Percent distribution that had co-occurring drug-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Any alcohol-related diagnoses																
Any drug-related diagnoses																
2010	17.0803	0.3433	16.7428	0.3747	17.8111	0.3196	22.8420	0.6364	23.0946	0.5455	23.1507	0.4649	14.9852	0.3472	3.8239	0.1295
2009	17.5512	0.3485	17.1313	0.3684	18.4790	0.3393	22.9901	0.6236	23.5647	0.5844	23.9809	0.5012	15.2443	0.3149	3.6944	0.1093
2008	17.6177	0.3955	17.0728	0.4185	18.8135	0.3976	24.2672	1.0900	23.6185	0.6444	23.9003	0.5381	15.0604	0.3474	3.4884	0.1086
2007	18.6121	0.3950	18.0560	0.4282	19.8592	0.3777	23.6462	1.0055	24.1419	0.5599	25.7878	0.5820	15.6471	0.3367	3.3456	0.0961
2006	18.1403	0.3088	17.4343	0.3113	19.7304	0.3398	23.4860	0.6127	24.8110	0.5246	25.4599	0.4399	14.8155	0.3018	2.9787	0.0873
Drug psychoses																
2010	1.4798	0.0923	1.4851	0.1042	1.4685	0.0744	1.1914	0.0985	1.8954	0.1593	2.0882	0.1510	1.2791	0.0760	0.5641	0.0265
2009	1.6602	0.1041	1.6491	0.1137	1.6858	0.0922	1.3421	0.1031	2.1230	0.1768	2.3356	0.1717	1.4133	0.0859	0.6953	0.0410
2008	1.5203	0.0929	1.4798	0.0955	1.6102	0.0934	1.1190	0.1067	1.7842	0.1512	2.0855	0.1451	1.3313	0.0781	0.6885	0.0380
2007	1.6151	0.1313	1.5960	0.1524	1.6589	0.1009	1.1666	0.1105	1.6408	0.1233	2.3375	0.2314	1.3498	0.1026	0.6754	0.0372
2006	1.4071	0.0740	1.3407	0.0719	1.5572	0.0853	1.1131	0.0902	1.5849	0.1164	1.9820	0.1268	1.1750	0.0567	0.6133	0.0353
Drug dependence																
2010	3.8676	0.2331	3.8861	0.2649	3.8273	0.1793	2.8943	0.2047	4.3761	0.2712	5.3965	0.3290	3.6145	0.2493	0.8702	0.0539
2009	4.2315	0.2126	4.2097	0.2288	4.2832	0.1930	3.0668	0.1966	4.7868	0.2941	6.0983	0.3241	3.8558	0.1975	0.7808	0.0559
2008	4.0242	0.2866	3.9859	0.3327	4.1107	0.2330	3.4760	0.7454	4.4612	0.3076	5.7199	0.4312	3.6299	0.2572	0.7134	0.0405
2007	4.4712	0.3562	4.4634	0.4103	4.4904	0.2656	3.4644	0.6932	4.3155	0.2738	6.6984	0.5725	3.8802	0.3057	0.6294	0.0486
2006	3.7210	0.1718	3.5594	0.1668	4.0852	0.1947	2.6771	0.1800	4.2256	0.2733	5.5643	0.2797	3.1529	0.1407	0.5919	0.0354
Nondependent abuse of drugs																
2010	11.4479	0.2304	11.7224	0.2468	10.8506	0.2292	17.6792	0.5272	16.0944	0.4181	15.5802	0.3208	9.8568	0.2242	1.8821	0.0925
2009	11.4258	0.2759	11.6713	0.2869	10.8947	0.2726	17.5462	0.5260	16.1888	0.4473	15.5175	0.3761	9.7866	0.2621	1.6909	0.0826
2008	11.4620	0.2868	11.6450	0.3015	11.0559	0.2808	18.3192	0.7079	15.9833	0.4877	15.5168	0.3984	9.6278	0.2623	1.5505	0.0805
2007	12.0964	0.2553	12.2447	0.2619	11.7662	0.2693	17.7035	0.6530	16.7503	0.4338	16.6100	0.3734	10.0270	0.2295	1.5124	0.0676
2006	12.3324	0.2520	12.4849	0.2536	11.9887	0.2750	17.9848	0.5112	17.3891	0.3970	17.3418	0.3535	9.9100	0.2600	1.3139	0.0620
Drug poisoning																
2010	3.1161	0.0652	2.3723	0.0532	4.7295	0.1024	4.5702	0.1715	5.0223	0.1733	4.3843	0.0991	2.4361	0.0583	0.9515	0.0367
2009	3.3150	0.0705	2.5415	0.0604	5.0068	0.1018	4.7243	0.1640	5.3417	0.1855	4.6521	0.1145	2.5808	0.0616	0.9848	0.0371
2008	3.5052	0.0751	2.6413	0.0619	5.4045	0.1095	5.0967	0.1683	5.6422	0.1912	4.8646	0.1181	2.6968	0.0630	0.9764	0.0410
2007	3.4768	0.0658	2.6132	0.0532	5.4095	0.1025	4.8785	0.1702	5.6454	0.1806	4.8345	0.1119	2.6227	0.0547	0.9571	0.0379
2006	3.5106	0.0725	2.6337	0.0600	5.4861	0.1130	5.1732	0.1817	5.8737	0.1815	4.8893	0.1184	2.6232	0.0607	0.8111	0.0339
Alcoholic psychoses																
Any drug-related diagnoses																
2010	17.7944	0.6226	17.1249	0.6750	19.9337	0.5798	40.3684	3.4348	34.4643	2.2990	23.4901	0.9703	16.3334	0.4786	5.1096	0.2481
2009	18.8534	0.7475	18.2549	0.7762	20.7885	0.7519	45.2792	3.2471	39.3315	2.1382	25.4700	1.0994	16.6622	0.5794	5.3667	0.3159
2008	17.6586	0.6066	17.0553	0.6194	19.5519	0.6809	43.6933	3.4739	35.5740	2.1834	23.5229	0.9286	15.7354	0.4678	5.1796	0.2567
2007	18.8155	1.2973	18.3371	1.4496	20.3761	0.9023	43.4763	3.4206	35.8048	2.0022	25.8291	2.1137	16.3105	0.9243	5.0169	0.3046
2006	16.2715	0.4093	15.6081	0.4099	18.3862	0.5450	39.8603	3.5129	30.9240	1.8031	22.2329	0.5962	14.2165	0.3732	4.3708	0.2764
Drug psychoses																
2010	4.3886	0.5308	4.1676	0.5772	5.0944	0.4255	14.1718	2.7580	11.7723	2.2012	6.2153	0.9317	3.5780	0.3294	1.5552	0.1288
2009	4.9335	0.4954	4.6430	0.5104	5.8707	0.4941	15.9284	2.6494	15.6117	2.2739	6.9926	0.7981	3.8236	0.3324	2.0490	0.2116
2008	4.0164	0.2615	3.6444	0.2462	5.1831	0.3426	13.6578	1.8160	11.5742	1.5204	5.3292	0.4040	3.2764	0.1951	1.9447	0.1461
2007	4.2436	0.4566	4.0168	0.5216	4.9824	0.3532	14.1364	2.3580	9.7698	1.2533	5.9927	0.8155	3.2963	0.2943	1.9131	0.1765
2006	3.6378	0.1938	3.2453	0.1837	4.8954	0.2826	14.4483	2.3279	7.8180	1.0616	4.9438	0.3221	2.9860	0.1551	1.5588	0.1563
Drug dependence																
2010	6.1325	0.5823	5.7631	0.6272	7.3120	0.4999	13.6069	2.9837	13.8578	2.3990	8.5018	0.9938	5.4102	0.3864	1.3750	0.1360
2009	7.6216	0.7335	7.2263	0.7514	8.8971	0.7227	18.6527	2.8741	17.8537	2.2470	11.1157	1.1257	6.2829	0.5560	1.6618	0.2158
2008	6.4141	0.4922	6.0133	0.5189	7.6719	0.4996	17.0682	2.8126	15.0083	1.8634	8.9575	0.7592	5.4724	0.3812	1.4155	0.1355
2007	7.4536	1.3919	7.2785	1.5593	8.0250	0.8996	16.3296	2.0068	12.8217	1.7335	11.2592	2.3130	5.9715	1.0070	1.3276	0.1753
2006	5.2674	0.3211	4.8574	0.3053	6.5747	0.4236	15.0348	3.0698	11.2462	1.4106	7.5296	0.5187	4.3883	0.2424	1.1059	0.1223

See footnotes at end of table.

Table A6. Percent distribution that had co-occurring drug-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	
Alcoholic psychoses																	
Nondependent abuse of drugs																	
2010	10.3895	0.2784	10.3561	0.3036	10.4984	0.3305	25.3743	2.4367	20.0000	1.2620	14.0297	0.4154	9.5419	0.2800	2.0069	0.1631	
2009	9.9533	0.2748	10.0349	0.2909	9.6969	0.3436	26.4690	2.2796	21.7676	1.2996	13.3689	0.4091	8.9555	0.2554	1.9659	0.1694	
2008	9.9161	0.3449	9.9230	0.3409	9.8925	0.4283	25.1453	2.3741	19.5624	1.2815	13.6136	0.5675	8.8288	0.2894	1.7730	0.1494	
2007	10.0317	0.3855	10.0205	0.4221	10.0707	0.3717	27.1349	3.0381	21.2996	1.4959	13.5055	0.6939	8.9446	0.3044	1.8115	0.1676	
2006	9.6262	0.2569	9.6562	0.2686	9.5268	0.3536	23.0886	2.6515	17.8179	1.2753	13.4771	0.3898	8.3875	0.2785	1.7824	0.1780	
Drug poisoning																	
2010	2.0473	0.0775	1.7011	0.0759	3.1521	0.1461	4.7316	1.1009	3.6404	0.5286	2.4227	0.1290	1.9556	0.0892	1.0522	0.1083	
2009	2.1049	0.1032	1.7970	0.0947	3.0960	0.1825	4.2080	1.1202	4.1504	0.6381	2.6713	0.1794	1.9076	0.0969	0.9593	0.1071	
2008	2.1794	0.1083	1.8492	0.0900	3.2186	0.2106	6.7629	1.3384	3.8418	0.5996	2.7168	0.1717	1.9512	0.1034	1.1752	0.1205	
2007	2.0091	0.0897	1.6727	0.0802	3.1036	0.1649	5.5807	1.1967	4.4048	0.6442	2.5015	0.1647	1.7814	0.0876	1.0103	0.1133	
2006	1.9763	0.0824	1.6325	0.0780	3.0775	0.1767	6.0690	1.4429	5.0753	0.7036	2.4144	0.1373	1.8132	0.0870	0.7963	0.1095	
Alcohol dependence syndrome																	
Any drug-related diagnoses																	
2010	19.3815	0.6010	18.5588	0.6470	21.6776	0.5441	29.6336	1.7790	30.4812	1.4077	26.4868	0.7895	17.2272	0.5815	5.0718	0.1915	
2009	19.8889	0.5220	19.0399	0.5450	22.2322	0.5304	31.0122	1.5570	33.7683	1.2333	27.7019	0.7554	17.1222	0.4307	4.7961	0.1946	
2008	19.7058	0.6628	18.8296	0.7318	22.1075	0.6176	36.0190	3.3174	32.7477	1.3371	27.2873	0.9409	16.7915	0.5240	4.5904	0.1720	
2007	21.1263	0.7879	20.1752	0.8754	23.7679	0.6547	34.5807	2.9135	34.4423	1.2862	29.7811	1.1648	17.6067	0.6099	4.4670	0.1712	
2006	18.7830	0.4544	17.6575	0.4448	21.8923	0.5277	28.9927	1.7417	32.7694	1.2897	26.8999	0.6715	15.3523	0.3829	4.0347	0.1662	
Drug psychoses																	
2010	2.5240	0.2140	2.4358	0.2339	2.7710	0.1787	3.6302	0.5291	4.3794	0.6261	3.6699	0.3622	2.0652	0.1532	0.8593	0.0609	
2009	2.7969	0.2353	2.7061	0.2459	3.0483	0.2321	3.8397	0.5355	5.7856	0.6810	4.1422	0.4009	2.1507	0.1575	1.0405	0.1001	
2008	2.5494	0.1733	2.4336	0.1733	2.8671	0.1880	3.2529	0.4237	4.6162	0.4952	3.5850	0.2658	2.0881	0.1362	0.9526	0.0689	
2007	2.7692	0.3047	2.6856	0.3478	3.0032	0.2270	3.8230	0.4828	4.2688	0.4286	4.0854	0.5407	2.1382	0.2074	0.9826	0.0821	
2006	2.2239	0.1414	2.0619	0.1340	2.6726	0.1805	2.9381	0.4221	3.9290	0.4478	3.2313	0.2466	1.7061	0.0939	0.9131	0.0772	
Drug dependence																	
2010	7.8366	0.5697	7.4940	0.6189	8.7926	0.4781	13.2507	1.2581	14.1340	1.1135	11.4355	0.7812	6.4941	0.5531	1.6931	0.1217	
2009	8.3963	0.4699	8.0190	0.4851	9.4381	0.4713	14.7519	1.2196	15.7989	1.0524	12.5964	0.7269	6.6553	0.3673	1.5407	0.1305	
2008	8.2422	0.6864	7.8877	0.7835	9.2141	0.5532	18.3313	3.3035	15.3163	1.0824	12.1825	1.0463	6.4566	0.5386	1.3997	0.1002	
2007	9.4817	0.8706	9.1314	0.9720	10.4553	0.6680	18.3457	2.7850	16.3964	1.0327	14.6137	1.3612	7.0624	0.6701	1.2920	0.1152	
2006	7.2895	0.3439	6.7004	0.3267	8.9168	0.4201	12.6872	1.1273	14.9355	0.9922	11.3161	0.5630	5.2806	0.2388	1.1702	0.0885	
Nondependent abuse of drugs																	
2010	10.3484	0.2192	10.2873	0.2317	10.5162	0.2269	15.6568	0.9077	15.4242	0.6814	13.9202	0.3045	9.4889	0.2256	2.0972	0.1118	
2009	10.1023	0.2417	10.1268	0.2544	10.0416	0.2605	15.3699	0.8145	16.9548	0.7124	13.7215	0.3373	9.0242	0.2307	1.9364	0.1103	
2008	9.9142	0.2555	9.8337	0.2645	10.1338	0.2783	18.0878	1.2962	16.1662	0.7613	13.5493	0.4133	8.6896	0.2149	1.7625	0.1070	
2007	10.1371	0.2730	10.0122	0.2868	10.4831	0.2802	16.4220	1.1844	16.6953	0.8076	13.6628	0.4354	8.9590	0.2494	1.7186	0.0983	
2006	9.8908	0.2398	9.8232	0.2495	10.0755	0.2607	15.6173	0.9612	15.9377	0.6988	13.8767	0.3259	8.4393	0.2531	1.6543	0.1085	
Drug poisoning																	
2010	2.6585	0.0800	2.0617	0.0672	4.3264	0.1437	4.2002	0.4186	4.2251	0.3018	3.6623	0.1328	2.2581	0.0705	1.1280	0.0658	
2009	2.9136	0.0832	2.2318	0.0681	4.7863	0.1486	5.0573	0.4300	5.3264	0.3401	4.0037	0.1418	2.4424	0.0754	1.0253	0.0607	
2008	2.9563	0.0982	2.2977	0.0779	4.7632	0.1644	4.7166	0.4111	4.9635	0.3151	3.9831	0.1647	2.5130	0.0830	1.1535	0.0714	
2007	2.9101	0.0893	2.2735	0.0722	4.6797	0.1736	4.2391	0.4127	5.5558	0.3622	3.9718	0.1609	2.3806	0.0744	1.1184	0.0750	
2006	2.9856	0.0855	2.2904	0.0689	4.9088	0.1570	4.5676	0.4304	5.8404	0.3480	4.1508	0.1441	2.4325	0.0797	0.9280	0.0645	
Nondependent abuse of alcohol																	
Any drug-related diagnoses																	
2010	18.7655	0.3689	17.6914	0.3835	21.3078	0.3811	22.3486	0.6815	21.7325	0.5398	23.3225	0.4807	16.1243	0.3786	5.1091	0.2146	
2009	19.0376	0.4261	17.8699	0.4353	21.8303	0.4400	22.0611	0.6624	21.2551	0.5927	23.5921	0.5666	16.5092	0.4197	4.7626	0.1689	
2008	19.0688	0.4666	17.8154	0.4705	22.0624	0.4863	22.8647	0.9448	21.5556	0.6328	23.5219	0.5814	16.2827	0.4549	4.4063	0.1943	
2007	19.9178	0.3909	18.6759	0.3775	22.9149	0.4635	22.3330	0.8957	21.8054	0.5272	25.1609	0.5188	16.8183	0.3664	4.1126	0.1541	
2006	20.2862	0.3544	19.0563	0.3523	23.2591	0.4086	22.5535	0.6206	22.8714	0.5125	26.0031	0.4829	16.8260	0.3842	3.5786	0.1275	

See footnotes at end of table.

Table A6. Percent distribution that had co-occurring drug-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Nondependent abuse of alcohol																
Drug psychoses																
2010	1.0610	0.0639	1.0133	0.0658	1.1738	0.0693	0.9273	0.0791	1.3886	0.1109	1.3947	0.0968	0.8481	0.0551	0.4695	0.0380
2009	1.1289	0.0817	1.0638	0.0845	1.2845	0.0842	1.0258	0.0832	1.2726	0.1057	1.4385	0.1039	0.9512	0.0990	0.5445	0.0455
2008	1.0410	0.0745	0.9526	0.0718	1.2536	0.0881	0.8645	0.0884	1.1625	0.1050	1.3737	0.1055	0.8411	0.0683	0.5027	0.0494
2007	1.1181	0.0747	1.0489	0.0736	1.2851	0.0863	0.8764	0.0910	1.1045	0.0938	1.5070	0.1101	0.8994	0.0675	0.5574	0.0494
2006	1.0815	0.0636	0.9957	0.0599	1.2892	0.0809	0.8892	0.0799	1.1260	0.0850	1.4021	0.0937	0.9019	0.0609	0.5370	0.0446
Drug dependence																
2010	2.0740	0.0916	1.9870	0.0940	2.2801	0.0981	1.8344	0.1396	2.3560	0.1383	2.6790	0.1315	1.8113	0.0905	0.6383	0.0598
2009	2.2424	0.1129	2.1130	0.1155	2.5525	0.1240	1.7388	0.1269	2.3183	0.1503	2.9295	0.1425	2.0203	0.1364	0.5855	0.0626
2008	2.0532	0.1086	1.8950	0.1046	2.4340	0.1324	1.9374	0.4545	2.2921	0.1552	2.6429	0.1347	1.7654	0.0925	0.5090	0.0460
2007	2.1315	0.1152	1.9934	0.1104	2.4649	0.1385	1.9185	0.4761	1.8811	0.1339	2.8535	0.1525	1.8537	0.0987	0.4152	0.0436
2006	2.2088	0.1161	2.0260	0.1075	2.6514	0.1488	1.6424	0.1279	2.2208	0.1802	2.9768	0.1677	1.9156	0.1154	0.4568	0.0424
Nondependent abuse of drugs																
2010	14.8591	0.3295	14.6006	0.3453	15.4696	0.3435	18.7497	0.5930	17.0982	0.4655	18.4184	0.4328	12.7460	0.3364	3.4079	0.1844
2009	14.9273	0.3931	14.5823	0.4008	15.7577	0.4075	18.6581	0.5978	16.6629	0.5150	18.3204	0.5054	12.9696	0.3974	2.9382	0.1592
2008	14.8788	0.4120	14.5789	0.4194	15.5905	0.4284	19.0971	0.7487	16.5976	0.5245	18.2386	0.5099	12.7243	0.4173	2.6929	0.1588
2007	15.7556	0.3477	15.4402	0.3409	16.5220	0.4048	18.6179	0.6905	17.3448	0.4599	19.8971	0.4622	13.2132	0.3312	2.4890	0.1297
2006	16.1233	0.3264	15.8390	0.3220	16.8109	0.3843	18.9224	0.5608	18.2417	0.4369	20.7274	0.4509	13.2276	0.3547	2.0568	0.1079
Drug poisoning																
2010	3.4192	0.0830	2.4952	0.0654	5.6081	0.1373	3.9414	0.1668	4.4588	0.1756	4.4596	0.1155	2.6586	0.0828	1.1092	0.0677
2009	3.5654	0.0928	2.6413	0.0794	5.7682	0.1386	3.7592	0.1498	4.5713	0.1930	4.6376	0.1341	2.7976	0.0887	1.2027	0.0672
2008	3.7748	0.0858	2.7292	0.0688	6.2753	0.1410	4.0954	0.1568	4.7789	0.1728	4.8706	0.1241	2.9500	0.0769	1.1584	0.0723
2007	3.7586	0.0808	2.6911	0.0634	6.3292	0.1383	3.9697	0.1581	4.7430	0.1749	4.8478	0.1213	2.9214	0.0756	1.1469	0.0673
2006	3.6591	0.0920	2.6539	0.0739	6.0882	0.1509	4.1015	0.1620	4.7562	0.1730	4.7231	0.1356	2.8147	0.0830	0.8795	0.0588
All chronic liver disease and cirrhosis																
Any drug-related diagnoses																
2010	7.4524	0.1888	8.5404	0.2220	5.9257	0.1806	4.6934	0.6497	7.6459	0.6795	10.0859	0.2998	8.8329	0.2385	1.4643	0.0756
2009	7.7821	0.2054	8.8546	0.2485	6.2524	0.1879	4.5297	0.6303	9.2504	0.9122	11.1216	0.3572	9.0682	0.2449	1.5749	0.0790
2008	7.7870	0.2461	8.8775	0.2757	6.2018	0.2341	3.5121	0.5938	9.0728	0.8819	11.2238	0.3885	9.0988	0.3110	1.4768	0.0807
2007	7.9782	0.2026	8.9514	0.2312	6.5229	0.1985	5.4906	0.8157	8.7844	0.8542	11.6980	0.3258	9.3135	0.2500	1.4799	0.0807
2006	8.1796	0.2429	9.1296	0.2817	6.7290	0.2338	5.2006	0.8593	10.3235	1.1805	13.0658	0.4089	9.2200	0.2913	1.2861	0.0841
Drug psychoses																
2010	0.5940	0.0265	0.6274	0.0330	0.5473	0.0334	—	—	—	—	0.7245	0.0575	0.6747	0.0335	0.2824	0.0260
2009	0.6916	0.0295	0.7086	0.0356	0.6677	0.0373	—	—	0.8692	0.2433	0.9875	0.0686	0.6954	0.0340	0.4250	0.0352
2008	0.7019	0.0318	0.7179	0.0386	0.6789	0.0413	—	—	0.8874	0.2586	0.8338	0.0707	0.7567	0.0345	0.4466	0.0353
2007	0.6822	0.0314	0.6856	0.0366	0.6772	0.0390	—	—	—	—	0.8994	0.0724	0.7146	0.0359	0.4315	0.0412
2006	0.6545	0.0305	0.6383	0.0347	0.6795	0.0455	—	—	—	—	0.8580	0.0639	0.6962	0.0369	0.3781	0.0401
Drug dependence																
2010	1.9796	0.0850	2.1223	0.0984	1.7795	0.0891	—	—	1.7015	0.2774	2.4149	0.1282	2.4414	0.1179	0.4263	0.0416
2009	2.1547	0.1096	2.3558	0.1304	1.8684	0.0979	0.9638	0.3360	2.3306	0.3871	2.9196	0.1721	2.6145	0.1483	0.3327	0.0391
2008	2.0930	0.1616	2.3272	0.1784	1.7533	0.1526	—	—	2.4084	0.4415	2.7741	0.2137	2.5625	0.2259	0.3315	0.0375
2007	1.9926	0.1256	2.1996	0.1489	1.6836	0.1052	1.1395	0.3923	1.8136	0.4428	2.8340	0.1942	2.3939	0.1583	0.3014	0.0408
2006	1.9936	0.1019	2.1885	0.1187	1.6960	0.0997	1.6559	0.4974	2.2459	0.5482	2.9587	0.1843	2.3580	0.1312	0.2438	0.0349
Nondependent abuse of drugs																
2010	4.8785	0.1405	5.8825	0.1708	3.4694	0.1243	3.9057	0.6267	5.1117	0.5306	7.1388	0.2330	5.7498	0.1785	0.5136	0.0429
2009	4.8625	0.1579	5.8801	0.1933	3.4100	0.1391	2.8327	0.4331	6.0955	0.7130	7.3948	0.2639	5.6749	0.1902	0.5521	0.0516
2008	4.9348	0.1591	5.9040	0.1878	3.5251	0.1484	2.5569	0.5164	5.9449	0.6903	7.6783	0.2762	5.7536	0.1851	0.4421	0.0485
2007	5.2561	0.1467	6.1175	0.1758	3.9692	0.1435	3.2149	0.7046	5.4615	0.7342	8.2159	0.2508	6.1355	0.1872	0.5573	0.0515
2006	5.4485	0.1850	6.3033	0.2203	4.1427	0.1731	3.0705	0.5957	7.3288	1.0891	9.3181	0.3175	6.1114	0.2311	0.3761	0.0447

See footnotes at end of table.

Table A6. Percent distribution that had co-occurring drug-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	
All chronic liver disease and cirrhosis																	
Drug poisoning																	
2010	0.8778	0.0289	0.8787	0.0326	0.8766	0.0422	0.9406	0.2566	1.0136	0.3383	1.1312	0.0656	0.9771	0.0372	0.3716	0.0315	
2009	0.9558	0.0305	0.9151	0.0373	1.0143	0.0463	1.1658	0.3147	1.0453	0.2378	1.3261	0.0801	1.0450	0.0378	0.3871	0.0345	
2008	0.9244	0.0322	0.8596	0.0380	1.0188	0.0458	—	—	1.7903	0.3291	1.3236	0.0782	0.9893	0.0381	0.3705	0.0342	
2007	0.9055	0.0314	0.8614	0.0362	0.9700	0.0493	1.5074	0.4050	1.8563	0.4411	1.1280	0.0688	1.0300	0.0423	0.3466	0.0339	
2006	0.9507	0.0342	0.8929	0.0368	1.0393	0.0546	—	—	1.4741	0.3858	1.3218	0.0846	1.0395	0.0434	0.3913	0.0386	
Alcoholic liver disease																	
Any drug-related diagnoses																	
2010	10.9270	0.2626	10.8470	0.2805	11.1382	0.3509	28.0319	5.6401	22.2173	2.3242	15.1341	0.4565	11.3389	0.3040	2.0791	0.1586	
2009	11.1673	0.2879	11.0156	0.3034	11.5688	0.3731	25.5624	4.7150	25.4937	3.7456	16.2747	0.5574	11.1935	0.2965	2.5947	0.1947	
2008	11.1415	0.3269	11.1426	0.3208	11.1326	0.4505	20.3286	6.9533	24.9289	3.2787	15.8181	0.5791	11.2865	0.3352	2.5608	0.2005	
2007	11.1283	0.2419	10.8812	0.2604	11.7857	0.3655	28.9570	7.0457	20.3698	2.7575	15.7809	0.4499	11.3618	0.2774	2.4733	0.2006	
2006	10.8339	0.3062	10.6200	0.3122	11.4009	0.4051	25.1942	6.0412	20.2622	2.7782	16.4528	0.5275	10.7301	0.3309	1.8600	0.1765	
Drug psychoses																	
2010	0.8738	0.0507	0.8126	0.0555	1.0344	0.0880	—	—	—	—	1.1375	0.1113	0.9101	0.0579	0.2479	0.0561	
2009	0.9077	0.0506	0.8566	0.0548	1.0422	0.0839	—	—	—	—	1.5314	0.1325	0.7673	0.0482	0.5281	0.0779	
2008	0.9121	0.0569	0.8851	0.0612	0.9836	0.0885	—	—	3.4682	1.1673	1.2174	0.1238	0.8654	0.0561	0.5376	0.0740	
2007	0.8561	0.0514	0.8335	0.0558	0.9170	0.0805	—	—	—	—	1.1657	0.1191	0.8315	0.0528	0.4539	0.0731	
2006	0.8246	0.0450	0.7584	0.0468	0.9999	0.0935	—	—	—	—	1.0245	0.0905	0.8362	0.0538	0.4224	0.0678	
Drug dependence																	
2010	2.5813	0.1227	2.4540	0.1268	2.9159	0.1928	—	—	5.8090	1.2761	3.3484	0.2270	2.7476	0.1450	0.5030	0.0814	
2009	2.8072	0.1525	2.7322	0.1578	3.0048	0.1872	—	—	4.2367	1.1494	4.1060	0.2971	2.8724	0.1640	0.4521	0.0977	
2008	2.6957	0.2028	2.7330	0.2079	2.5971	0.2314	—	—	8.9574	1.8115	3.4829	0.3467	2.8548	0.2166	0.5062	0.0823	
2007	2.3489	0.1446	2.3241	0.1580	2.4156	0.1653	—	—	—	—	3.3533	0.2746	2.4150	0.1517	0.4381	0.0958	
2006	2.4215	0.1374	2.3850	0.1415	2.5185	0.1800	—	—	—	—	3.4779	0.2603	2.4997	0.1504	0.3264	0.0617	
Nondependent abuse of drugs																	
2010	7.6045	0.2040	7.7082	0.2180	7.3328	0.2742	23.8039	5.3479	14.7126	1.8915	11.0212	0.3656	7.8365	0.2420	0.9612	0.1052	
2009	7.3918	0.2310	7.5253	0.2439	7.0435	0.3046	16.9047	3.9873	18.3964	3.2127	11.0120	0.4014	7.4165	0.2477	1.2616	0.1473	
2008	7.5095	0.2288	7.6591	0.2362	7.1065	0.3194	17.5608	6.2136	15.2207	2.6350	11.2492	0.4161	7.5471	0.2349	1.0968	0.1306	
2007	7.8518	0.1956	7.7848	0.2122	8.0332	0.3146	—	—	13.9830	2.2678	11.5470	0.3767	7.9961	0.2332	1.2346	0.1401	
2006	7.5273	0.2350	7.4920	0.2507	7.6211	0.3036	—	—	14.5677	2.3882	12.0025	0.4108	7.3511	0.2645	0.8024	0.1196	
Drug poisoning																	
2010	1.1428	0.0468	1.0684	0.0498	1.3385	0.0926	—	—	—	—	1.6184	0.1259	1.1140	0.0536	0.4983	0.0706	
2009	1.3292	0.0558	1.1535	0.0564	1.7906	0.1183	—	—	2.7952	0.7771	2.0177	0.1460	1.2457	0.0599	0.5520	0.0802	
2008	1.2345	0.0533	1.0479	0.0575	1.7293	0.1047	—	—	4.7225	1.2299	1.8519	0.1342	1.1277	0.0557	0.6233	0.0890	
2007	1.1518	0.0484	0.9612	0.0573	1.6554	0.1036	—	—	4.4932	1.4917	1.4051	0.1065	1.1621	0.0608	0.5731	0.0875	
2006	1.1705	0.0581	0.9883	0.0518	1.6530	0.1288	—	—	4.7244	1.4401	1.5956	0.1334	1.1525	0.0689	0.4625	0.0796	
Alcohol poisoning																	
Any drug-related diagnoses																	
2010	61.3307	1.8671	54.6745	2.1295	69.3530	1.5853	46.2264	2.3870	62.8042	2.6460	67.7602	1.8698	60.3575	2.2340	45.0113	3.1861	
2009	56.4570	2.4386	49.7105	2.6372	65.2722	2.0973	43.8624	2.5828	58.3319	3.0369	62.3252	2.5466	55.0415	2.6868	42.8338	3.0574	
2008	58.9622	2.1856	51.9328	2.5315	67.7419	1.6853	47.7546	2.0678	62.0516	2.5679	66.0654	2.1220	55.3546	2.8468	42.0892	3.9724	
2007	60.8002	1.7972	54.4052	2.0782	68.7151	1.5613	45.2703	2.0352	63.4173	2.3833	68.0726	1.8039	58.8271	2.3356	43.1347	3.0259	
2006	56.4201	2.1403	49.8742	2.3607	65.0871	1.9317	44.0109	1.9339	60.1796	2.2845	64.5024	2.1616	51.9532	2.9021	33.1709	2.9624	
Drug psychoses																	
2010	2.4440	0.2036	2.5209	0.2578	2.3513	0.2559	1.7073	0.3668	2.2183	0.5096	2.9665	0.3095	2.1856	0.2690	—	—	
2009	2.7498	0.2315	2.7350	0.3055	2.7692	0.2553	2.1291	0.3737	2.9473	0.6059	2.6127	0.3093	3.1145	0.3533	2.5739	0.7180	
2008	2.4644	0.1941	2.5630	0.2551	2.3447	0.2389	1.3447	0.3252	2.6836	0.4810	2.2731	0.2226	2.6478	0.3144	6.0202	1.5994	
2007	2.4026	0.2277	2.5822	0.2694	2.1840	0.2876	1.5238	0.3209	2.1548	0.5188	2.6692	0.3393	2.3171	0.3268	3.7879	0.9413	
2006	2.6914	0.1976	3.2105	0.2782	2.0057	0.2329	2.0173	0.3583	2.1319	0.4329	3.1072	0.2883	2.5290	0.3088	3.2038	0.9752	

See footnotes at end of table.

Table A6. Percent distribution that had co-occurring drug-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol poisoning																
Drug dependence																
2010	4.0411	0.2793	4.5427	0.3960	3.4366	0.3023	2.5816	0.4478	3.9486	0.8125	5.1362	0.4184	3.4632	0.3522	—	—
2009	4.0435	0.3444	4.3358	0.4299	3.6616	0.3566	1.7020	0.3613	5.2940	0.9942	4.6573	0.4601	4.0961	0.4138	—	—
2008	3.8043	0.2816	3.9159	0.3877	3.6699	0.3210	1.7423	0.3462	3.4303	0.5628	4.4810	0.3787	4.0503	0.4315	—	—
2007	3.9922	0.3185	4.3430	0.4403	3.5642	0.3531	1.6220	0.3904	4.1264	0.6923	5.2603	0.5068	3.6583	0.4006	—	—
2006	3.0695	0.2190	3.2573	0.2905	2.8218	0.2567	0.7001	0.2133	2.5963	0.5389	4.5127	0.3389	2.5258	0.3153	—	—
Nondependent abuse of drugs																
2010	15.5129	0.6387	17.0325	0.7957	13.6815	0.6833	13.7826	1.1886	17.5571	1.5587	18.5063	0.8397	13.2631	0.7646	4.9884	1.0016
2009	14.4977	0.6800	15.7560	0.8647	12.8535	0.6561	14.0178	1.0927	18.3414	1.4455	16.5939	0.8621	12.3386	0.7553	3.8232	0.8690
2008	14.6613	0.5775	15.3005	0.7808	13.8679	0.6326	14.8070	1.0046	16.8890	1.4127	16.9920	0.7093	12.2186	0.7300	4.2166	0.9643
2007	15.5420	0.6245	16.4385	0.8222	14.4338	0.6800	12.7320	1.0228	18.4800	1.4467	18.7650	0.8708	12.6687	0.7902	4.6286	1.0359
2006	13.7285	0.5928	14.4650	0.7455	12.7580	0.6613	11.9341	1.0301	16.4795	1.2427	16.7917	0.8051	10.6862	0.7579	—	—
Drug poisoning																
2010	56.8470	1.9255	48.8774	2.1687	66.4525	1.6166	40.8839	2.3178	58.0210	2.6503	62.9332	2.0035	56.2806	2.2756	43.5410	3.1797
2009	52.3649	2.4655	44.4884	2.6138	62.6564	2.1499	39.0945	2.5960	54.7358	2.9981	58.0311	2.6008	50.9178	2.7071	41.9001	3.0085
2008	54.7097	2.2590	46.8198	2.5383	64.5692	1.8087	42.1939	2.1986	58.4391	2.6304	61.8492	2.1915	51.3505	2.9344	38.0623	3.5821
2007	56.5709	1.8189	49.0334	2.0517	65.9139	1.6290	40.2687	1.9430	59.8030	2.4333	63.6763	1.8770	54.7692	2.3359	40.6639	2.9792
2006	52.3298	2.2133	44.9327	2.4160	62.1211	2.0256	39.3726	1.9421	56.3416	2.3935	60.0488	2.2550	48.1640	2.9912	32.5498	2.9438

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table A7. Percent distribution that had co-occurring mental health-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	
Any alcohol-related diagnoses																	
Any mental health-related diagnoses																	
2010	20.2282	0.6454	18.0157	0.6313	25.7887	0.6777	10.2311	0.4346	14.8485	0.5784	22.7108	0.7508	21.2055	0.7721	16.3186	0.5773	
2009	21.0664	0.6349	18.7226	0.6287	26.9259	0.6475	10.3611	0.3988	15.0119	0.5484	23.7918	0.7442	22.1272	0.7376	17.3555	0.6271	
2008	20.4634	0.6922	17.8742	0.6718	26.8002	0.7135	10.4495	0.4609	15.4557	0.6841	23.0359	0.8665	21.5744	0.7572	16.0524	0.5361	
2007	20.2184	0.6178	17.8963	0.6033	25.8650	0.6676	11.0039	0.5151	14.2448	0.5849	22.9854	0.7583	21.2934	0.6794	15.4622	0.5911	
2006	19.2619	0.5913	17.0805	0.6057	24.5859	0.5701	10.6829	0.3871	14.2474	0.5259	22.0491	0.7440	19.9252	0.6887	14.5726	0.5063	
Adjustment disorder																	
2010	0.4675	0.0378	0.3993	0.0365	0.6390	0.0514	0.4346	0.0626	0.5965	0.0714	0.4910	0.0463	0.4316	0.0418	0.5270	0.0771	
2009	0.4594	0.0298	0.3968	0.0293	0.6164	0.0426	0.4032	0.0560	0.5834	0.0696	0.5393	0.0422	0.4091	0.0324	0.3173	0.0511	
2008	0.4973	0.0379	0.4512	0.0388	0.6101	0.0450	0.4553	0.0551	0.5600	0.0983	0.5558	0.0509	0.4414	0.0378	0.5383	0.0647	
2007	0.4662	0.0295	0.4047	0.0286	0.6159	0.0458	0.5967	0.0695	0.6363	0.0852	0.4943	0.0406	0.4020	0.0305	0.3831	0.0533	
2006	0.4619	0.0322	0.3735	0.0296	0.6781	0.0496	0.5511	0.0679	0.5570	0.0869	0.5213	0.0439	0.3900	0.0321	0.3804	0.0554	
Anxiety disorder																	
2010	5.1128	0.2094	4.2664	0.1954	7.2389	0.2536	2.1200	0.1335	4.7573	0.2717	6.3889	0.2708	4.8858	0.2322	3.5776	0.2256	
2009	5.2878	0.2137	4.4675	0.2020	7.3390	0.2534	2.2372	0.1310	4.6700	0.2474	6.6463	0.2911	5.0483	0.2236	3.7861	0.2454	
2008	4.9213	0.2067	4.0310	0.1940	7.1012	0.2442	2.2152	0.1591	4.6704	0.2553	6.0237	0.2814	4.7656	0.2185	3.3755	0.1942	
2007	4.6766	0.2018	3.9845	0.1916	6.3604	0.2452	2.0741	0.1334	4.3176	0.2639	5.7922	0.2792	4.5600	0.2202	2.9251	0.1819	
2006	4.4549	0.1626	3.8461	0.1654	5.9419	0.1852	1.9854	0.1181	4.1957	0.2142	5.5345	0.2192	4.3083	0.1889	2.6723	0.1815	
Bipolar disorder																	
2010	3.7623	0.1554	3.3738	0.1548	4.7394	0.1847	1.6336	0.1282	2.6348	0.1622	4.6967	0.2101	3.8719	0.1797	1.1837	0.1240	
2009	3.7345	0.1512	3.2963	0.1491	4.8302	0.1831	1.5195	0.1153	2.5838	0.1884	4.7987	0.2008	3.7410	0.1679	1.4849	0.1538	
2008	3.5730	0.1364	3.1209	0.1340	4.6801	0.1705	1.5454	0.1141	2.5266	0.1973	4.4917	0.1941	3.6634	0.1485	1.2039	0.1063	
2007	3.4559	0.1496	3.0641	0.1536	4.4077	0.1703	1.5553	0.1306	2.1590	0.1602	4.4853	0.2055	3.4967	0.1666	1.0245	0.1189	
2006	3.0556	0.1697	2.7560	0.1788	3.7884	0.1782	1.5030	0.1165	2.1763	0.1729	4.0471	0.2437	2.9132	0.1740	0.9969	0.1046	
Depressive disorder																	
2010	10.9675	0.3980	9.5727	0.3789	14.4749	0.4487	3.7439	0.2059	6.3240	0.3402	11.5667	0.4451	12.3367	0.4995	10.9220	0.4498	
2009	11.6846	0.3946	10.1177	0.3785	15.5987	0.4294	4.1017	0.2025	6.2026	0.2956	12.3260	0.4453	13.2519	0.4883	11.7449	0.4718	
2008	11.5057	0.4522	9.7359	0.4257	15.8350	0.4978	4.2841	0.2538	7.0913	0.3980	12.4244	0.5467	12.8834	0.5215	10.8026	0.4182	
2007	11.3615	0.4021	9.7294	0.3763	15.3286	0.4758	4.5525	0.2768	6.4897	0.3397	12.2773	0.4714	12.8161	0.4722	10.5265	0.4880	
2006	11.0612	0.3686	9.5064	0.3635	14.8573	0.3915	4.4680	0.1971	6.5091	0.3352	12.0615	0.4406	12.3332	0.4623	9.8305	0.3986	
Personality disorder																	
2010	0.7130	0.0590	0.6603	0.0608	0.8457	0.0659	0.3860	0.0590	0.8170	0.1061	0.8708	0.0835	0.6831	0.0619	0.3170	0.0560	
2009	0.8617	0.0848	0.8228	0.0867	0.9582	0.0934	0.3026	0.0428	0.9746	0.1186	1.1227	0.1171	0.8202	0.0927	0.2601	0.0516	
2008	0.8807	0.0987	0.8407	0.1066	0.9789	0.0992	0.4092	0.0605	0.8018	0.1126	1.1278	0.1351	0.8514	0.1060	0.3181	0.0713	
2007	0.9560	0.0790	0.8610	0.0799	1.1872	0.0932	0.4986	0.0736	0.7628	0.1002	1.2628	0.1152	0.8914	0.0765	0.4155	0.0732	
2006	0.9477	0.1062	0.8657	0.1066	1.1484	0.1244	0.3451	0.0450	0.8548	0.1220	1.2753	0.1498	0.8590	0.1096	0.5168	0.1068	
Schizophrenia and other psychotic disorders																	
2010	1.6897	0.0717	1.8291	0.0875	1.3382	0.0547	0.5479	0.0692	1.0193	0.0912	1.8607	0.0870	1.8945	0.0929	1.2305	0.1075	
2009	1.6454	0.0649	1.7846	0.0721	1.2989	0.0669	0.5226	0.0561	1.0071	0.0894	1.7488	0.0766	1.8826	0.0870	1.3844	0.1173	
2008	1.5453	0.0550	1.6849	0.0625	1.2041	0.0616	0.4836	0.0581	0.8406	0.0864	1.6840	0.0707	1.7922	0.0778	1.1476	0.0985	
2007	1.7359	0.0944	1.8522	0.1030	1.4542	0.0948	0.5267	0.0587	0.9061	0.1047	1.9234	0.1376	1.9920	0.1071	1.4165	0.1241	
2006	1.5371	0.0615	1.6546	0.0730	1.2480	0.0654	0.5179	0.0728	1.0398	0.1101	1.7064	0.0880	1.6929	0.0769	1.3540	0.1145	
All other mental disorders																	
2010	1.0109	0.0577	0.9058	0.0560	1.2753	0.0742	3.0962	0.1870	1.9016	0.1382	1.1370	0.0814	0.5397	0.0496	0.2707	0.0433	
2009	1.0688	0.0498	0.9437	0.0506	1.3811	0.0666	3.1445	0.1822	2.2115	0.1593	1.1784	0.0685	0.5557	0.0396	0.3458	0.0581	
2008	0.9673	0.0523	0.8624	0.0473	1.2244	0.0861	3.0807	0.2206	1.9497	0.1503	1.0123	0.0661	0.4570	0.0321	0.3222	0.0483	
2007	1.0228	0.0591	0.8663	0.0520	1.4036	0.0955	3.2323	0.2687	1.7560	0.1459	1.0498	0.0655	0.5266	0.0421	0.3439	0.0520	
2006	0.9290	0.0450	0.8131	0.0441	1.2109	0.0649	3.1599	0.1877	1.4921	0.1343	0.9367	0.0617	0.4640	0.0332	0.3304	0.0484	

See footnotes at end of table.

Table A7. Percent distribution that had co-occurring mental health-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcoholic psychoses																
Any mental health-related diagnoses																
2010	35.6974	1.0691	32.0609	1.0272	47.3045	1.2401	36.5801	4.0685	33.9490	2.0204	35.4344	1.2542	36.4212	1.0671	31.3483	1.1737
2009	36.4671	1.2643	32.5914	1.2030	49.2877	1.4593	35.6540	3.5354	36.0236	2.3800	37.5659	1.4437	36.0822	1.2399	33.2421	1.4886
2008	33.9829	1.1248	30.4328	1.0894	45.3027	1.2190	30.3848	3.9188	35.8384	2.3963	34.0776	1.2899	34.2437	1.1127	30.6364	1.3046
2007	33.4378	0.9924	29.8895	0.9606	45.2895	1.3399	34.9449	3.4652	36.0435	2.5345	34.0952	1.1807	33.3304	0.9868	28.8005	1.2613
2006	31.8262	1.1921	28.6601	1.0826	42.1375	1.5988	35.3049	5.1175	30.9331	2.9557	32.8508	1.3753	31.5513	1.1313	26.9868	1.4086
Adjustment disorder																
2010	0.6781	0.1008	0.5779	0.1035	0.9978	0.1341	—	—	—	—	0.6005	0.1075	0.6898	0.1162	1.0189	0.2467
2009	0.6320	0.0766	0.6091	0.0795	0.7082	0.1165	—	—	—	—	0.6758	0.0956	0.6001	0.0839	0.4696	0.1460
2008	0.6633	0.0704	0.6216	0.0747	0.7965	0.1015	—	—	—	—	0.5810	0.0858	0.6685	0.0817	1.1460	0.2151
2007	0.5397	0.0584	0.5449	0.0671	0.5226	0.0962	—	—	—	—	0.5565	0.0898	0.4696	0.0621	0.7796	0.2014
2006	0.5958	0.0693	0.5392	0.0610	0.7803	0.1505	—	—	—	—	0.6349	0.1022	0.5583	0.0706	0.6910	0.1888
Anxiety disorder																
2010	10.2238	0.4055	8.8674	0.3862	14.5489	0.5737	12.0656	2.4942	14.6994	1.5006	11.9625	0.5643	9.1763	0.3916	7.0470	0.6174
2009	10.0555	0.5842	8.6629	0.5203	14.6596	0.8641	10.0750	2.0701	14.2020	1.5465	11.6547	0.7795	8.9794	0.4975	8.1400	0.8263
2008	9.1874	0.4170	7.9237	0.3749	13.2199	0.6577	7.1278	1.8741	16.6294	1.7388	10.2318	0.5547	8.3753	0.3798	6.7934	0.6520
2007	8.3755	0.4154	7.3304	0.3850	11.8657	0.6597	7.2015	1.7167	15.1116	1.8713	9.4507	0.5834	7.5242	0.3720	6.2498	0.6239
2006	8.1024	0.3425	7.2740	0.3230	10.8002	0.5817	8.8889	2.5483	10.4057	1.4654	9.2824	0.4229	7.4276	0.3836	4.8175	0.5383
Bipolar disorder																
2010	6.7240	0.3062	6.0504	0.3100	8.8749	0.4648	8.0271	1.8869	6.9249	0.9675	7.3455	0.3999	6.7948	0.3212	2.0159	0.3751
2009	6.5465	0.3261	5.6509	0.3159	9.5076	0.4988	6.3445	1.5130	7.7099	1.2982	7.6684	0.4295	6.0926	0.3382	3.1982	0.4944
2008	6.1688	0.2879	5.5015	0.2742	8.2983	0.4297	8.6744	1.9612	6.7665	1.1046	6.9099	0.3994	5.9409	0.2932	2.6619	0.3588
2007	6.4669	0.4511	5.7421	0.4738	8.8877	0.5442	4.1938	1.2810	7.9160	1.2891	7.5730	0.6069	6.0518	0.4052	2.1164	0.4669
2006	5.5719	0.5135	5.1020	0.4530	7.1029	0.7820	8.3654	3.1247	7.2845	1.5599	6.5393	0.6936	5.0784	0.4152	2.2448	0.4460
Depressive disorder																
2010	20.6969	0.7353	18.1022	0.6721	28.9817	1.0054	15.1476	2.9802	14.0756	1.2981	18.7543	0.8210	22.2524	0.7708	21.6971	1.0641
2009	21.4037	0.8425	18.7557	0.7834	30.1602	1.0439	15.7733	2.7734	15.4500	1.5315	20.1814	0.9297	22.3751	0.8757	23.0038	1.1901
2008	19.6331	0.8079	17.0348	0.7734	27.9147	0.9558	11.4030	2.7309	16.9208	1.6903	18.3184	0.8807	20.7069	0.8508	20.7822	1.1010
2007	19.0362	0.6916	16.5476	0.6131	27.3471	1.0200	16.0645	2.6795	14.6682	1.6446	17.7584	0.7623	20.2549	0.7566	19.1786	1.0727
2006	18.6775	0.7285	16.1326	0.6494	26.9621	1.0675	15.6520	3.0272	15.1638	1.8869	17.8398	0.7821	19.5547	0.8008	18.4956	1.1620
Personality disorder																
2010	1.4406	0.1748	1.3578	0.1748	1.7052	0.2209	—	—	2.5699	0.6801	1.6218	0.2273	1.3549	0.1734	0.5757	0.1667
2009	1.9116	0.2908	1.8166	0.2849	2.2268	0.3537	—	—	4.2746	0.9639	2.1034	0.3413	1.8333	0.3072	0.6718	0.1925
2008	2.1060	0.2964	1.8820	0.2669	2.8208	0.4480	—	—	3.4281	0.7545	2.3920	0.3627	1.9187	0.2953	1.2113	0.3898
2007	2.1752	0.2681	1.8486	0.2402	3.2659	0.4228	—	—	3.0123	0.7108	2.5859	0.3456	1.9322	0.2459	1.0632	0.2764
2006	2.2159	0.3195	1.9865	0.2905	2.9632	0.4931	—	—	2.6532	0.8244	2.6022	0.3955	1.9659	0.3007	1.3142	0.4520
Schizophrenia and other psychotic disorders																
2010	2.3187	0.1134	2.4989	0.1299	1.7446	0.1599	—	—	1.7664	0.4066	2.1198	0.1411	2.5271	0.1357	2.0976	0.3104
2009	2.3481	0.1017	2.5197	0.1160	1.7838	0.1428	—	—	—	—	2.3259	0.1416	2.4839	0.1342	1.8674	0.3188
2008	2.1406	0.1141	2.3623	0.1346	1.4342	0.1334	—	—	—	—	2.1498	0.1775	2.2790	0.1346	1.2978	0.2544
2007	2.7556	0.3036	2.8795	0.3233	2.3427	0.3337	—	—	—	—	2.8307	0.3898	2.8282	0.3184	2.1812	0.4522
2006	2.0889	0.1105	2.2559	0.1278	1.5471	0.1576	—	—	—	—	2.0952	0.1596	2.1195	0.1411	2.0971	0.3505
All other mental disorders																
2010	1.1762	0.1374	0.9529	0.1382	1.8890	0.2034	7.7824	2.1921	3.4046	0.5897	1.6175	0.2040	0.8044	0.1297	—	—
2009	1.2706	0.1312	1.0887	0.1269	1.8718	0.2142	7.8946	2.0664	5.3034	1.3537	1.7138	0.1933	0.7864	0.0941	0.7977	0.2630
2008	1.0812	0.1042	0.8981	0.0849	1.6654	0.2202	7.4532	2.0231	3.9637	0.7061	1.4907	0.1915	0.6115	0.0648	0.8111	0.1998
2007	1.0368	0.0959	0.8075	0.0807	1.8022	0.2270	8.7836	2.0863	4.5702	1.0958	1.1980	0.1320	0.7317	0.0901	0.5691	0.1589
2006	0.8115	0.0653	0.7166	0.0679	1.1205	0.1429	5.9943	1.6921	2.2776	0.7853	1.0454	0.1102	0.5515	0.0661	—	—

See footnotes at end of table.

Table A7. Percent distribution that had co-occurring mental health-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol dependence syndrome																
Any mental health-related diagnoses																
2010	24.5233	1.0816	21.8362	1.0319	32.5518	1.2692	12.4580	1.1818	18.9796	1.6345	26.5288	1.1554	24.5186	1.1011	21.7342	1.2781
2009	27.1035	1.2009	24.1287	1.1529	35.6287	1.3914	12.0221	1.0449	18.4820	1.2018	29.3550	1.1904	27.4181	1.3051	24.8159	1.5615
2008	27.4189	1.3261	23.9328	1.2620	37.1867	1.4983	18.4227	1.6774	21.9117	1.5481	29.5193	1.4299	27.1279	1.3784	23.5977	1.2968
2007	27.4632	1.4242	24.0419	1.3493	37.0891	1.6656	16.0635	2.6038	19.6353	1.4777	29.1343	1.5575	27.9023	1.4205	24.4191	1.5065
2006	25.3807	1.1611	22.3456	1.1636	34.0535	1.1915	12.3177	1.1880	19.6605	1.4389	27.4329	1.1849	25.3010	1.3450	23.4719	1.2699
Adjustment disorder																
2010	0.5647	0.0639	0.4993	0.0658	0.7600	0.0887	—	—	0.7030	0.1839	0.5642	0.0806	0.5504	0.0698	0.7536	0.1588
2009	0.5667	0.0516	0.4663	0.0478	0.8550	0.0920	0.5726	0.1814	0.8698	0.1782	0.6083	0.0641	0.5180	0.0646	0.4756	0.1388
2008	0.6657	0.0751	0.6186	0.0742	0.7979	0.0998	0.7083	0.2118	0.6138	0.2008	0.7138	0.1027	0.6055	0.0726	0.8781	0.2064
2007	0.6170	0.0500	0.5397	0.0492	0.8344	0.0955	0.9788	0.2347	0.6327	0.1696	0.6199	0.0683	0.5694	0.0580	0.7674	0.1756
2006	0.6850	0.0755	0.5501	0.0664	1.0711	0.1305	—	—	0.9102	0.2726	0.7585	0.0981	0.6310	0.0750	0.5722	0.1540
Anxiety disorder																
2010	5.5880	0.3480	4.6619	0.3151	8.3506	0.4677	3.0599	0.4508	5.5862	0.7421	6.5170	0.4147	5.1640	0.3424	4.6330	0.4618
2009	6.4296	0.4402	5.4833	0.4027	9.1433	0.5882	2.4780	0.3871	5.1333	0.5104	7.7552	0.5471	5.9974	0.4323	4.6843	0.4906
2008	6.4375	0.4607	5.2854	0.4317	9.6663	0.5834	5.0255	0.7634	5.9917	0.5948	7.4672	0.5617	5.8558	0.4705	4.9982	0.5063
2007	6.1511	0.4815	5.1962	0.4437	8.8391	0.6483	3.3231	0.7521	4.9860	0.6510	7.0100	0.5618	5.9465	0.4974	4.1257	0.4781
2006	5.5561	0.2998	4.7213	0.3008	7.9461	0.3806	2.1411	0.3750	5.7839	0.6315	6.4263	0.3533	5.1624	0.3393	4.4730	0.5112
Bipolar disorder																
2010	5.0789	0.3008	4.5084	0.2942	6.7846	0.3934	1.8575	0.3411	3.4298	0.4557	6.1375	0.3837	4.9511	0.3156	1.8986	0.3121
2009	5.4699	0.3400	4.7705	0.3209	7.4810	0.4588	1.6312	0.3292	3.8634	0.4728	6.6983	0.4032	5.2495	0.3540	2.5170	0.3897
2008	5.0887	0.2706	4.4644	0.2710	6.8388	0.3575	3.0672	0.4685	4.0776	0.5526	6.1348	0.3161	4.7468	0.3052	2.0651	0.3073
2007	5.0731	0.3590	4.3894	0.3488	6.9978	0.4568	2.7745	0.5107	3.4122	0.4372	6.0594	0.4430	4.9187	0.3719	1.6970	0.2775
2006	4.3312	0.3987	3.8917	0.4288	5.5908	0.3974	1.8763	0.3889	3.1513	0.5189	5.2681	0.4713	4.0500	0.4115	2.0365	0.3207
Depressive disorder																
2010	13.5696	0.6930	11.7888	0.6470	18.8934	0.8642	5.3084	0.6701	9.0267	1.0251	13.7739	0.6790	14.1465	0.7620	14.9550	1.0380
2009	15.3246	0.7552	13.2860	0.7213	21.1599	0.9079	5.6662	0.6800	8.1685	0.7311	15.4110	0.7106	16.2892	0.8666	17.7094	1.2139
2008	16.2814	0.9210	13.7211	0.8437	23.4521	1.1324	8.4951	1.0592	11.0663	0.9374	16.6669	0.9859	16.8824	0.9894	16.6995	1.0732
2007	16.1989	0.9256	13.6906	0.8452	23.2529	1.1815	6.4660	1.2589	10.4320	1.0208	16.1239	0.9543	17.2354	0.9733	18.5343	1.3584
2006	15.3031	0.7527	13.1436	0.7335	21.4794	0.8264	5.5464	0.6418	9.9041	0.9388	15.5499	0.7488	16.2058	0.9096	16.2545	1.0170
Personality disorder																
2010	1.2472	0.1363	1.1043	0.1308	1.6746	0.1823	0.6171	0.2339	1.8388	0.4017	1.4406	0.1795	1.1367	0.1376	0.8265	0.1967
2009	1.5180	0.1581	1.3975	0.1578	1.8650	0.2121	0.8953	0.2368	1.6787	0.3018	1.9453	0.2203	1.3252	0.1552	0.5502	0.1340
2008	1.6707	0.2147	1.6233	0.2444	1.8044	0.1994	1.3626	0.3051	1.9172	0.4011	2.0322	0.2672	1.4746	0.2191	0.6211	0.1643
2007	1.8058	0.1684	1.5760	0.1693	2.4525	0.2418	1.7691	0.4286	2.2458	0.4115	2.1436	0.2258	1.5829	0.1518	0.8483	0.1921
2006	1.8870	0.2770	1.6537	0.2580	2.5552	0.3803	0.9723	0.2679	2.5045	0.4630	2.3279	0.3579	1.6041	0.2680	1.1244	0.2779
Schizophrenia and other psychotic disorders																
2010	2.0055	0.1818	2.2357	0.2165	1.3179	0.1156	0.5252	0.2125	0.9068	0.1858	2.2075	0.1912	2.1457	0.2194	0.8786	0.1680
2009	1.9754	0.1281	2.1226	0.1322	1.5488	0.1742	—	—	1.1910	0.2481	1.9192	0.1447	2.2285	0.1648	1.5277	0.2424
2008	1.6579	0.1024	1.8214	0.1138	1.2009	0.1331	—	—	0.8009	0.2608	1.6881	0.1171	1.8092	0.1485	1.4066	0.2450
2007	1.9872	0.2601	2.1252	0.2590	1.5999	0.2818	—	—	1.1985	0.3040	2.1005	0.3419	2.1593	0.2493	1.2693	0.2401
2006	1.6832	0.1161	1.7784	0.1245	1.3985	0.1617	0.7656	0.2599	1.0617	0.2436	1.7816	0.1437	1.7452	0.1480	1.4593	0.2652
All other mental disorders																
2010	0.9895	0.0723	0.8459	0.0670	1.4185	0.1270	3.1598	0.4594	2.5430	0.3336	1.2535	0.1130	0.5973	0.0569	0.4648	0.1270
2009	1.0659	0.0821	0.9036	0.0733	1.5325	0.1470	3.1147	0.4465	2.1704	0.2981	1.3581	0.1246	0.6835	0.0745	0.4026	0.1148
2008	1.0221	0.0942	0.8762	0.0822	1.4309	0.1743	4.5382	1.0040	3.0089	0.4067	1.1746	0.1220	0.5700	0.0636	—	—
2007	1.1083	0.1134	0.8592	0.0819	1.8093	0.2364	5.0581	1.5760	2.5191	0.3832	1.2246	0.1146	0.6777	0.0724	—	—
2006	0.9895	0.0925	0.8253	0.0858	1.4596	0.1566	3.2439	0.6263	1.9310	0.3530	1.2375	0.1289	0.5692	0.0735	0.5037	0.1452

See footnotes at end of table.

Table A7. Percent distribution that had co-occurring mental health-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	
Nondependent abuse of alcohol																	
Any mental health-related diagnoses																	
2010	14.1826	0.6435	12.2011	0.6244	18.8010	0.6703	9.4158	0.4233	12.1602	0.4928	16.7435	0.7656	14.2575	0.8895	10.8550	0.6881	
2009	14.0888	0.5719	11.9767	0.5651	19.0132	0.5717	9.5554	0.3959	12.4957	0.5335	16.6714	0.7034	14.1322	0.7306	9.7287	0.6832	
2008	14.1961	0.6036	11.8468	0.5864	19.5966	0.6226	9.1879	0.3895	12.4454	0.5986	16.6710	0.7908	14.5403	0.7374	10.2780	0.6413	
2007	14.1150	0.4815	11.9041	0.4682	19.0871	0.5167	9.9305	0.4079	11.6844	0.5086	16.6639	0.6304	14.4190	0.5987	9.7536	0.6418	
2006	14.2009	0.5540	12.1064	0.5696	18.9849	0.5189	9.9604	0.3988	11.8092	0.4875	16.5168	0.7125	14.5796	0.7828	10.1021	0.6397	
Adjustment disorder																	
2010	0.3760	0.0319	0.3110	0.0283	0.5276	0.0549	0.4316	0.0645	0.5309	0.0781	0.4199	0.0436	0.2848	0.0334	0.3676	0.1411	
2009	0.3769	0.0329	0.3110	0.0309	0.5310	0.0494	0.3229	0.0543	0.4738	0.0735	0.4790	0.0518	0.2892	0.0318	0.2706	0.0776	
2008	0.3907	0.0362	0.3424	0.0386	0.5020	0.0464	0.4129	0.0541	0.5324	0.0913	0.4572	0.0548	0.2784	0.0347	0.3705	0.0878	
2007	0.4071	0.0332	0.3191	0.0307	0.6054	0.0589	0.5190	0.0663	0.5705	0.0852	0.4143	0.0444	0.3224	0.0391	0.2768	0.0880	
2006	0.3566	0.0317	0.2594	0.0292	0.5790	0.0546	0.5332	0.0727	0.4992	0.0795	0.3571	0.0419	0.2407	0.0360	0.3835	0.1016	
Anxiety disorder																	
2010	3.5014	0.1939	2.7098	0.1709	5.3473	0.2573	1.8347	0.1256	3.6805	0.2210	4.5327	0.2541	3.2049	0.2447	2.3874	0.2820	
2009	3.4653	0.1620	2.6781	0.1491	5.3018	0.1969	2.0537	0.1299	3.8368	0.2495	4.4767	0.2251	3.0721	0.1907	2.1973	0.2375	
2008	3.2567	0.1653	2.4264	0.1480	5.1664	0.2164	1.8552	0.1375	3.5665	0.2301	4.1379	0.2331	2.9463	0.1853	2.2012	0.2269	
2007	3.2398	0.1404	2.5427	0.1330	4.8088	0.1821	1.8373	0.1197	3.5684	0.2499	4.1350	0.2055	3.0149	0.1707	1.6202	0.2051	
2006	3.3623	0.1560	2.7146	0.1553	4.8423	0.1842	1.8825	0.1235	3.4625	0.2069	4.2353	0.2229	3.2220	0.2155	1.7046	0.2170	
Bipolar disorder																	
2010	2.4642	0.1385	2.1383	0.1375	3.2241	0.1666	1.4957	0.1291	2.0309	0.1656	3.1576	0.1913	2.4166	0.1848	0.9161	0.1651	
2009	2.2311	0.1120	1.9197	0.1112	2.9548	0.1419	1.3704	0.1152	1.8643	0.1641	2.9249	0.1563	2.1415	0.1370	0.6776	0.1506	
2008	2.3432	0.1219	1.9476	0.1177	3.2535	0.1596	1.2687	0.1009	1.8537	0.1668	2.9970	0.1857	2.4238	0.1509	0.5687	0.1112	
2007	2.1219	0.0999	1.7738	0.0979	2.9027	0.1434	1.3758	0.1191	1.5217	0.1369	2.8247	0.1497	2.0265	0.1255	0.7560	0.1450	
2006	2.0333	0.1038	1.7247	0.1044	2.7401	0.1339	1.3246	0.1134	1.6166	0.1477	2.7718	0.1629	1.8052	0.1278	0.5656	0.1197	
Depressive disorder																	
2010	7.0508	0.3599	5.9650	0.3461	9.5828	0.3934	3.3090	0.1964	4.9158	0.2917	8.1382	0.4417	7.8540	0.5151	6.4644	0.5056	
2009	7.1455	0.3323	5.8664	0.3154	10.1259	0.3771	3.5194	0.1882	4.9347	0.2880	8.2373	0.4185	8.0819	0.4618	5.8111	0.4739	
2008	7.3603	0.3447	5.9049	0.3238	10.7035	0.3885	3.5867	0.2093	5.4060	0.3571	8.5741	0.4409	8.2295	0.4571	6.4549	0.4813	
2007	7.3350	0.2876	5.9559	0.2697	10.4355	0.3417	4.0269	0.2237	5.0010	0.2897	8.5854	0.3833	8.2786	0.3961	5.7173	0.4509	
2006	7.5374	0.3360	6.2444	0.3341	10.4907	0.3593	4.0336	0.2023	5.0560	0.3165	8.6543	0.4366	8.5814	0.4994	6.4788	0.4986	
Personality disorder																	
2010	0.3137	0.0262	0.2692	0.0267	0.4173	0.0425	0.3265	0.0591	0.4457	0.0711	0.3825	0.0402	0.2426	0.0313	—	—	
2009	0.3228	0.0292	0.2923	0.0321	0.3917	0.0443	0.2018	0.0349	0.5409	0.0967	0.4416	0.0481	0.2301	0.0289	—	—	
2008	0.2846	0.0322	0.2468	0.0314	0.3715	0.0456	0.2866	0.0596	0.3481	0.0722	0.3698	0.0490	0.2086	0.0295	—	—	
2007	0.3298	0.0286	0.2960	0.0296	0.4060	0.0430	0.3357	0.0579	0.3178	0.0622	0.4336	0.0462	0.2369	0.0279	—	—	
2006	0.3149	0.0270	0.2677	0.0285	0.4230	0.0422	0.2215	0.0371	0.3662	0.0678	0.4390	0.0450	0.2146	0.0330	0.2580	0.0973	
Schizophrenia and other psychotic disorders																	
2010	1.4094	0.0774	1.4655	0.0894	1.2764	0.0820	0.5625	0.0759	1.0025	0.1034	1.6020	0.0950	1.6007	0.1244	1.4902	0.2038	
2009	1.3401	0.0723	1.4472	0.0863	1.0932	0.0649	0.5345	0.0633	0.9718	0.1014	1.5362	0.0926	1.5459	0.1088	1.2056	0.1674	
2008	1.3528	0.0775	1.4511	0.0907	1.1272	0.0747	0.4902	0.0644	0.8498	0.0994	1.5691	0.1075	1.6432	0.1118	1.0242	0.1585	
2007	1.3692	0.0711	1.4402	0.0802	1.2107	0.0857	0.5061	0.0632	0.8162	0.1048	1.5816	0.0966	1.6587	0.1038	1.4741	0.1933	
2006	1.3623	0.0768	1.4565	0.0926	1.1474	0.0829	0.4807	0.0681	1.0084	0.1245	1.5953	0.1113	1.6141	0.1167	1.0724	0.1780	
All other mental disorders																	
2010	1.0619	0.0680	1.0014	0.0714	1.2029	0.0796	2.9318	0.1910	1.5779	0.1398	0.9793	0.0815	0.4778	0.0577	0.2780	0.0767	
2009	1.1015	0.0626	1.0077	0.0672	1.3193	0.0792	3.0281	0.1837	1.9952	0.1616	0.9406	0.0691	0.4396	0.0449	0.2873	0.0768	
2008	0.9977	0.0559	0.9201	0.0572	1.1766	0.0840	2.8693	0.1819	1.5287	0.1369	0.8150	0.0572	0.3716	0.0388	0.3045	0.0750	
2007	1.0941	0.0693	0.9727	0.0691	1.3677	0.0956	2.8816	0.1916	1.4161	0.1364	0.9529	0.0777	0.4438	0.0453	0.4643	0.1167	
2006	1.0349	0.0637	0.9220	0.0648	1.2907	0.0865	3.0079	0.1955	1.2262	0.1311	0.7783	0.0713	0.4705	0.0508	0.4097	0.0947	

See footnotes at end of table.

Table A7. Percent distribution that had co-occurring mental health-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
All chronic liver disease and cirrhosis																
Any mental health-related diagnoses																
2010	14.5916	0.3597	11.9333	0.3585	19.2371	0.5858	11.1977	3.6474	13.1900	2.8821	19.6515	0.8079	14.5052	0.4513	9.0416	0.5257
2009	14.5753	0.3571	11.9476	0.3589	19.0548	0.5664	—	—	18.6944	5.2929	17.4523	0.7287	14.8670	0.4207	10.3521	0.5714
2008	14.3262	0.3194	11.5016	0.3392	19.4625	0.5156	12.5167	3.3941	12.6070	2.9473	16.9641	0.6886	14.7038	0.3841	10.2881	0.5336
2007	12.4301	0.3317	10.8466	0.3824	15.2674	0.4927	—	—	7.3359	2.1371	14.2719	0.6517	12.9558	0.4243	8.8420	0.4853
2006	11.3014	0.3158	9.4939	0.3512	14.5655	0.5176	—	—	11.6913	2.9677	14.1181	0.6641	11.3958	0.3918	7.6435	0.4776
Adjustment disorder																
2010	0.2349	0.0369	0.1660	0.0360	0.3555	0.0740	—	—	—	—	—	—	0.2439	0.0497	—	—
2009	0.2226	0.0368	0.1592	0.0395	0.3307	0.0729	—	—	—	—	0.3070	0.0851	0.2151	0.0421	—	—
2008	0.2659	0.0423	0.1940	0.0389	0.3967	0.0776	—	—	—	—	0.3776	0.1423	0.2483	0.0414	—	—
2007	0.1755	0.0300	0.1757	0.0355	0.1751	0.0460	—	—	—	—	—	—	0.2089	0.0382	—	—
2006	0.2173	0.0382	0.1644	0.0392	0.3130	0.0660	—	—	—	—	0.3737	0.1183	0.1914	0.0365	—	—
Anxiety disorder																
2010	3.9006	0.1760	3.1329	0.1590	5.2420	0.3225	—	—	—	—	6.0553	0.4572	3.7109	0.2146	2.0350	0.2346
2009	3.6381	0.1492	3.0722	0.1608	4.6027	0.2644	—	—	—	—	5.5655	0.4011	3.4484	0.1787	2.0858	0.2403
2008	3.2056	0.1564	2.4797	0.1487	4.5255	0.2874	—	—	—	—	4.4030	0.3653	3.2188	0.1829	1.9255	0.2327
2007	2.7401	0.1406	2.3601	0.1653	3.4208	0.2186	—	—	—	—	3.9036	0.3359	2.6139	0.1669	1.8862	0.2435
2006	2.1913	0.1171	1.8893	0.1338	2.7368	0.1981	—	—	—	—	2.8271	0.2709	2.1763	0.1414	1.4507	0.2086
Bipolar disorder																
2010	1.9788	0.1092	1.6023	0.1245	2.6369	0.2171	—	—	—	—	3.4593	0.3351	1.9486	0.1413	0.3456	0.1081
2009	1.9140	0.1216	1.6748	0.1444	2.3220	0.1995	—	—	—	—	3.2502	0.3197	1.8705	0.1434	0.4741	0.1090
2008	2.2088	0.1200	1.7484	0.1355	3.0459	0.2188	—	—	—	—	3.3441	0.3030	2.3059	0.1610	0.5947	0.1178
2007	1.4070	0.0912	1.2565	0.1030	1.6769	0.1698	—	—	—	—	1.8279	0.2313	1.6072	0.1309	0.3024	0.0888
2006	1.3605	0.1042	1.1406	0.1047	1.7575	0.2413	—	—	—	—	2.3134	0.2955	1.3730	0.1258	—	—
Depressive disorder																
2010	8.5025	0.2731	6.7266	0.2783	11.6061	0.4601	—	—	—	—	10.1149	0.5553	8.6477	0.3384	6.2986	0.4597
2009	8.7143	0.2685	6.7529	0.2724	12.0580	0.4419	—	—	—	—	8.8103	0.5273	9.1955	0.3229	7.0632	0.4697
2008	8.2186	0.2403	6.4152	0.2531	11.4981	0.3951	—	—	—	—	9.1026	0.4940	8.3464	0.2865	6.9223	0.4326
2007	7.6086	0.2534	6.4103	0.2843	9.7555	0.4012	—	—	—	—	8.4163	0.4905	7.9229	0.3154	5.9418	0.4109
2006	7.0365	0.2378	5.6725	0.2585	9.4994	0.3789	—	—	—	—	8.3632	0.5201	7.1564	0.2985	5.0338	0.3830
Personality disorder																
2010	0.1358	0.0290	0.1160	0.0317	0.1704	0.0527	—	—	—	—	—	—	0.1184	0.0332	—	—
2009	0.1046	0.0236	0.0903	0.0248	—	—	—	—	—	—	—	—	0.1064	0.0329	—	—
2008	0.1446	0.0254	0.1478	0.0340	0.1386	0.0386	—	—	—	—	—	—	0.1591	0.0335	—	—
2007	0.1705	0.0271	0.1633	0.0316	0.1833	0.0533	—	—	—	—	0.3662	0.0998	0.1404	0.0296	—	—
2006	0.1124	0.0227	0.0870	0.0241	0.1582	0.0439	—	—	—	—	—	—	0.1170	0.0266	—	—
Schizophrenia and other psychotic disorders																
2010	1.1786	0.0826	1.2210	0.1041	1.1044	0.1342	—	—	—	—	1.4790	0.2102	1.2501	0.1011	0.5922	0.1390
2009	1.1615	0.0908	1.1758	0.1131	1.1372	0.1350	—	—	—	—	1.0422	0.2037	1.2409	0.1173	1.0520	0.1925
2008	1.3433	0.0961	1.3633	0.1144	1.3067	0.1536	—	—	—	—	1.2806	0.1980	1.4914	0.1269	0.9896	0.1858
2007	1.3741	0.0970	1.3908	0.1182	1.3445	0.1725	—	—	—	—	1.3030	0.1971	1.5033	0.1343	1.0192	0.1575
2006	1.2678	0.0858	1.2967	0.1210	1.2159	0.1279	—	—	—	—	1.2783	0.1719	1.2715	0.1150	1.2743	0.1986
All other mental disorders																
2010	0.2391	0.0323	0.1969	0.0368	0.3128	0.0646	—	—	—	—	0.5741	0.1158	0.1523	0.0349	—	—
2009	0.2568	0.0417	0.1769	0.0389	0.3929	0.0822	—	—	—	—	0.5933	0.1578	0.1782	0.0383	—	—
2008	0.3131	0.0425	0.2771	0.0526	0.3786	0.0737	—	—	—	—	0.5783	0.1148	0.2543	0.0497	—	—
2007	0.2874	0.0410	0.2393	0.0481	0.3737	0.0762	—	—	—	—	0.5974	0.1374	0.1950	0.0432	—	—
2006	0.2099	0.0344	0.1699	0.0340	0.2823	0.0638	—	—	—	—	0.3321	0.0859	0.1867	0.0388	—	—

See footnotes at end of table.

Table A7. Percent distribution that had co-occurring mental health-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcoholic liver disease																
Any mental health-related diagnoses																
2010	16.5819	0.4543	13.3610	0.4361	24.4381	0.8146	—	—	23.5436	5.5548	21.2696	0.9562	15.8748	0.5478	9.4765	0.8544
2009	16.2176	0.4433	13.0632	0.4318	23.8078	0.8497	—	—	18.5631	5.4190	19.3922	0.8704	15.9815	0.5047	10.5809	1.0118
2008	15.9300	0.3966	12.7373	0.4133	23.9777	0.7167	—	—	—	—	18.3170	0.8137	15.5659	0.4542	12.8008	1.0101
2007	13.6357	0.4161	11.6796	0.4442	18.4241	0.7281	—	—	—	—	15.8155	0.7940	13.5060	0.4991	9.5907	0.8192
2006	12.8288	0.4004	10.7330	0.4291	18.0822	0.7800	—	—	—	—	15.3946	0.7912	12.5916	0.4783	7.8002	0.8058
Adjustment disorder																
2010	0.2904	0.0524	0.1661	0.0427	0.5936	0.1395	—	—	—	—	—	—	0.3107	0.0695	—	—
2009	0.2630	0.0532	0.1874	0.0534	0.4450	0.1213	—	—	—	—	0.4004	0.1150	0.2472	0.0567	—	—
2008	0.3275	0.0627	0.2227	0.0524	0.5915	0.1399	—	—	—	—	—	—	0.3046	0.0581	—	—
2007	0.2215	0.0442	0.2241	0.0501	—	—	—	—	—	—	—	—	0.2504	0.0536	—	—
2006	0.2182	0.0478	0.1905	0.0508	0.2875	0.0803	—	—	—	—	0.3905	0.1339	0.1753	0.0427	—	—
Anxiety disorder																
2010	4.4249	0.2268	3.5520	0.2053	6.5538	0.4779	—	—	—	—	6.5744	0.5473	3.9778	0.2571	1.8658	0.3384
2009	4.1237	0.1917	3.3018	0.1957	6.1013	0.4231	—	—	—	—	6.1399	0.4919	3.7818	0.2249	1.6392	0.3493
2008	3.6691	0.2005	2.8199	0.1895	5.8094	0.4402	—	—	—	—	4.9725	0.4447	3.4749	0.2249	1.8697	0.3610
2007	3.0544	0.1882	2.5791	0.2022	4.2179	0.3509	—	—	—	—	4.2207	0.4074	2.7444	0.2037	2.1814	0.4054
2006	2.4650	0.1502	2.1168	0.1657	3.3378	0.3253	—	—	—	—	3.0564	0.3337	2.3973	0.1782	1.2599	0.3342
Bipolar disorder																
2010	2.2196	0.1372	1.7870	0.1475	3.2748	0.3163	—	—	—	—	3.3178	0.3717	2.0970	0.1672	—	—
2009	2.0481	0.1603	1.7208	0.1791	2.8357	0.2875	—	—	—	—	3.2491	0.3900	1.9002	0.1802	—	—
2008	2.4115	0.1453	1.8291	0.1577	3.8795	0.3381	—	—	—	—	3.4047	0.3670	2.3005	0.1828	0.8170	0.2336
2007	1.6824	0.1317	1.4531	0.1401	2.2439	0.2949	—	—	—	—	2.0074	0.2872	1.7943	0.1741	—	—
2006	1.6991	0.1388	1.4382	0.1423	2.3533	0.3527	—	—	—	—	2.4742	0.3257	1.6229	0.1657	—	—
Depressive disorder																
2010	9.8800	0.3590	7.7007	0.3471	15.1954	0.6849	—	—	—	—	11.4414	0.6817	9.7094	0.4337	7.2366	0.8062
2009	9.8910	0.3368	7.6996	0.3272	15.1639	0.7064	—	—	—	—	10.2004	0.6468	10.1227	0.4004	7.7115	0.8727
2008	9.1165	0.3158	7.2463	0.3275	13.8310	0.6128	—	—	—	—	10.0444	0.6102	8.8285	0.3469	8.8290	0.8193
2007	8.3975	0.3101	6.9000	0.3331	12.0629	0.6106	—	—	—	—	9.4648	0.6247	8.3739	0.3701	6.3865	0.6914
2006	8.1559	0.3194	6.5721	0.3364	12.1260	0.6011	—	—	—	—	9.2873	0.6263	8.1415	0.3784	5.3181	0.6615
Personality disorder																
2010	0.1564	0.0381	—	—	—	—	—	—	—	—	—	—	0.1290	0.0390	—	—
2009	0.1460	0.0357	0.1191	0.0341	—	—	—	—	—	—	—	—	0.1365	0.0465	—	—
2008	0.2090	0.0399	0.2075	0.0493	—	—	—	—	—	—	—	—	0.2205	0.0489	—	—
2007	0.1887	0.0352	0.1957	0.0418	—	—	—	—	—	—	—	—	0.1455	0.0368	—	—
2006	0.1460	0.0347	0.1096	0.0329	—	—	—	—	—	—	—	—	0.1490	0.0397	—	—
Schizophrenia and other psychotic disorders																
2010	1.2525	0.1058	1.2923	0.1302	1.1552	0.1822	—	—	—	—	1.5960	0.2560	1.2768	0.1230	—	—
2009	1.0958	0.1039	1.0889	0.1229	1.1124	0.1833	—	—	—	—	1.1273	0.2364	1.0609	0.1152	1.2206	0.3461
2008	1.4000	0.1182	1.4142	0.1283	1.3642	0.2179	—	—	—	—	1.2691	0.2016	1.4922	0.1523	1.2037	0.3156
2007	1.3350	0.1246	1.4492	0.1546	1.0560	0.2263	—	—	—	—	1.3994	0.2457	1.4052	0.1601	0.8071	0.2491
2006	1.2631	0.1167	1.3019	0.1498	1.1659	0.1805	—	—	—	—	1.4097	0.2049	1.1958	0.1431	1.3073	0.3195
All other mental disorders																
2010	0.2283	0.0405	0.1525	0.0393	0.4133	0.1041	—	—	—	—	0.5427	0.1316	0.1297	0.0381	—	—
2009	0.2958	0.0559	0.1974	0.0512	0.5326	0.1364	—	—	—	—	0.5925	0.1786	0.2016	0.0500	—	—
2008	0.3055	0.0495	0.2468	0.0522	0.4534	0.1122	—	—	—	—	0.5673	0.1355	0.2479	0.0550	—	—
2007	0.2652	0.0510	0.1798	0.0462	0.4742	0.1288	—	—	—	—	0.6031	0.1623	0.1401	0.0412	—	—
2006	0.2221	0.0427	0.1554	0.0393	0.3892	0.1016	—	—	—	—	0.3614	0.1043	0.1804	0.0447	—	—

See footnotes at end of table.

Table A7. Percent distribution that had co-occurring mental health-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol poisoning																
Any mental health-related diagnoses																
2010	29.8613	1.6897	24.7665	1.7213	38.0863	1.9273	17.0257	1.8480	25.1122	3.3096	35.1016	2.3192	32.9454	2.5669	24.7891	3.3363
2009	25.4990	1.8571	20.7587	1.7912	33.8281	2.1394	16.4229	1.8767	17.4777	2.5384	28.1348	2.4477	29.2071	2.5440	30.5454	4.3646
2008	28.1991	1.3911	23.4741	1.4240	36.0753	1.6094	16.3496	1.5336	24.0211	2.4732	33.4263	1.7916	31.8727	2.5004	17.8989	2.8370
2007	28.6309	1.4808	24.9179	1.7142	34.7279	1.5827	16.4447	1.7080	21.1856	2.6991	33.7477	2.0111	33.8717	2.4998	23.9302	3.8607
2006	24.9212	1.3210	20.5706	1.4332	32.4265	1.6159	16.0310	1.5077	22.0488	2.5908	28.6958	1.7350	26.9568	2.2797	23.2793	4.4619
Adjustment disorder																
2010	1.1661	0.2406	0.9018	0.1979	1.5928	0.5197	—	—	—	—	1.5615	0.4223	0.9488	0.2889	—	—
2009	0.8572	0.1671	0.7251	0.1698	1.0894	0.2560	1.3456	0.3582	—	—	—	—	0.9261	0.2520	—	—
2008	1.1735	0.1974	0.9945	0.2054	1.4718	0.3360	—	—	—	—	1.5218	0.3375	1.2284	0.3416	—	—
2007	1.2201	0.2091	0.8664	0.2411	1.7998	0.3637	—	—	—	—	1.4992	0.3948	—	—	—	—
2006	0.8206	0.1817	0.7659	0.2161	0.9150	0.2722	—	—	—	—	1.1591	0.3289	—	—	—	—
Anxiety disorder																
2010	7.3497	0.6854	5.6119	0.6630	10.1553	0.9937	3.6926	0.8893	9.5883	2.9317	9.4621	1.0004	6.7971	0.9606	—	—
2009	5.5038	0.5875	4.2787	0.6147	7.6564	0.8343	3.3236	1.0687	4.5855	1.1720	6.4323	0.9071	5.5964	0.7897	8.2000	2.2757
2008	6.0588	0.5037	4.6673	0.5207	8.3784	0.8941	3.1154	0.7911	5.5909	1.2693	6.7621	0.7112	7.4653	0.8302	—	—
2007	5.1902	0.4587	4.5685	0.5833	6.2115	0.6596	2.9139	0.6417	4.0661	1.1712	5.8178	0.6904	6.4610	0.9093	—	—
2006	4.3540	0.4109	3.3066	0.3953	6.1608	0.7492	2.3004	0.5621	4.5182	1.2239	4.5077	0.5687	5.2582	0.7521	—	—
Bipolar disorder																
2010	5.8672	0.5932	4.6326	0.5982	7.8605	0.9028	2.4586	0.5981	6.5427	2.2418	8.0947	1.0629	5.6261	0.7682	—	—
2009	5.1936	0.5545	3.9868	0.5236	7.3141	0.8739	3.1278	0.7064	—	—	6.6398	0.9406	5.7134	0.8289	—	—
2008	4.3590	0.3786	2.9529	0.3510	6.7028	0.6787	2.1796	0.4891	4.5319	1.2352	5.9228	0.7018	4.2134	0.5740	—	—
2007	5.8267	0.5411	5.3310	0.6553	6.6422	0.7709	2.1262	0.6450	3.5171	1.0292	7.4677	0.8530	7.7248	1.1588	—	—
2006	4.3621	0.5346	3.5925	0.5316	5.6896	0.7737	2.7553	0.5778	3.6673	1.1096	5.5271	1.0314	4.4455	0.6246	—	—
Depressive disorder																
2010	16.9301	1.1314	14.2688	1.1863	21.2266	1.3797	7.3694	1.1631	12.7444	2.4733	18.8584	1.5921	20.7638	1.9665	18.7571	3.0920
2009	15.5262	1.2889	12.2828	1.2214	21.2251	1.7109	9.0957	1.4296	9.4649	1.8438	16.6820	1.6743	19.0576	1.8650	19.0368	3.3020
2008	17.2692	1.0638	14.4247	1.1639	22.0106	1.2020	9.1064	1.2746	12.1216	1.7393	20.4138	1.4163	20.8660	2.0161	10.3222	1.8602
2007	17.2560	1.0335	13.8499	1.1649	22.8421	1.2572	8.7314	1.2831	14.0007	2.1861	20.8869	1.5228	19.9991	1.8474	16.2719	3.4232
2006	15.2728	0.9377	11.5239	0.9907	21.7400	1.2688	7.8477	1.0574	11.5921	1.7848	17.4868	1.2859	17.9915	1.8049	17.8160	3.8121
Personality disorder																
2010	1.1713	0.2261	1.1175	0.3192	1.2583	0.2982	—	—	—	—	1.6408	0.4755	1.2594	0.3335	—	—
2009	0.9911	0.1765	0.5095	0.1299	1.8372	0.3860	—	—	—	—	1.3766	0.3255	0.6604	0.2230	—	—
2008	1.1893	0.2332	0.8300	0.2204	1.7882	0.4110	—	—	—	—	1.4099	0.3531	1.3753	0.3974	—	—
2007	1.4040	0.2546	0.9582	0.2376	2.1344	0.4897	—	—	—	—	1.9882	0.4352	1.7416	0.5412	—	—
2006	0.9522	0.2498	0.8157	0.2733	1.1875	0.3576	—	—	—	—	1.4060	0.4117	—	—	—	—
Schizophrenia and other psychotic disorders																
2010	2.4233	0.2742	2.7414	0.3841	1.9098	0.3683	—	—	—	—	3.2285	0.5464	3.3379	0.5454	—	—
2009	1.5752	0.3251	1.5584	0.4292	1.6046	0.3446	—	—	—	—	1.5136	0.2860	2.2917	0.6333	—	—
2008	1.6656	0.2136	1.8750	0.2803	1.3166	0.2908	—	—	—	—	1.8879	0.3627	2.5134	0.4337	—	—
2007	2.2205	0.2720	2.5043	0.3639	1.7579	0.3677	—	—	—	—	2.3492	0.4070	3.2733	0.6152	—	—
2006	1.6047	0.2278	2.0468	0.3138	0.8420	0.2678	—	—	—	—	1.6732	0.3305	2.3867	0.5041	—	—
All other mental disorders																
2010	2.1696	0.2599	1.7802	0.2869	2.7982	0.4752	6.0851	1.0207	4.3446	1.2338	1.0568	0.2961	—	—	—	—
2009	2.1679	0.2816	1.5640	0.2568	3.2292	0.6416	4.5068	1.1312	—	—	1.6386	0.3791	1.5910	0.3267	—	—
2008	1.7707	0.2314	1.5225	0.2754	2.1844	0.3689	3.5846	0.6999	4.1621	1.0772	1.3320	0.2923	0.8308	0.3080	—	—
2007	1.9884	0.2848	2.0280	0.3314	1.9249	0.4337	5.1662	0.9700	—	—	1.1881	0.2706	1.0188	0.3061	—	—
2006	2.3543	0.2827	2.0769	0.3216	2.8327	0.4595	5.4916	0.9127	5.0065	1.3299	2.0531	0.4318	—	—	—	—

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table A8. Percent distribution that had co-occurring mental health-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Any alcohol-related diagnoses																
Any mental health-related diagnoses																
2010	27.0006	0.4983	23.7797	0.4909	33.9889	0.5208	21.8590	0.7340	26.4258	0.7004	31.5420	0.6585	26.6758	0.5049	18.2274	0.2746
2009	27.3925	0.4867	24.0987	0.4815	34.5925	0.5052	22.4135	0.7172	26.1709	0.6925	32.2470	0.6541	26.9817	0.4722	18.2148	0.2813
2008	26.5079	0.5225	22.9968	0.4997	34.2343	0.5615	22.4400	1.2336	25.7331	0.7526	31.0080	0.6860	26.0763	0.4774	17.4589	0.2639
2007	25.9163	0.5186	22.6079	0.4968	33.3268	0.5650	22.2836	1.1039	24.4534	0.7018	30.8669	0.6751	25.1977	0.4761	16.3148	0.2778
2006	24.8881	0.4799	21.6241	0.4785	32.2421	0.5028	21.2273	0.6998	24.1458	0.6584	30.0424	0.6463	23.8916	0.4593	15.2585	0.2701
Adjustment disorder																
2010	0.7832	0.0707	0.6792	0.0632	1.0090	0.0906	1.4395	0.1938	1.4170	0.1506	1.0541	0.1053	0.5670	0.0459	0.3669	0.0290
2009	0.7599	0.0493	0.6690	0.0461	0.9590	0.0613	1.4263	0.1315	1.2897	0.1125	0.9863	0.0714	0.5738	0.0382	0.3395	0.0260
2008	0.8172	0.0565	0.7187	0.0515	1.0341	0.0716	1.5166	0.1857	1.5434	0.1490	1.0212	0.0782	0.5980	0.0408	0.4126	0.0285
2007	0.8059	0.0438	0.7080	0.0388	1.0254	0.0606	1.5879	0.1453	1.4462	0.1215	1.0252	0.0650	0.5679	0.0293	0.3706	0.0262
2006	0.8043	0.0496	0.6623	0.0424	1.1242	0.0731	1.6661	0.1855	1.4297	0.1180	1.0212	0.0690	0.5562	0.0337	0.3793	0.0252
Anxiety disorder																
2010	6.9284	0.1839	5.6868	0.1655	9.6204	0.2225	5.0890	0.2321	7.5517	0.2632	8.7206	0.2595	6.4416	0.1807	4.4890	0.1137
2009	6.7700	0.1630	5.5373	0.1443	9.4661	0.2018	5.2199	0.2267	7.3227	0.2403	8.5050	0.2352	6.2718	0.1545	4.3567	0.1149
2008	6.3171	0.1634	5.1292	0.1400	8.9299	0.2150	4.9871	0.3903	6.8688	0.2368	7.7787	0.2265	5.9076	0.1510	4.0545	0.1081
2007	6.0345	0.1614	4.9790	0.1437	8.3956	0.2055	4.7249	0.3244	6.3796	0.2308	7.5045	0.2284	5.6505	0.1545	3.5815	0.0951
2006	6.0118	0.1464	4.9503	0.1337	8.4039	0.1883	4.7896	0.2087	6.6379	0.2405	7.6712	0.2135	5.4914	0.1353	3.2865	0.0922
Bipolar disorder																
2010	5.7775	0.1744	5.0011	0.1726	7.4620	0.1980	5.5642	0.3453	6.4240	0.2622	7.7793	0.2500	5.3834	0.1667	1.6754	0.0711
2009	5.7885	0.1756	4.9679	0.1643	7.5846	0.2207	5.5861	0.3381	6.0970	0.2712	8.0189	0.2552	5.2234	0.1567	1.7714	0.0675
2008	5.5523	0.1732	4.6588	0.1553	7.5175	0.2249	5.2600	0.3980	6.2239	0.2890	7.4836	0.2475	5.1155	0.1439	1.4948	0.0628
2007	5.2962	0.1784	4.4894	0.1666	7.1033	0.2206	4.9307	0.3375	5.6332	0.2907	7.3506	0.2548	4.7055	0.1541	1.4203	0.0716
2006	4.9235	0.1822	4.2086	0.1763	6.5345	0.2130	4.3195	0.2909	5.3283	0.2827	6.9921	0.2720	4.2488	0.1497	1.3493	0.0657
Depressive disorder																
2010	13.7565	0.2952	11.7092	0.2756	18.1987	0.3342	8.7174	0.3424	11.1097	0.3757	14.8298	0.3700	14.4221	0.3190	11.3579	0.2051
2009	14.1417	0.2848	12.0121	0.2713	18.7918	0.3075	9.2716	0.3338	11.4250	0.3694	15.3961	0.3634	14.8145	0.3037	11.3072	0.2091
2008	13.8040	0.3222	11.5402	0.2986	18.7843	0.3593	9.5635	0.6497	11.3961	0.3787	15.2092	0.4085	14.2998	0.3255	10.9320	0.1986
2007	13.5582	0.3059	11.4072	0.2823	18.3758	0.3540	9.7379	0.5774	10.7796	0.3545	15.2318	0.3936	13.9498	0.3028	10.2451	0.2148
2006	13.1546	0.2749	10.9882	0.2609	18.0352	0.3165	9.8282	0.3892	10.8480	0.3395	14.9711	0.3613	13.4267	0.2859	9.3439	0.2021
Personality disorder																
2010	1.4613	0.1096	1.2418	0.1007	1.9371	0.1349	1.5453	0.1393	2.1969	0.1813	2.2459	0.1780	1.1327	0.0853	0.2862	0.0270
2009	1.6520	0.1250	1.4199	0.1153	2.1602	0.1518	1.7182	0.1445	2.5741	0.2142	2.5029	0.1957	1.2797	0.1016	0.3220	0.0289
2008	1.5532	0.1129	1.3146	0.1039	2.0782	0.1400	1.6630	0.1405	2.2340	0.1807	2.3538	0.1813	1.1828	0.0886	0.3130	0.0297
2007	1.6838	0.1081	1.3805	0.0931	2.3636	0.1469	1.8004	0.1477	2.3908	0.1777	2.5607	0.1742	1.2442	0.0795	0.3463	0.0300
2006	1.5939	0.1069	1.3235	0.0942	2.2029	0.1469	1.4853	0.1241	2.4003	0.1852	2.4651	0.1734	1.1482	0.0812	0.3341	0.0334
Schizophrenia and other psychotic disorders																
2010	3.4889	0.1258	3.7564	0.1408	2.9086	0.1046	1.6248	0.0995	2.9541	0.1659	4.1820	0.1747	3.6295	0.1317	2.0187	0.0727
2009	3.4944	0.1438	3.7712	0.1574	2.8917	0.1235	1.4985	0.1000	2.8428	0.1672	4.0781	0.1946	3.7352	0.1522	2.0674	0.0764
2008	3.2338	0.1171	3.4629	0.1287	2.7322	0.1015	1.4729	0.1064	2.4388	0.1624	3.7516	0.1511	3.4860	0.1303	1.9522	0.0669
2007	3.3570	0.1263	3.5444	0.1407	2.9403	0.1081	1.4299	0.0898	2.7392	0.1480	4.0131	0.1820	3.5388	0.1302	1.9376	0.0678
2006	3.2242	0.1123	3.4113	0.1253	2.8030	0.1002	1.3403	0.0845	2.6681	0.1574	3.9161	0.1652	3.2930	0.1117	2.0554	0.0766
All other mental disorders																
2010	1.4237	0.0508	1.1781	0.0474	1.9565	0.0661	5.9544	0.3000	3.5470	0.1583	1.8591	0.0774	0.6939	0.0339	0.3715	0.0260
2009	1.4817	0.0503	1.2134	0.0473	2.0678	0.0700	6.0692	0.3001	3.7650	0.1645	1.9336	0.0757	0.6808	0.0288	0.3750	0.0247
2008	1.4137	0.0821	1.1404	0.0661	2.0142	0.1225	6.3768	0.8585	3.3372	0.1663	1.6885	0.0732	0.6441	0.0281	0.3911	0.0254
2007	1.4446	0.0749	1.1490	0.0648	2.1068	0.1023	6.4342	0.7089	3.2868	0.1534	1.6969	0.0708	0.6614	0.0295	0.3506	0.0246
2006	1.3314	0.0485	1.0547	0.0439	1.9547	0.0727	5.6473	0.3071	2.8797	0.1454	1.6101	0.0644	0.6230	0.0251	0.3511	0.0262

See footnotes at end of table.

Table A8. Percent distribution that had co-occurring mental health-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcoholic psychoses																
Any mental health-related diagnoses																
2010	35.8272	0.7760	31.9712	0.7440	48.1321	0.8807	47.2693	3.1708	43.2087	1.8573	38.6815	1.0485	35.8145	0.7809	26.0733	0.6107
2009	36.9051	1.0180	32.9544	0.9775	49.6227	1.1220	46.0355	2.7252	43.0771	2.0581	41.1122	1.2823	36.1100	0.9934	26.8251	0.7330
2008	35.3893	1.0422	31.4219	0.9861	47.8734	1.1549	44.7724	3.7178	44.0622	2.1302	38.6830	1.3226	35.0149	1.0066	25.4688	0.6392
2007	34.1051	0.8959	30.4132	0.8639	46.1188	1.0709	46.2604	3.4343	44.2074	1.9964	38.0174	1.1198	33.1780	0.8690	24.2246	0.6975
2006	31.9967	0.7962	28.5753	0.7376	42.9506	1.0387	40.8282	3.5562	39.0353	2.1639	35.7516	1.0499	31.1824	0.7540	22.9012	0.6746
Adjustment disorder																
2010	0.7838	0.0890	0.6867	0.0872	1.0937	0.1222	2.6822	1.0001	1.4753	0.3831	0.9169	0.1277	0.6994	0.0851	0.6234	0.0939
2009	0.7324	0.0619	0.6668	0.0607	0.9438	0.0994	3.3253	0.8865	1.5930	0.3768	0.8760	0.0889	0.6425	0.0637	0.4836	0.0813
2008	0.7967	0.0700	0.7356	0.0683	0.9889	0.1030	—	—	1.7213	0.4246	0.8927	0.0943	0.6795	0.0664	0.8294	0.1024
2007	0.7095	0.0557	0.6517	0.0575	0.8979	0.0929	—	—	1.5002	0.4215	0.8291	0.0892	0.6053	0.0539	0.6321	0.0937
2006	0.7687	0.0669	0.6782	0.0635	1.0586	0.1119	—	—	1.6422	0.4178	0.9369	0.1061	0.6702	0.0633	0.5134	0.0782
Anxiety disorder																
2010	9.8849	0.2934	8.5064	0.2775	14.2813	0.4073	14.6927	1.9761	18.1395	1.3095	12.4328	0.4642	8.8614	0.2808	6.1415	0.3013
2009	9.7905	0.4237	8.3642	0.3856	14.3814	0.5867	12.2475	1.6641	16.2846	1.1929	12.2882	0.6416	8.7618	0.3626	6.3021	0.3430
2008	9.1116	0.3725	7.8359	0.3320	13.1269	0.5593	11.6920	1.6955	16.8177	1.3193	11.1211	0.5295	8.3400	0.3495	5.4294	0.2807
2007	8.4264	0.3794	7.3084	0.3552	12.0641	0.5545	11.0734	1.6532	15.9285	1.3067	10.5582	0.5740	7.5239	0.3603	4.8298	0.2665
2006	7.7125	0.2633	6.7339	0.2528	10.8471	0.4297	8.2742	1.5648	13.4759	1.2529	9.5453	0.3587	7.0976	0.2820	4.1147	0.2393
Bipolar disorder																
2010	6.9949	0.2583	6.1732	0.2412	9.6176	0.4038	10.1535	1.7298	9.3147	0.8538	8.6312	0.3769	6.9576	0.2666	2.0240	0.1926
2009	7.4323	0.3187	6.4553	0.3018	10.5776	0.4513	12.2112	1.7307	9.4330	1.0771	9.7074	0.4519	6.9319	0.2980	2.5677	0.2233
2008	6.8830	0.2947	5.9360	0.2699	9.8636	0.4336	11.2413	1.5215	9.9990	0.9866	8.6223	0.4283	6.5908	0.2797	2.3673	0.1793
2007	6.7407	0.3311	5.8676	0.3367	9.5816	0.4235	11.0099	1.6196	11.2739	1.2657	8.9122	0.4725	6.1108	0.2999	2.0812	0.2417
2006	5.7936	0.3187	5.1953	0.2934	7.7109	0.4741	11.1170	2.4913	8.9651	1.2566	7.5223	0.5050	5.3033	0.2572	2.0748	0.1858
Depressive disorder																
2010	20.2035	0.5139	17.5861	0.4815	28.5570	0.6706	19.5314	2.5271	17.6971	1.2003	19.9397	0.6656	21.1133	0.5268	16.9047	0.5630
2009	21.0527	0.6516	18.4208	0.6157	29.5261	0.7675	20.1175	2.1257	20.2914	1.3898	21.4386	0.7799	21.5808	0.6782	17.3977	0.5912
2008	20.1648	0.7555	17.4565	0.7049	28.6847	0.8995	18.0874	2.8534	19.9299	1.6465	20.4667	0.9177	20.7737	0.7666	16.4736	0.5518
2007	19.2451	0.6345	16.7210	0.5784	27.4576	0.8364	20.4738	2.2134	19.2671	1.2721	19.7698	0.7955	19.6808	0.6362	15.5272	0.5880
2006	18.6056	0.4993	16.0191	0.4482	26.8822	0.7152	16.9855	2.3833	17.5717	1.4624	19.3891	0.6280	18.9444	0.5221	14.9070	0.5440
Personality disorder																
2010	1.7138	0.1715	1.5540	0.1690	2.2240	0.2164	2.9364	0.8300	4.1361	0.6272	2.3461	0.2565	1.5204	0.1630	0.4217	0.0836
2009	2.0718	0.2185	1.9053	0.2091	2.6082	0.2828	2.9983	0.8831	4.6614	0.7514	2.7770	0.3161	1.8376	0.2105	0.6652	0.1219
2008	2.2621	0.2538	1.9974	0.2256	3.0953	0.3740	4.6575	0.8675	5.5142	0.7801	3.2261	0.3765	1.8680	0.2311	0.6271	0.1281
2007	2.2642	0.1933	1.8788	0.1735	3.5179	0.2938	4.6822	0.9129	5.2226	0.7485	3.2139	0.2979	1.8075	0.1619	0.9003	0.1402
2006	2.3267	0.2582	2.0653	0.2310	3.1643	0.3901	7.7421	1.5080	5.1886	0.8972	3.2632	0.3693	1.8982	0.2340	0.7827	0.1658
Schizophrenia and other psychotic disorders																
2010	3.0702	0.1155	3.2625	0.1279	2.4575	0.1360	—	—	2.0962	0.3421	3.0808	0.1562	3.2233	0.1367	2.4820	0.1757
2009	3.0340	0.1083	3.1514	0.1143	2.6540	0.1582	2.6765	0.8271	2.0780	0.3574	3.0028	0.1460	3.1762	0.1330	2.5848	0.1930
2008	2.9563	0.1116	3.1211	0.1208	2.4386	0.1476	—	—	2.4676	0.3970	2.9715	0.1623	3.1234	0.1363	2.2241	0.1687
2007	3.3111	0.1775	3.4373	0.1913	2.9017	0.2008	—	—	2.7018	0.5123	3.4087	0.2592	3.4154	0.1844	2.6800	0.2270
2006	2.9095	0.1218	3.0953	0.1379	2.3162	0.1381	—	—	2.7098	0.5045	2.9985	0.1688	2.9163	0.1357	2.6849	0.2171
All other mental disorders																
2010	1.2286	0.1102	0.9875	0.0981	1.9978	0.1841	9.3850	1.7226	4.9458	0.6337	1.8900	0.1908	0.8156	0.0922	0.4113	0.0678
2009	1.2869	0.0906	1.0684	0.0850	1.9902	0.1551	9.3161	1.7229	5.5952	0.9258	1.9873	0.1596	0.7818	0.0673	0.6228	0.1065
2008	1.1978	0.0864	0.9243	0.0659	2.0586	0.1781	9.7630	2.2001	5.3483	0.7005	1.7791	0.1414	0.7180	0.0546	0.6715	0.1010
2007	1.2242	0.0868	0.9385	0.0670	2.1535	0.1910	11.1219	2.0327	6.4321	0.8157	1.6590	0.1429	0.7872	0.0681	0.6302	0.0895
2006	0.9530	0.0567	0.8100	0.0591	1.4110	0.1089	8.0964	1.5734	3.7114	0.6746	1.3563	0.1090	0.6061	0.0486	0.6072	0.1188

See footnotes at end of table.

Table A8. Percent distribution that had co-occurring mental health-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol dependence syndrome																
Any mental health-related diagnoses																
2010	34.6911	0.7373	30.8569	0.7098	45.4060	0.8234	31.3610	1.8541	37.9393	1.6322	40.0989	0.9507	33.5162	0.6906	24.3301	0.4936
2009	35.7722	0.7228	31.7213	0.6934	46.8964	0.8069	32.6176	1.5999	39.4134	1.2821	41.8930	0.9134	34.1265	0.6834	25.0530	0.5216
2008	34.6778	0.8386	30.4472	0.7818	46.2920	0.9332	38.3069	3.4781	40.0078	1.5949	40.4197	1.0894	32.8907	0.7313	23.6800	0.4630
2007	34.2506	0.8225	30.2476	0.7705	45.3873	0.9544	35.6060	3.2209	39.7332	1.5669	40.5024	1.0520	32.1855	0.7230	22.3475	0.4964
2006	32.5274	0.7281	28.6044	0.7068	43.3749	0.7959	29.9399	1.8644	38.6548	1.4878	39.0809	0.9432	30.2683	0.6866	21.1976	0.4779
Adjustment disorder																
2010	0.9216	0.1030	0.8268	0.0968	1.1865	0.1288	1.9330	0.4070	1.7858	0.2564	1.2255	0.1550	0.7476	0.0805	0.5530	0.0555
2009	0.9027	0.0674	0.7952	0.0644	1.1982	0.0890	2.0355	0.2838	2.0615	0.2151	1.1360	0.0985	0.7519	0.0604	0.4765	0.0526
2008	0.9741	0.0802	0.8692	0.0734	1.2626	0.1106	2.4006	0.3707	1.9376	0.3188	1.2332	0.1125	0.7798	0.0638	0.6569	0.0661
2007	0.9280	0.0604	0.8397	0.0524	1.1739	0.0960	2.0699	0.2898	1.8894	0.2631	1.2318	0.0992	0.7109	0.0440	0.5527	0.0567
2006	1.0237	0.0790	0.8918	0.0698	1.3887	0.1183	2.3448	0.4100	2.3073	0.3145	1.3887	0.1151	0.7614	0.0595	0.5678	0.0518
Anxiety disorder																
2010	8.6024	0.2719	7.1631	0.2393	12.6228	0.3726	7.5171	0.6419	11.3624	0.6871	10.9130	0.3904	7.7619	0.2474	5.5340	0.1855
2009	8.5549	0.2607	7.1347	0.2269	12.4563	0.3696	7.4923	0.5922	10.7427	0.5657	10.9003	0.3820	7.6754	0.2293	5.4862	0.2067
2008	8.0483	0.2826	6.6125	0.2353	11.9890	0.4125	9.5643	1.4791	11.0791	0.6260	10.0501	0.4119	7.1785	0.2368	5.0845	0.1732
2007	7.5955	0.2737	6.3855	0.2384	10.9585	0.3914	7.5167	1.2051	9.9505	0.6840	9.4982	0.4053	6.8487	0.2345	4.4338	0.1661
2006	7.3997	0.2156	6.1471	0.1932	10.8657	0.3093	6.6758	0.5354	10.3524	0.6255	9.4310	0.3089	6.5706	0.2008	4.2196	0.1721
Bipolar disorder																
2010	8.0088	0.2741	6.9240	0.2633	11.0396	0.3480	8.7706	0.8158	10.7018	0.6573	10.7799	0.3874	7.3185	0.2518	2.5379	0.1475
2009	8.1998	0.2795	7.0116	0.2593	11.4656	0.3746	9.1704	0.7276	10.9375	0.6529	11.3577	0.3920	7.1845	0.2513	2.8896	0.1567
2008	7.7004	0.2662	6.4530	0.2417	11.1249	0.3617	10.2485	0.8005	10.9239	0.6840	10.3891	0.3836	6.8355	0.2212	2.3686	0.1323
2007	7.7139	0.3177	6.5549	0.2999	10.9397	0.4104	9.5932	0.8203	11.3201	0.8316	10.6511	0.4488	6.6022	0.2661	2.3287	0.1570
2006	7.0336	0.3004	6.0596	0.2919	9.7294	0.3656	8.1289	0.7939	9.7086	0.6614	9.8490	0.4475	5.9642	0.2476	2.2666	0.1476
Depressive disorder																
2010	18.4256	0.4459	15.9914	0.4105	25.2289	0.5455	13.0012	0.9510	16.0626	0.8836	19.4762	0.5399	18.6163	0.4516	15.6948	0.3910
2009	19.2915	0.4420	16.7008	0.4142	26.4012	0.5183	14.9845	0.9255	17.4246	0.7103	20.6959	0.5299	19.3319	0.4538	15.9706	0.3920
2008	18.8796	0.5578	16.1786	0.5014	26.2940	0.6784	17.4698	2.5291	18.4025	0.8855	20.5311	0.7113	18.6092	0.5136	15.4175	0.3795
2007	18.5945	0.5127	15.9752	0.4586	25.8813	0.6460	16.0473	2.0844	18.3489	0.8267	20.3946	0.6377	18.3046	0.4813	14.6601	0.4198
2006	18.0530	0.4375	15.4170	0.4119	25.3415	0.5242	13.5985	1.0942	18.2567	0.8470	20.3234	0.5452	17.6316	0.4490	13.4765	0.3743
Personality disorder																
2010	2.4303	0.2046	2.0613	0.1857	3.4619	0.2751	3.8796	0.5911	4.5743	0.4791	3.7059	0.3300	1.9046	0.1576	0.6042	0.0675
2009	2.7450	0.2403	2.3460	0.2157	3.8418	0.3200	4.4532	0.5816	5.4694	0.5483	4.1340	0.3779	2.1315	0.1905	0.6570	0.0692
2008	2.6399	0.2137	2.2644	0.1958	3.6715	0.2780	4.3062	0.5331	5.1450	0.4943	3.9817	0.3359	2.0093	0.1682	0.6642	0.0788
2007	2.9093	0.2055	2.3794	0.1780	4.3839	0.2946	5.0445	0.5400	5.8192	0.5635	4.4375	0.3386	2.1124	0.1448	0.6922	0.0741
2006	2.8310	0.2122	2.3588	0.1842	4.1356	0.3134	3.5328	0.4298	6.1484	0.5431	4.4351	0.3408	1.9980	0.1604	0.7081	0.0917
Schizophrenia and other psychotic disorders																
2010	4.1375	0.1947	4.3410	0.2145	3.5699	0.1643	2.7199	0.3908	3.5868	0.3465	4.7936	0.2636	4.1528	0.1980	2.4496	0.1286
2009	4.1168	0.1675	4.2853	0.1780	3.6537	0.1684	2.5074	0.2934	4.0454	0.3858	4.6974	0.2436	4.1192	0.1594	2.6018	0.1321
2008	3.8473	0.1546	4.0329	0.1656	3.3385	0.1515	2.2676	0.2966	3.4879	0.3670	4.3057	0.2023	3.9325	0.1652	2.3360	0.1168
2007	4.1774	0.2261	4.3302	0.2422	3.7551	0.2043	2.1300	0.2356	4.4664	0.3738	4.8946	0.3425	4.1546	0.2061	2.2335	0.1161
2006	3.7408	0.1356	3.8581	0.1467	3.4129	0.1430	2.0982	0.2966	4.3695	0.3769	4.4256	0.2082	3.5815	0.1289	2.4200	0.1219
All other mental disorders																
2010	1.4295	0.0723	1.1603	0.0630	2.1821	0.1129	7.4633	0.6972	4.8962	0.3437	2.2026	0.1206	0.8198	0.0531	0.5397	0.0575
2009	1.5083	0.0636	1.1906	0.0580	2.3795	0.0987	6.8154	0.5863	5.6419	0.3749	2.3423	0.1128	0.8367	0.0452	0.4756	0.0475
2008	1.4706	0.1169	1.1479	0.0871	2.3555	0.2099	11.0848	2.8221	5.2805	0.4330	2.1075	0.1372	0.7671	0.0450	0.4973	0.0480
2007	1.4954	0.1008	1.1382	0.0792	2.4891	0.1726	10.1819	2.1961	5.4959	0.4195	2.0725	0.1289	0.8092	0.0453	0.4875	0.0497
2006	1.3426	0.0716	1.0665	0.0635	2.1067	0.1127	6.5570	0.6538	4.5122	0.4491	1.9615	0.1199	0.7679	0.0415	0.4648	0.0582

See footnotes at end of table.

Table A8. Percent distribution that had co-occurring mental health-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Nondependent abuse of alcohol																
Any mental health-related diagnoses																
2010	24.9742	0.5582	21.3324	0.5246	33.6037	0.6292	20.7586	0.7553	24.0954	0.6667	28.5393	0.6880	24.1013	0.6014	18.3405	0.3928
2009	24.7552	0.5501	21.0110	0.5268	33.6718	0.6161	21.2659	0.7450	23.3155	0.6868	28.3435	0.6793	23.8149	0.5516	17.8495	0.3851
2008	24.0774	0.5378	20.0760	0.4950	33.6583	0.6251	20.7343	1.0503	22.8503	0.7141	27.3214	0.6574	23.3546	0.5226	17.0626	0.3902
2007	23.3965	0.5159	19.6206	0.4698	32.4908	0.6097	20.8140	0.9651	21.2804	0.6437	26.9233	0.6303	22.4391	0.4869	15.8355	0.3625
2006	23.0490	0.5056	19.2976	0.4899	32.1180	0.5584	20.3046	0.7008	21.3616	0.6146	26.7286	0.6370	21.9252	0.5081	15.0756	0.3335
Adjustment disorder																
2010	0.8598	0.0771	0.6879	0.0625	1.2675	0.1196	1.4165	0.1955	1.3628	0.1490	1.0743	0.1032	0.5604	0.0435	0.4051	0.0476
2009	0.8250	0.0561	0.6915	0.0494	1.1440	0.0803	1.3528	0.1359	1.1496	0.1124	1.0030	0.0742	0.5633	0.0396	0.4309	0.0439
2008	0.8694	0.0653	0.7190	0.0562	1.2290	0.0936	1.4426	0.1871	1.5212	0.1484	0.9878	0.0822	0.5729	0.0424	0.4352	0.0416
2007	0.8591	0.0493	0.7068	0.0429	1.2255	0.0735	1.5382	0.1491	1.3268	0.1138	0.9669	0.0613	0.5214	0.0361	0.4299	0.0417
2006	0.8113	0.0501	0.6130	0.0391	1.2905	0.0895	1.6244	0.1936	1.2521	0.1057	0.9101	0.0606	0.5057	0.0338	0.4374	0.0406
Anxiety disorder																
2010	6.4846	0.2017	5.1330	0.1763	9.6858	0.2597	4.8152	0.2403	6.6951	0.2341	7.8492	0.2627	5.9071	0.2079	4.7870	0.1791
2009	6.1899	0.1677	4.8463	0.1444	9.3914	0.2215	4.9616	0.2203	6.5616	0.2263	7.3754	0.2161	5.6226	0.1726	4.4722	0.1619
2008	5.8131	0.1585	4.5250	0.1340	8.8962	0.2199	4.5234	0.2982	6.0749	0.2130	6.8271	0.1973	5.4150	0.1608	4.0813	0.1535
2007	5.6004	0.1515	4.4347	0.1365	8.4045	0.2007	4.3951	0.2614	5.6609	0.2011	6.6239	0.1944	5.2517	0.1625	3.5837	0.1282
2006	5.8138	0.1588	4.6254	0.1414	8.6866	0.2182	4.6349	0.2175	5.9492	0.2273	7.0743	0.2200	5.2706	0.1513	3.4047	0.1261
Bipolar disorder																
2010	5.2716	0.1787	4.3522	0.1681	7.4501	0.2216	5.1804	0.3496	5.5458	0.2531	6.6397	0.2405	4.7047	0.1771	1.7791	0.1014
2009	5.0989	0.1751	4.1598	0.1547	7.3377	0.2501	5.2538	0.3432	5.0619	0.2438	6.5823	0.2344	4.3632	0.1516	1.7209	0.0993
2008	5.0208	0.1836	4.0115	0.1555	7.4360	0.2643	4.7578	0.3870	5.3397	0.2734	6.3266	0.2386	4.4335	0.1616	1.5812	0.0953
2007	4.6309	0.1609	3.7063	0.1350	6.8563	0.2362	4.4978	0.3298	4.5262	0.2344	5.9684	0.2125	3.9802	0.1409	1.4280	0.0877
2006	4.4316	0.1703	3.5968	0.1543	6.4494	0.2245	3.9507	0.2828	4.5758	0.2593	5.9029	0.2370	3.6453	0.1398	1.3553	0.0831
Depressive disorder																
2010	12.0299	0.3218	9.9634	0.2902	16.9269	0.3954	8.1155	0.3472	10.0380	0.3692	13.0139	0.3916	12.5097	0.3566	10.8976	0.2846
2009	12.0166	0.2996	9.8078	0.2742	17.2695	0.3579	8.4523	0.3355	10.0379	0.3785	13.0821	0.3713	12.4611	0.3203	10.5647	0.2811
2008	11.8637	0.3018	9.4839	0.2697	17.5596	0.3656	8.6248	0.4910	9.7861	0.3481	12.9782	0.3581	13.2076	0.3237	10.1269	0.2869
2007	11.6460	0.2941	9.3897	0.2611	17.0811	0.3667	8.9136	0.4643	9.0762	0.3338	12.9836	0.3702	11.9553	0.2992	9.4361	0.2641
2006	11.5778	0.2809	9.2936	0.2577	17.0993	0.3524	9.3068	0.4011	9.2403	0.3178	12.8510	0.3530	11.8481	0.3041	8.8816	0.2502
Personality disorder																
2010	1.2103	0.0893	0.9340	0.0756	1.8644	0.1297	1.2964	0.1188	1.7799	0.1526	1.7260	0.1363	0.8236	0.0660	0.2439	0.0338
2009	1.3361	0.0962	1.0449	0.0826	2.0300	0.1396	1.4329	0.1229	1.9532	0.1808	1.8544	0.1389	0.9217	0.0731	0.2841	0.0409
2008	1.2129	0.0899	0.9164	0.0749	1.9221	0.1360	1.4019	0.1208	1.6524	0.1447	1.6704	0.1323	0.8294	0.0673	0.2345	0.0292
2007	1.2884	0.0863	0.9656	0.0680	2.0663	0.1376	1.4834	0.1337	1.7054	0.1308	1.7814	0.1210	0.8534	0.0708	0.2943	0.0440
2006	1.1970	0.0792	0.9030	0.0648	1.9079	0.1285	1.2912	0.1201	1.7256	0.1468	1.6678	0.1204	0.7773	0.0556	0.2624	0.0343
Schizophrenia and other psychotic disorders																
2010	3.5920	0.1275	3.7535	0.1363	3.2086	0.1286	1.5517	0.0929	2.9019	0.1663	4.2436	0.1691	3.7733	0.1404	2.3679	0.1153
2009	3.5926	0.1862	3.8000	0.2005	3.1037	0.1677	1.4302	0.1034	2.6443	0.1674	4.1037	0.2264	3.9807	0.2213	2.4629	0.1249
2008	3.2460	0.1425	3.3777	0.1520	2.9345	0.1351	1.4282	0.1041	2.3115	0.1616	3.7306	0.1753	3.5980	0.1688	2.1880	0.1041
2007	3.2430	0.1189	3.3467	0.1271	2.9967	0.1262	1.3909	0.0965	2.4560	0.1427	3.8070	0.1572	3.4923	0.1323	2.2458	0.1079
2006	3.2662	0.1386	3.3864	0.1510	2.9772	0.1324	1.2821	0.0858	2.4139	0.1545	3.9031	0.1884	3.4839	0.1540	2.1620	0.1082
All other mental disorders																
2010	1.6665	0.0605	1.3284	0.0564	2.4678	0.0850	5.8153	0.3096	3.2872	0.1556	1.8227	0.0765	0.6733	0.0366	0.4108	0.0438
2009	1.7361	0.0674	1.3756	0.0617	2.5945	0.1038	6.0627	0.3219	3.3750	0.1640	1.8353	0.0805	0.6566	0.0360	0.4541	0.0455
2008	1.6082	0.0900	1.2589	0.0742	2.4432	0.1367	5.9621	0.6907	2.9714	0.1484	1.5546	0.0622	0.6177	0.0300	0.4224	0.0421
2007	1.6489	0.0872	1.2890	0.0775	2.5164	0.1219	6.0919	0.5960	2.8463	0.1391	1.6035	0.0660	0.6171	0.0348	0.3801	0.0394
2006	1.5252	0.0592	1.1461	0.0520	2.4409	0.1012	5.6402	0.3111	2.5852	0.1332	1.5064	0.0610	0.5973	0.0294	0.3837	0.0410

See footnotes at end of table.

Table A8. Percent distribution that had co-occurring mental health-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	
All chronic liver disease and cirrhosis																	
Any mental health-related diagnoses																	
2010	19.6209	0.2827	16.9071	0.2825	23.4323	0.3503	17.2438	1.5097	20.2839	0.9659	23.1011	0.4736	20.7959	0.3370	13.3574	0.2683	
2009	19.6119	0.3019	17.1581	0.3064	23.1190	0.3593	13.3672	1.1224	18.9550	1.3023	23.6011	0.5084	20.8908	0.3437	13.0589	0.2874	
2008	18.7729	0.3060	16.3205	0.3194	22.3317	0.3651	13.8397	1.1575	19.6011	1.2628	22.5292	0.5083	19.8457	0.3391	12.8275	0.2701	
2007	17.0954	0.3079	14.9051	0.3165	20.3728	0.3736	13.8219	1.0789	15.6800	1.2632	20.9222	0.5168	18.0726	0.3572	11.5025	0.2659	
2006	16.0234	0.3080	14.0399	0.3177	19.0594	0.3761	13.2290	1.7360	15.1250	1.4280	20.3008	0.5012	16.8042	0.3574	10.4079	0.2818	
Adjustment disorder																	
2010	0.2531	0.0174	0.2307	0.0187	0.2846	0.0253	—	—	—	—	0.3060	0.0348	0.2567	0.0231	0.1818	0.0235	
2009	0.2533	0.0173	0.2484	0.0198	0.2604	0.0236	—	—	—	—	0.2807	0.0311	0.2769	0.0237	0.1488	0.0221	
2008	0.2876	0.0195	0.2646	0.0229	0.3210	0.0242	1.0213	0.2714	—	—	0.3729	0.0427	0.2865	0.0226	0.1822	0.0257	
2007	0.2669	0.0179	0.2627	0.0204	0.2731	0.0270	—	—	—	—	0.3962	0.0490	0.2522	0.0196	0.1547	0.0232	
2006	0.2589	0.0191	0.2364	0.0231	0.2932	0.0255	—	—	—	—	0.3568	0.0387	0.2549	0.0233	0.1706	0.0265	
Anxiety disorder																	
2010	5.2027	0.1091	4.3238	0.1071	6.4364	0.1502	4.1023	0.5466	7.2917	0.6463	7.1250	0.2053	5.2292	0.1274	3.2882	0.1268	
2009	4.9649	0.1220	4.0602	0.1104	6.2592	0.1737	3.0538	0.4999	6.9608	0.8282	6.9184	0.2466	4.9523	0.1256	3.2442	0.1291	
2008	4.5732	0.1138	3.7592	0.1088	5.7549	0.1607	3.4875	0.7356	5.6606	0.7394	6.3790	0.2301	4.5249	0.1226	3.0697	0.1319	
2007	4.0308	0.1069	3.3355	0.1058	5.0708	0.1441	3.4105	0.5841	3.7995	0.5848	5.7593	0.2164	3.9778	0.1181	2.6822	0.1201	
2006	3.6409	0.1073	2.9886	0.0989	4.6391	0.1622	3.0846	0.6673	5.2695	0.7836	5.1841	0.1956	3.6514	0.1262	2.1958	0.0987	
Bipolar disorder																	
2010	3.2207	0.0869	2.8222	0.0981	3.7807	0.1163	4.9791	0.7693	5.1148	0.5577	4.8569	0.1868	3.4880	0.1070	0.8348	0.0576	
2009	3.1691	0.0950	2.8325	0.1000	3.6513	0.1297	2.5624	0.4984	3.3106	0.7402	5.3108	0.2233	3.3274	0.1061	0.8824	0.0632	
2008	3.0840	0.0997	2.6747	0.1055	3.6767	0.1308	3.0575	0.4995	4.7308	0.6271	4.7199	0.2266	3.4084	0.1089	0.7242	0.0560	
2007	2.4934	0.0834	2.1548	0.0912	2.9999	0.1200	3.0592	0.6197	2.4209	0.4571	4.1159	0.2100	2.6627	0.0995	0.6435	0.0569	
2006	2.4156	0.0874	2.1412	0.0887	2.8356	0.1248	2.8104	0.7035	2.6733	0.5839	4.2117	0.2055	2.5088	0.1010	0.5649	0.0541	
Depressive disorder																	
2010	11.0502	0.1911	9.0756	0.1852	13.8234	0.2482	7.4410	0.9057	7.6438	0.6456	11.6704	0.3077	11.8764	0.2292	8.6159	0.2073	
2009	11.2643	0.2137	9.5285	0.2147	13.7437	0.2669	6.1781	0.7713	9.1192	0.8829	12.0302	0.3178	12.2606	0.2651	8.3177	0.2119	
2008	10.6965	0.2137	8.8982	0.2173	13.3074	0.2612	5.1099	0.7875	9.5987	0.8336	11.7239	0.3313	11.3936	0.2523	8.2539	0.2041	
2007	9.9177	0.2066	8.3604	0.2071	12.2473	0.2695	5.4953	0.8058	8.3912	0.9457	11.2048	0.3118	10.5910	0.2457	7.3338	0.2107	
2006	9.2772	0.2044	7.7879	0.2002	11.5563	0.2652	6.1079	0.9551	7.5418	0.9985	10.8432	0.3344	9.8579	0.2340	6.6096	0.2253	
Personality disorder																	
2010	0.3972	0.0327	0.3625	0.0285	0.4459	0.0516	1.3358	0.5710	0.8887	0.3385	0.6507	0.0797	0.4046	0.0330	0.0814	0.0164	
2009	0.4405	0.0373	0.4719	0.0472	0.3960	0.0349	—	—	1.3058	0.3352	0.7963	0.1028	0.4353	0.0354	0.1028	0.0193	
2008	0.4619	0.0375	0.4661	0.0418	0.4559	0.0427	—	—	1.2631	0.3459	0.8997	0.1082	0.4425	0.0357	0.0869	0.0163	
2007	0.4553	0.0344	0.4201	0.0373	0.5080	0.0466	—	—	—	—	0.8924	0.0882	0.4328	0.0363	0.1252	0.0236	
2006	0.4699	0.0397	0.4585	0.0454	0.4875	0.0465	—	—	—	—	0.9300	0.0964	0.4548	0.0415	0.0837	0.0187	
Schizophrenia and other psychotic disorders																	
2010	1.9945	0.0677	2.2078	0.0856	1.6953	0.0716	0.7828	0.3590	1.9661	0.3859	2.1144	0.1407	2.2478	0.0790	1.2601	0.0771	
2009	1.9415	0.0637	2.1441	0.0826	1.6516	0.0720	—	—	1.5602	0.4478	1.9909	0.1100	2.2159	0.0814	1.2604	0.0777	
2008	1.9774	0.0709	2.2101	0.0961	1.6397	0.0664	—	—	1.3503	0.3253	2.0376	0.1237	2.2364	0.0900	1.3408	0.0753	
2007	1.9778	0.0660	2.1179	0.0844	1.7688	0.0814	—	—	1.4833	0.3638	1.9866	0.1247	2.2514	0.0871	1.3481	0.0822	
2006	1.9008	0.0709	2.0816	0.0903	1.6248	0.0804	—	—	—	—	2.1207	0.1180	2.0424	0.0891	1.4213	0.0916	
All other mental disorders																	
2010	0.5480	0.0237	0.4692	0.0264	0.6587	0.0360	4.0303	0.6056	2.9890	0.4085	0.9449	0.0644	0.4362	0.0254	0.2117	0.0226	
2009	0.5225	0.0242	0.4645	0.0280	0.6055	0.0338	4.4561	0.7389	3.2809	0.5534	1.0374	0.0647	0.3725	0.0253	0.1764	0.0227	
2008	0.5216	0.0273	0.4631	0.0299	0.6067	0.0377	4.1153	0.7811	2.3035	0.4176	1.0125	0.0797	0.3880	0.0239	0.2156	0.0257	
2007	0.4887	0.0261	0.3885	0.0267	0.6387	0.0429	4.9005	0.6976	2.5831	0.4827	0.8641	0.0651	0.3937	0.0278	0.1703	0.0250	
2006	0.4486	0.0247	0.3863	0.0265	0.5439	0.0420	3.1778	0.9344	1.5781	0.4049	0.8462	0.0581	0.3648	0.0274	0.1846	0.0259	

See footnotes at end of table.

Table A8. Percent distribution that had co-occurring mental health-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcoholic liver disease																
Any mental health-related diagnoses																
2010	22.4509	0.3948	19.5760	0.3938	30.0057	0.5562	30.2504	6.2341	38.5530	2.9884	27.1715	0.6667	22.5046	0.4213	14.3755	0.4574
2009	22.8049	0.4778	19.9199	0.4622	30.3847	0.6661	21.3438	4.8521	31.3680	3.5709	28.8069	0.8139	22.5394	0.4866	14.5725	0.4754
2008	22.1015	0.5082	19.0556	0.4849	30.1780	0.7109	44.1457	12.0098	40.8187	3.6192	27.0517	0.8283	21.8352	0.4958	14.6748	0.4677
2007	19.5305	0.4372	17.0930	0.4302	26.0525	0.6020	32.8517	6.3676	23.7644	3.4388	24.6482	0.7250	19.2298	0.4777	12.6785	0.4886
2006	18.3244	0.4162	15.9780	0.4128	24.5381	0.5898	—	—	21.8952	2.6607	22.9455	0.6626	18.1610	0.4550	11.4656	0.4516
Adjustment disorder																
2010	0.3348	0.0283	0.2903	0.0317	0.4519	0.0563	—	—	—	—	0.4181	0.0676	0.3190	0.0325	0.2648	0.0519
2009	0.3563	0.0297	0.3175	0.0310	0.4584	0.0586	—	—	—	—	0.4008	0.0562	0.3697	0.0383	0.1805	0.0466
2008	0.3870	0.0328	0.3341	0.0360	0.5272	0.0531	—	—	—	—	0.4718	0.0745	0.3703	0.0342	0.2871	0.0621
2007	0.3445	0.0294	0.3425	0.0313	0.3501	0.0603	—	—	—	—	0.5383	0.0890	0.3113	0.0300	0.1913	0.0454
2006	0.3223	0.0268	0.2810	0.0288	0.4319	0.0529	—	—	—	—	0.4550	0.0609	0.2928	0.0307	0.2344	0.0565
Anxiety disorder																
2010	5.5091	0.1443	4.6988	0.1478	7.6385	0.2677	—	—	13.8620	1.9962	7.8933	0.3305	5.2114	0.1578	2.9606	0.2003
2009	5.2518	0.1948	4.4251	0.1759	7.4234	0.3312	—	—	13.8644	2.4325	7.7227	0.4161	4.8658	0.1781	2.9468	0.2089
2008	5.1193	0.1893	4.2461	0.1686	7.4346	0.3405	21.7356	6.8399	14.6488	2.6079	7.3442	0.3640	4.6845	0.1817	3.1132	0.2261
2007	4.3580	0.1594	3.7562	0.1599	5.9682	0.2546	—	—	6.8631	1.7517	6.5546	0.3311	3.9870	0.1633	2.4395	0.2027
2006	3.8019	0.1442	3.2246	0.1271	5.3308	0.2873	—	—	8.2430	1.7090	5.4619	0.2692	3.5831	0.1536	1.9053	0.1570
Bipolar disorder																
2010	3.7435	0.1257	3.2601	0.1284	5.0138	0.2184	—	—	7.4999	1.4676	5.0657	0.2532	3.8939	0.1497	0.8368	0.1061
2009	3.7677	0.1602	3.2762	0.1509	5.0591	0.2835	—	—	5.1004	1.4962	6.0830	0.3392	3.5811	0.1616	1.0459	0.1363
2008	3.7543	0.1760	3.1038	0.1607	5.4789	0.3055	—	—	9.6412	2.2046	5.4898	0.3687	3.6939	0.1647	1.0508	0.1320
2007	3.0402	0.1268	2.5641	0.1281	4.3137	0.2375	—	—	—	—	4.5195	0.3012	3.0053	0.1429	0.8212	0.1216
2006	2.8482	0.1147	2.4691	0.1202	3.8523	0.2152	—	—	—	—	4.4672	0.2811	2.7390	0.1242	0.6771	0.0961
Depressive disorder																
2010	13.1582	0.2837	11.1711	0.2700	18.3801	0.4505	—	—	14.0106	1.7531	14.8092	0.4754	13.3171	0.3116	9.8940	0.3947
2009	13.7581	0.3339	11.7975	0.3209	18.9087	0.5127	—	—	16.3314	2.6750	15.6969	0.5146	13.9495	0.3827	9.8135	0.4038
2008	13.0078	0.3537	10.9731	0.3356	18.4025	0.5164	—	—	19.5050	2.5259	14.8461	0.5328	13.0404	0.3731	9.7443	0.3800
2007	11.6480	0.3036	9.9120	0.2961	16.2925	0.4656	—	—	13.5413	2.4713	13.8520	0.4796	11.5998	0.3431	8.3572	0.4148
2006	11.1091	0.2944	9.3991	0.2788	15.6373	0.4652	—	—	11.2407	2.1132	13.0823	0.4638	11.1449	0.3207	7.7833	0.3777
Personality disorder																
2010	0.5239	0.0481	0.4516	0.0441	0.7139	0.0917	—	—	—	—	0.8331	0.1257	0.4849	0.0439	0.1336	0.0488
2009	0.6777	0.0739	0.6853	0.0847	0.6581	0.0796	—	—	—	—	1.2189	0.2040	0.5835	0.0579	0.2567	0.0687
2008	0.7129	0.0714	0.6777	0.0719	0.8063	0.1021	—	—	3.4674	1.1678	1.2834	0.1819	0.6218	0.0621	0.1218	0.0343
2007	0.6720	0.0588	0.5763	0.0569	0.9280	0.1098	—	—	—	—	1.2391	0.1383	0.5607	0.0559	0.2682	0.0682
2006	0.6935	0.0688	0.6132	0.0698	0.9060	0.1127	—	—	—	—	1.2130	0.1517	0.6145	0.0648	0.1716	0.0487
Schizophrenia and other psychotic disorders																
2010	2.0723	0.0873	2.1454	0.1045	1.8806	0.1211	—	—	4.0241	1.1037	2.3281	0.1795	2.1768	0.0999	1.1276	0.1235
2009	2.0511	0.0822	2.0857	0.0932	1.9608	0.1305	—	—	—	—	2.3193	0.1669	2.1088	0.0950	1.4196	0.1557
2008	2.1436	0.1003	2.2484	0.1126	1.8661	0.1350	—	—	4.4042	1.3838	2.3058	0.1716	2.2301	0.1152	1.4041	0.1475
2007	2.0633	0.0996	2.1247	0.1079	1.8995	0.1472	—	—	—	—	2.1927	0.1805	2.1567	0.1190	1.4814	0.1461
2006	1.9464	0.0883	2.0204	0.1005	1.7506	0.1333	—	—	—	—	2.1866	0.1537	1.9819	0.1098	1.4589	0.1432
All other mental disorders																
2010	0.5019	0.0341	0.3939	0.0302	0.7856	0.0754	—	—	6.4046	1.4650	0.9385	0.1010	0.3668	0.0329	0.2390	0.0485
2009	0.4912	0.0368	0.3825	0.0356	0.7766	0.0730	—	—	4.7688	1.3511	1.0467	0.0964	0.3328	0.0326	0.1536	0.0380
2008	0.5188	0.0455	0.4307	0.0434	0.7522	0.0858	—	—	4.7320	1.4015	1.1206	0.1377	0.3258	0.0297	0.1742	0.0413
2007	0.4884	0.0393	0.3652	0.0350	0.8180	0.0935	—	—	—	—	0.9576	0.1033	0.3598	0.0412	0.1698	0.0440
2006	0.4213	0.0309	0.3141	0.0291	0.7049	0.0740	—	—	—	—	0.7595	0.0799	0.3421	0.0357	0.1567	0.0471

See footnotes at end of table.

Table A8. Percent distribution that had co-occurring mental health-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol poisoning																
Any mental health-related diagnoses																
2010	46.8589	1.2978	37.9568	1.4002	57.5880	1.1761	31.6501	1.8563	40.7151	2.2834	52.8324	1.4134	47.9176	1.6708	36.0883	2.3154
2009	44.4720	1.9445	36.1856	1.9197	55.2991	1.8314	27.3663	1.9910	39.6629	2.4145	48.7624	2.2704	47.7278	2.1726	37.3743	2.6649
2008	45.1707	1.2683	37.3676	1.3694	54.9117	1.1738	29.3204	1.5330	40.3517	1.8108	50.6936	1.3171	47.5620	1.8639	30.0995	2.6132
2007	45.9461	1.3405	38.2664	1.4539	55.4718	1.3364	29.5131	1.7187	41.1416	2.1296	51.9732	1.5061	48.2447	1.7247	30.1298	2.5452
2006	40.6043	1.3312	32.5047	1.3974	51.3218	1.3107	26.7745	1.4403	37.7941	1.7607	45.8857	1.4048	41.8655	1.9886	26.0682	2.8624
Adjustment disorder																
2010	2.7263	0.3271	2.2975	0.2846	3.2431	0.4422	2.9771	0.6191	3.6283	0.5567	3.0853	0.4559	2.1284	0.3384	—	—
2009	2.0638	0.1875	1.5406	0.1856	2.7475	0.2708	2.4510	0.3720	2.1533	0.4484	2.1529	0.2627	1.8475	0.2419	—	—
2008	2.3288	0.2341	2.0992	0.2521	2.6165	0.3075	1.7634	0.3399	2.6041	0.6219	2.7080	0.3022	2.0129	0.2778	2.0566	0.6620
2007	2.7048	0.2371	2.2442	0.2313	3.2778	0.3558	2.2660	0.4512	4.1187	0.6333	3.3712	0.3941	1.7882	0.2580	—	—
2006	2.1298	0.2023	1.5507	0.2003	2.8958	0.3347	2.1657	0.4549	3.1157	0.6244	2.5914	0.2716	1.2909	0.2451	—	—
Anxiety disorder																
2010	9.8340	0.4852	7.5004	0.5041	12.6466	0.6024	6.3749	0.7413	9.3743	1.3972	11.8407	0.6618	9.2068	0.5772	6.0388	1.0720
2009	9.4834	0.6171	7.1779	0.5827	12.4959	0.7497	5.6050	1.1007	9.8139	1.2604	10.9281	0.7789	9.1588	0.7260	8.5546	1.3650
2008	8.5295	0.3717	6.8234	0.3933	10.6578	0.5408	5.3655	0.6296	7.7619	0.9175	9.9718	0.5352	8.3975	0.5439	6.4361	1.1474
2007	8.3975	0.4463	6.6912	0.4786	10.5180	0.6245	5.9673	0.8523	8.4811	1.0317	9.4514	0.5512	8.2981	0.6596	5.7330	1.1862
2006	7.4497	0.3787	5.5636	0.3671	9.9448	0.5585	4.0594	0.5780	7.9665	0.8297	8.4228	0.5395	7.5341	0.5640	6.6001	1.3736
Bipolar disorder																
2010	10.4931	0.4692	8.5298	0.4974	12.8594	0.6089	6.7887	0.7168	9.3109	0.9206	13.5062	0.6681	9.3727	0.6076	3.3251	0.8796
2009	9.4909	0.5733	7.4888	0.6007	12.1070	0.6709	5.5006	0.7055	8.7798	0.9946	11.8738	0.8024	9.0808	0.7174	2.6043	0.8036
2008	9.0706	0.4202	7.0345	0.4261	11.6094	0.5528	4.8725	0.5830	7.4143	0.7947	11.6283	0.6098	8.7121	0.6740	2.5797	0.7460
2007	9.0960	0.4578	7.6265	0.4978	10.9249	0.5897	4.2610	0.6925	7.6402	0.8689	11.6142	0.6225	8.9566	0.6532	—	—
2006	7.2561	0.4380	5.9744	0.4664	8.9524	0.5534	4.3403	0.6065	6.3153	0.7713	9.0494	0.6699	6.8748	0.5478	—	—
Depressive disorder																
2010	28.5795	0.9207	22.1604	0.9621	36.3162	0.9854	15.9692	1.3192	23.2070	1.7762	30.9016	1.0534	31.7895	1.2877	26.7108	2.2115
2009	27.7918	1.3218	21.6517	1.2614	35.8146	1.3814	16.1904	1.5423	23.0461	1.7690	28.8708	1.5017	32.1383	1.5696	27.2752	2.4125
2008	28.6189	0.9297	22.9298	1.0085	35.7162	0.9489	17.2322	1.2155	24.8765	1.3425	31.1559	1.0401	31.8747	1.5333	20.9749	2.2688
2007	29.1427	0.9439	22.7970	0.9893	36.9961	1.0231	17.5684	1.2069	24.5683	1.6909	32.3326	1.1223	32.1825	1.3482	21.6266	2.3129
2006	26.5869	0.9915	19.8472	0.9754	35.5033	1.1161	15.5639	1.1825	23.9372	1.4934	29.4435	1.1315	29.2865	1.5516	18.1794	2.4959
Personality disorder																
2010	2.4803	0.2312	1.7936	0.2431	3.3079	0.3345	1.5021	0.3590	1.9447	0.4465	3.2732	0.3647	2.2546	0.2962	—	—
2009	2.6199	0.3101	1.6834	0.2489	3.8437	0.4588	2.0132	0.3761	3.6693	0.7459	3.2878	0.4888	2.0520	0.2872	—	—
2008	2.6735	0.2578	1.8119	0.2164	3.7464	0.3744	1.7534	0.3382	3.6349	0.7538	3.4547	0.3869	2.0448	0.2769	—	—
2007	2.8282	0.3401	1.8516	0.2713	4.0391	0.4970	1.5055	0.4303	3.9642	0.7407	3.3735	0.4310	2.6242	0.4024	—	—
2006	2.3977	0.2775	1.7850	0.2468	3.2084	0.4547	1.5296	0.3183	2.3898	0.5701	3.3436	0.3952	1.6505	0.2814	—	—
Schizophrenia and other psychotic disorders																
2010	2.6404	0.1902	3.1090	0.2609	2.0757	0.2400	0.9015	0.2759	1.6196	0.4176	3.2349	0.3008	2.7388	0.2781	3.1593	0.9735
2009	2.3919	0.1780	2.7209	0.2563	1.9621	0.1947	—	—	1.1344	0.3007	2.6888	0.2318	2.9725	0.3109	3.5738	1.1848
2008	2.4163	0.1680	2.9431	0.2502	1.7646	0.1883	0.6750	0.2304	1.1161	0.3422	2.5762	0.2575	3.4292	0.3156	—	—
2007	2.7149	0.2081	3.3467	0.2731	1.9377	0.2281	0.6915	0.2157	1.7000	0.4004	2.9742	0.3071	3.6286	0.3769	—	—
2006	2.3529	0.1782	2.7178	0.2523	1.8711	0.2308	—	—	1.6667	0.4108	2.7245	0.2611	2.8718	0.3733	—	—
All other mental disorders																
2010	2.8952	0.2007	2.5213	0.2390	3.3460	0.2808	7.9251	0.7396	4.9166	0.8724	2.6061	0.2864	1.2815	0.2061	—	—
2009	2.7484	0.2112	2.1751	0.2228	3.4973	0.3217	5.5818	0.8275	5.6333	0.8816	2.6185	0.2744	1.3226	0.1801	—	—
2008	2.4607	0.1696	2.1857	0.2038	2.8050	0.2500	5.7778	0.6622	4.9990	0.6514	2.2381	0.2354	0.9503	0.1727	—	—
2007	2.6175	0.2194	2.4178	0.2464	2.8680	0.3010	6.4230	0.7989	4.5033	0.7083	2.0959	0.2435	1.3592	0.2459	—	—
2006	2.4421	0.1837	2.2789	0.2348	2.6584	0.2523	5.9567	0.6660	4.2283	0.6142	2.2936	0.2534	0.6978	0.1587	—	—

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table A9. Percent distribution that had co-occurring injury-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Any alcohol-related diagnoses																
Any injury-related diagnoses																
2010	10.6052	0.2586	10.6761	0.2793	10.4268	0.2532	11.5645	0.3776	13.2697	0.3831	10.4887	0.2724	9.7365	0.2812	14.3706	0.4044
2009	11.0250	0.2816	11.1196	0.3046	10.7945	0.2710	12.1162	0.4765	14.3293	0.5193	10.9415	0.3301	10.0819	0.2599	13.9800	0.4059
2008	10.5685	0.3298	10.6290	0.3722	10.4182	0.2694	12.2440	0.4080	13.3143	0.5085	10.3560	0.3559	9.6143	0.3407	13.6171	0.4484
2007	10.3839	0.2866	10.4381	0.3184	10.2523	0.2654	11.9234	0.4086	13.6110	0.4987	10.1596	0.3409	9.3848	0.2732	13.2516	0.4290
2006	10.8639	0.3243	10.9462	0.3518	10.6609	0.3058	13.5301	0.4955	14.8323	0.5141	10.7533	0.3573	9.6601	0.3339	12.4646	0.3870
Unintentional injuries																
2010	7.3730	0.2092	7.5415	0.2272	6.9489	0.1967	7.3526	0.2911	8.2847	0.3328	6.6523	0.2161	7.2151	0.2264	12.2653	0.4025
2009	7.4243	0.1863	7.6732	0.2053	6.8096	0.1783	7.2470	0.2665	8.7620	0.3720	6.6669	0.2093	7.3176	0.1891	11.7313	0.3785
2008	7.2267	0.2447	7.4492	0.2779	6.6789	0.2047	7.4906	0.3273	8.3760	0.3792	6.4603	0.2364	7.0526	0.2697	11.7470	0.4112
2007	6.7255	0.2143	6.9382	0.2342	6.2100	0.2133	7.2151	0.3365	8.1716	0.3818	5.9511	0.2307	6.4881	0.2091	10.9209	0.4008
2006	6.8476	0.2350	7.1062	0.2609	6.2139	0.2091	7.7263	0.3467	8.2493	0.3864	6.1868	0.2371	6.5947	0.2592	10.1836	0.3763
Falls																
2010	3.5882	0.1040	3.6730	0.1117	3.3742	0.1111	2.1291	0.1306	2.5545	0.1579	2.6348	0.0984	4.0216	0.1295	9.1268	0.3382
2009	3.5742	0.0827	3.6925	0.0892	3.2819	0.0973	2.0206	0.1176	2.3766	0.1424	2.5858	0.0892	4.1172	0.1034	8.7395	0.3085
2008	3.2598	0.0971	3.3556	0.1117	3.0249	0.0981	1.8291	0.1145	2.3428	0.1577	2.3611	0.0857	3.7274	0.1257	8.5419	0.2945
2007	3.0465	0.0978	3.1272	0.1097	2.8520	0.1060	1.6681	0.1077	2.3196	0.1545	2.1833	0.0907	3.5040	0.1229	7.8360	0.3349
2006	2.9774	0.1027	3.0930	0.1135	2.6911	0.1126	1.6442	0.1175	2.0969	0.1687	2.2329	0.1029	3.4136	0.1286	7.3636	0.3144
Struck by or against objects/persons																
2010	0.2663	0.0130	0.2786	0.0156	0.2354	0.0182	0.4578	0.0472	0.4773	0.0617	0.3041	0.0228	0.1935	0.0133	0.1408	0.0341
2009	0.2723	0.0140	0.2902	0.0164	0.2278	0.0198	0.4008	0.0443	0.5518	0.0680	0.3117	0.0223	0.1919	0.0149	0.1935	0.0391
2008	0.2459	0.0145	0.2728	0.0179	0.1788	0.0168	0.4660	0.0571	0.4558	0.0515	0.2631	0.0219	0.1702	0.0150	0.1533	0.0321
2007	0.2314	0.0140	0.2405	0.0161	0.2094	0.0204	0.4351	0.0544	0.4471	0.0672	0.2591	0.0208	0.1485	0.0136	0.1290	0.0295
2006	0.2388	0.0137	0.2618	0.0168	0.1828	0.0188	0.4001	0.0502	0.3888	0.0601	0.2597	0.0207	0.1817	0.0163	0.1337	0.0373
Motor vehicle traffic																
2010	0.6312	0.0328	0.6184	0.0346	0.6635	0.0396	0.8413	0.0759	1.4317	0.1114	0.7806	0.0481	0.3978	0.0274	0.4813	0.0651
2009	0.6723	0.0449	0.6824	0.0474	0.6465	0.0499	0.8932	0.0857	1.7862	0.1569	0.8093	0.0643	0.4120	0.0308	0.4172	0.0588
2008	0.7043	0.0356	0.7353	0.0408	0.6272	0.0415	0.9501	0.0859	1.6945	0.1401	0.8632	0.0517	0.4136	0.0276	0.4458	0.0554
2007	0.6938	0.0350	0.7137	0.0387	0.6460	0.0448	0.9240	0.0772	1.8250	0.1456	0.7852	0.0484	0.4301	0.0293	0.5191	0.0848
2006	0.7016	0.0449	0.7297	0.0500	0.6332	0.0476	1.0958	0.1056	1.8153	0.1838	0.7698	0.0589	0.4417	0.0310	0.5003	0.0695
Cut or pierce																
2010	0.1357	0.0096	0.1288	0.0097	0.1530	0.0175	0.2387	0.0363	0.2273	0.0387	0.1657	0.0147	0.0887	0.0138	0.0965	0.0260
2009	0.1440	0.0097	0.1566	0.0118	0.1126	0.0130	0.1846	0.0301	0.3461	0.0626	0.1875	0.0166	0.0861	0.0110	—	—
2008	0.1456	0.0118	0.1564	0.0144	0.1192	0.0130	0.2296	0.0430	0.3860	0.0585	0.1691	0.0170	0.0894	0.0112	—	—
2007	0.1394	0.0103	0.1455	0.0124	0.1247	0.0156	0.1747	0.0304	0.3546	0.0565	0.1799	0.0182	0.0817	0.0116	—	—
2006	0.1463	0.0101	0.1473	0.0121	0.1439	0.0173	0.1772	0.0334	0.4086	0.0672	0.1710	0.0161	0.0933	0.0112	—	—
Poisoning																
2010	0.7911	0.0688	0.6926	0.0708	1.0388	0.0771	1.5045	0.1505	1.3949	0.1481	0.8047	0.0778	0.5883	0.0576	0.7457	0.0849
2009	0.9261	0.0958	0.8178	0.1013	1.1975	0.0935	1.8891	0.1905	1.4664	0.1876	0.9650	0.1081	0.6699	0.0779	0.7948	0.1044
2008	1.1009	0.1333	0.9859	0.1409	1.3826	0.1268	2.2045	0.2499	1.6321	0.2055	1.0249	0.1078	0.8849	0.1526	0.9960	0.1999
2007	0.9097	0.0875	0.8203	0.0909	1.1274	0.0983	2.1653	0.2371	1.3510	0.1683	0.8601	0.0883	0.6326	0.0771	0.8599	0.1014
2006	1.0941	0.1147	0.9880	0.1203	1.3538	0.1141	2.3598	0.1960	1.6934	0.1967	1.0962	0.1096	0.7995	0.1342	0.7275	0.1096
Intentional injuries																
2010	1.6598	0.0552	1.5571	0.0562	1.9184	0.0809	1.8883	0.1205	3.0000	0.1639	2.1662	0.0819	1.2011	0.0487	0.5386	0.0581
2009	1.7990	0.0875	1.6404	0.0855	2.1945	0.1109	2.3159	0.2428	3.1642	0.2193	2.3616	0.1103	1.2508	0.0661	0.5357	0.0681
2008	1.7966	0.0702	1.6503	0.0720	2.1550	0.0894	2.3609	0.1260	3.0218	0.1868	2.3411	0.1047	1.2267	0.0557	0.4620	0.0621
2007	1.6807	0.0592	1.5172	0.0601	2.0773	0.0815	2.0704	0.1225	2.8665	0.1864	2.2182	0.0874	1.1486	0.0564	0.3897	0.0553
2006	1.7327	0.0673	1.5754	0.0703	2.1177	0.0884	2.3118	0.1536	3.2929	0.2152	2.2170	0.0965	1.1817	0.0561	0.3052	0.0509

See footnotes at end of table.

Table A9. Percent distribution that had co-occurring injury-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcoholic psychoses																
Any injury-related diagnoses																
2010	9.3749	0.3202	9.6319	0.3485	8.5577	0.3840	7.0545	1.8241	5.9859	1.0853	7.9782	0.3475	9.9236	0.3597	14.5821	0.9048
2009	9.0875	0.3204	9.2673	0.3449	8.5021	0.3735	11.4886	2.5905	9.4090	1.0578	7.8920	0.3745	9.2454	0.3304	14.7518	0.9366
2008	8.9645	0.2983	9.1945	0.3185	8.2327	0.4047	9.0573	2.1665	9.0695	1.1936	7.6484	0.3314	9.2906	0.3365	15.0182	0.9223
2007	8.5054	0.3516	8.6025	0.3958	8.1834	0.3831	10.5285	2.1798	8.4851	1.3522	7.3952	0.4198	8.7965	0.3647	13.5420	0.8416
2006	8.7423	0.2798	9.0702	0.3335	7.6805	0.3334	10.5419	2.7667	9.5714	1.5240	7.4555	0.2985	9.4084	0.3629	11.7105	0.7698
Unintentional injuries																
2010	7.2093	0.2685	7.4522	0.2939	6.4361	0.3326	—	—	4.1350	1.0145	5.8293	0.2911	7.7680	0.3100	12.2229	0.8338
2009	6.7498	0.2573	6.9831	0.2809	5.9861	0.2868	—	—	5.4681	0.8223	5.2789	0.2845	7.2427	0.2817	12.3396	0.8164
2008	6.8810	0.2474	7.1236	0.2665	6.1088	0.3328	—	—	4.8805	0.7904	5.5049	0.2617	7.4241	0.2956	12.6241	0.8272
2007	6.0768	0.2763	6.1986	0.3087	5.6720	0.3313	—	—	3.9281	0.8270	4.9359	0.3397	6.5978	0.2878	10.4370	0.7797
2006	6.0683	0.2448	6.4187	0.2819	4.9319	0.2743	—	—	4.1005	0.8925	4.7809	0.2356	6.8617	0.3316	9.2179	0.6766
Falls																
2010	4.3534	0.1842	4.3532	0.1942	4.3553	0.2720	—	—	1.4682	0.3951	3.1008	0.1945	4.7758	0.2117	9.6227	0.7250
2009	4.0123	0.1727	4.0860	0.1861	3.7729	0.2239	—	—	1.9918	0.4506	2.7579	0.1950	4.4068	0.1923	9.2488	0.6303
2008	4.0430	0.1666	4.1112	0.1842	3.8261	0.2487	—	—	2.0917	0.5570	2.9064	0.1776	4.3427	0.2062	10.1471	0.7291
2007	3.4364	0.1818	3.4373	0.2002	3.4342	0.2597	—	—	1.6701	0.5367	2.5400	0.1913	3.8458	0.2125	6.9559	0.6157
2006	3.5294	0.1703	3.6714	0.1961	3.0692	0.2200	—	—	—	—	2.5477	0.1894	4.0706	0.2163	6.9246	0.5971
Struck by or against objects/persons																
2010	0.1725	0.0219	0.1856	0.0261	0.1310	0.0400	—	—	—	—	0.1735	0.0329	0.1859	0.0328	—	—
2009	0.2208	0.0261	0.2323	0.0305	0.1830	0.0488	—	—	—	—	0.2047	0.0425	0.2279	0.0325	—	—
2008	0.1914	0.0243	0.2144	0.0297	0.1181	0.0338	—	—	—	—	0.1884	0.0358	0.2044	0.0312	—	—
2007	0.1799	0.0274	0.1676	0.0279	0.2207	0.0551	—	—	—	—	0.2412	0.0477	0.1146	0.0299	—	—
2006	0.2004	0.0268	0.2099	0.0303	0.1694	0.0494	—	—	—	—	0.1996	0.0401	0.2107	0.0379	—	—
Motor vehicle traffic																
2010	0.2070	0.0244	0.2400	0.0304	—	—	—	—	—	—	0.2353	0.0407	0.2024	0.0373	—	—
2009	0.1576	0.0207	0.1644	0.0229	0.1353	0.0413	—	—	—	—	0.1588	0.0330	0.1382	0.0251	—	—
2008	0.1734	0.0240	0.1699	0.0254	0.1848	0.0523	—	—	—	—	0.1802	0.0377	0.1652	0.0342	—	—
2007	0.1582	0.0226	0.1598	0.0263	0.1532	0.0426	—	—	—	—	0.0754	0.0229	0.1993	0.0362	—	—
2006	0.1881	0.0274	0.2065	0.0339	—	—	—	—	—	—	0.1436	0.0335	0.2263	0.0445	—	—
Cut or pierce																
2010	0.1016	0.0216	0.0876	0.0165	—	—	—	—	—	—	0.1017	0.0253	0.1093	0.0357	—	—
2009	0.0889	0.0154	0.1088	0.0195	—	—	—	—	—	—	0.1029	0.0255	0.0896	0.0225	—	—
2008	0.0689	0.0150	0.0777	0.0186	—	—	—	—	—	—	—	—	0.0689	0.0211	—	—
2007	0.0955	0.0196	0.0964	0.0236	—	—	—	—	—	—	0.0949	0.0266	0.0978	0.0331	—	—
2006	0.1130	0.0216	0.1177	0.0255	—	—	—	—	—	—	0.1028	0.0319	0.1205	0.0304	—	—
Poisoning																
2010	0.2955	0.0317	0.3084	0.0360	0.2545	0.0539	—	—	—	—	0.2660	0.0481	0.3072	0.0409	—	—
2009	0.2394	0.0327	0.2316	0.0357	0.2656	0.0682	—	—	—	—	0.1873	0.0351	0.2821	0.0467	—	—
2008	0.2719	0.0348	0.2532	0.0410	0.3315	0.0643	—	—	—	—	0.2593	0.0463	0.2740	0.0451	—	—
2007	0.2416	0.0307	0.2493	0.0350	0.2160	0.0530	—	—	—	—	0.2366	0.0442	0.2122	0.0365	0.5597	0.1774
2006	0.1499	0.0240	0.1207	0.0234	0.2448	0.0679	—	—	—	—	0.2319	0.0465	0.0925	0.0285	—	—
Intentional injuries																
2010	0.9593	0.0777	0.9149	0.0827	1.1012	0.1288	—	—	1.1291	0.3607	1.0933	0.1038	0.9085	0.0882	—	—
2009	0.9391	0.0661	0.8667	0.0712	1.1789	0.1335	7.5857	2.4963	2.4218	0.5595	1.1841	0.1035	0.6912	0.0609	—	—
2008	0.9657	0.0790	0.8888	0.0814	1.2113	0.1445	5.6844	1.7485	3.3252	0.6948	1.1063	0.1080	0.7758	0.0821	—	—
2007	0.8219	0.0776	0.7330	0.0785	1.1188	0.1493	—	—	3.1653	0.9622	0.9800	0.1009	0.6304	0.0811	—	—
2006	0.8711	0.0776	0.7947	0.0795	1.1198	0.1566	—	—	2.6290	0.8244	1.0263	0.1090	0.7179	0.0788	—	—

See footnotes at end of table.

Table A9. Percent distribution that had co-occurring injury-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol dependence syndrome																
Any injury-related diagnoses																
2010	8.0284	0.3497	7.8989	0.3606	8.4107	0.3927	8.9165	0.8285	7.5724	0.6902	7.4329	0.3487	7.7787	0.3801	14.9797	0.8577
2009	8.6551	0.2620	8.6353	0.2735	8.7192	0.3391	8.5526	0.7634	8.2720	0.7898	7.4720	0.2987	8.8836	0.2827	15.5593	0.7853
2008	7.5418	0.3110	7.4487	0.3397	7.8004	0.3300	8.7617	0.8755	7.9689	0.6734	6.6612	0.3445	7.5235	0.3169	13.7115	0.8104
2007	7.8333	0.3976	7.7443	0.4152	8.0863	0.4259	7.8682	1.0796	9.0373	0.8812	6.9231	0.3881	7.8004	0.3674	14.0776	1.0417
2006	8.1977	0.2829	8.0660	0.2893	8.5687	0.3934	8.5976	0.8137	9.7549	0.7623	7.6293	0.3317	7.8839	0.3235	14.3133	0.7988
Unintentional injuries																
2010	5.6920	0.2737	5.6997	0.2904	5.6636	0.2931	5.5615	0.5709	4.3857	0.5182	4.6214	0.2489	5.8298	0.3097	13.4801	0.8366
2009	5.9949	0.1999	6.1325	0.2122	5.6053	0.2555	5.1358	0.5703	4.3563	0.5771	4.5064	0.2021	6.5518	0.2388	13.4782	0.7173
2008	5.1686	0.2254	5.2456	0.2541	4.9502	0.2462	4.6377	0.6821	4.1145	0.5043	3.9929	0.2325	5.5761	0.2525	11.9772	0.7189
2007	5.0090	0.2229	5.0279	0.2389	4.9574	0.2732	3.8600	0.5087	4.7210	0.5192	3.9650	0.2251	5.2635	0.2517	11.7102	0.7570
2006	5.2702	0.2145	5.3426	0.2207	5.0558	0.2998	4.8972	0.6621	4.8338	0.5693	4.2923	0.2087	5.4993	0.2712	11.7758	0.7445
Falls																
2010	3.1184	0.1497	3.1397	0.1574	3.0492	0.1820	1.8285	0.3029	1.3149	0.2085	2.0003	0.1223	3.4439	0.1948	10.4235	0.6733
2009	3.4382	0.1280	3.4895	0.1344	3.2939	0.1862	1.5416	0.3034	1.2030	0.2504	2.0828	0.1320	4.0091	0.1699	11.0058	0.6468
2008	2.9134	0.1334	2.9464	0.1466	2.8169	0.1772	1.6527	0.4028	1.3765	0.2571	1.7141	0.1245	3.4286	0.1650	9.7418	0.6223
2007	2.8087	0.1333	2.7805	0.1450	2.8891	0.1751	1.0983	0.2491	1.5650	0.3178	1.7157	0.1171	3.1776	0.1619	10.0080	0.7020
2006	2.8785	0.1325	2.8711	0.1348	2.8903	0.2250	1.8449	0.3341	1.6072	0.3248	1.9058	0.1215	3.2536	0.1817	9.1118	0.6819
Struck by or against objects/persons																
2010	0.2424	0.0232	0.2529	0.0279	0.2112	0.0373	—	—	0.4757	0.1319	0.2631	0.0390	0.2013	0.0261	—	—
2009	0.2104	0.0210	0.2181	0.0241	0.1884	0.0350	—	—	0.4981	0.1401	0.2152	0.0347	0.1647	0.0240	—	—
2008	0.1640	0.0182	0.1736	0.0211	0.1369	0.0323	—	—	—	—	0.1648	0.0268	0.1145	0.0224	—	—
2007	0.1566	0.0190	0.1501	0.0202	0.1750	0.0388	—	—	—	—	0.1711	0.0295	0.1259	0.0249	—	—
2006	0.2047	0.0234	0.2076	0.0270	0.1967	0.0449	—	—	—	—	0.2664	0.0408	0.1519	0.0275	—	—
Motor vehicle traffic																
2010	0.3481	0.0433	0.3021	0.0397	0.4856	0.0866	1.0840	0.2533	0.6604	0.1934	0.4292	0.0718	0.2134	0.0287	0.4401	0.1429
2009	0.3145	0.0340	0.3256	0.0379	0.2828	0.0515	0.7074	0.2079	0.8048	0.1906	0.3160	0.0475	0.2501	0.0337	—	—
2008	0.3228	0.0339	0.3072	0.0361	0.3665	0.0532	—	—	0.8899	0.1955	0.3463	0.0453	0.2428	0.0338	—	—
2007	0.3519	0.0352	0.3681	0.0413	0.3065	0.0541	0.6245	0.1963	1.1083	0.2558	0.3408	0.0480	0.2744	0.0388	—	—
2006	0.3769	0.0459	0.3810	0.0481	0.3655	0.0643	0.8018	0.2503	1.3659	0.3283	0.4048	0.0635	0.2255	0.0353	—	—
Cut or pierce																
2010	0.1013	0.0147	0.0900	0.0160	0.1349	0.0320	—	—	—	—	0.1174	0.0251	0.0625	0.0153	—	—
2009	0.1254	0.0161	0.1266	0.0194	0.1221	0.0260	—	—	—	—	0.1695	0.0271	0.0661	0.0150	—	—
2008	0.0944	0.0140	0.0910	0.0171	0.1040	0.0260	—	—	—	—	0.1106	0.0252	0.0768	0.0160	—	—
2007	0.1134	0.0164	0.1129	0.0188	0.1148	0.0288	—	—	—	—	0.1696	0.0307	0.0637	0.0169	—	—
2006	0.1053	0.0150	0.1201	0.0187	—	—	—	—	—	—	0.1089	0.0251	0.0865	0.0193	—	—
Poisoning																
2010	0.2009	0.0204	0.1659	0.0209	0.3057	0.0465	—	—	—	—	0.2404	0.0339	0.1841	0.0287	—	—
2009	0.2308	0.0244	0.1899	0.0237	0.3483	0.0507	—	—	—	—	0.2612	0.0412	0.2125	0.0286	—	—
2008	0.1954	0.0212	0.1463	0.0201	0.3327	0.0514	—	—	—	—	0.2147	0.0342	0.1689	0.0267	—	—
2007	0.2082	0.0238	0.1787	0.0249	0.2914	0.0538	—	—	—	—	0.2482	0.0374	0.1365	0.0245	—	—
2006	0.2108	0.0250	0.1751	0.0242	0.3130	0.0598	—	—	—	—	0.2478	0.0364	0.1735	0.0341	—	—
Intentional injuries																
2010	1.2681	0.0769	1.1341	0.0738	1.6686	0.1428	1.6384	0.2768	2.2066	0.3235	1.6854	0.1220	0.9478	0.0715	0.4696	0.1084
2009	1.4738	0.0801	1.3119	0.0853	1.9395	0.1477	2.3957	0.4038	2.7579	0.3917	1.8052	0.1254	1.1543	0.0786	0.4771	0.1312
2008	1.4183	0.0970	1.2524	0.0864	1.8835	0.1620	2.6352	0.4574	2.5824	0.3369	1.7709	0.1433	1.0371	0.0814	0.4905	0.1509
2007	1.2803	0.0847	1.1697	0.0864	1.5917	0.1336	1.7205	0.3298	2.2053	0.3750	1.6258	0.1285	0.9831	0.0806	—	—
2006	1.4103	0.1083	1.2680	0.1089	1.8179	0.1734	1.5442	0.3029	3.3876	0.4662	1.6830	0.1662	1.1200	0.0964	—	—

See footnotes at end of table.

Table A9. Percent distribution that had co-occurring injury-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Nondependent abuse of alcohol																
Any injury-related diagnoses																
2010	11.2082	0.2972	11.5838	0.3313	10.3336	0.2921	9.2586	0.3199	13.0980	0.4003	11.3359	0.3019	10.6313	0.4020	18.1412	0.8076
2009	11.3029	0.3438	11.6727	0.3990	10.4462	0.3019	8.8879	0.2961	13.7390	0.5737	11.6855	0.4274	10.6262	0.3781	17.0108	0.8232
2008	10.7613	0.3662	11.1800	0.4328	9.7945	0.2831	9.0333	0.2947	12.2219	0.5210	10.9899	0.4099	10.1210	0.4428	17.2092	0.8112
2007	10.8620	0.3218	11.3196	0.3726	9.8351	0.2905	8.7929	0.3060	12.7940	0.5139	10.8720	0.3602	10.4245	0.3992	17.8518	0.9134
2006	11.0013	0.4108	11.4022	0.4798	10.0804	0.3319	9.8446	0.4067	13.4186	0.5441	10.9324	0.4645	10.1998	0.5088	18.1478	0.8152
Unintentional injuries																
2010	7.9729	0.2532	8.3106	0.2786	7.1862	0.2484	6.3802	0.2677	8.4033	0.3618	7.4038	0.2593	8.0985	0.3311	16.1615	0.7928
2009	7.8677	0.2394	8.2788	0.2785	6.9193	0.2206	5.8296	0.2112	8.8531	0.4550	7.3829	0.2876	8.0470	0.2906	15.0729	0.7537
2008	7.5221	0.2675	7.9587	0.3179	6.5131	0.2123	5.8485	0.2459	8.1370	0.3942	7.0322	0.2719	7.6400	0.3478	15.6101	0.7716
2007	7.2762	0.2617	7.7677	0.2998	6.1726	0.2369	5.5962	0.2617	8.0939	0.4068	6.6065	0.2632	7.5298	0.3310	15.5496	0.8942
2006	7.1877	0.3196	7.6096	0.3731	6.2198	0.2634	6.0048	0.3168	7.6976	0.4340	6.5723	0.3311	7.3177	0.4141	15.5795	0.8354
Falls																
2010	3.9152	0.1324	4.0485	0.1442	3.6048	0.1451	2.2056	0.1415	2.9408	0.1990	2.9819	0.1206	4.6630	0.1905	12.6427	0.6671
2009	3.8755	0.1165	4.0027	0.1292	3.5835	0.1351	2.0958	0.1272	2.7351	0.1782	2.9450	0.1304	4.7594	0.1781	12.1441	0.6410
2008	3.5111	0.1325	3.6337	0.1548	3.2302	0.1321	1.8841	0.1213	2.5973	0.1912	2.6540	0.1110	4.3232	0.2140	12.1487	0.6606
2007	3.3590	0.1328	3.5275	0.1523	2.9832	0.1395	1.7069	0.1210	2.5832	0.1841	2.4497	0.1199	4.2424	0.2136	11.9139	0.7492
2006	3.2357	0.1488	3.3746	0.1682	2.9132	0.1446	1.6910	0.1255	2.2926	0.2008	2.4297	0.1465	4.0326	0.2360	12.1024	0.7283
Struck by or against objects/persons																
2010	0.3435	0.0195	0.3562	0.0243	0.3140	0.0279	0.4909	0.0527	0.5258	0.0738	0.3901	0.0344	0.2284	0.0218	—	—
2009	0.3536	0.0220	0.3798	0.0265	0.2933	0.0309	0.4041	0.0487	0.6117	0.0830	0.4274	0.0339	0.2193	0.0253	0.2313	0.0747
2008	0.3317	0.0234	0.3697	0.0290	0.2417	0.0260	0.4692	0.0605	0.4842	0.0595	0.3581	0.0358	0.2185	0.0273	0.2506	0.0702
2007	0.3247	0.0223	0.3509	0.0265	0.2661	0.0312	0.4667	0.0614	0.4547	0.0821	0.3378	0.0328	0.2217	0.0246	0.2575	0.0706
2006	0.3099	0.0224	0.3452	0.0285	0.2294	0.0295	0.4219	0.0554	0.4698	0.0755	0.3038	0.0290	0.2394	0.0300	—	—
Motor vehicle traffic																
2010	0.9855	0.0585	0.9844	0.0645	0.9880	0.0652	0.8573	0.0809	1.7644	0.1393	1.1930	0.0801	0.6683	0.0576	1.0009	0.1516
2009	1.1123	0.0844	1.1338	0.0917	1.0615	0.0892	0.9308	0.0966	2.1678	0.2015	1.3463	0.1198	0.7435	0.0688	0.8247	0.1382
2008	1.1557	0.0652	1.2409	0.0780	0.9574	0.0697	1.0403	0.0963	2.0088	0.1745	1.4053	0.0912	0.7380	0.0606	1.0250	0.1415
2007	1.1465	0.0626	1.1995	0.0699	1.0284	0.0807	0.9864	0.0855	2.1236	0.1790	1.3322	0.0832	0.7703	0.0650	1.0765	0.2118
2006	1.1588	0.0806	1.2185	0.0926	1.0227	0.0824	1.1830	0.1216	2.0742	0.2174	1.2506	0.1027	0.8259	0.0767	1.1561	0.1805
Cut or pierce																
2010	0.1772	0.0137	0.1772	0.0161	0.1772	0.0223	0.2309	0.0378	0.2369	0.0454	0.2216	0.0250	0.1045	0.0177	0.1966	0.0624
2009	0.1837	0.0162	0.1988	0.0199	0.1488	0.0218	0.1842	0.0327	0.3545	0.0784	0.2337	0.0259	0.1071	0.0213	—	—
2008	0.2163	0.0192	0.2377	0.0239	0.1672	0.0212	0.2542	0.0489	0.4256	0.0741	0.2516	0.0267	0.1289	0.0212	—	—
2007	0.1919	0.0179	0.2078	0.0225	0.1564	0.0242	0.1804	0.0335	0.3933	0.0680	0.2366	0.0308	0.1127	0.0216	—	—
2006	0.2080	0.0177	0.1983	0.0208	0.2305	0.0314	0.1743	0.0341	0.4706	0.0833	0.2520	0.0291	0.1187	0.0208	—	—
Poisoning																
2010	0.2542	0.0205	0.1955	0.0186	0.3913	0.0408	0.2898	0.0433	0.4695	0.0947	0.2810	0.0269	0.1793	0.0244	—	—
2009	0.2648	0.0208	0.2151	0.0203	0.3810	0.0402	0.2785	0.0436	0.5008	0.0927	0.3129	0.0336	0.1709	0.0225	0.1625	0.0511
2008	0.2546	0.0197	0.2066	0.0208	0.3648	0.0339	0.2569	0.0418	0.4267	0.0627	0.2833	0.0271	0.1949	0.0236	—	—
2007	0.2360	0.0192	0.1883	0.0187	0.3434	0.0361	0.2385	0.0396	0.3575	0.0650	0.2589	0.0289	0.1882	0.0255	—	—
2006	0.2598	0.0215	0.2048	0.0200	0.3857	0.0427	0.3361	0.0504	0.3244	0.0653	0.3024	0.0343	0.1779	0.0251	—	—
Intentional injuries																
2010	1.8406	0.0672	1.8258	0.0737	1.8751	0.0911	1.4670	0.1062	2.9596	0.1897	2.3818	0.1069	1.3630	0.0686	0.5364	0.1011
2009	1.9519	0.1081	1.8669	0.1191	2.1483	0.1148	1.6498	0.1266	2.9626	0.2185	2.6594	0.1546	1.3265	0.0965	0.4124	0.0916
2008	1.9702	0.0933	1.9367	0.1036	2.0479	0.1059	1.8231	0.1189	2.7273	0.2025	2.5861	0.1394	1.3620	0.0872	0.4815	0.1036
2007	1.8274	0.0806	1.7503	0.0858	1.9993	0.1034	1.5872	0.1199	2.5737	0.1936	2.3996	0.1172	1.2954	0.0853	0.4272	0.0973
2006	1.8460	0.0923	1.7817	0.1033	1.9941	0.1107	1.8264	0.1495	2.8987	0.2310	2.3809	0.1309	1.1901	0.0826	0.2863	0.0869

See footnotes at end of table.

Table A9. Percent distribution that had co-occurring injury-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
All chronic liver disease and cirrhosis																
Any injury-related diagnoses																
2010	3.4587	0.1319	3.5437	0.1680	3.3101	0.1975	—	—	—	—	2.8092	0.2757	3.4743	0.1643	4.2911	0.3409
2009	3.4527	0.1549	3.6156	0.1849	3.1749	0.2361	—	—	—	—	3.0773	0.2956	3.4918	0.1845	3.7615	0.3177
2008	3.6090	0.1337	3.6136	0.1550	3.6005	0.2176	—	—	—	—	3.1717	0.2824	3.5736	0.1600	4.3590	0.3307
2007	3.4903	0.1481	3.3751	0.1727	3.6972	0.2666	—	—	—	—	3.0958	0.2986	3.4213	0.2120	4.2024	0.3370
2006	3.1870	0.1497	3.4373	0.1851	2.7357	0.1885	—	—	—	—	3.0752	0.2655	3.2101	0.1809	3.2538	0.3211
Unintentional injuries																
2010	2.7541	0.1219	2.7559	0.1539	2.7509	0.1842	—	—	—	—	1.9469	0.2272	2.8805	0.1538	3.3270	0.3001
2009	2.5687	0.1244	2.6741	0.1549	2.3890	0.1942	—	—	—	—	2.1214	0.2279	2.5977	0.1504	2.9828	0.2765
2008	2.7190	0.1221	2.7074	0.1386	2.7403	0.1941	—	—	—	—	2.2054	0.2314	2.6400	0.1474	3.6496	0.3019
2007	2.6241	0.1501	2.4985	0.1554	2.8493	0.2488	—	—	—	—	2.0586	0.2184	2.6222	0.2005	3.3050	0.3145
2006	2.3449	0.1273	2.5238	0.1523	2.0221	0.1664	—	—	—	—	2.1678	0.2354	2.3371	0.1471	2.5787	0.2904
Falls																
2010	1.6081	0.0880	1.5536	0.1118	1.7033	0.1544	—	—	—	—	0.8260	0.1339	1.6457	0.1196	2.3940	0.2413
2009	1.3967	0.0862	1.4127	0.1104	1.3694	0.1391	—	—	—	—	0.8374	0.1415	1.4441	0.1078	1.8753	0.2239
2008	1.6016	0.0868	1.5446	0.1028	1.7053	0.1496	—	—	—	—	1.0021	0.1632	1.5882	0.1102	2.3863	0.2335
2007	1.5661	0.1105	1.4696	0.1134	1.7391	0.2219	—	—	—	—	1.0168	0.1506	1.5961	0.1479	2.1528	0.2496
2006	1.3031	0.0834	1.3067	0.1025	1.2969	0.1339	—	—	—	—	1.0428	0.1585	1.2725	0.0988	1.7777	0.2468
Struck by or against objects/persons																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	0.0565	0.0154	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	0.0696	0.0190	0.0837	0.0267	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	0.0445	0.0156	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	0.0492	0.0148	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	0.0500	0.0148	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	0.2175	0.0364	0.2039	0.0392	0.2412	0.0635	—	—	—	—	0.2845	0.0917	0.2474	0.0484	—	—
2009	0.1377	0.0268	0.1129	0.0279	0.1800	0.0546	—	—	—	—	0.3106	0.1016	0.0980	0.0259	—	—
2008	0.1984	0.0317	0.1988	0.0392	0.1975	0.0536	—	—	—	—	0.3244	0.0835	0.1640	0.0380	—	—
2007	0.1631	0.0279	0.1504	0.0320	0.1858	0.0474	—	—	—	—	—	—	0.1556	0.0371	—	—
2006	0.1442	0.0313	0.1732	0.0452	—	—	—	—	—	—	—	—	0.1284	0.0346	—	—
Intentional injuries																
2010	0.1257	0.0265	0.1457	0.0367	—	—	—	—	—	—	—	—	0.1126	0.0284	—	—
2009	0.1357	0.0270	0.1142	0.0333	0.1722	0.0480	—	—	—	—	—	—	0.1349	0.0322	—	—
2008	0.1478	0.0271	0.1581	0.0346	—	—	—	—	—	—	0.2956	0.0889	0.1169	0.0281	—	—
2007	0.1206	0.0239	0.0963	0.0275	0.1640	0.0476	—	—	—	—	—	—	0.1135	0.0296	—	—
2006	0.1425	0.0277	0.1522	0.0339	—	—	—	—	—	—	0.2526	0.0710	0.1098	0.0328	—	—

See footnotes at end of table.

Table A9. Percent distribution that had co-occurring injury-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcoholic liver disease																
Any injury-related diagnoses																
2010	4.0421	0.1851	4.0838	0.2186	3.9404	0.3199	—	—	—	—	3.4100	0.3627	4.0769	0.2218	5.3798	0.6290
2009	4.1095	0.2094	4.1496	0.2374	4.0131	0.3694	—	—	—	—	3.5375	0.3773	4.1639	0.2446	4.9870	0.6159
2008	4.3196	0.1815	4.2368	0.2018	4.5283	0.3392	—	—	—	—	3.6279	0.3529	4.4229	0.2189	5.3766	0.6032
2007	3.9812	0.1824	3.8190	0.2319	4.3794	0.4344	—	—	—	—	3.8715	0.4054	3.9130	0.2532	4.5900	0.6229
2006	3.9132	0.2039	4.0392	0.2408	3.5973	0.3065	—	—	—	—	3.5974	0.3315	3.8969	0.2331	4.8148	0.6666
Unintentional injuries																
2010	3.2337	0.1697	3.1826	0.1970	3.3582	0.3001	—	—	—	—	2.3657	0.2980	3.3680	0.2055	4.4225	0.5631
2009	2.9936	0.1634	2.9791	0.1873	3.0285	0.3100	—	—	—	—	2.3434	0.2803	3.0471	0.1953	4.1146	0.5519
2008	3.2528	0.1643	3.2024	0.1838	3.3797	0.2887	—	—	—	—	2.5756	0.2940	3.3320	0.1969	4.3705	0.5464
2007	3.0041	0.1814	2.8298	0.1893	3.4312	0.4090	—	—	—	—	2.6018	0.2906	2.9794	0.2368	4.0612	0.5903
2006	2.8654	0.1729	2.9266	0.2002	2.7119	0.2702	—	—	—	—	2.5810	0.2900	2.8201	0.1904	3.8861	0.6119
Falls																
2010	1.9420	0.1290	1.8408	0.1477	2.1889	0.2552	—	—	—	—	1.1093	0.1838	2.0250	0.1678	3.3182	0.4875
2009	1.6224	0.1129	1.5987	0.1370	1.6793	0.1975	—	—	—	—	0.9441	0.1703	1.7043	0.1371	2.6857	0.4390
2008	1.8662	0.1197	1.7906	0.1360	2.0569	0.2352	—	—	—	—	1.1350	0.2030	2.0511	0.1546	2.5032	0.4086
2007	1.7949	0.1505	1.6986	0.1444	2.0308	0.3811	—	—	—	—	1.3818	0.2074	1.8074	0.2012	2.7636	0.4952
2006	1.6049	0.1172	1.5514	0.1332	1.7392	0.2233	—	—	—	—	1.2906	0.1961	1.5390	0.1360	2.9071	0.5408
Struck by or against objects/persons																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	0.0886	0.0284	0.1044	0.0370	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	0.2850	0.0534	0.2659	0.0542	0.3316	0.1110	—	—	—	—	—	—	0.3022	0.0648	—	—
2009	0.1873	0.0398	0.1397	0.0373	0.3018	0.1010	—	—	—	—	0.3912	0.1355	0.1265	0.0366	—	—
2008	0.2889	0.0477	0.2826	0.0569	0.3048	0.0918	—	—	—	—	0.3470	0.1003	0.2306	0.0564	—	—
2007	0.2330	0.0442	0.2013	0.0459	0.3106	0.0914	—	—	—	—	—	—	0.2082	0.0554	—	—
2006	0.1908	0.0475	0.2119	0.0624	—	—	—	—	—	—	—	—	0.1639	0.0491	—	—
Intentional injuries																
2010	0.1792	0.0411	0.1877	0.0516	—	—	—	—	—	—	—	—	0.1523	0.0409	—	—
2009	0.1851	0.0402	0.1548	0.0453	0.2581	0.0864	—	—	—	—	—	—	0.1722	0.0453	—	—
2008	0.1785	0.0395	0.1747	0.0445	—	—	—	—	—	—	—	—	0.1191	0.0358	—	—
2007	0.1471	0.0343	—	—	—	—	—	—	—	—	—	—	0.1272	0.0365	—	—
2006	0.1777	0.0407	0.1804	0.0454	—	—	—	—	—	—	—	—	0.1341	0.0461	—	—

See footnotes at end of table.

Table A9. Percent distribution that had co-occurring injury-related diagnoses among emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol poisoning																
Any injury-related diagnoses																
2010	95.3565	1.5096	95.8342	1.5936	94.5852	1.4831	93.8032	2.2728	96.8931	1.1561	95.5720	1.3427	95.2808	1.6971	96.8882	1.6649
2009	92.5766	3.3760	92.5347	3.4879	92.6501	3.2340	93.3314	2.6119	92.2292	3.1680	92.2281	3.5086	92.4525	4.4337	93.8971	2.4554
2008	97.6815	0.6802	97.6882	0.7113	97.6703	0.7276	98.5151	0.5871	95.9988	1.4862	97.3725	0.8101	98.2263	0.5792	96.0303	1.7247
2007	98.1226	0.5530	98.3576	0.6195	97.7365	0.6374	97.3008	1.2403	97.1966	1.0746	98.6168	0.4681	98.3168	0.7028	98.4570	1.0980
2006	96.7728	1.3326	96.8628	1.3213	96.6176	1.4200	96.6032	1.3325	96.5928	1.7696	97.5728	1.2172	96.2768	2.0515	93.9011	2.3881
Unintentional injuries																
2010	46.5687	2.9761	47.9808	3.5417	44.2890	2.4459	45.3006	3.6423	53.6224	3.8406	44.0878	3.4751	46.4673	3.4969	56.8671	4.7172
2009	45.1235	3.6703	46.0205	4.1354	43.5474	3.1250	45.6332	4.1026	48.5787	4.7093	43.8494	3.7604	44.2680	4.2162	53.0618	5.3085
2008	53.7221	3.3769	55.6348	4.0255	50.5338	2.6197	55.1282	3.1430	54.0788	3.8587	49.6101	3.0953	55.3305	4.9597	66.6939	5.6830
2007	48.6590	2.8094	51.0710	3.1933	44.7506	2.8002	55.2778	3.2544	51.2714	4.0535	43.8744	3.0244	46.5871	4.0157	66.1271	4.4256
2006	47.4209	3.4254	49.3010	4.0572	44.1777	2.6045	48.3578	2.7138	52.5755	3.8835	44.8970	3.5085	47.2509	5.3157	59.9214	5.2234
Falls																
2010	2.7935	0.3210	2.7815	0.3804	2.8129	0.4939	—	—	—	—	2.2499	0.4577	3.6598	0.5166	7.8068	2.6521
2009	3.0243	0.3625	3.4838	0.4704	2.2169	0.4114	1.8423	0.5425	—	—	2.4532	0.6391	4.5441	0.5031	—	—
2008	2.3517	0.2826	2.4639	0.3376	2.1646	0.3636	—	—	—	—	1.8521	0.3535	2.7433	0.5066	7.7882	2.0148
2007	2.2884	0.2818	2.2749	0.3369	2.3122	0.4230	2.4422	0.5919	—	—	1.6903	0.3601	2.9611	0.5519	—	—
2006	2.7375	0.2872	3.1556	0.4570	2.0161	0.5448	—	—	—	—	2.5153	0.5018	3.8753	0.7345	—	—
Struck by or against objects/persons																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	0.2948	0.0763	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	0.5794	0.1294	0.6297	0.1718	—	—	—	—	—	—	0.9096	0.3053	—	—	—	—
2009	0.8730	0.2533	1.0652	0.3195	—	—	—	—	—	—	0.9567	0.3259	—	—	—	—
2008	0.4378	0.1077	0.4414	0.1349	—	—	—	—	—	—	0.7180	0.2285	—	—	—	—
2007	0.6910	0.1492	0.7151	0.1873	—	—	—	—	—	—	0.9553	0.2835	—	—	—	—
2006	0.4948	0.1095	0.5264	0.1506	—	—	—	—	—	—	0.6190	0.1841	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	43.2510	3.1029	44.4848	3.7830	41.2592	2.4365	43.9539	3.6031	50.4296	3.7875	40.9719	3.5210	41.9665	3.7407	52.8012	4.7962
2009	41.0865	3.9755	41.2289	4.5551	40.8363	3.2164	42.3904	4.1157	43.1014	5.0090	40.1349	4.1677	39.6795	4.4959	49.9680	5.2518
2008	51.3806	3.5359	53.1835	4.2272	48.3755	2.7169	53.3813	3.1912	51.2997	4.1131	47.5429	3.1637	52.9927	5.2593	60.7720	6.3813
2007	45.6099	2.9158	47.5500	3.3796	42.4711	2.7939	52.7359	3.3143	48.7729	4.1514	40.7660	3.1455	43.4694	4.0862	60.3853	4.6326
2006	44.7713	3.6067	46.2297	4.2984	42.2554	2.7117	46.3769	2.8363	50.9150	3.9687	42.2447	3.6331	44.1747	5.5612	54.9843	5.6579
Intentional injuries																
2010	19.7951	1.5332	17.6974	1.6410	23.1818	1.8836	15.6088	1.9543	18.3559	2.4931	22.9820	1.9121	19.4320	2.0526	16.2116	3.1133
2009	18.2510	2.8566	16.0137	2.9489	22.1821	2.7691	15.3173	4.3942	14.9987	3.2011	19.2807	2.6350	19.8832	3.1628	16.4724	3.2124
2008	17.8423	1.5514	14.8038	1.5202	22.9072	1.8212	13.8479	1.5868	15.4686	2.3497	22.0412	1.7644	17.6700	2.2883	8.0796	2.2891
2007	21.7534	1.4717	18.5780	1.6164	26.9657	1.7049	13.7987	1.5603	19.4900	2.7011	27.3294	2.0890	22.1641	2.1830	15.3942	3.0694
2006	17.7869	1.5334	15.0282	1.4999	22.5459	1.8999	12.9601	1.6385	15.6612	2.1996	20.8569	1.8834	18.6491	2.3234	8.9207	2.4758

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table A10. Percent distribution that had co-occurring injury-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Any alcohol-related diagnoses																
Any injury-related diagnoses																
2010	21.4242	0.2906	21.8181	0.3255	20.5689	0.2546	28.7064	0.5466	34.9024	0.5549	24.1112	0.3702	18.1072	0.2706	18.5452	0.2159
2009	22.0235	0.3112	22.4191	0.3531	21.1550	0.2606	29.7249	0.5100	37.2274	0.6061	24.8543	0.4104	18.3642	0.2683	18.5149	0.2347
2008	22.6632	0.3564	23.0777	0.4118	21.7212	0.2826	30.8314	0.5986	38.2287	0.6662	25.7230	0.4912	18.4588	0.2914	19.0403	0.2470
2007	22.5475	0.3280	22.9608	0.3827	21.6038	0.2636	30.5144	0.5946	39.2752	0.6228	25.5266	0.4698	18.1788	0.2564	18.4775	0.2548
2006	23.0334	0.3139	23.4394	0.3473	22.1146	0.2839	33.2287	0.5745	41.7087	0.6017	25.8635	0.4223	18.4296	0.2521	18.3169	0.2390
Unintentional injuries																
2010	13.9921	0.2344	14.5317	0.2559	12.8211	0.2103	16.2865	0.3996	19.9076	0.4702	13.7200	0.2715	12.7917	0.2244	16.0594	0.2363
2009	14.0966	0.2370	14.6092	0.2577	12.9720	0.2174	16.3776	0.3685	21.0112	0.4829	13.8287	0.2822	12.7898	0.2168	15.9569	0.2495
2008	14.2497	0.2441	14.8279	0.2763	12.9594	0.2106	16.8111	0.3996	21.1281	0.4922	14.1355	0.3058	12.6606	0.2154	16.3281	0.2369
2007	13.8908	0.2746	14.5193	0.3055	12.4682	0.2381	16.9073	0.4725	22.1474	0.5206	13.8216	0.3355	12.1115	0.2368	15.5070	0.2912
2006	14.2297	0.2400	14.8667	0.2617	12.7899	0.2189	18.5814	0.4546	22.7313	0.4835	14.0688	0.2780	12.4110	0.2133	15.5388	0.2567
Falls																
2010	6.6802	0.1111	6.6842	0.1151	6.6720	0.1199	4.6143	0.1806	5.8587	0.1670	4.7667	0.0988	6.9071	0.1229	12.2765	0.1988
2009	6.5950	0.1083	6.5724	0.1102	6.6431	0.1230	4.2306	0.1564	5.5932	0.1946	4.7237	0.0957	6.8826	0.1201	12.1857	0.2153
2008	6.3844	0.1048	6.3689	0.1117	6.4161	0.1136	4.1401	0.1616	5.6462	0.2003	4.5248	0.0951	6.5624	0.1128	12.4707	0.1927
2007	6.0250	0.1251	5.9794	0.1313	6.1258	0.1313	3.8726	0.1377	5.4842	0.1907	4.2801	0.1161	6.2598	0.1324	11.6784	0.2436
2006	6.1213	0.1128	6.0524	0.1137	6.2740	0.1319	4.1066	0.1935	5.3169	0.1718	4.3583	0.1037	6.3640	0.1231	11.8596	0.2141
Struck by or against objects/persons																
2010	0.6081	0.0182	0.6604	0.0204	0.4947	0.0204	1.1556	0.0621	1.3758	0.0704	0.7436	0.0263	0.4538	0.0157	0.2924	0.0232
2009	0.5990	0.0184	0.6514	0.0208	0.4849	0.0204	1.1545	0.0687	1.3746	0.0746	0.7190	0.0253	0.4452	0.0178	0.2834	0.0206
2008	0.5990	0.0166	0.6654	0.0203	0.4524	0.0174	1.1797	0.0697	1.3315	0.0756	0.7277	0.0252	0.4258	0.0151	0.2838	0.0227
2007	0.5856	0.0202	0.6508	0.0244	0.4399	0.0183	1.1254	0.0694	1.3905	0.0788	0.7159	0.0291	0.3980	0.0161	0.2649	0.0202
2006	0.5963	0.0161	0.6626	0.0194	0.4474	0.0173	1.1663	0.0709	1.3500	0.0668	0.7251	0.0246	0.4241	0.0161	0.2342	0.0200
Motor vehicle traffic																
2010	2.2322	0.0845	2.4196	0.0954	1.8252	0.0681	4.4781	0.2049	6.1709	0.2801	3.0810	0.1220	1.3679	0.0570	0.7281	0.0441
2009	2.4238	0.0915	2.6400	0.1022	1.9484	0.0771	4.8141	0.2378	7.3621	0.3327	3.2911	0.1335	1.4321	0.0542	0.6829	0.0372
2008	2.7318	0.0938	3.0010	0.1074	2.1237	0.0737	5.2186	0.2194	7.4749	0.3082	3.7558	0.1438	1.6044	0.0565	0.7605	0.0350
2007	2.8728	0.0987	3.1655	0.1140	2.2040	0.0769	5.8216	0.2616	8.6537	0.3385	3.7746	0.1412	1.6078	0.0580	0.8138	0.0455
2006	3.0117	0.1070	3.3419	0.1251	2.2652	0.0778	6.8268	0.2855	9.2925	0.3541	3.8494	0.1488	1.6781	0.0599	0.7721	0.0441
Cut or pierce																
2010	0.4409	0.0137	0.4832	0.0165	0.3489	0.0147	0.9906	0.0645	1.2960	0.0691	0.6265	0.0239	0.2423	0.0111	0.1304	0.0136
2009	0.4561	0.0174	0.5063	0.0206	0.3463	0.0157	0.9658	0.0617	1.4198	0.0875	0.6387	0.0267	0.2443	0.0117	0.1338	0.0133
2008	0.4820	0.0157	0.5368	0.0194	0.3616	0.0151	0.9950	0.0705	1.4307	0.0773	0.6694	0.0253	0.2620	0.0115	0.1090	0.0122
2007	0.4815	0.0236	0.5489	0.0296	0.3298	0.0187	0.9841	0.0693	1.4145	0.0920	0.6622	0.0383	0.2605	0.0135	0.0954	0.0117
2006	0.4974	0.0156	0.5541	0.0193	0.3696	0.0162	1.0664	0.0576	1.5400	0.0836	0.6482	0.0234	0.2772	0.0130	0.1170	0.0148
Poisoning																
2010	1.1215	0.0354	1.0121	0.0367	1.3590	0.0433	1.9263	0.1087	1.7364	0.0911	1.3158	0.0467	0.9572	0.0372	0.6464	0.0288
2009	1.2017	0.0436	1.0749	0.0460	1.4800	0.0475	2.1294	0.1231	1.8290	0.1010	1.4048	0.0585	1.0170	0.0416	0.6812	0.0325
2008	1.2671	0.0561	1.1348	0.0586	1.5586	0.0589	2.3289	0.1704	1.9108	0.1152	1.4239	0.0600	1.0952	0.0588	0.6823	0.0472
2007	1.1431	0.0394	1.0338	0.0404	1.3881	0.0458	2.2067	0.1525	1.7457	0.1061	1.2867	0.0492	0.9446	0.0370	0.6616	0.0326
2006	1.1885	0.0497	1.0814	0.0529	1.4303	0.0509	2.3395	0.1387	1.8222	0.1080	1.3839	0.0595	0.9782	0.0540	0.5420	0.0314
Intentional injuries																
2010	5.2670	0.1138	5.0699	0.1229	5.6941	0.1245	9.3173	0.2789	11.7989	0.2993	7.9624	0.1721	3.4372	0.0802	0.7242	0.0317
2009	5.6172	0.1244	5.4197	0.1362	6.0501	0.1307	9.9743	0.2878	13.0198	0.3254	8.4412	0.1862	3.5586	0.0859	0.7073	0.0332
2008	6.0660	0.1404	5.8353	0.1493	6.5613	0.1506	10.5301	0.2970	13.8386	0.3439	8.9355	0.2147	3.8154	0.0919	0.7874	0.0376
2007	5.8099	0.1223	5.5465	0.1339	6.3956	0.1341	9.4089	0.2679	12.9161	0.3205	8.5622	0.2002	3.6481	0.0831	0.6888	0.0320
2006	5.9316	0.1208	5.6474	0.1257	6.5714	0.1411	10.2566	0.2779	14.4100	0.3516	8.6175	0.1839	3.5946	0.0766	0.6534	0.0374

See footnotes at end of table.

Table A10. Percent distribution that had co-occurring injury-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcoholic psychoses																
Any injury-related diagnoses																
2010	15.8288	0.3994	15.8007	0.4301	15.9218	0.4448	16.6058	2.1142	13.7650	1.2299	13.0746	0.4653	15.9889	0.4045	23.1346	0.4720
2009	15.2864	0.4081	15.3486	0.4243	15.0957	0.4554	16.0908	1.9245	16.8170	1.1956	12.6721	0.4657	15.3512	0.4087	22.5065	0.5373
2008	15.7873	0.3964	15.8944	0.4126	15.4543	0.4692	22.7024	1.9958	16.0307	1.0867	13.3695	0.4497	15.4897	0.3910	24.0694	0.5796
2007	15.1597	0.4138	15.0815	0.4464	15.4181	0.4291	19.1676	2.1537	16.8782	1.4164	12.9091	0.5278	14.9622	0.3859	22.5732	0.5780
2006	15.4882	0.3451	15.6337	0.3712	15.0217	0.4152	23.0237	2.9678	17.9179	1.3833	13.2409	0.3873	15.5704	0.3916	21.3344	0.5481
Unintentional injuries																
2010	11.4580	0.3300	11.6221	0.3526	10.9367	0.3814	7.6928	1.4295	7.0916	0.8426	8.3239	0.3454	11.7240	0.3360	19.9035	0.5121
2009	10.8303	0.3222	11.0458	0.3393	10.1439	0.3480	7.2696	1.2243	8.5415	0.7956	7.5623	0.3081	11.2506	0.3310	19.0650	0.5332
2008	11.1895	0.3012	11.4866	0.3209	10.2578	0.3481	8.9691	1.5790	7.5854	0.7490	8.1060	0.2921	11.3963	0.3096	20.1095	0.5545
2007	10.2599	0.3306	10.3518	0.3482	9.9640	0.3769	7.8122	1.3430	7.8600	0.8719	7.3111	0.3462	10.5409	0.3298	18.5448	0.5905
2006	10.4639	0.2753	10.7687	0.2881	9.4854	0.3418	8.9247	1.6074	6.7042	0.9122	7.7053	0.2603	10.8284	0.3211	17.7924	0.5404
Falls																
2010	6.7546	0.2075	6.5765	0.2127	7.3240	0.2953	—	—	2.1175	0.3797	3.7637	0.1877	6.8900	0.2151	15.5304	0.4616
2009	6.3501	0.1979	6.2434	0.1994	6.6969	0.2667	—	—	2.4447	0.3766	3.3896	0.1679	6.6230	0.2054	14.7226	0.4605
2008	6.4363	0.1979	6.4561	0.2092	6.3753	0.2696	—	—	2.5703	0.4815	3.6360	0.1551	6.3971	0.2120	15.8804	0.4972
2007	5.9336	0.2100	5.7758	0.2162	6.4484	0.2745	—	—	2.1430	0.4178	3.1511	0.1756	6.2233	0.2184	13.9812	0.4841
2006	5.9017	0.1806	5.8143	0.1798	6.1762	0.2722	—	—	1.1791	0.3464	3.3837	0.1583	6.0859	0.2086	13.5868	0.4807
Struck by or against objects/persons																
2010	0.2314	0.0192	0.2414	0.0219	0.1996	0.0319	—	—	—	—	0.2788	0.0330	0.2288	0.0258	0.1048	0.0310
2009	0.2536	0.0206	0.2713	0.0247	0.1966	0.0331	—	—	—	—	0.2657	0.0344	0.2518	0.0274	0.2048	0.0454
2008	0.2482	0.0198	0.2615	0.0232	0.2066	0.0355	—	—	—	—	0.2577	0.0309	0.2465	0.0263	0.2026	0.0451
2007	0.2265	0.0205	0.2246	0.0228	0.2329	0.0343	—	—	—	—	0.2771	0.0360	0.1818	0.0242	0.2383	0.0551
2006	0.2592	0.0219	0.2763	0.0255	0.2046	0.0380	—	—	—	—	0.2693	0.0398	0.2692	0.0278	0.1495	0.0448
Motor vehicle traffic																
2010	0.8127	0.0554	0.9303	0.0663	0.4376	0.0524	—	—	0.8969	0.2690	0.8263	0.0782	0.8117	0.0629	0.7477	0.1004
2009	0.7032	0.0524	0.7694	0.0583	0.4909	0.0558	—	—	1.2125	0.3209	0.6340	0.0690	0.7171	0.0568	0.7514	0.0915
2008	0.8639	0.0643	0.9483	0.0706	0.5984	0.0762	—	—	1.7446	0.3805	0.8036	0.0815	0.9234	0.0785	0.5276	0.0800
2007	0.7877	0.0551	0.8860	0.0641	0.4684	0.0574	—	—	1.6666	0.3704	0.7751	0.0798	0.7406	0.0613	0.8846	0.1156
2006	0.8595	0.0531	0.9591	0.0613	0.5413	0.0643	—	—	1.7305	0.4362	0.8554	0.0744	0.8719	0.0631	0.6887	0.0991
Cut or pierce																
2010	0.1253	0.0159	0.1255	0.0165	0.1247	0.0385	—	—	—	—	0.1606	0.0278	0.1088	0.0220	—	—
2009	0.1155	0.0125	0.1281	0.0149	0.0751	0.0196	—	—	—	—	0.1393	0.0223	0.1117	0.0171	—	—
2008	0.1089	0.0120	0.1220	0.0149	0.0678	0.0177	—	—	—	—	0.1212	0.0205	0.1004	0.0164	—	—
2007	0.1112	0.0136	0.1154	0.0155	0.0979	0.0269	—	—	—	—	0.1392	0.0249	0.0885	0.0185	—	—
2006	0.1468	0.0184	0.1533	0.0211	0.1259	0.0316	—	—	—	—	0.1668	0.0299	0.1515	0.0246	—	—
Poisoning																
2010	0.9132	0.0533	0.8845	0.0593	1.0050	0.0822	—	—	1.1708	0.3388	0.9805	0.0841	0.9096	0.0607	0.6778	0.0870
2009	0.9153	0.0591	0.8669	0.0607	1.0714	0.0923	—	—	1.4024	0.3103	0.9783	0.0903	0.9089	0.0669	0.6360	0.0811
2008	0.9490	0.0514	0.9047	0.0534	1.0885	0.0851	2.4902	0.6840	0.9684	0.2360	0.9098	0.0730	1.0013	0.0641	0.7367	0.0908
2007	0.7986	0.0429	0.7679	0.0446	0.8989	0.0863	2.5382	0.7853	0.9691	0.2757	0.8118	0.0706	0.7761	0.0499	0.7425	0.0967
2006	0.7657	0.0413	0.7425	0.0454	0.8400	0.0774	3.0053	0.9407	1.1581	0.3545	0.8573	0.0718	0.7278	0.0529	0.5067	0.0876
Intentional injuries																
2010	2.4058	0.1026	2.1871	0.1029	3.1037	0.1636	7.4668	1.3897	4.8357	0.6631	3.0846	0.1679	2.2114	0.1040	0.8135	0.1003
2009	2.4177	0.1143	2.2321	0.1092	3.0157	0.1841	7.5448	1.5130	5.8970	0.7028	3.3415	0.2016	2.0576	0.0995	0.6333	0.0950
2008	2.5796	0.1288	2.3732	0.1199	3.2293	0.2180	8.7706	1.2720	6.5634	0.7969	3.5081	0.2082	2.1802	0.1054	0.7715	0.1225
2007	2.3988	0.1149	2.1547	0.1168	3.1933	0.1758	7.9806	1.4739	6.8429	0.9767	3.2501	0.1946	2.0212	0.1055	0.5882	0.0838
2006	2.5148	0.0993	2.2670	0.0986	3.3086	0.2013	7.9554	1.4678	7.6275	0.8808	3.2854	0.1806	2.2135	0.0984	0.6230	0.0944

See footnotes at end of table.

Table A10. Percent distribution that had co-occurring injury-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol dependence syndrome																
Any injury-related diagnoses																
2010	16.0308	0.2907	15.6304	0.3024	17.1470	0.3173	21.4462	0.8372	20.2616	0.7583	15.6596	0.3526	15.2262	0.2978	19.4547	0.3033
2009	16.4537	0.2735	16.0050	0.2796	17.6844	0.3156	21.7423	0.9125	22.0961	0.6782	15.9885	0.3581	15.6843	0.2686	19.4758	0.3558
2008	16.2156	0.3363	15.8673	0.3541	17.1664	0.3511	22.8555	1.0898	22.6261	0.8445	15.8130	0.4584	15.1598	0.2995	19.9769	0.3317
2007	15.9492	0.3321	15.5455	0.3459	17.0759	0.3424	21.1727	1.0491	22.9479	0.9434	15.6784	0.4504	14.8376	0.2887	19.4464	0.3870
2006	16.5561	0.2681	16.1138	0.2774	17.7747	0.3235	24.1040	1.0482	25.6227	0.8548	16.5593	0.3476	15.4005	0.2608	18.5324	0.3317
Unintentional injuries																
2010	10.6317	0.2326	10.6509	0.2437	10.5759	0.2424	10.2502	0.6349	10.1459	0.5427	8.5745	0.2430	10.6685	0.2429	16.7539	0.3098
2009	10.7094	0.2106	10.7435	0.2195	10.6160	0.2294	10.3106	0.5714	10.8575	0.4590	8.3890	0.2252	10.9255	0.2203	16.6943	0.3497
2008	10.4452	0.2328	10.5884	0.2526	10.0489	0.2375	10.5787	0.7587	9.8390	0.5187	8.2942	0.2642	10.4903	0.2279	17.0507	0.3172
2007	9.8123	0.2340	9.8774	0.2479	9.6324	0.2440	9.2129	0.6616	11.2001	0.6039	7.8725	0.2573	9.7244	0.2269	16.1860	0.3806
2006	10.1802	0.2056	10.2837	0.2159	9.8874	0.2419	11.3113	0.6447	11.8639	0.6044	8.2912	0.2214	10.1911	0.2158	15.5207	0.3107
Falls																
2010	5.8616	0.1346	5.7258	0.1350	6.2410	0.1663	2.9654	0.3216	2.8576	0.2421	3.3857	0.1123	6.1157	0.1507	13.1227	0.2708
2009	5.8708	0.1238	5.7405	0.1278	6.2301	0.1558	2.7263	0.2751	3.0020	0.2205	3.3092	0.1067	6.2614	0.1373	12.9336	0.3134
2008	5.5582	0.1325	5.5049	0.1356	5.7044	0.1655	2.4987	0.3080	2.5587	0.2232	3.1484	0.1157	5.7653	0.1362	13.2840	0.2710
2007	5.1559	0.1338	5.0375	0.1393	5.4856	0.1598	2.3691	0.3100	3.0269	0.2690	2.8924	0.1141	5.4079	0.1438	12.2146	0.3163
2006	5.2964	0.1215	5.1670	0.1248	5.6494	0.1744	2.7291	0.3082	2.9771	0.3030	3.0782	0.1079	5.5736	0.1398	11.9857	0.2674
Struck by or against objects/persons																
2010	0.3695	0.0221	0.3751	0.0226	0.3540	0.0376	0.9278	0.1485	0.7937	0.1507	0.3989	0.0318	0.3428	0.0212	0.2295	0.0318
2009	0.3380	0.0182	0.3482	0.0191	0.3103	0.0288	0.5448	0.1082	0.8846	0.1226	0.3569	0.0261	0.3051	0.0197	0.2698	0.0394
2008	0.3167	0.0160	0.3366	0.0188	0.2624	0.0215	0.9310	0.1609	0.5637	0.0952	0.3690	0.0259	0.2652	0.0178	0.2501	0.0334
2007	0.3195	0.0162	0.3266	0.0193	0.3001	0.0243	0.7772	0.1535	0.6908	0.1096	0.3632	0.0244	0.2785	0.0196	0.2056	0.0299
2006	0.3523	0.0169	0.3777	0.0206	0.2822	0.0241	0.7074	0.1368	0.7089	0.1140	0.4197	0.0283	0.3059	0.0212	0.2127	0.0360
Motor vehicle traffic																
2010	0.8330	0.0399	0.8785	0.0440	0.7056	0.0480	2.3509	0.2892	2.3201	0.2335	1.0540	0.0622	0.6632	0.0344	0.4510	0.0510
2009	0.8438	0.0398	0.8899	0.0418	0.7168	0.0518	2.3103	0.2591	2.5998	0.2496	0.9944	0.0601	0.6796	0.0350	0.5267	0.0439
2008	0.9460	0.0491	0.9996	0.0530	0.7968	0.0537	2.8781	0.4287	2.4203	0.2502	1.1815	0.0768	0.7583	0.0389	0.4576	0.0525
2007	0.9477	0.0524	0.9975	0.0565	0.8096	0.0563	2.6473	0.3526	3.2843	0.3446	1.1392	0.0791	0.6983	0.0371	0.6409	0.0604
2006	1.0356	0.0550	1.0968	0.0584	0.8671	0.0627	3.2170	0.3792	3.7903	0.3484	1.2078	0.0829	0.8115	0.0431	0.5253	0.0582
Cut or pierce																
2010	0.2209	0.0134	0.2279	0.0142	0.1998	0.0232	1.0395	0.2472	0.7555	0.1422	0.3023	0.0244	0.1474	0.0112	0.1046	0.0281
2009	0.2213	0.0120	0.2356	0.0144	0.1819	0.0179	0.5822	0.1113	0.6470	0.0921	0.2775	0.0197	0.1763	0.0139	0.1098	0.0209
2008	0.2059	0.0137	0.2160	0.0161	0.1785	0.0166	0.3723	0.1037	0.8333	0.1541	0.2629	0.0246	0.1619	0.0129	0.0553	0.0145
2007	0.2150	0.0136	0.2326	0.0164	0.1661	0.0168	0.3634	0.1050	0.7666	0.1179	0.2980	0.0258	0.1536	0.0135	0.0733	0.0191
2006	0.2279	0.0136	0.2389	0.0159	0.1974	0.0206	0.8818	0.1627	0.9733	0.1534	0.2699	0.0231	0.1749	0.0149	0.0587	0.0176
Poisoning																
2010	0.9288	0.0362	0.8332	0.0384	1.1963	0.0536	0.7221	0.1425	1.0787	0.1417	1.0561	0.0519	0.8935	0.0396	0.7235	0.0487
2009	1.0371	0.0503	0.9396	0.0530	1.3054	0.0623	1.6468	0.2121	1.5356	0.1470	1.1962	0.0688	0.9637	0.0524	0.6998	0.0536
2008	1.0859	0.0652	1.0139	0.0716	1.2838	0.0647	1.5270	0.2087	1.2334	0.1604	1.1334	0.0643	1.1044	0.0791	0.7408	0.0652
2007	0.9455	0.0444	0.8774	0.0456	1.1334	0.0627	1.3004	0.2329	1.4567	0.1942	1.0141	0.0597	0.8992	0.0479	0.7562	0.0589
2006	0.9225	0.0409	0.8497	0.0413	1.1241	0.0582	1.2937	0.1930	1.3460	0.1649	1.0818	0.0530	0.8678	0.0503	0.5121	0.0537
Intentional injuries																
2010	3.6250	0.1077	3.2089	0.0997	4.7885	0.1694	8.7994	0.5712	8.2126	0.3942	5.3047	0.1764	2.8332	0.0846	0.8082	0.0542
2009	3.8740	0.1098	3.3918	0.0976	5.1965	0.1767	9.2067	0.6342	9.0910	0.4704	5.6902	0.1923	2.9648	0.0832	0.7681	0.0586
2008	3.9166	0.1260	3.4300	0.1137	5.2508	0.1950	9.9529	0.6180	10.3352	0.5706	5.6378	0.2157	2.9226	0.0878	0.8595	0.0625
2007	3.8074	0.1194	3.3376	0.1104	5.1155	0.1827	8.3924	0.5735	8.7283	0.4946	5.4675	0.2100	2.9085	0.0960	0.7429	0.0565
2006	4.0774	0.1223	3.5347	0.1143	5.5795	0.1901	9.3918	0.7149	10.5063	0.5541	5.9361	0.2030	3.0142	0.0900	0.7432	0.0615

See footnotes at end of table.

Table A10. Percent distribution that had co-occurring injury-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Nondependent abuse of alcohol																
Any injury-related diagnoses																
2010	27.7133	0.4478	27.9562	0.4876	27.1366	0.4032	28.9635	0.6097	38.7219	0.6426	30.3525	0.5083	23.4314	0.4390	26.3012	0.4173
2009	28.5849	0.4515	28.8926	0.5105	27.8478	0.3769	29.7761	0.5628	41.0545	0.6735	31.3989	0.5331	23.7447	0.4149	26.3597	0.4130
2008	29.4241	0.4740	29.7881	0.5394	28.5024	0.3765	30.5641	0.6163	41.5644	0.7319	32.4790	0.5735	24.1788	0.4161	26.7597	0.4662
2007	29.2925	0.4287	29.7652	0.4875	28.1264	0.3705	30.4140	0.6129	42.6934	0.6531	32.1494	0.5284	23.9188	0.3806	25.9390	0.4383
2006	29.2628	0.4791	29.7549	0.5374	28.0660	0.4081	32.7560	0.6001	44.5662	0.6746	31.6111	0.5913	23.5468	0.4247	26.0200	0.4452
Unintentional injuries																
2010	17.9710	0.3486	18.4315	0.3715	16.8794	0.3270	16.9575	0.4421	22.6701	0.5475	17.5930	0.3778	16.6448	0.3483	23.2976	0.4390
2009	18.1881	0.3369	18.6241	0.3632	17.1410	0.3183	16.9693	0.3980	23.8687	0.5590	17.9323	0.3795	16.6121	0.3218	23.2402	0.4169
2008	18.3541	0.3288	18.8881	0.3630	17.0435	0.2929	17.2035	0.4009	23.8847	0.5468	18.2744	0.3788	16.5421	0.3042	23.3224	0.4484
2007	18.0974	0.3872	18.8218	0.4197	16.3254	0.3545	17.4857	0.4909	24.8362	0.5908	17.9595	0.4255	16.0924	0.3654	22.2461	0.5038
2006	18.2202	0.3588	18.9117	0.3960	16.5420	0.3211	19.0759	0.4843	25.0840	0.5469	17.8484	0.3948	16.1161	0.3477	22.3990	0.4720
Falls																
2010	8.1783	0.1534	8.0539	0.1554	8.4738	0.1770	5.0222	0.2042	6.8799	0.2073	6.0455	0.1339	9.0020	0.1845	18.3112	0.3711
2009	8.0125	0.1448	7.8460	0.1429	8.4057	0.1791	4.6174	0.1773	6.4886	0.2380	6.0311	0.1290	8.9033	0.1803	18.2889	0.3717
2008	7.7114	0.1339	7.5444	0.1391	8.1058	0.1567	4.5084	0.1802	6.5663	0.2412	5.6983	0.1210	8.5477	0.1620	18.2265	0.3776
2007	7.3158	0.1660	7.1851	0.1679	7.6284	0.1939	4.1950	0.1533	6.2412	0.2316	5.4252	0.1481	8.2080	0.1987	17.2390	0.4361
2006	7.3659	0.1607	7.1978	0.1603	7.7699	0.1910	4.4599	0.2157	5.9898	0.1984	5.3912	0.1493	8.2498	0.1947	17.5324	0.4145
Struck by or against objects/persons																
2010	0.8737	0.0281	0.9407	0.0320	0.7153	0.0309	1.2265	0.0698	1.5864	0.0785	1.0093	0.0371	0.6290	0.0258	0.4839	0.0526
2009	0.8806	0.0286	0.9439	0.0323	0.7306	0.0338	1.2686	0.0803	1.5523	0.0897	1.0013	0.0374	0.6406	0.0305	0.4352	0.0407
2008	0.8803	0.0271	0.9624	0.0319	0.6832	0.0299	1.2445	0.0790	1.5630	0.0940	0.9952	0.0363	0.6333	0.0265	0.4196	0.0425
2007	0.8506	0.0325	0.9394	0.0388	0.6378	0.0310	1.1926	0.0786	1.5886	0.0928	0.9645	0.0429	0.5722	0.0279	0.4616	0.0467
2006	0.8322	0.0249	0.9015	0.0294	0.6652	0.0286	1.2414	0.0784	1.5457	0.0793	0.9401	0.0364	0.5796	0.0257	0.3429	0.0372
Motor vehicle traffic																
2010	3.5648	0.1454	3.7677	0.1598	3.0832	0.1249	4.9098	0.2369	7.3974	0.3423	4.5269	0.1879	2.1827	0.1037	1.3144	0.0935
2009	3.9936	0.1560	4.2418	0.1708	3.3972	0.1396	5.3253	0.2747	8.8442	0.4015	4.9741	0.2031	2.3859	0.1003	1.2216	0.0795
2008	4.4266	0.1520	4.7545	0.1695	3.6141	0.1290	5.7237	0.2360	8.8879	0.3677	5.5914	0.2096	2.6456	0.0953	1.4851	0.0801
2007	4.6639	0.1598	5.0451	0.1798	3.7215	0.1322	6.4302	0.2831	10.1499	0.4045	5.6323	0.2014	2.7217	0.1060	1.4601	0.0976
2006	4.7815	0.1757	5.2031	0.2024	3.7568	0.1322	7.5148	0.3181	10.7162	0.4165	5.6272	0.2214	2.7406	0.1080	1.4324	0.0966
Cut or pierce																
2010	0.6803	0.0235	0.7298	0.0277	0.5632	0.0251	1.0326	0.0705	1.5207	0.0853	0.8838	0.0367	0.3673	0.0189	0.2173	0.0295
2009	0.7211	0.0301	0.7775	0.0351	0.5864	0.0279	1.0655	0.0708	1.6509	0.1088	0.9233	0.0409	0.3699	0.0218	0.2520	0.0330
2008	0.7586	0.0263	0.8264	0.0321	0.5969	0.0273	1.1087	0.0794	1.6423	0.0885	0.9762	0.0359	0.3944	0.0207	0.1912	0.0262
2007	0.7471	0.0401	0.8390	0.0495	0.5244	0.0332	1.0831	0.0783	1.6255	0.1103	0.9364	0.0574	0.4044	0.0255	0.1559	0.0267
2006	0.7479	0.0260	0.8186	0.0319	0.5767	0.0274	1.1284	0.0659	1.7221	0.0998	0.9045	0.0354	0.4069	0.0230	0.2159	0.0298
Poisoning																
2010	1.0908	0.0378	0.9592	0.0384	1.4030	0.0538	1.4205	0.0850	1.4062	0.0841	1.2343	0.0484	0.9245	0.0468	0.6652	0.0501
2009	1.1352	0.0466	0.9832	0.0461	1.4984	0.0604	1.4251	0.1019	1.4676	0.0965	1.2650	0.0600	0.9627	0.0482	0.7536	0.0553
2008	1.1716	0.0549	1.0081	0.0562	1.5639	0.0633	1.4537	0.1032	1.4801	0.0894	1.2941	0.0585	1.0086	0.0666	0.7438	0.0843
2007	1.0640	0.0375	0.9328	0.0359	1.3809	0.0573	1.4348	0.1099	1.3433	0.0875	1.1694	0.0466	0.8890	0.0383	0.6603	0.0492
2006	1.0769	0.0539	0.9723	0.0588	1.3300	0.0553	1.4397	0.0909	1.3354	0.0880	1.2195	0.0613	0.9078	0.0712	0.5191	0.0477
Intentional injuries																
2010	7.2577	0.1697	7.0128	0.1856	7.8366	0.1768	9.2041	0.3036	12.6693	0.3480	9.9561	0.2268	4.6862	0.1274	1.1536	0.0677
2009	7.7800	0.1797	7.5697	0.2035	8.2856	0.1796	9.8418	0.3149	14.0258	0.3563	10.5502	0.2356	4.8546	0.1431	1.1028	0.0685
2008	8.3754	0.1894	8.1321	0.2056	8.9393	0.1981	10.2513	0.3206	14.4639	0.3696	11.1754	0.2559	5.3667	0.1345	1.2597	0.0735
2007	7.9061	0.1708	7.6151	0.1886	8.6034	0.1904	9.1783	0.2846	13.6823	0.3558	10.5922	0.2427	5.0151	0.1287	1.0820	0.0639
2006	7.8095	0.1690	7.5517	0.1814	8.4310	0.1866	9.9700	0.2764	14.9263	0.3797	10.2765	0.2347	4.7217	0.1214	0.9679	0.0726

See footnotes at end of table.

Table A10. Percent distribution that had co-occurring injury-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
All chronic liver disease and cirrhosis																
Any injury-related diagnoses																
2010	8.9328	0.1253	9.4583	0.1520	8.1961	0.1460	7.4748	0.7368	6.3673	0.6701	7.8405	0.1900	9.1294	0.1510	9.6150	0.1810
2009	8.9641	0.1268	9.4532	0.1533	8.2666	0.1428	7.8522	0.9503	6.6600	0.7353	8.1339	0.2050	9.0532	0.1455	9.6200	0.1886
2008	9.0081	0.1316	9.3829	0.1548	8.4625	0.1467	5.9302	0.6790	9.3690	0.8073	8.3650	0.1997	8.9531	0.1596	9.8110	0.1908
2007	8.8401	0.1359	9.2019	0.1676	8.2991	0.1554	8.1971	0.8718	7.6640	0.8505	8.2942	0.2208	8.8399	0.1578	9.3848	0.2058
2006	8.6744	0.1330	9.0323	0.1563	8.1291	0.1627	6.4786	0.9560	6.6640	0.8793	8.1127	0.2083	8.7368	0.1647	9.1537	0.1909
Unintentional injuries																
2010	6.9648	0.1168	7.2742	0.1362	6.5313	0.1358	5.3661	0.6390	3.7193	0.4810	5.5610	0.1596	7.0924	0.1377	8.1599	0.1737
2009	6.8866	0.1217	7.1550	0.1465	6.5064	0.1327	5.8094	0.7301	4.2728	0.6115	5.4044	0.1530	6.9637	0.1437	8.1640	0.1917
2008	6.8805	0.1184	7.0885	0.1399	6.5778	0.1335	4.3095	0.5843	5.4130	0.6424	5.6027	0.1649	6.8056	0.1446	8.3684	0.1768
2007	6.5476	0.1387	6.7283	0.1608	6.2770	0.1545	5.6344	0.6933	4.3721	0.6427	5.3531	0.1729	6.5271	0.1584	7.7569	0.2069
2006	6.4349	0.1271	6.6313	0.1456	6.1361	0.1553	5.1513	0.8279	4.0903	0.7315	5.2415	0.1707	6.4014	0.1467	7.6991	0.1965
Falls																
2010	3.7865	0.0723	3.7429	0.0815	3.8483	0.0987	1.1826	0.3223	0.9554	0.2304	2.0356	0.0817	3.7054	0.0855	5.8683	0.1422
2009	3.7722	0.0774	3.7234	0.0917	3.8437	0.0982	0.8678	0.2491	—	—	2.0024	0.0868	3.6666	0.0870	5.8709	0.1582
2008	3.7341	0.0720	3.6301	0.0813	3.8859	0.0945	—	—	1.4700	0.3006	2.0465	0.0801	3.4870	0.0849	6.0718	0.1465
2007	3.6100	0.0870	3.4882	0.0993	3.7926	0.1053	—	—	—	—	1.9884	0.1022	3.4833	0.1002	5.5425	0.1682
2006	3.4990	0.0763	3.3098	0.0874	3.7891	0.1104	—	—	—	—	1.9452	0.1014	3.2808	0.0921	5.6044	0.1548
Struck by or against objects/persons																
2010	0.2110	0.0143	0.2201	0.0176	0.1983	0.0199	—	—	—	—	0.2397	0.0268	0.2166	0.0185	0.1535	0.0238
2009	0.2203	0.0145	0.2443	0.0201	0.1862	0.0167	—	—	—	—	0.2461	0.0304	0.2296	0.0185	0.1566	0.0217
2008	0.2163	0.0130	0.2405	0.0165	0.1813	0.0204	—	—	—	—	0.2526	0.0293	0.2143	0.0163	0.1807	0.0309
2007	0.1888	0.0119	0.2124	0.0165	0.1535	0.0154	—	—	—	—	0.2595	0.0319	0.1849	0.0151	0.0990	0.0166
2006	0.2080	0.0133	0.2603	0.0195	0.1281	0.0162	—	—	—	—	0.2744	0.0332	0.2149	0.0175	0.1134	0.0193
Motor vehicle traffic																
2010	0.5500	0.0311	0.6065	0.0352	0.4707	0.0337	1.5991	0.3486	0.9329	0.2207	0.7412	0.0592	0.5526	0.0316	0.3063	0.0299
2009	0.4951	0.0251	0.5762	0.0309	0.3796	0.0290	1.7919	0.3823	0.8849	0.2261	0.6991	0.0538	0.4979	0.0300	0.2412	0.0280
2008	0.5576	0.0331	0.6372	0.0420	0.4421	0.0347	1.2285	0.3072	1.8056	0.5444	0.7897	0.0562	0.5660	0.0391	0.2476	0.0303
2007	0.4826	0.0281	0.5422	0.0348	0.3934	0.0305	1.7425	0.4509	1.0832	0.3054	0.6737	0.0602	0.4782	0.0329	0.2618	0.0302
2006	0.4849	0.0251	0.5715	0.0353	0.3528	0.0294	1.4955	0.4188	1.2607	0.3918	0.5854	0.0523	0.5410	0.0340	0.2040	0.0274
Cut or pierce																
2010	0.0982	0.0092	0.1172	0.0125	0.0717	0.0107	—	—	—	—	0.1269	0.0218	0.1001	0.0109	0.0684	0.0135
2009	0.0992	0.0094	0.1258	0.0130	0.0612	0.0104	—	—	—	—	0.1190	0.0197	0.1028	0.0110	0.0552	0.0122
2008	0.0946	0.0082	0.1131	0.0116	0.0677	0.0104	—	—	—	—	0.0829	0.0149	0.1137	0.0113	0.0535	0.0165
2007	0.0923	0.0087	0.1078	0.0118	0.0691	0.0111	—	—	—	—	0.1099	0.0195	0.1023	0.0122	0.0513	0.0125
2006	0.0965	0.0094	0.1158	0.0124	0.0671	0.0125	—	—	—	—	0.1433	0.0228	0.0942	0.0117	0.0572	0.0157
Poisoning																
2010	0.5351	0.0229	0.5695	0.0304	0.4868	0.0272	—	—	—	—	0.5758	0.0444	0.6236	0.0314	0.2846	0.0274
2009	0.5599	0.0261	0.5627	0.0344	0.5563	0.0322	1.0544	0.3138	—	—	0.6229	0.0526	0.6259	0.0335	0.3211	0.0317
2008	0.5529	0.0251	0.5552	0.0325	0.5496	0.0340	—	—	0.7674	0.1980	0.6353	0.0585	0.6323	0.0313	0.2760	0.0291
2007	0.5037	0.0251	0.5317	0.0334	0.4602	0.0345	—	—	—	—	0.5477	0.0514	0.5761	0.0319	0.2901	0.0303
2006	0.5077	0.0226	0.5058	0.0277	0.5108	0.0365	—	—	—	—	0.6168	0.0584	0.5666	0.0303	0.2809	0.0308
Intentional injuries																
2010	0.7314	0.0286	0.8491	0.0379	0.5661	0.0332	1.1262	0.2565	1.4631	0.4005	1.2283	0.0681	0.7683	0.0367	0.1205	0.0182
2009	0.8003	0.0318	0.9168	0.0398	0.6344	0.0391	1.4950	0.5590	1.5725	0.3800	1.4374	0.0891	0.8164	0.0347	0.1330	0.0196
2008	0.8512	0.0342	0.9387	0.0456	0.7230	0.0439	1.3814	0.3564	2.9680	0.5075	1.5525	0.0882	0.8373	0.0393	0.1431	0.0189
2007	0.7608	0.0295	0.8468	0.0400	0.6323	0.0346	1.5767	0.3751	1.5768	0.3963	1.3727	0.0736	0.7946	0.0384	0.0844	0.0160
2006	0.7774	0.0306	0.8386	0.0385	0.6840	0.0428	—	—	1.0977	0.3290	1.4047	0.0744	0.8059	0.0410	0.1248	0.0209

See footnotes at end of table.

Table A10. Percent distribution that had co-occurring injury-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcoholic liver disease																
Any injury-related diagnoses																
2010	10.3837	0.1680	10.4053	0.1914	10.3276	0.2579	28.1518	5.5692	7.8071	1.4672	9.5734	0.3139	10.4359	0.1975	11.3689	0.3364
2009	10.6438	0.1848	10.6405	0.2029	10.6497	0.2721	29.9958	9.6295	12.2907	2.5503	10.1086	0.3145	10.5699	0.2054	11.5816	0.3885
2008	10.3363	0.1839	10.2839	0.2023	10.4692	0.2702	—	—	12.4524	1.8351	10.1813	0.3172	10.0577	0.2039	11.7615	0.3719
2007	10.1936	0.1792	10.0177	0.2014	10.6602	0.2897	21.9618	5.6512	13.2434	2.6205	9.7992	0.3170	10.1004	0.2107	11.0313	0.4055
2006	10.0052	0.1987	9.9464	0.2183	10.1614	0.3121	—	—	10.6196	2.1533	9.3941	0.2910	10.0889	0.2331	10.5777	0.3736
Unintentional injuries																
2010	7.9283	0.1577	7.9423	0.1747	7.8923	0.2457	—	—	4.4320	1.1653	6.5124	0.2669	8.0221	0.1813	9.7431	0.3159
2009	7.8782	0.1729	7.9087	0.1879	7.8005	0.2375	15.9268	4.5343	7.6748	2.2603	6.2748	0.2368	7.9906	0.1976	9.7426	0.3609
2008	7.7140	0.1617	7.7280	0.1854	7.6707	0.2291	—	—	6.6202	1.2707	6.5907	0.2590	7.6058	0.1832	10.0242	0.3537
2007	7.3961	0.1828	7.2825	0.2035	7.6956	0.2529	—	—	5.9410	1.4290	6.1317	0.2378	7.4171	0.2152	9.2788	0.3934
2006	7.1504	0.1768	7.1343	0.1900	7.1934	0.2733	—	—	5.2499	1.6665	5.8951	0.2284	7.2407	0.2068	8.8142	0.3514
Falls																
2010	4.7396	0.1084	4.5815	0.1176	5.1554	0.1975	—	—	—	—	3.0443	0.1590	4.7306	0.1313	7.4615	0.2855
2009	4.5761	0.1117	4.4381	0.1264	4.9397	0.1784	—	—	—	—	2.8844	0.1438	4.6053	0.1298	7.2064	0.3092
2008	4.3604	0.1089	4.2180	0.1211	4.7383	0.1767	—	—	—	—	2.8077	0.1481	4.2285	0.1266	7.4979	0.3099
2007	4.2724	0.1231	4.0768	0.1344	4.7967	0.1975	—	—	—	—	2.6224	0.1545	4.3937	0.1465	6.4422	0.3166
2006	4.0196	0.1071	3.7846	0.1164	4.6422	0.2095	—	—	—	—	2.5673	0.1499	4.0096	0.1295	6.5092	0.3012
Struck by or against objects/persons																
2010	0.1871	0.0182	0.1949	0.0213	0.1663	0.0309	—	—	—	—	0.1947	0.0410	0.2009	0.0239	0.1183	0.0358
2009	0.1794	0.0179	0.1897	0.0216	0.1525	0.0275	—	—	—	—	0.1886	0.0417	0.1835	0.0213	0.1181	0.0346
2008	0.1938	0.0170	0.2083	0.0203	0.1555	0.0322	—	—	—	—	0.2070	0.0392	0.1988	0.0213	0.1587	0.0456
2007	0.1752	0.0176	0.1811	0.0207	0.1594	0.0309	—	—	—	—	0.2632	0.0484	0.1549	0.0198	—	—
2006	0.1828	0.0185	0.2068	0.0219	0.1192	0.0315	—	—	—	—	0.2621	0.0476	0.1782	0.0231	—	—
Motor vehicle traffic																
2010	0.2914	0.0212	0.3310	0.0264	0.1876	0.0315	—	—	—	—	0.2871	0.0450	0.3252	0.0270	—	—
2009	0.3059	0.0274	0.3491	0.0349	0.1926	0.0332	—	—	—	—	0.3267	0.0517	0.3257	0.0365	0.1457	0.0426
2008	0.3784	0.0319	0.4196	0.0379	0.2693	0.0441	—	—	—	—	0.5463	0.0661	0.3602	0.0398	0.1940	0.0493
2007	0.3430	0.0288	0.3888	0.0361	0.2205	0.0361	—	—	—	—	0.4098	0.0632	0.3367	0.0355	0.2379	0.0567
2006	0.4350	0.0318	0.4906	0.0378	0.2878	0.0540	—	—	—	—	0.4370	0.0546	0.4875	0.0433	0.1795	0.0532
Cut or pierce																
2010	0.0953	0.0126	0.0945	0.0133	0.0976	0.0270	—	—	—	—	0.0864	0.0275	0.1025	0.0156	—	—
2009	0.1080	0.0160	0.1254	0.0202	0.0625	0.0176	—	—	—	—	0.1084	0.0253	0.1014	0.0171	—	—
2008	0.0569	0.0096	0.0572	0.0110	—	—	—	—	—	—	—	—	0.0636	0.0126	—	—
2007	0.0703	0.0111	0.0764	0.0127	—	—	—	—	—	—	0.0782	0.0230	0.0684	0.0130	—	—
2006	0.0749	0.0112	0.0784	0.0132	0.0655	0.0198	—	—	—	—	0.0977	0.0270	0.0706	0.0141	—	—
Poisoning																
2010	0.7082	0.0413	0.7249	0.0507	0.6644	0.0605	—	—	—	—	0.8449	0.0885	0.7516	0.0478	0.2970	0.0538
2009	0.7993	0.0504	0.7586	0.0583	0.9064	0.0743	—	—	—	—	1.0010	0.1062	0.7767	0.0555	0.4573	0.0778
2008	0.7607	0.0467	0.7153	0.0526	0.8812	0.0775	—	—	—	—	0.9232	0.1047	0.7489	0.0505	0.4863	0.0785
2007	0.6709	0.0446	0.6469	0.0510	0.7290	0.0705	—	—	—	—	0.7774	0.0867	0.6607	0.0543	0.5213	0.0792
2006	0.6339	0.0373	0.6005	0.0383	0.7224	0.0774	—	—	—	—	0.8245	0.0961	0.6138	0.0462	0.3725	0.0722
Intentional injuries																
2010	1.0384	0.0447	1.0075	0.0499	1.1195	0.0824	—	—	—	—	1.8119	0.1180	0.9440	0.0507	0.2143	0.0530
2009	1.2244	0.0573	1.1752	0.0604	1.3540	0.1072	—	—	3.6013	1.2397	2.0893	0.1440	1.1050	0.0601	0.2728	0.0543
2008	1.1752	0.0547	1.0799	0.0586	1.4282	0.0978	—	—	4.8634	1.4408	2.1027	0.1437	1.0162	0.0558	0.2752	0.0542
2007	1.0160	0.0491	0.9271	0.0540	1.2538	0.0912	—	—	—	—	1.7003	0.1081	0.9556	0.0596	0.1136	0.0384
2006	1.0897	0.0531	1.0086	0.0549	1.3044	0.1053	—	—	—	—	1.7049	0.1143	1.0503	0.0631	0.1969	0.0506

See footnotes at end of table.

Table A10. Percent distribution that had co-occurring injury-related diagnoses among emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol poisoning																
Any injury-related diagnoses																
2010	94.9075	0.9806	94.2555	1.1190	95.6933	0.8527	94.3204	1.4615	95.9535	1.2297	95.2197	0.9859	94.6947	0.9718	92.8459	1.9444
2009	93.5953	1.6331	92.8692	1.8366	94.5441	1.3816	93.9758	1.6855	94.6725	1.4003	93.6457	1.6164	93.3264	2.0764	91.6967	1.5021
2008	96.0512	0.8739	95.4915	0.9922	96.7577	0.7622	97.0369	0.7761	95.9408	1.0765	96.1470	0.8569	95.8805	1.0430	93.5584	1.5622
2007	95.9692	0.8580	95.5266	0.9490	96.5106	0.8098	96.1344	1.0975	96.4506	0.9593	96.8403	0.6612	94.5907	1.2909	95.2198	1.2792
2006	95.2566	1.1005	94.6918	1.2066	96.0021	1.0179	95.4896	1.0816	95.3066	1.1585	96.1236	0.9830	94.7771	1.5260	87.3376	2.3107
Unintentional injuries																
2010	36.3483	1.3448	40.8932	1.6504	30.8705	1.1749	40.0325	2.1748	40.1014	2.3000	32.7818	1.4334	36.4284	1.5496	51.4172	3.0067
2009	36.3994	1.5213	40.5327	1.9836	30.9987	1.1090	41.3721	2.4128	36.6256	2.0089	32.4218	1.5158	37.6632	1.8033	50.4247	2.9475
2008	38.4870	1.8578	43.1658	2.2759	32.6711	1.4265	44.4888	2.2058	39.8900	2.0794	33.8439	1.5859	39.5162	2.7163	56.2432	3.6315
2007	34.9757	1.3904	39.3283	1.6578	29.6011	1.2390	43.4036	2.3963	37.5216	2.2370	30.9474	1.2990	33.4661	1.8514	55.9748	2.6323
2006	36.0365	1.6255	40.8648	2.0152	29.6387	1.2453	40.7118	1.7756	36.3391	1.9005	32.1369	1.5690	37.5775	2.5296	52.1518	3.0896
Falls																
2010	3.2100	0.2972	3.6971	0.3675	2.6230	0.3294	1.7140	0.4478	2.5301	0.6455	2.3714	0.2764	4.0516	0.4243	10.0468	1.8502
2009	3.2543	0.2778	3.9410	0.3724	2.3569	0.2820	1.8104	0.3719	2.8257	0.5489	2.2423	0.3301	4.3801	0.4235	9.5048	1.4237
2008	2.9325	0.2269	3.5546	0.2904	2.1630	0.2301	2.0024	0.3650	2.4183	0.4291	1.9646	0.2015	3.7948	0.3601	10.2835	1.5505
2007	2.6732	0.2593	3.0561	0.3110	2.2036	0.2811	1.9431	0.3945	1.4937	0.4066	1.9821	0.2918	3.4972	0.3630	9.4294	1.8672
2006	2.9598	0.2423	3.6715	0.3507	1.9968	0.2541	1.0967	0.2567	2.2781	0.4379	1.9478	0.2351	4.4211	0.4933	12.3341	1.7762
Struck by or against objects/persons																
2010	0.2330	0.0468	0.3502	0.0780	—	—	—	—	—	—	0.2874	0.0775	—	—	—	—
2009	0.2985	0.0583	0.3798	0.0799	—	—	—	—	—	—	—	—	0.3553	0.0910	—	—
2008	0.2242	0.0459	0.3390	0.0767	—	—	—	—	—	—	—	—	—	—	—	—
2007	0.2792	0.0635	0.3459	0.0943	—	—	—	—	—	—	0.3003	0.0987	—	—	—	—
2006	0.2609	0.0571	0.3782	0.0873	—	—	—	—	—	—	0.2098	0.0660	—	—	—	—
Motor vehicle traffic																
2010	1.1200	0.1592	1.4498	0.2187	0.7225	0.1432	—	—	1.9732	0.5048	1.2364	0.2372	0.9339	0.1881	—	—
2009	1.6484	0.3392	2.1140	0.4046	1.0399	0.2708	1.9970	0.4304	2.2491	0.6114	1.7942	0.4032	1.1704	0.3728	—	—
2008	1.2119	0.1630	1.4015	0.2108	0.9463	0.1538	0.9896	0.2686	2.2628	0.6177	1.5503	0.2119	0.6414	0.1379	—	—
2007	1.2560	0.1913	1.6641	0.2799	0.7315	0.1422	1.1148	0.3092	2.3323	0.6728	1.3895	0.2231	0.8868	0.2021	—	—
2006	1.4919	0.1665	2.0197	0.2443	0.7944	0.1485	1.4501	0.3232	3.5298	0.8237	1.4836	0.2122	0.8775	0.1498	—	—
Cut or pierce																
2010	0.1263	0.0334	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	0.2964	0.0537	0.3578	0.0833	0.2162	0.0650	—	—	—	—	0.4426	0.1122	—	—	—	—
2008	0.1989	0.0453	0.2401	0.0696	—	—	—	—	—	—	0.2127	0.0643	—	—	—	—
2007	0.2069	0.0496	0.2269	0.0764	—	—	—	—	—	—	—	—	—	—	—	—
2006	0.2243	0.0471	0.2533	0.0598	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	31.5152	1.4599	35.0958	1.9109	27.1996	1.1421	36.5200	2.3129	34.5150	2.3526	28.4334	1.4976	31.1637	1.6839	43.5567	2.9815
2009	30.8166	1.7970	33.4816	2.3777	27.3345	1.2255	36.1510	2.4568	30.4055	2.2565	27.4524	1.7961	31.7396	2.1099	41.8534	2.8219
2008	34.4211	2.0363	38.3231	2.5526	29.6128	1.5046	41.0737	2.3119	35.8518	2.1881	29.7861	1.7204	35.4930	2.9415	49.6057	4.1801
2007	30.2813	1.5032	33.5714	1.8503	26.2349	1.2777	39.7072	2.4756	32.0551	2.2664	26.5343	1.3894	28.6516	1.9374	47.4230	3.0504
2006	31.1001	1.8210	34.4999	2.3337	26.6123	1.2935	37.1966	1.8317	29.6576	2.1216	28.0207	1.6662	32.1010	2.8327	40.7449	3.3318
Intentional injuries																
2010	40.4090	1.3509	32.6846	1.3863	49.7187	1.4141	29.8938	1.7916	38.9527	1.9408	45.4395	1.5492	40.2862	1.6645	24.8964	2.3483
2009	38.4056	1.7128	31.1929	1.8156	47.8299	1.5369	28.7728	2.4986	39.3767	2.1619	43.4695	1.8430	37.4770	2.0399	22.0582	2.2902
2008	39.3576	1.5743	32.1320	1.6142	48.3123	1.5511	30.1541	1.8143	39.4013	1.9464	45.7516	1.5926	37.3883	2.1010	17.5972	2.1513
2007	41.2264	1.3255	34.0842	1.4026	50.0377	1.3655	27.3368	1.5815	39.4081	2.0965	48.6294	1.4535	39.9330	1.8385	21.8029	2.1440
2006	38.0354	1.5829	30.6298	1.5424	47.8349	1.6582	27.5779	1.7638	38.2655	1.9769	44.3977	1.6810	36.0711	2.1366	16.3002	2.0740

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table B1. Number of emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	
Any alcohol-related diagnoses																	
2010	1,246,159	45,744	891,466	35,845	354,654	11,023	96,266	3,840	74,820	2,755	431,374	16,617	575,134	24,116	68,566	2,355	
2009	1,192,673	41,801	851,219	33,158	341,024	9,846	95,823	3,415	71,116	2,469	418,475	15,707	538,469	21,309	68,790	2,302	
2008	1,132,507	44,455	803,898	35,366	328,516	10,427	96,366	3,748	70,094	3,173	412,968	18,339	487,734	20,163	65,344	2,215	
2007	1,057,373	37,231	748,891	29,238	308,305	9,227	94,291	3,293	63,808	2,374	387,601	15,784	447,783	16,823	63,891	2,027	
2006	979,671	34,544	694,897	27,108	284,636	8,444	87,231	2,935	54,218	1,949	364,713	13,930	415,528	16,915	57,981	1,883	
Alcoholic psychoses																	
2010	187,391	8,801	142,666	6,988	44,713	2,056	1,067	106	4,161	277	69,655	3,528	101,316	4,746	11,192	545	
2009	189,763	9,557	145,599	7,576	44,125	2,291	1,080	100	3,797	262	72,157	3,992	100,989	5,047	11,740	527	
2008	168,222	8,366	128,063	6,743	40,151	1,933	962	96	3,596	246	66,483	3,600	87,519	4,335	9,662	462	
2007	157,367	8,937	121,079	7,351	36,278	1,853	1,058	96	2,816	191	64,751	4,315	79,478	4,326	9,265	451	
2006	142,255	6,345	108,783	4,909	33,455	1,617	782	80	2,448	162	59,378	2,881	70,999	3,174	8,648	403	
Alcohol dependence syndrome																	
2010	310,803	17,236	232,877	13,831	77,917	3,728	9,187	772	13,297	961	113,486	6,258	159,675	9,414	15,158	827	
2009	292,001	15,600	216,483	12,222	75,454	3,693	9,671	718	12,864	720	108,366	5,851	146,522	8,331	14,578	803	
2008	263,815	14,945	194,359	11,811	69,421	3,642	8,065	614	11,314	729	105,377	6,566	126,024	7,142	13,035	643	
2007	251,452	13,290	185,489	10,221	65,941	3,426	8,522	691	10,716	617	101,950	5,863	116,900	6,186	13,364	739	
2006	228,115	11,679	168,948	9,253	59,121	2,734	8,377	728	8,930	494	92,851	4,608	106,677	6,228	11,280	534	
Nondependent abuse of alcohol																	
2010	634,923	30,902	444,317	24,068	190,588	7,435	82,852	3,659	55,198	2,231	222,850	11,070	249,145	15,894	24,878	1,286	
2009	593,871	25,442	415,230	20,404	178,314	5,828	81,004	3,184	52,082	2,066	211,832	9,666	224,495	12,215	24,459	1,286	
2008	579,633	26,438	403,898	20,914	175,683	6,259	83,373	3,565	52,919	2,642	214,262	10,745	205,873	10,936	23,206	1,148	
2007	528,154	20,776	365,408	16,038	162,610	5,466	80,860	3,071	48,337	2,025	194,241	8,306	182,962	8,834	21,754	1,018	
2006	484,634	21,648	337,148	17,345	147,417	5,010	73,857	2,630	40,843	1,613	183,127	8,892	168,053	10,214	18,754	988	
All chronic liver disease and cirrhosis																	
2010	97,194	2,685	61,820	1,742	35,375	1,103	427	59	689	67	19,694	671	59,795	1,726	16,589	588	
2009	97,055	2,907	61,172	1,953	35,883	1,092	382	47	635	72	18,898	676	59,990	1,926	17,150	640	
2008	101,731	3,497	65,635	2,321	36,095	1,306	443	55	565	54	20,196	807	61,978	2,253	18,548	729	
2007	104,398	3,233	66,985	2,178	37,407	1,197	408	59	638	62	20,809	772	63,702	2,124	18,841	682	
2006	105,428	3,021	67,839	1,967	37,583	1,196	372	52	500	66	22,177	750	63,709	1,963	18,671	674	
Alcoholic liver disease																	
2010	59,847	1,737	42,445	1,268	17,402	602	—	—	309	42	14,261	531	39,513	1,202	5,723	236	
2009	60,433	1,900	42,691	1,438	17,742	599	59	16	258	40	13,743	512	40,223	1,363	6,150	306	
2008	62,195	2,224	44,529	1,672	17,665	662	63	17	266	36	15,045	640	40,276	1,508	6,545	295	
2007	62,335	2,045	44,241	1,531	18,088	644	—	—	277	39	14,942	581	40,646	1,397	6,431	287	
2006	65,236	1,902	46,633	1,364	18,603	669	82	22	257	48	16,597	589	41,764	1,266	6,537	292	
Alcohol poisoning																	
2010	15,848	1,196	9,786	854	6,062	411	2,732	241	1,474	133	5,690	452	5,204	479	749	76	
2009	19,983	2,188	12,735	1,565	7,248	678	3,687	420	1,737	217	7,222	814	6,473	808	864	105	
2008	19,107	1,819	11,943	1,328	7,165	552	3,523	301	1,701	172	6,650	571	6,341	864	893	147	
2007	16,003	1,263	9,929	903	6,069	418	3,444	269	1,302	123	5,851	508	4,741	501	665	69	
2006	19,239	1,862	12,179	1,285	7,060	641	3,843	328	1,498	161	7,180	705	6,091	811	627	82	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table B2. Number of emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	
Any alcohol-related diagnoses																	
2010	3,933,481	102,953	2,692,071	74,472	1,241,144	31,032	188,390	5,931	204,997	6,101	1,234,526	35,288	1,859,209	52,138	446,358	11,845	
2009	3,672,852	98,154	2,518,234	72,473	1,153,430	28,043	186,130	5,532	192,386	5,772	1,176,114	34,443	1,698,767	48,846	419,455	10,949	
2008	3,492,628	101,801	2,399,421	74,054	1,092,252	30,100	186,986	6,921	190,166	6,827	1,153,553	37,575	1,563,146	46,879	398,777	11,449	
2007	3,251,007	90,400	2,245,669	66,134	1,004,371	26,565	182,431	6,240	175,616	5,647	1,107,400	34,717	1,416,362	40,547	369,197	10,008	
2006	3,080,214	83,678	2,132,645	60,833	947,173	24,440	171,762	4,994	162,385	4,908	1,062,503	31,387	1,330,340	38,984	353,223	9,490	
Alcoholic psychoses																	
2010	399,306	14,517	303,990	11,406	95,296	3,481	1,993	156	7,438	467	125,728	5,507	219,675	7,855	44,473	1,474	
2009	400,697	15,873	305,579	12,437	95,061	3,859	2,176	173	7,157	452	129,608	6,198	218,549	8,483	43,208	1,380	
2008	369,605	14,810	280,434	11,452	89,149	3,826	1,996	182	6,714	435	122,608	5,815	197,267	7,851	41,019	1,392	
2007	342,602	14,449	262,001	11,604	80,578	3,300	2,129	181	5,378	314	118,567	6,259	178,183	7,358	38,345	1,295	
2006	319,090	11,458	243,082	8,878	75,972	2,852	1,621	133	4,643	253	112,069	4,487	164,005	6,000	36,751	1,244	
Alcohol dependence syndrome																	
2010	1,280,976	39,723	943,250	30,356	337,648	10,279	18,775	1,087	35,662	1,674	396,448	13,811	697,065	22,148	133,026	3,910	
2009	1,237,628	40,147	906,789	30,693	330,572	10,391	19,812	1,053	34,861	1,474	393,083	14,380	660,870	21,740	129,002	3,728	
2008	1,146,001	40,540	839,779	31,020	306,080	10,757	18,387	1,509	31,915	1,593	376,909	16,168	597,572	20,328	121,217	3,576	
2007	1,069,608	38,790	786,510	29,986	282,946	9,858	18,039	1,287	29,597	1,358	366,438	16,142	541,297	18,883	114,237	3,413	
2006	981,672	33,332	720,819	25,139	260,742	8,773	16,826	1,013	25,581	1,117	337,977	12,694	494,375	17,224	106,913	3,231	
Nondependent abuse of alcohol																	
2010	2,032,392	63,278	1,429,028	46,746	603,220	17,879	159,634	5,526	157,769	5,050	718,030	23,425	844,543	29,923	152,417	4,573	
2009	1,864,472	57,069	1,312,090	43,040	551,565	15,336	156,132	5,118	147,961	4,884	674,006	22,015	747,709	25,943	138,664	3,966	
2008	1,821,520	57,738	1,283,480	42,828	537,287	15,961	158,906	6,057	148,655	5,619	674,592	22,778	701,419	23,875	137,948	4,342	
2007	1,718,268	51,957	1,212,882	38,340	504,621	14,667	155,758	5,538	138,594	4,810	650,839	21,434	642,895	20,636	130,182	3,866	
2006	1,674,416	50,961	1,184,057	38,086	490,126	13,962	146,839	4,522	129,713	4,170	641,318	20,782	626,948	21,955	129,598	3,984	
All chronic liver disease and cirrhosis																	
2010	883,395	23,759	515,940	13,631	367,402	10,587	7,121	486	10,565	469	174,340	5,248	501,928	13,567	189,440	5,949	
2009	803,010	21,466	472,199	12,836	330,661	9,116	6,519	374	8,352	392	156,739	4,650	454,363	12,476	177,037	5,520	
2008	741,501	22,536	439,082	13,364	302,358	9,535	5,646	438	7,681	447	146,791	4,762	417,006	12,972	164,378	5,597	
2007	665,543	18,999	398,753	11,469	266,741	7,877	4,865	381	5,990	322	131,537	4,223	372,439	10,857	150,711	4,806	
2006	624,601	17,295	377,586	10,524	246,963	7,111	3,856	272	4,967	324	126,935	3,895	346,672	9,851	142,172	4,400	
Alcoholic liver disease																	
2010	332,371	8,991	240,734	6,576	91,629	2,711	254	33	1,662	122	69,877	2,140	214,744	6,002	45,834	1,468	
2009	320,532	9,293	232,094	6,939	88,413	2,724	378	39	1,610	124	67,615	2,310	206,689	6,214	44,240	1,493	
2008	301,152	9,339	218,652	6,930	82,490	2,640	327	73	1,480	123	66,534	2,303	190,599	6,062	42,213	1,522	
2007	280,865	8,271	204,394	6,193	76,450	2,322	271	41	1,335	133	62,668	2,102	176,167	5,363	40,425	1,306	
2006	283,496	7,921	205,772	5,791	77,719	2,381	240	36	1,118	98	66,232	2,161	174,901	4,935	41,006	1,363	
Alcohol poisoning																	
2010	50,650	2,348	27,682	1,449	22,968	1,034	5,795	350	4,862	291	20,567	938	17,278	905	2,148	139	
2009	56,191	3,470	31,830	2,366	24,361	1,223	6,906	522	5,233	359	23,034	1,427	18,703	1,291	2,314	169	
2008	55,473	2,949	30,715	1,965	24,730	1,109	7,018	410	5,328	327	23,059	1,158	17,867	1,198	2,201	206	
2007	48,770	2,215	26,942	1,387	21,798	942	6,622	374	4,572	255	21,035	972	14,663	814	1,877	127	
2006	52,758	2,887	30,035	1,911	22,718	1,090	7,238	448	5,077	321	22,660	1,234	16,028	1,129	1,756	142	

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table B3. Number of emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Any alcohol-related diagnoses																
Northeast																
2010	433,320	36,919	323,138	29,859	110,172	7,794	31,397	2,594	23,758	1,807	145,492	13,095	210,002	20,304	22,671	1,838
2009	375,037	30,006	283,108	24,993	91,925	5,674	28,730	2,182	21,192	1,643	129,889	11,528	175,068	15,472	20,158	1,632
2008	349,591	34,888	261,951	29,210	87,636	6,533	28,972	2,326	20,495	2,232	127,442	14,848	154,247	16,078	18,435	1,511
2007	323,491	27,713	236,013	22,797	87,467	5,780	30,045	2,260	17,970	1,475	118,925	12,383	137,653	12,550	18,897	1,322
2006	308,605	27,266	227,854	22,138	80,738	5,786	25,609	1,905	14,639	1,123	114,859	10,855	137,979	14,074	15,519	1,315
Midwest																
2010	230,596	14,613	160,922	10,795	69,664	4,220	17,572	1,375	16,736	1,389	86,428	5,947	98,907	6,724	10,953	720
2009	247,657	15,990	169,899	11,681	77,362	4,638	21,617	1,650	17,608	1,299	95,314	6,361	101,069	7,083	12,050	766
2008	219,105	14,720	149,328	10,460	69,726	4,566	19,524	1,620	16,020	1,396	84,305	5,997	88,668	6,141	10,588	606
2007	204,409	13,470	139,048	9,719	65,276	4,066	18,646	1,417	15,014	1,045	79,758	5,562	80,323	5,758	10,669	695
2006	184,826	12,030	124,099	8,523	60,691	3,757	18,712	1,330	13,483	1,065	72,123	5,092	70,284	5,066	10,224	657
South																
2010	329,254	15,316	233,938	11,105	95,297	4,574	20,235	1,301	18,025	1,094	112,179	5,738	157,932	7,538	20,884	930
2009	337,092	19,398	240,264	15,142	96,810	4,635	19,630	1,001	17,718	919	114,281	6,823	162,696	10,661	22,768	1,118
2008	334,538	17,916	235,945	12,804	98,559	5,319	22,285	1,561	19,393	1,497	120,262	6,891	150,078	7,963	22,521	1,220
2007	316,541	16,273	225,685	11,756	90,832	4,871	21,333	1,432	18,288	1,303	114,050	6,362	140,945	7,314	21,925	1,134
2006	282,919	13,292	201,269	9,958	81,603	3,638	19,837	1,136	14,495	875	104,209	5,533	124,789	6,064	19,589	877
West																
2010	252,990	16,774	173,469	12,388	79,521	4,693	27,061	2,105	16,301	1,096	87,275	6,029	108,294	8,204	14,059	886
2009	232,886	14,662	157,948	10,443	74,926	4,666	25,846	1,781	14,597	929	78,992	5,176	99,636	7,133	13,815	892
2008	229,273	14,879	156,674	11,144	72,595	4,111	25,585	1,891	14,187	945	80,959	5,692	94,742	6,847	13,801	877
2007	212,932	13,111	148,144	10,123	64,730	3,386	24,267	1,295	12,537	820	74,868	4,938	88,861	6,233	12,399	772
2006	203,321	11,333	141,675	8,540	61,605	3,238	23,073	1,387	11,601	798	73,523	4,434	82,476	5,060	12,648	785
Alcoholic psychoses																
Northeast																
2010	58,226	6,581	45,016	5,459	13,205	1,269	329	60	1,303	189	20,734	2,666	32,391	3,471	3,469	375
2009	56,559	6,925	44,778	5,760	11,780	1,324	256	43	1,061	179	21,264	2,939	30,765	3,635	3,213	294
2008	45,783	5,560	36,401	4,818	9,383	990	276	49	788	138	18,032	2,500	24,214	2,815	2,474	256
2007	46,608	7,042	36,975	6,049	9,633	1,096	293	54	751	105	19,497	3,652	23,548	3,200	2,519	235
2006	37,781	3,949	29,228	3,162	8,552	902	240	53	512	89	15,155	1,762	19,579	2,010	2,296	209
Midwest																
2010	35,886	2,820	27,405	2,150	8,477	749	225	53	703	81	14,564	1,160	18,432	1,528	1,962	205
2009	41,423	4,253	30,924	2,999	10,468	1,327	305	60	915	120	17,483	1,890	20,516	2,038	2,203	269
2008	35,621	3,408	26,329	2,524	9,285	937	203	45	978	135	14,870	1,566	17,891	1,649	1,679	170
2007	32,901	3,022	24,374	2,198	8,517	886	281	49	757	105	14,123	1,399	16,098	1,480	1,642	158
2006	32,488	3,226	24,280	2,423	8,203	866	188	36	641	85	14,416	1,542	15,523	1,541	1,721	183
South																
2010	48,700	3,278	37,254	2,366	11,443	1,006	203	35	930	113	16,546	1,183	27,470	1,896	3,551	264
2009	50,586	3,990	39,252	3,155	11,334	956	252	46	860	91	17,705	1,470	27,996	2,314	3,773	265
2008	48,109	4,158	36,689	3,143	11,420	1,068	223	50	928	118	17,277	1,568	26,169	2,278	3,511	300
2007	42,658	3,531	32,929	2,577	9,729	1,006	216	38	674	92	15,975	1,357	22,440	1,885	3,352	317
2006	37,651	2,662	29,083	2,019	8,564	707	185	34	542	57	14,493	1,112	19,577	1,399	2,854	218
West																
2010	44,579	3,930	32,991	2,968	11,588	1,022	310	61	1,226	147	17,811	1,610	23,022	2,132	2,210	212
2009	41,195	3,060	30,645	2,296	10,542	907	266	50	961	118	15,704	1,250	21,713	1,658	2,550	220
2008	38,708	3,189	28,644	2,452	10,064	860	260	47	902	95	16,303	1,343	19,244	1,719	1,998	168
2007	35,200	2,946	26,801	2,444	8,399	660	268	49	633	78	15,156	1,218	17,391	1,653	1,752	150
2006	34,335	2,677	26,191	2,036	8,136	744	170	33	753	90	15,315	1,257	16,320	1,305	1,778	195

See footnotes at end of table.

Table B3. Number of emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol dependence syndrome																
Northeast																
2010	130,226	14,761	100,601	12,069	29,625	2,890	4,058	600	5,478	755	45,204	5,236	69,163	8,160	6,323	716
2009	99,810	11,006	76,252	8,695	23,558	2,481	3,565	501	4,360	531	35,701	4,125	51,524	5,756	4,659	598
2008	92,005	11,922	70,533	9,877	21,472	2,350	2,942	452	3,796	566	36,421	5,240	44,694	5,709	4,153	500
2007	88,915	10,321	65,763	8,108	23,152	2,427	3,260	489	3,564	454	36,227	4,706	41,176	4,705	4,688	553
2006	80,012	9,227	61,054	7,499	18,954	1,958	2,861	440	2,493	292	31,501	3,435	39,623	5,218	3,534	371
Midwest																
2010	54,286	5,959	39,260	4,513	15,026	1,528	1,327	305	2,517	464	21,304	2,281	26,934	3,030	2,204	219
2009	57,519	4,862	41,004	3,620	16,460	1,414	1,705	258	2,516	228	23,915	1,988	26,815	2,438	2,567	231
2008	56,993	6,510	40,437	4,624	16,533	2,102	1,415	215	2,576	291	24,037	2,948	26,468	3,076	2,498	229
2007	50,337	5,464	35,693	3,810	14,634	1,802	1,665	336	2,231	228	21,616	2,360	22,424	2,478	2,401	294
2006	44,047	3,813	30,694	2,711	13,336	1,183	1,326	195	2,082	204	19,289	1,737	19,320	1,770	2,029	197
South																
2010	77,414	5,487	57,890	4,190	19,515	1,472	1,955	220	3,154	305	28,284	2,127	39,968	2,965	4,053	281
2009	84,281	8,602	63,483	6,913	20,789	1,784	2,282	277	3,732	347	30,519	3,208	43,096	4,751	4,652	383
2008	72,274	4,938	53,490	3,667	18,774	1,341	2,201	277	3,216	296	28,480	2,118	34,139	2,325	4,238	277
2007	67,953	4,706	51,609	3,688	16,340	1,144	1,697	186	2,883	276	26,955	1,961	32,455	2,286	3,962	250
2006	61,579	4,359	46,281	3,386	15,283	1,049	2,051	278	2,443	222	24,965	1,864	28,622	2,146	3,498	259
West																
2010	48,876	3,681	35,126	2,780	13,750	1,022	1,847	308	2,149	211	18,694	1,419	23,609	2,014	2,578	212
2009	50,391	4,959	35,744	3,590	14,646	1,517	2,119	349	2,256	254	18,230	1,725	25,087	2,784	2,699	295
2008	42,542	3,803	29,900	2,665	12,642	1,234	1,507	221	1,727	197	16,440	1,575	20,723	1,884	2,146	186
2007	44,248	4,255	32,423	3,256	11,815	1,136	1,900	303	2,038	218	17,152	1,676	20,844	2,181	2,313	302
2006	42,477	4,210	30,920	3,249	11,547	1,068	2,138	470	1,912	261	17,095	1,715	19,112	1,956	2,220	205
Nondependent abuse of alcohol																
Northeast																
2010	221,785	26,832	162,667	21,319	59,112	5,851	26,085	2,510	16,466	1,513	74,343	9,434	95,908	14,482	8,981	1,102
2009	193,200	20,420	145,165	17,095	48,032	3,719	23,433	2,037	14,993	1,387	66,989	7,861	79,335	10,128	8,450	1,056
2008	185,931	21,468	137,692	17,691	48,234	4,238	24,438	2,263	15,212	1,821	67,149	8,920	71,520	9,251	7,611	887
2007	163,007	15,422	117,001	12,443	45,995	3,543	25,417	2,154	13,134	1,208	57,648	6,208	59,619	6,991	7,189	745
2006	163,371	17,949	119,135	14,767	44,227	3,629	21,312	1,747	11,066	935	61,193	7,316	63,906	9,053	5,894	818
Midwest																
2010	118,925	8,213	80,950	6,031	37,970	2,466	15,491	1,261	13,060	1,031	45,430	3,377	41,356	3,377	3,589	281
2009	126,448	9,543	84,421	7,049	41,717	2,672	18,965	1,523	13,668	1,125	48,613	3,776	41,316	3,913	3,885	312
2008	106,525	7,296	70,252	5,242	36,254	2,213	17,149	1,447	12,008	1,147	40,596	2,680	33,457	2,758	3,315	246
2007	99,709	6,933	65,724	5,097	33,923	2,004	15,867	1,169	11,707	888	39,322	2,842	29,695	2,700	3,118	285
2006	87,364	6,508	56,463	4,667	30,892	2,059	16,237	1,196	10,310	885	33,765	2,744	24,107	2,278	2,945	248
South																
2010	162,224	8,249	112,932	5,971	49,285	2,498	17,273	1,207	13,360	874	58,769	3,125	65,934	3,582	6,889	385
2009	159,165	8,624	110,376	6,464	48,780	2,434	16,273	839	12,537	677	57,695	3,122	65,304	4,465	7,356	494
2008	168,736	10,318	116,572	7,254	52,140	3,239	18,990	1,450	14,605	1,302	65,238	4,217	62,765	3,812	7,138	489
2007	160,908	9,711	112,270	6,963	48,617	2,992	18,664	1,363	14,099	1,148	61,737	3,981	59,422	3,708	6,986	500
2006	139,258	8,357	97,364	6,430	41,866	2,181	16,612	955	11,033	746	54,940	3,665	50,803	3,477	5,869	350
West																
2010	131,989	9,974	87,768	7,263	44,220	2,952	24,002	2,010	12,313	928	44,308	3,520	45,946	4,318	5,419	459
2009	115,058	8,056	75,269	5,712	39,786	2,659	22,332	1,721	10,884	789	38,535	2,762	38,540	3,372	4,767	444
2008	118,441	8,853	79,382	6,658	39,055	2,412	22,795	1,842	11,094	808	41,280	3,306	38,130	3,447	5,141	481
2007	104,530	7,173	70,412	5,286	34,075	2,087	20,912	1,251	9,397	733	35,534	2,555	34,227	2,851	4,462	388
2006	94,642	5,853	64,187	4,432	30,432	1,714	19,696	1,233	8,434	622	33,228	2,142	29,237	2,258	4,047	351

See footnotes at end of table.

Table B3. Number of emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
All chronic liver disease and cirrhosis																
 Northeast																
2010	18,509	1,295	11,848	832	6,661	521	130	32	127	32	3,709	281	10,850	803	3,693	318
2009	17,777	1,082	11,576	729	6,201	439	96	24	77	17	3,316	238	10,756	665	3,532	281
2008	18,440	1,498	12,146	965	6,294	586	119	27	100	23	3,570	341	10,831	929	3,821	335
2007	19,668	1,053	12,877	719	6,790	434	77	20	87	22	3,742	268	11,494	654	4,267	313
2006	19,563	1,327	13,053	912	6,510	483	—	—	69	19	4,102	347	11,770	884	3,575	285
 Midwest																
2010	18,191	1,150	11,310	721	6,881	499	62	25	129	30	3,897	313	11,056	707	3,047	239
2009	18,379	1,231	11,196	776	7,184	504	—	—	124	32	3,677	295	11,291	838	3,253	271
2008	16,662	1,110	10,470	724	6,192	438	65	20	117	28	3,511	246	9,991	752	2,977	229
2007	18,441	1,439	11,486	943	6,956	531	93	36	88	21	3,533	295	11,286	1,012	3,441	274
2006	17,682	1,360	10,763	869	6,914	531	61	20	111	47	3,410	285	10,647	891	3,453	285
 South																
2010	36,734	1,512	23,255	966	13,479	652	120	28	236	38	7,068	359	23,192	1,010	6,118	347
2009	38,415	1,899	24,329	1,298	14,086	682	145	29	271	52	6,660	376	24,629	1,318	6,709	437
2008	41,024	2,405	26,497	1,624	14,527	843	170	36	225	31	7,622	533	25,580	1,562	7,427	471
2007	41,178	2,142	26,448	1,438	14,730	779	157	36	309	44	7,887	477	25,414	1,360	7,411	452
2006	40,135	1,617	26,003	1,063	14,132	628	155	37	186	31	8,119	404	24,539	1,025	7,136	417
 West																
2010	23,760	1,386	15,407	943	8,354	520	115	32	197	35	5,020	380	14,697	902	3,731	260
2009	22,484	1,469	14,072	997	8,412	531	106	24	164	32	5,245	414	13,313	910	3,656	257
2008	25,604	1,724	16,522	1,136	9,082	677	90	24	123	26	5,493	436	15,576	1,099	4,323	380
2007	25,111	1,639	16,174	1,128	8,931	597	81	23	154	32	5,647	458	15,507	1,101	3,722	297
2006	28,047	1,702	18,020	1,074	10,027	722	108	26	134	29	6,546	444	16,753	1,107	4,507	343
Alcoholic liver disease																
 Northeast																
2010	11,587	761	8,235	583	3,352	247	—	—	—	—	2,803	220	7,492	544	1,245	107
2009	11,266	719	8,127	559	3,140	226	—	—	—	—	2,399	173	7,541	515	1,278	121
2008	11,181	898	8,219	676	2,962	280	—	—	—	—	2,657	272	7,162	585	1,335	133
2007	11,575	684	8,415	503	3,161	261	—	—	—	—	2,706	222	7,274	451	1,549	135
2006	12,690	860	9,080	661	3,611	256	—	—	56	16	3,334	294	7,912	545	1,385	129
 Midwest																
2010	11,192	684	7,885	509	3,307	243	—	—	—	—	2,793	229	7,458	465	894	92
2009	11,765	806	8,070	582	3,695	281	—	—	45	18	2,870	233	7,775	570	1,071	123
2008	10,511	659	7,360	498	3,151	209	—	—	65	18	2,657	179	6,742	488	1,032	93
2007	10,886	824	7,498	613	3,388	260	—	—	—	—	2,737	254	7,184	588	932	97
2006	10,924	814	7,534	578	3,391	267	—	—	63	37	2,548	218	7,190	562	1,098	117
 South																
2010	21,929	1,008	15,587	716	6,342	365	—	—	103	24	4,851	275	14,844	726	2,115	139
2009	23,232	1,202	16,566	919	6,666	374	—	—	87	22	4,593	270	16,190	926	2,331	221
2008	24,556	1,561	17,618	1,173	6,939	440	—	—	120	23	5,543	411	16,413	1,078	2,459	194
2007	24,765	1,392	17,589	1,024	7,176	435	—	—	117	23	5,495	343	16,539	956	2,597	201
2006	24,570	1,081	17,633	756	6,937	388	—	—	75	19	6,038	334	16,060	715	2,372	173
 West																
2010	15,140	976	10,738	704	4,402	330	—	—	123	27	3,814	325	9,719	637	1,468	129
2009	14,170	999	9,928	756	4,242	298	—	—	86	24	3,880	324	8,717	641	1,471	122
2008	15,947	1,125	11,333	844	4,614	350	—	—	62	17	4,188	366	9,958	730	1,719	152
2007	15,109	1,048	10,741	816	4,363	300	—	—	99	26	4,005	325	9,649	699	1,353	119
2006	17,051	1,023	12,386	719	4,665	400	—	—	63	16	4,677	318	10,601	693	1,682	159

See footnotes at end of table.

Table B3. Number of emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	
Alcohol poisoning																	
Northeast																	
2010	4,574	959	3,006	715	1,568	284	795	167	384	86	1,501	353	1,689	385	205	50	
2009	7,691	1,849	5,337	1,326	2,354	562	1,379	375	701	190	2,618	647	2,688	654	304	83	
2008	7,432	1,703	5,179	1,263	2,253	471	1,198	253	600	142	2,270	494	2,988	832	377	133	
2007	5,293	1,094	3,397	754	1,897	353	999	208	434	87	1,811	414	1,816	445	234	51	
2006	7,877	1,746	5,383	1,211	2,494	578	1,148	249	500	129	2,908	643	3,101	776	221	65	
Midwest																	
2010	3,307	427	1,996	277	1,311	171	467	83	328	52	1,233	164	1,129	190	150	28	
2009	3,888	978	2,355	689	1,533	304	606	92	385	75	1,626	412	1,131	412	140	36	
2008	3,303	345	1,840	207	1,463	171	692	90	341	49	1,291	156	860	132	119	26	
2007	3,022	226	1,771	145	1,246	112	740	76	230	37	1,164	123	820	102	67	18	
2006	3,245	267	1,899	170	1,346	122	900	142	340	56	1,242	135	686	82	77	23	
South																	
2010	4,181	266	2,607	181	1,574	123	683	82	345	45	1,513	119	1,367	124	273	40	
2009	4,645	422	2,824	309	1,821	141	678	96	318	45	1,701	200	1,671	164	277	45	
2008	4,395	341	2,697	229	1,698	145	700	77	418	59	1,646	154	1,424	130	206	32	
2007	3,844	253	2,428	184	1,416	107	599	63	323	42	1,497	120	1,213	110	213	33	
2006	4,297	322	2,539	218	1,758	147	833	96	291	44	1,691	156	1,249	119	232	37	
West																	
2010	3,786	508	2,177	330	1,608	211	787	128	417	75	1,442	197	1,019	172	120	29	
2009	3,758	485	2,219	344	1,540	177	1,023	134	333	58	1,277	184	983	168	142	31	
2008	3,978	413	2,227	270	1,751	179	933	112	341	58	1,443	186	1,069	136	192	46	
2007	3,843	531	2,333	437	1,510	163	1,106	139	315	66	1,379	240	892	174	151	28	
2006	3,820	495	2,357	332	1,463	200	962	128	367	66	1,339	202	1,055	183	97	23	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table B4. Number of emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Any alcohol-related diagnoses																
Northeast																
2010	954,897	61,660	680,124	47,175	274,753	16,372	50,929	3,591	50,899	3,281	304,487	21,805	450,677	31,872	97,905	6,136
2009	849,712	51,969	609,895	40,663	239,800	13,072	46,627	3,118	45,549	2,993	276,602	19,177	390,642	25,936	90,292	4,842
2008	790,097	58,226	566,773	45,775	223,297	14,566	45,831	3,454	41,873	3,470	265,912	22,892	350,610	26,984	85,871	5,954
2007	756,370	48,456	533,185	37,962	223,175	12,649	46,977	3,336	39,711	2,630	264,408	20,308	322,215	21,824	83,060	4,474
2006	743,104	54,688	525,985	41,375	217,091	14,364	42,530	2,853	36,050	2,423	261,870	20,583	324,351	26,430	78,304	5,620
Midwest																
2010	816,802	42,144	545,118	28,610	271,627	14,432	39,028	2,272	48,704	2,886	272,368	14,840	369,598	20,662	87,105	4,793
2009	789,622	39,882	527,095	28,316	261,433	12,386	43,959	2,640	48,695	2,984	272,269	14,552	341,865	18,916	82,835	4,257
2008	745,133	46,882	496,813	31,920	247,537	15,611	44,141	4,355	49,689	4,021	262,942	17,725	314,491	19,964	73,869	4,286
2007	697,613	41,652	466,825	28,713	230,129	13,469	43,713	3,703	45,885	2,994	254,152	16,442	281,897	17,391	71,966	4,148
2006	632,087	35,275	420,618	24,106	211,338	11,676	41,828	2,500	42,381	2,829	231,002	14,032	247,154	14,858	69,721	3,928
South																
2010	1,295,043	50,724	884,743	34,829	410,129	16,677	44,267	2,443	56,478	3,122	389,108	16,911	644,072	25,462	161,117	6,764
2009	1,262,145	57,185	867,425	42,159	394,685	15,974	44,449	2,187	54,389	2,698	386,458	19,207	622,856	29,642	153,993	6,737
2008	1,212,058	54,593	833,580	37,840	378,363	17,124	46,978	2,828	56,778	3,349	388,545	18,391	571,736	25,772	148,022	7,219
2007	1,128,546	48,296	784,560	33,701	343,812	15,160	45,657	2,688	52,921	2,881	371,961	17,052	520,003	22,114	138,004	6,524
2006	1,055,196	40,046	737,515	28,403	317,580	12,176	42,751	2,265	47,059	2,362	354,557	14,362	480,850	18,512	129,978	5,331
West																
2010	866,739	49,480	582,086	35,903	284,635	14,440	54,166	3,339	48,916	2,894	268,563	16,235	394,862	25,047	100,232	5,826
2009	771,373	45,527	513,819	31,932	257,512	14,384	51,096	3,022	43,754	2,860	240,786	15,424	343,404	21,836	92,334	5,738
2008	745,340	42,367	502,254	30,625	243,055	12,526	50,036	3,000	41,826	2,678	236,155	15,343	326,308	20,168	91,015	5,015
2007	668,478	41,914	461,099	31,183	207,255	11,593	46,084	2,622	37,099	2,775	216,880	15,225	292,248	19,398	76,167	4,513
2006	649,827	34,107	448,527	24,515	201,163	10,314	44,652	2,327	36,894	2,152	215,074	12,583	277,986	16,055	75,220	3,826
Alcoholic psychoses																
Northeast																
2010	110,428	10,051	85,165	8,277	25,257	2,016	679	110	2,263	363	35,267	4,153	61,324	5,123	10,894	819
2009	110,769	10,892	86,097	8,824	24,672	2,293	570	101	2,163	337	36,829	4,526	60,758	5,665	10,449	698
2008	93,069	9,113	72,651	7,435	20,418	2,040	569	101	1,536	257	31,953	3,783	49,976	4,772	9,034	622
2007	91,129	9,927	70,840	8,463	20,289	1,700	545	82	1,336	148	33,282	4,820	46,855	4,737	9,111	658
2006	79,127	6,983	60,619	5,613	18,508	1,511	468	81	1,012	136	28,387	2,664	40,643	3,744	8,617	686
Midwest																
2010	78,711	5,282	59,661	3,966	19,045	1,417	430	65	1,392	134	26,684	1,893	41,902	2,909	8,302	659
2009	86,437	6,966	64,702	5,063	21,694	2,061	587	82	1,661	184	30,538	2,737	45,114	3,585	8,536	615
2008	81,421	7,236	60,032	5,203	21,374	2,187	529	115	1,913	252	28,840	3,016	41,915	3,664	8,224	557
2007	74,025	6,158	54,897	4,402	19,109	1,837	528	104	1,445	195	27,125	2,620	37,013	3,017	7,914	559
2006	69,837	5,276	52,130	3,978	17,690	1,389	401	54	1,100	117	26,205	2,245	34,816	2,652	7,316	542
South																
2010	121,539	6,117	93,181	4,458	28,348	1,805	406	54	1,897	178	33,300	1,890	69,261	3,541	16,674	838
2009	122,289	7,285	94,136	5,728	28,144	1,754	526	87	1,655	159	34,837	2,489	69,344	4,181	15,927	812
2008	116,886	7,227	89,605	5,413	27,275	1,913	455	74	1,744	200	34,165	2,364	64,989	4,011	15,533	959
2007	106,321	6,487	81,881	4,756	24,437	1,831	520	73	1,355	135	32,219	2,246	57,894	3,533	14,334	825
2006	100,334	5,508	77,341	4,161	22,988	1,468	407	71	1,167	110	31,092	1,966	53,877	2,975	13,790	689
West																
2010	88,629	6,664	65,983	5,098	22,646	1,670	477	73	1,886	191	30,476	2,435	47,188	3,803	8,602	604
2009	81,203	5,633	60,644	4,288	20,550	1,518	493	74	1,678	177	27,404	2,059	43,332	3,087	8,296	618
2008	78,230	5,631	58,147	4,415	20,083	1,427	443	63	1,521	143	27,651	2,196	40,387	3,058	8,228	568
2007	71,127	5,498	54,384	4,588	16,743	1,128	536	99	1,242	142	25,941	2,010	36,421	3,183	6,987	502
2006	69,793	4,934	52,993	3,764	16,786	1,330	346	55	1,366	141	26,385	2,033	34,669	2,469	7,028	555

See footnotes at end of table.

Table B4. Number of emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol dependence syndrome																
 Northeast																
2010	368,362	26,250	277,390	21,114	90,972	5,806	6,900	758	12,131	1,135	119,695	9,598	197,138	14,403	32,498	2,031
2009	325,602	22,545	244,715	17,861	80,887	5,264	6,338	657	10,431	920	108,297	8,608	170,938	11,753	29,599	1,623
2008	294,010	25,897	221,775	21,494	72,231	5,334	5,281	661	8,762	992	102,237	11,090	149,950	12,638	27,779	1,891
2007	287,631	25,894	213,360	21,113	74,270	5,515	5,581	629	8,681	848	107,565	11,936	139,069	11,898	26,735	1,773
2006	257,189	21,483	190,649	16,744	66,525	5,104	4,690	541	6,333	572	91,469	8,156	129,684	11,402	25,013	1,889
 Midwest																
2010	258,546	15,597	186,599	11,234	71,922	4,590	3,465	425	7,469	771	84,863	5,703	137,796	8,281	24,954	1,459
2009	265,397	15,746	189,394	11,262	75,770	4,818	4,308	444	7,765	613	91,575	6,139	135,842	7,973	25,906	1,417
2008	255,064	19,722	181,216	13,619	73,730	6,484	4,771	1,148	8,282	882	90,942	8,177	127,381	9,260	23,688	1,390
2007	234,320	16,768	166,511	11,744	67,719	5,294	4,778	931	7,297	708	85,542	6,998	113,601	7,776	23,102	1,332
2006	209,369	13,739	148,186	9,752	61,145	4,175	3,660	361	6,758	624	78,858	5,746	98,519	6,446	21,574	1,346
 South																
2010	387,067	18,408	286,861	13,358	100,155	5,377	4,557	454	9,301	829	110,983	6,267	218,816	10,196	43,410	1,965
2009	391,508	22,168	290,136	17,189	101,359	5,338	4,870	464	9,747	774	115,856	7,579	217,991	12,478	43,045	1,955
2008	361,914	19,239	268,729	14,196	93,165	5,187	4,700	532	9,082	713	110,709	6,652	195,849	10,277	41,574	2,121
2007	331,816	16,340	248,065	12,058	83,709	4,517	4,119	356	8,075	584	104,768	5,953	175,768	8,431	39,086	1,918
2006	304,062	15,272	226,597	11,281	77,447	4,176	4,384	479	6,851	528	97,952	5,658	158,614	7,869	36,260	1,666
 West																
2010	267,000	17,515	192,402	13,077	74,599	4,688	3,852	468	6,762	481	80,907	5,177	143,314	10,515	32,164	2,275
2009	255,121	19,084	182,544	14,169	72,556	5,342	4,296	514	6,918	591	77,355	6,130	136,100	10,733	30,453	2,331
2008	235,014	14,620	168,059	10,643	66,955	4,278	3,635	488	5,790	516	73,021	5,227	124,392	7,882	28,176	1,668
2007	215,842	16,913	158,574	13,043	57,248	4,283	3,561	516	5,544	531	68,563	5,803	112,859	9,137	25,315	1,745
2006	211,051	15,082	155,387	11,368	55,625	4,006	4,092	612	5,638	502	69,697	5,438	107,559	7,949	24,066	1,511
Nondependent abuse of alcohol																
 Northeast																
2010	491,618	40,709	351,956	30,920	139,647	10,793	42,263	3,400	37,176	2,746	169,104	14,874	207,227	20,106	35,847	2,787
2009	431,825	32,496	313,005	25,557	118,808	8,098	38,468	2,910	33,589	2,534	153,159	12,602	174,543	15,310	32,066	2,200
2008	410,451	32,513	297,553	25,456	112,879	7,983	38,724	3,216	31,515	2,763	148,558	13,017	159,985	13,804	31,668	2,383
2007	384,988	26,435	273,349	20,254	111,629	7,192	39,823	3,125	29,634	2,102	142,409	11,063	142,960	11,204	30,162	1,798
2006	405,476	34,076	289,577	26,346	115,886	8,485	35,854	2,668	28,357	2,024	155,109	13,791	156,399	15,870	29,757	2,475
 Midwest																
2010	420,214	23,932	289,799	17,048	130,395	7,461	33,385	2,004	38,444	2,200	158,934	9,137	162,400	11,420	27,051	1,630
2009	407,434	23,184	278,995	17,264	127,677	6,352	37,534	2,390	38,648	2,536	157,510	9,075	148,456	10,402	25,285	1,372
2008	386,670	25,235	263,540	17,859	122,521	7,707	37,231	3,417	39,149	3,247	150,154	9,980	136,157	9,596	23,979	1,533
2007	365,767	22,636	251,119	16,309	114,103	6,647	36,889	2,923	36,878	2,466	148,164	9,774	120,926	8,285	22,911	1,454
2006	338,345	20,058	229,623	14,139	108,665	6,318	36,186	2,230	34,105	2,303	135,208	8,565	109,267	7,627	23,579	1,441
 South																
2010	669,154	28,594	476,229	20,430	192,833	8,613	36,458	2,109	42,953	2,502	231,107	10,682	302,449	13,281	56,186	2,362
2009	647,874	31,479	461,673	23,433	186,179	8,471	36,389	1,799	41,253	2,106	227,990	11,760	288,288	15,149	53,953	2,379
2008	641,991	31,299	456,293	22,242	185,604	9,284	39,422	2,499	44,244	2,819	237,195	12,130	268,455	13,244	52,675	2,678
2007	624,486	29,673	446,403	21,177	177,972	8,843	39,131	2,449	42,287	2,480	233,911	11,773	257,445	12,236	51,712	2,580
2006	599,097	25,582	430,139	18,597	168,892	7,377	36,150	1,963	38,027	2,037	227,656	10,078	246,302	10,806	50,962	2,321
 West																
2010	451,406	30,928	311,044	22,829	140,344	8,563	47,528	3,242	39,195	2,619	158,885	11,397	172,466	13,578	33,333	2,217
2009	377,339	25,932	258,417	18,767	118,901	7,582	43,740	2,962	34,471	2,563	135,347	10,256	136,422	10,047	27,359	1,830
2008	382,409	25,694	266,095	19,301	116,282	6,741	43,530	2,903	33,747	2,334	138,684	10,132	136,822	10,582	29,626	1,912
2007	343,027	24,654	242,011	18,582	100,917	6,405	39,915	2,524	29,795	2,546	126,355	10,145	121,564	9,053	25,398	1,714
2006	331,497	19,471	234,718	14,513	96,683	5,348	38,648	2,121	29,224	1,959	123,345	8,171	114,979	7,432	25,300	1,512

See footnotes at end of table.

Table B4. Number of emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
All chronic liver disease and cirrhosis																
Northeast																
2010	146,308	9,730	89,537	5,912	56,767	3,998	1,091	179	1,349	176	26,327	1,851	81,497	5,329	36,043	2,745
2009	133,861	7,506	83,540	4,729	50,316	2,933	857	116	1,134	118	22,889	1,507	75,076	4,184	33,906	2,175
2008	126,569	9,978	79,223	5,990	47,337	4,134	754	107	1,040	106	22,977	1,789	69,457	5,619	32,341	2,837
2007	119,553	7,164	73,904	4,352	45,649	3,013	781	127	948	122	21,534	1,566	64,653	3,787	31,637	2,134
2006	117,290	8,402	73,608	5,362	43,683	3,165	674	112	722	103	22,425	1,670	64,332	4,735	29,138	2,303
Midwest																
2010	188,049	11,502	105,584	6,286	82,454	5,349	1,478	225	2,512	213	39,558	2,605	104,903	6,614	39,598	2,512
2009	165,246	9,707	93,885	5,646	71,215	4,222	1,355	138	1,835	172	35,007	2,312	91,006	5,704	36,042	2,285
2008	144,806	9,854	82,346	5,634	62,420	4,376	1,274	167	1,835	222	31,629	2,424	80,303	5,584	29,766	2,072
2007	139,120	9,441	79,732	5,565	59,369	3,994	1,220	223	1,329	177	30,199	2,325	75,891	5,399	30,480	2,046
2006	121,910	8,005	70,019	4,725	51,857	3,415	962	113	1,107	135	26,452	1,905	64,826	4,477	28,564	1,910
South																
2010	333,248	14,473	192,399	8,060	140,812	6,634	2,527	268	4,038	315	65,763	3,327	189,925	8,018	70,996	3,785
2009	306,452	13,205	178,589	7,924	127,863	5,646	2,346	216	3,012	245	58,285	2,705	177,632	7,630	65,177	3,609
2008	286,294	13,494	167,846	8,057	118,436	5,624	1,870	225	3,082	321	56,125	2,723	163,099	7,751	62,118	3,427
2007	249,475	11,269	148,466	6,686	100,995	4,735	1,557	186	2,334	188	48,731	2,298	140,157	6,266	56,696	3,156
2006	225,418	8,727	135,874	5,195	89,532	3,696	1,123	142	1,617	125	44,508	1,909	126,421	4,828	51,749	2,577
West																
2010	215,790	11,316	128,420	6,811	87,370	4,847	2,025	285	2,666	211	42,693	2,503	125,603	6,902	42,803	2,689
2009	197,451	11,655	116,184	6,909	81,267	4,978	1,961	246	2,371	224	40,558	2,587	110,649	6,884	41,912	2,737
2008	183,832	11,363	109,667	6,787	74,165	4,802	1,747	320	1,725	190	36,061	2,486	104,146	6,740	40,153	2,691
2007	157,395	9,671	96,650	6,077	60,729	3,821	1,307	211	1,379	147	31,073	2,166	91,739	5,925	31,898	2,099
2006	159,982	9,396	98,085	5,717	61,891	3,903	1,097	170	1,521	246	33,550	2,260	91,093	5,592	32,721	1,942
Alcoholic liver disease																
Northeast																
2010	64,654	4,042	47,571	3,150	17,078	1,045	73	17	309	41	13,613	966	40,949	2,680	9,710	668
2009	59,919	3,657	44,581	2,781	15,338	975	—	—	248	41	11,984	835	38,468	2,412	9,183	624
2008	56,516	4,016	42,394	3,038	14,122	1,079	—	—	206	38	11,982	898	35,253	2,605	9,033	747
2007	52,322	3,102	38,688	2,296	13,634	931	—	—	156	35	11,118	733	31,866	1,991	9,130	602
2006	57,050	4,189	41,774	3,145	15,276	1,137	—	—	186	39	12,663	978	34,797	2,593	9,382	786
Midwest																
2010	65,975	4,154	47,171	2,915	18,804	1,366	—	—	316	58	14,556	1,111	42,841	2,713	8,224	571
2009	66,235	4,317	46,650	3,124	19,560	1,354	82	22	337	54	16,231	1,324	41,467	2,733	8,118	548
2008	58,972	3,842	41,508	2,784	17,460	1,166	78	21	437	72	14,706	1,170	36,709	2,402	7,041	477
2007	56,907	3,936	40,442	2,842	16,455	1,190	69	21	248	44	14,231	1,202	34,834	2,439	7,524	520
2006	53,859	3,610	38,065	2,577	15,794	1,106	83	21	219	53	13,755	1,121	32,535	2,234	7,267	507
South																
2010	113,349	4,640	82,847	3,342	30,499	1,442	62	16	493	66	21,825	979	74,948	3,200	16,020	787
2009	110,528	5,151	80,918	4,000	29,610	1,368	82	20	379	56	20,519	1,050	74,596	3,735	14,953	883
2008	105,818	5,586	77,579	4,166	28,233	1,512	53	15	446	60	21,506	1,212	68,845	3,683	14,968	985
2007	100,758	4,723	73,351	3,483	27,407	1,364	81	23	482	64	20,897	1,024	64,880	3,123	14,418	854
2006	97,214	3,888	70,817	2,804	26,398	1,213	68	17	322	43	21,432	1,026	61,329	2,438	14,063	750
West																
2010	88,393	5,071	63,145	3,695	25,249	1,519	81	20	543	74	19,882	1,207	56,006	3,353	11,881	873
2009	83,849	5,274	59,944	3,828	23,905	1,663	178	23	646	87	18,880	1,336	52,157	3,374	11,987	871
2008	79,846	5,012	57,171	3,700	22,675	1,469	153	67	392	69	18,339	1,288	49,791	3,260	11,170	748
2007	70,878	4,581	51,912	3,589	18,955	1,117	69	19	449	102	16,421	1,178	44,586	3,016	9,352	585
2006	75,373	4,130	55,117	3,024	20,251	1,297	69	22	390	58	18,381	1,185	46,239	2,587	10,294	648

See footnotes at end of table.

Table B4. Number of emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	
Alcohol poisoning																	
Northeast																	
2010	11,191	1,321	6,569	886	4,622	513	1,439	209	966	129	4,139	473	4,169	542	479	74	
2009	14,379	2,275	9,002	1,583	5,377	756	1,979	417	1,319	254	5,503	825	5,009	797	569	107	
2008	13,693	2,132	8,543	1,527	5,150	663	1,850	295	1,147	186	5,034	704	5,104	973	558	152	
2007	11,093	1,552	6,449	996	4,644	582	1,533	252	1,049	156	4,406	621	3,665	600	441	64	
2006	15,029	2,357	9,506	1,628	5,523	787	1,810	299	1,156	201	6,311	966	5,290	987	461	90	
Midwest																	
2010	12,920	1,383	7,106	862	5,814	557	1,280	174	1,405	182	5,483	554	4,285	508	466	66	
2009	13,758	2,125	7,608	1,465	6,150	697	1,445	182	1,452	190	6,162	953	4,240	833	458	66	
2008	14,043	1,509	7,301	920	6,715	624	1,680	177	1,518	185	6,531	681	3,909	510	406	77	
2007	12,398	954	6,434	518	5,940	479	1,746	155	1,193	116	5,760	465	3,387	308	312	63	
2006	12,861	1,077	6,815	627	6,046	497	1,944	246	1,400	164	5,925	527	3,262	325	330	60	
South																	
2010	14,529	831	7,862	482	6,666	418	1,478	123	1,249	101	6,160	385	4,908	327	733	76	
2009	15,429	964	8,538	620	6,890	397	1,548	148	1,379	115	6,206	434	5,514	378	783	73	
2008	15,517	980	8,636	602	6,881	433	1,598	129	1,428	133	6,649	449	5,163	356	679	74	
2007	14,428	774	7,947	459	6,474	377	1,421	101	1,281	100	6,399	384	4,581	294	746	72	
2006	14,754	899	8,204	551	6,550	402	1,865	145	1,401	132	6,492	405	4,342	320	653	79	
West																	
2010	12,011	1,080	6,145	583	5,866	566	1,599	183	1,242	157	4,784	447	3,916	399	470	62	
2009	12,625	1,190	6,681	749	5,943	529	1,934	208	1,083	122	5,163	509	3,940	441	504	85	
2008	12,220	957	6,235	565	5,985	461	1,890	182	1,234	143	4,846	424	3,692	319	558	88	
2007	10,850	995	6,111	674	4,739	422	1,923	204	1,049	131	4,470	442	3,030	349	379	53	
2006	10,115	903	5,510	550	4,600	401	1,619	172	1,120	134	3,932	385	3,134	304	311	48	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table B5. Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Any alcohol-related diagnoses																
Any drug-related diagnoses																
2010	128,077	6,085	91,020	4,788	37,053	1,463	10,166	369	8,343	354	56,048	2,689	51,477	3,055	2,043	150
2009	127,588	6,220	90,362	4,813	37,211	1,545	9,980	376	8,331	390	57,397	3,005	49,948	2,767	1,933	147
2008	122,083	6,480	86,519	5,123	35,551	1,637	11,094	504	8,179	427	57,036	3,408	43,968	2,562	1,806	137
2007	120,833	7,706	85,829	6,195	34,994	1,703	10,656	553	7,883	383	58,538	4,491	42,144	2,802	1,611	123
2006	102,979	4,655	72,895	3,512	30,065	1,258	9,617	384	6,950	323	51,190	2,746	34,121	1,605	1,101	83
Drug psychoses																
2010	9,963	746	7,162	585	2,802	212	195	36	435	62	4,431	369	4,619	350	283	37
2009	10,653	852	7,505	612	3,143	285	306	40	689	88	4,646	429	4,693	371	318	74
2008	9,480	867	6,581	630	2,899	270	263	45	486	71	4,220	442	4,155	368	357	73
2007	8,731	1,079	6,273	909	2,458	233	263	47	306	47	4,294	644	3,603	410	265	44
2006	7,041	550	4,920	412	2,122	170	220	35	266	34	3,451	360	2,921	204	184	32
Drug dependence																
2010	29,755	3,786	22,026	3,069	7,728	766	592	72	1,155	119	13,058	1,569	14,337	2,126	612	85
2009	31,443	3,132	22,837	2,440	8,606	760	620	77	1,385	141	14,758	1,584	14,163	1,415	517	90
2008	29,078	3,920	21,574	3,380	7,499	686	857	155	1,241	159	14,310	2,124	12,229	1,651	441	55
2007	30,304	5,281	22,493	4,389	7,811	985	939	191	1,060	132	16,075	3,142	11,817	1,961	414	71
2006	19,448	1,443	13,676	1,040	5,772	448	515	61	852	91	10,366	854	7,437	541	278	39
Nondependent abuse of drugs																
2010	91,483	3,476	65,673	2,658	25,806	927	8,972	335	6,480	285	40,469	1,640	34,433	1,526	1,129	98
2009	88,534	3,888	63,760	3,024	24,759	972	8,618	335	6,400	297	39,622	1,839	32,885	1,711	1,008	82
2008	85,589	3,725	61,298	2,724	24,283	1,093	9,457	412	6,312	321	39,828	1,944	29,074	1,361	918	80
2007	83,273	3,978	59,507	3,105	23,756	1,010	8,905	448	6,185	316	39,574	2,223	27,803	1,417	807	69
2006	76,098	3,619	55,215	2,809	20,863	897	8,181	346	5,473	261	37,547	2,201	24,290	1,203	607	59
Drug poisoning																
2010	9,182	377	5,073	217	4,109	235	802	71	845	74	3,947	204	3,362	175	226	31
2009	9,853	388	5,355	236	4,498	214	948	82	792	72	4,431	208	3,366	174	316	39
2008	9,215	416	4,817	239	4,399	230	1,074	79	841	74	4,272	217	2,787	167	242	37
2007	8,887	389	4,860	246	4,027	210	1,070	100	863	70	4,036	211	2,649	155	269	39
2006	8,563	438	4,765	273	3,799	217	1,115	94	746	70	4,186	257	2,386	151	130	26
Alcoholic psychoses																
Any drug-related diagnoses																
2010	28,620	1,852	21,367	1,420	7,253	489	299	45	1,008	106	12,839	879	13,943	905	531	57
2009	30,926	2,618	23,125	2,004	7,801	686	337	55	1,149	130	14,516	1,337	14,249	1,172	675	92
2008	26,018	2,130	19,567	1,709	6,447	522	322	49	954	104	12,527	1,084	11,682	971	533	63
2007	27,719	4,789	21,270	4,039	6,450	792	388	52	817	103	14,411	2,893	11,595	1,799	509	69
2006	19,594	1,398	14,702	1,047	4,892	403	238	45	588	72	10,487	832	7,958	551	323	42
Drug psychoses																
2010	5,260	407	3,788	299	1,472	142	59	20	165	33	2,416	196	2,481	214	139	25
2009	5,804	593	4,090	408	1,714	219	67	18	349	67	2,521	305	2,660	256	208	69
2008	4,717	420	3,319	318	1,398	133	79	22	218	37	2,098	213	2,159	200	163	30
2007	4,924	933	3,671	797	1,253	176	67	27	174	35	2,510	582	2,067	336	105	23
2006	3,568	348	2,445	247	1,123	125	50	16	115	24	1,845	223	1,490	132	69	17
Drug dependence																
2010	9,934	867	7,141	634	2,793	267	91	25	324	59	4,422	425	4,916	415	181	28
2009	12,409	1,628	8,990	1,227	3,419	446	94	27	429	70	5,813	828	5,767	739	306	77
2008	9,971	1,330	7,327	1,124	2,644	269	113	30	347	62	4,690	691	4,619	601	201	36
2007	12,526	4,207	9,570	3,569	2,956	659	158	36	253	63	6,900	2,516	4,986	1,594	229	50
2006	7,069	826	4,956	587	2,113	266	90	34	215	40	3,850	509	2,802	294	112	23

See footnotes at end of table.

Table B5. Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcoholic psychoses																
Nondependent abuse of drugs																
2010	18,480	1,156	14,145	925	4,335	283	211	35	676	69	8,576	567	8,756	569	262	41
2009	18,065	1,279	13,917	1,029	4,148	304	228	40	725	85	8,706	665	8,127	578	279	40
2008	15,851	1,088	12,124	819	3,724	314	214	34	630	71	7,937	578	6,849	481	222	35
2007	14,619	1,443	11,328	1,222	3,290	267	238	39	545	67	7,367	921	6,270	528	200	35
2006	12,093	745	9,485	604	2,608	186	153	29	367	50	6,503	435	4,876	338	194	33
Drug poisoning																
2010	698	66	466	53	232	38	—	—	—	—	238	37	394	46	—	—
2009	850	79	576	66	274	41	—	—	—	—	369	51	386	45	40	13
2008	639	86	405	53	234	50	—	—	—	—	286	39	271	50	—	—
2007	602	67	391	48	211	39	—	—	—	—	255	43	251	38	—	—
2006	440	59	269	39	172	37	—	—	—	—	210	36	199	36	—	—
Alcohol dependence syndrome																
Any drug-related diagnoses																
2010	39,812	4,317	29,506	3,547	10,301	836	1,168	103	1,748	141	18,261	1,825	17,891	2,363	743	98
2009	38,613	3,681	28,429	2,930	10,183	797	1,298	113	1,963	166	18,260	1,770	16,568	1,752	524	73
2008	36,830	3,895	27,311	3,197	9,511	857	1,439	182	1,872	200	18,901	2,140	14,092	1,542	526	64
2007	34,543	3,227	25,215	2,456	9,328	844	1,408	233	1,778	161	18,146	1,835	12,838	1,172	373	57
2006	27,259	1,691	19,808	1,276	7,445	479	1,053	95	1,458	122	14,491	990	9,901	627	356	44
Drug psychoses																
2010	2,840	371	2,112	307	728	96	—	—	99	24	1,300	192	1,332	177	81	21
2009	2,946	433	2,137	323	809	130	72	21	160	34	1,349	225	1,296	194	70	22
2008	3,053	557	2,217	412	837	159	56	18	137	44	1,489	280	1,321	238	50	23
2007	2,373	334	1,696	277	677	82	81	25	88	21	1,113	182	1,013	137	78	30
2006	1,994	298	1,447	235	547	79	—	—	61	17	978	183	876	124	71	21
Drug dependence																
2010	15,170	3,434	11,713	2,832	3,457	623	253	42	533	80	6,965	1,375	7,136	1,984	283	68
2009	14,605	2,348	10,845	1,866	3,760	514	364	56	658	91	7,189	1,202	6,223	1,058	172	40
2008	14,804	2,819	11,366	2,439	3,433	487	471	116	687	107	7,932	1,564	5,568	1,139	146	33
2007	13,449	2,078	9,860	1,553	3,589	583	516	157	592	91	7,397	1,235	4,827	704	117	32
2006	8,746	772	6,187	564	2,558	238	287	41	448	64	4,806	457	3,085	291	119	24
Nondependent abuse of drugs																
2010	23,785	1,526	17,536	1,228	6,245	363	906	84	1,177	95	11,075	753	10,232	707	395	52
2009	23,015	1,800	17,176	1,436	5,840	416	940	89	1,286	117	10,765	818	9,739	900	285	45
2008	21,161	1,697	15,572	1,276	5,585	461	988	105	1,161	118	10,747	946	7,952	647	312	45
2007	20,313	1,604	14,913	1,252	5,399	396	873	133	1,138	105	10,545	883	7,579	625	178	31
2006	17,420	1,046	13,001	815	4,413	290	759	76	965	87	9,192	621	6,324	404	179	31
Drug poisoning																
2010	1,625	125	963	87	663	71	—	—	70	23	749	78	727	69	—	—
2009	1,916	139	1,057	93	860	84	68	19	89	22	860	81	871	82	—	—
2008	1,393	145	769	85	623	81	69	18	84	23	696	85	506	66	—	—
2007	1,217	107	725	68	492	66	67	21	82	26	599	69	434	51	—	—
2006	1,367	118	810	82	557	65	54	18	63	17	746	84	492	57	—	—
Nondependent abuse of alcohol																
Any drug-related diagnoses																
2010	48,990	1,767	33,165	1,279	15,825	570	8,182	327	5,142	242	21,273	845	13,874	649	519	63
2009	47,394	1,913	31,827	1,376	15,552	616	7,690	303	4,809	234	21,076	961	13,323	686	497	54
2008	47,840	1,873	32,229	1,305	15,611	643	8,559	369	4,924	261	21,604	940	12,351	575	401	55
2007	46,998	1,981	31,599	1,447	15,389	631	8,163	380	4,867	245	21,947	1,080	11,618	614	404	43
2006	44,440	2,489	30,604	1,929	13,822	648	7,586	325	4,410	219	21,675	1,665	10,535	664	235	36

See footnotes at end of table.

Table B5. Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	
Nondependent abuse of alcohol																	
Drug psychoses																	
2010	1,354	210	921	160	433	66	92	23	153	31	536	111	524	84	49	15	
2009	1,280	146	882	108	393	55	116	22	148	31	560	77	438	64	—	—	
2008	1,130	142	682	96	448	68	105	27	95	26	513	80	370	59	—	—	
2007	923	100	587	76	335	43	88	23	—	—	496	59	281	49	—	—	
2006	836	98	565	72	271	46	116	24	58	17	424	71	226	38	—	—	
Drug dependence																	
2010	2,979	218	2,066	159	914	88	234	41	258	36	1,242	101	1,134	108	111	39	
2009	2,686	237	1,883	194	804	81	128	26	277	43	1,342	142	917	97	—	—	
2008	2,344	205	1,542	155	802	85	230	46	184	32	1,130	113	762	80	—	—	
2007	2,309	327	1,628	239	681	109	243	48	195	39	1,154	196	691	95	—	—	
2006	1,953	150	1,355	117	598	65	125	25	148	28	1,104	103	549	60	—	—	
Nondependent abuse of drugs																	
2010	42,465	1,597	29,274	1,175	13,190	494	7,613	312	4,412	224	18,519	776	11,585	575	336	44	
2009	41,040	1,733	28,058	1,263	12,967	542	7,131	291	4,155	209	17,997	857	11,372	633	384	49	
2008	41,752	1,714	28,788	1,217	12,964	568	7,842	348	4,326	235	18,713	861	10,583	531	288	39	
2007	41,268	1,803	28,286	1,331	12,971	564	7,487	351	4,280	226	19,276	992	9,922	552	302	38	
2006	39,382	2,400	27,642	1,870	11,727	601	6,931	305	3,915	203	19,134	1,625	9,227	631	174	30	
Drug poisoning																	
2010	3,802	199	1,976	121	1,826	132	435	51	513	62	1,629	105	1,161	93	64	16	
2009	3,983	213	2,077	132	1,906	126	466	48	433	57	1,927	125	1,074	96	83	20	
2008	3,859	227	1,962	133	1,896	132	525	57	471	53	1,858	134	978	80	—	—	
2007	3,837	220	1,917	126	1,920	133	549	81	495	55	1,718	117	1,008	86	68	18	
2006	3,367	194	1,801	117	1,566	123	568	65	365	45	1,641	115	766	72	—	—	
All chronic liver disease and cirrhosis																	
Any drug-related diagnoses																	
2010	6,390	319	4,432	234	1,959	138	—	—	54	18	1,752	109	4,408	253	154	26	
2009	6,237	313	4,382	248	1,855	120	—	—	72	18	1,664	111	4,402	254	85	20	
2008	6,795	387	4,858	288	1,937	146	—	—	—	—	2,053	140	4,516	278	178	32	
2007	7,222	361	5,076	279	2,146	151	—	—	54	17	2,116	130	4,854	286	183	33	
2006	7,110	401	5,067	300	2,043	155	—	—	74	21	2,388	171	4,510	278	123	25	
Drug psychoses																	
2010	249	33	171	27	77	19	—	—	—	—	55	16	185	27	—	—	
2009	346	41	210	34	136	25	—	—	—	—	115	24	209	34	—	—	
2008	310	43	208	35	103	21	—	—	—	—	60	18	220	35	—	—	
2007	275	37	188	31	87	20	—	—	—	—	90	23	145	26	—	—	
2006	337	46	217	37	120	25	—	—	—	—	91	22	212	35	—	—	
Drug dependence																	
2010	1,310	111	866	86	444	52	—	—	—	—	272	36	997	100	—	—	
2009	1,432	126	921	101	512	54	—	—	—	—	288	41	1,114	108	—	—	
2008	1,597	187	1,122	131	475	80	—	—	—	—	407	63	1,152	144	—	—	
2007	1,682	171	1,187	123	495	72	—	—	—	—	466	58	1,174	128	—	—	
2006	1,449	124	1,031	98	418	50	—	—	—	—	470	65	937	91	—	—	
Nondependent abuse of drugs																	
2010	4,948	254	3,463	183	1,486	117	—	—	—	—	1,462	99	3,308	197	110	23	
2009	4,566	255	3,334	211	1,232	89	—	—	46	14	1,331	95	3,125	208	54	15	
2008	4,928	283	3,605	226	1,323	101	—	—	—	—	1,594	112	3,223	211	77	23	
2007	5,420	285	3,844	226	1,576	125	—	—	—	—	1,632	112	3,627	230	101	23	
2006	5,446	325	3,907	245	1,539	129	—	—	58	18	1,860	135	3,461	233	57	17	

See footnotes at end of table.

Table B5. Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
All chronic liver disease and cirrhosis																
Drug poisoning																
2010	197	33	114	23	83	22	—	—	—	—	51	16	140	29	—	—
2009	187	40	119	37	68	17	—	—	—	—	48	14	113	37	—	—
2008	236	36	127	26	109	24	—	—	—	—	70	18	117	26	—	—
2007	151	27	75	19	76	20	—	—	—	—	—	—	86	20	—	—
2006	170	34	108	28	62	19	—	—	—	—	56	16	91	24	—	—
Alcoholic liver disease																
Any drug-related diagnoses																
2010	4,964	253	3,499	187	1,465	114	—	—	—	—	1,448	94	3,355	203	107	23
2009	4,665	247	3,361	203	1,304	98	—	—	44	13	1,325	97	3,235	202	52	16
2008	5,107	288	3,720	220	1,386	109	—	—	—	—	1,645	112	3,308	209	126	28
2007	5,173	275	3,681	218	1,492	121	—	—	—	—	1,644	110	3,377	215	102	26
2006	5,320	308	3,830	225	1,490	126	—	—	55	16	1,890	144	3,306	203	64	18
Drug psychoses																
2010	176	28	133	24	—	—	—	—	—	—	—	—	129	23	—	—
2009	205	31	140	27	65	18	—	—	—	—	87	20	111	24	—	—
2008	222	35	161	30	62	16	—	—	—	—	56	18	162	30	—	—
2007	180	28	129	25	51	15	—	—	—	—	61	17	108	22	—	—
2006	229	39	156	33	74	22	—	—	—	—	66	19	151	32	—	—
Drug dependence																
2010	918	84	605	64	313	44	—	—	—	—	211	30	679	77	—	—
2009	1,003	94	666	78	337	44	—	—	—	—	201	33	789	81	—	—
2008	992	98	744	73	248	46	—	—	—	—	270	40	696	78	—	—
2007	932	101	670	85	263	44	—	—	—	—	271	40	629	73	—	—
2006	1,067	103	782	80	285	43	—	—	—	—	384	59	662	75	—	—
Nondependent abuse of drugs																
2010	3,960	208	2,817	152	1,144	97	—	—	—	—	1,228	86	2,600	163	87	20
2009	3,460	209	2,561	178	899	75	—	—	—	—	1,076	83	2,312	172	—	—
2008	3,888	232	2,846	186	1,042	86	—	—	—	—	1,327	98	2,479	173	63	21
2007	4,115	233	2,948	186	1,167	108	—	—	—	—	1,334	99	2,680	188	61	17
2006	4,099	238	2,949	178	1,149	100	—	—	—	—	1,471	109	2,538	161	—	—
Drug poisoning																
2010	153	29	102	22	—	—	—	—	—	—	—	—	112	26	—	—
2009	161	39	105	36	56	15	—	—	—	—	43	13	96	36	—	—
2008	209	33	117	25	91	22	—	—	—	—	61	17	103	24	—	—
2007	128	25	64	17	64	19	—	—	—	—	—	—	70	18	—	—
2006	124	29	81	25	—	—	—	—	—	—	—	—	79	22	—	—
Alcohol poisoning																
Any drug-related diagnoses																
2010	4,264	244	2,550	153	1,714	151	493	57	391	47	1,923	138	1,361	100	96	19
2009	4,418	272	2,598	181	1,820	136	642	74	337	42	1,881	141	1,406	113	152	28
2008	4,599	275	2,554	163	2,045	148	758	78	397	46	1,950	138	1,326	111	168	40
2007	4,351	249	2,669	173	1,682	122	682	69	367	49	1,918	145	1,240	103	143	27
2006	4,577	336	2,714	220	1,863	150	725	68	420	62	2,150	195	1,218	109	65	18
Drug psychoses																
2010	260	36	168	28	92	21	—	—	—	—	123	23	96	21	—	—
2009	277	37	185	28	92	21	47	14	—	—	102	23	91	20	—	—
2008	270	48	156	30	114	36	—	—	—	—	60	16	84	20	—	—
2007	236	40	130	25	106	30	—	—	—	—	86	20	97	28	—	—
2006	306	46	246	40	60	17	—	—	—	—	114	27	118	30	—	—

See footnotes at end of table.

Table B5. Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol poisoning																
Drug dependence																
2010	361	45	241	35	120	26	—	—	—	—	158	29	153	26	—	—
2009	310	43	198	33	112	23	—	—	—	—	125	25	142	27	—	—
2008	361	45	217	33	145	31	—	—	—	—	151	31	128	24	—	—
2007	338	53	247	48	91	21	—	—	—	—	158	32	139	32	—	—
2006	231	40	146	31	85	21	—	—	—	—	137	29	64	18	—	—
Nondependent abuse of drugs																
2010	1,805	142	1,255	110	550	61	220	32	170	31	838	85	552	65	—	—
2009	1,849	149	1,276	117	573	61	310	43	188	31	822	77	522	67	—	—
2008	1,896	157	1,209	101	687	77	398	52	176	30	837	82	467	63	—	—
2007	1,654	117	1,136	85	519	62	292	42	177	38	754	73	405	47	—	—
2006	1,757	152	1,180	111	577	67	328	47	167	32	858	89	401	56	—	—
Drug poisoning																
2010	2,860	197	1,554	108	1,306	137	323	48	235	35	1,280	110	940	83	81	18
2009	2,916	198	1,526	123	1,390	113	387	58	231	34	1,227	111	923	86	149	28
2008	3,089	205	1,553	118	1,536	121	458	55	264	38	1,361	113	915	84	91	22
2007	3,080	211	1,752	147	1,329	103	440	52	236	34	1,420	126	869	87	115	25
2006	3,219	284	1,776	183	1,443	126	489	59	300	48	1,533	170	839	89	58	18

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table B6. Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	
Any alcohol-related diagnoses																	
Any drug-related diagnoses																	
2010	671,852	24,264	450,727	17,469	221,061	7,319	43,032	1,584	47,343	1,758	285,801	10,620	278,607	11,239	17,069	766	
2009	644,631	24,487	431,405	17,636	213,142	7,307	42,792	1,626	45,335	1,757	282,043	11,329	258,965	10,493	15,496	598	
2008	615,319	25,237	409,649	17,934	205,491	8,010	45,376	3,049	44,914	1,926	275,702	11,906	235,415	10,008	13,911	593	
2007	605,080	23,963	405,478	17,599	199,460	7,099	43,138	2,675	42,397	1,534	285,574	12,505	221,619	9,005	12,352	468	
2006	558,760	19,777	371,813	13,627	186,881	6,418	40,340	1,513	40,289	1,452	270,512	10,286	197,097	7,550	10,521	413	
Drug psychoses																	
2010	58,208	4,096	39,979	3,146	18,226	1,055	2,244	196	3,885	351	25,779	2,113	23,780	1,600	2,518	141	
2009	60,977	4,408	41,528	3,293	19,445	1,225	2,498	210	4,084	369	27,469	2,321	24,009	1,682	2,917	189	
2008	53,098	3,905	35,506	2,764	17,588	1,222	2,092	225	3,393	319	24,058	2,033	20,810	1,476	2,746	174	
2007	52,507	4,823	35,840	3,844	16,662	1,169	2,128	227	2,882	233	25,885	2,919	19,118	1,660	2,493	150	
2006	43,342	2,648	28,593	1,774	14,749	935	1,912	164	2,574	205	21,059	1,544	15,631	890	2,166	141	
Drug dependence																	
2010	152,130	10,635	104,616	8,199	47,502	2,657	5,453	431	8,971	621	66,621	4,767	67,201	5,346	3,884	266	
2009	155,417	9,758	106,009	7,210	49,403	2,755	5,708	415	9,209	655	71,723	4,828	65,502	4,190	3,275	255	
2008	140,550	11,970	95,638	9,426	44,899	3,133	6,500	1,511	8,484	676	65,982	6,085	56,741	4,833	2,845	186	
2007	145,357	13,283	100,234	10,544	45,100	3,117	6,320	1,367	7,579	540	74,178	7,478	54,957	4,956	2,324	191	
2006	114,615	6,605	75,910	4,424	38,694	2,277	4,598	341	6,862	507	59,120	3,719	41,944	2,377	2,091	139	
Nondependent abuse of drugs																	
2010	450,300	16,220	315,576	11,762	134,672	4,751	33,306	1,260	32,993	1,274	192,342	7,137	183,258	7,324	8,401	487	
2009	419,651	17,065	293,910	12,423	125,662	4,866	32,659	1,308	31,145	1,251	182,503	7,655	166,252	7,440	7,093	375	
2008	400,324	16,035	279,413	11,273	120,758	4,952	34,254	2,069	30,395	1,352	178,995	7,280	150,497	6,427	6,183	367	
2007	393,254	14,705	274,976	10,456	118,176	4,507	32,297	1,799	29,416	1,131	183,939	7,291	142,018	5,612	5,584	283	
2006	379,863	14,339	266,258	10,180	113,554	4,345	30,891	1,213	28,237	1,045	184,257	7,398	131,836	5,609	4,641	242	
Drug poisoning																	
2010	122,569	3,836	63,865	2,073	58,700	1,943	8,610	351	10,296	433	54,126	1,785	45,291	1,541	4,247	199	
2009	121,756	3,713	64,000	2,126	57,750	1,812	8,793	360	10,277	430	54,714	1,768	43,841	1,462	4,131	191	
2008	122,424	4,133	63,376	2,212	59,031	2,036	9,530	382	10,730	476	56,116	1,987	42,155	1,496	3,893	193	
2007	113,031	3,319	58,684	1,842	54,332	1,648	8,900	366	9,914	367	53,537	1,692	37,147	1,196	3,534	158	
2006	108,135	3,299	56,168	1,844	51,963	1,602	8,886	367	9,538	375	51,949	1,743	34,898	1,143	2,865	142	
Alcoholic psychoses																	
Any drug-related diagnoses																	
2010	71,054	4,248	52,058	3,377	18,996	996	804	97	2,563	282	29,534	2,146	35,880	1,870	2,272	142	
2009	75,545	5,280	55,783	4,087	19,762	1,300	985	120	2,815	285	33,011	2,683	36,415	2,288	2,319	161	
2008	65,267	4,183	47,829	3,151	17,430	1,170	872	118	2,389	247	28,841	2,127	31,041	1,819	2,125	129	
2007	64,462	6,423	48,043	5,379	16,419	1,158	925	114	1,925	180	30,625	3,827	29,063	2,441	1,924	136	
2006	51,921	2,666	37,941	1,964	13,968	777	646	88	1,436	130	24,916	1,419	23,316	1,177	1,606	113	
Drug psychoses																	
2010	17,524	2,462	12,669	2,017	4,855	487	282	63	876	200	7,814	1,382	7,860	863	692	64	
2009	19,769	2,454	14,188	1,903	5,581	595	347	71	1,117	210	9,063	1,321	8,356	897	885	98	
2008	14,845	1,279	10,220	902	4,621	413	273	45	777	127	6,534	662	6,463	506	798	67	
2007	14,539	1,961	10,524	1,677	4,015	363	301	60	525	80	7,105	1,249	5,874	660	734	72	
2006	11,608	835	7,889	584	3,719	286	234	47	363	56	5,541	487	4,897	326	573	61	
Drug dependence																	
2010	24,487	2,836	17,519	2,290	6,968	608	271	69	1,031	220	10,689	1,551	11,885	1,074	612	64	
2009	30,540	3,740	22,082	2,881	8,458	908	406	80	1,278	216	14,407	1,961	13,731	1,536	718	99	
2008	23,707	2,447	16,863	1,898	6,839	651	341	72	1,008	163	10,983	1,281	10,795	1,025	581	61	
2007	25,536	5,436	19,070	4,630	6,466	855	348	55	689	114	13,350	3,265	10,640	2,025	509	70	
2006	16,808	1,364	11,807	964	4,995	434	244	59	522	79	8,438	786	7,197	531	406	47	

See footnotes at end of table.

Table B6. Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcoholic psychoses																
Nondependent abuse of drugs																
2010	41,486	1,971	31,481	1,573	10,005	494	506	60	1,488	124	17,639	928	20,961	1,005	893	81
2009	39,882	2,151	30,664	1,720	9,218	524	576	69	1,558	144	17,327	1,041	19,572	1,021	849	78
2008	36,650	2,173	27,827	1,620	8,819	606	502	68	1,313	125	16,691	1,134	17,416	964	727	64
2007	34,369	2,040	26,254	1,648	8,115	472	578	88	1,145	108	16,013	1,175	15,938	861	695	68
2006	30,716	1,509	23,473	1,179	7,238	403	374	54	827	78	15,104	794	13,756	729	655	67
Drug poisoning																
2010	8,175	382	5,171	264	3,004	177	94	21	271	41	3,046	176	4,296	228	468	51
2009	8,434	472	5,491	319	2,943	204	92	25	297	47	3,462	246	4,169	240	414	48
2008	8,055	508	5,186	323	2,869	227	135	27	258	44	3,331	252	3,849	250	482	52
2007	6,883	380	4,382	255	2,501	166	119	26	237	41	2,966	225	3,174	180	387	45
2006	6,306	346	3,968	238	2,338	159	98	24	236	34	2,706	184	2,974	181	293	41
Alcohol dependence syndrome																
Any drug-related diagnoses																
2010	248,272	12,619	175,056	9,702	73,194	3,210	5,564	358	10,870	634	105,006	5,509	120,085	6,481	6,747	340
2009	246,150	11,814	172,652	8,882	73,493	3,169	6,144	382	11,772	679	108,892	5,794	113,156	5,208	6,187	312
2008	225,828	13,460	158,127	10,421	67,667	3,634	6,623	1,005	10,452	711	102,848	6,902	100,341	5,503	5,564	264
2007	225,969	14,402	158,680	11,362	67,250	3,463	6,238	797	10,194	616	109,129	8,034	95,304	5,560	5,103	256
2006	184,388	8,375	127,278	5,872	57,082	2,627	4,878	330	8,383	505	90,915	4,492	75,898	3,361	4,314	220
Drug psychoses																
2010	32,332	3,034	22,975	2,428	9,356	680	682	99	1,562	237	14,549	1,607	14,396	1,195	1,143	90
2009	34,616	3,336	24,539	2,552	10,077	870	761	109	2,017	263	16,282	1,836	14,213	1,200	1,342	133
2008	29,216	2,563	20,437	1,886	8,776	738	598	103	1,473	188	13,512	1,361	12,478	1,017	1,155	93
2007	29,620	3,744	21,122	3,124	8,498	745	690	100	1,263	139	14,971	2,340	11,574	1,283	1,122	99
2006	21,831	1,646	14,863	1,135	6,969	557	494	72	1,005	128	10,921	991	8,435	545	976	89
Drug dependence																
2010	100,385	8,884	70,688	7,014	29,688	2,039	2,488	241	5,041	446	45,336	3,956	45,268	4,577	2,252	182
2009	103,915	7,671	72,715	5,773	31,200	2,044	2,923	257	5,508	471	49,514	3,982	43,983	3,124	1,987	181
2008	94,455	10,001	66,240	8,166	28,203	2,330	3,371	805	4,888	477	45,917	5,311	38,583	3,981	1,697	132
2007	101,417	11,658	71,819	9,453	29,583	2,477	3,309	651	4,853	416	53,550	6,722	38,228	4,361	1,476	145
2006	71,559	4,596	48,298	3,159	23,250	1,511	2,135	198	3,821	328	38,246	2,686	26,106	1,584	1,251	102
Nondependent abuse of drugs																
2010	132,560	5,367	97,035	4,122	35,508	1,374	2,939	184	5,501	299	55,186	2,323	66,144	2,821	2,790	177
2009	125,028	5,424	91,829	4,171	33,195	1,378	3,045	200	5,911	338	53,937	2,476	59,638	2,653	2,498	159
2008	113,617	5,049	82,582	3,670	31,018	1,494	3,326	419	5,159	327	51,069	2,458	51,926	2,186	2,136	142
2007	108,427	4,736	78,747	3,526	29,662	1,332	2,962	317	4,941	300	50,066	2,337	48,495	2,127	1,963	126
2006	97,095	4,247	70,808	3,144	26,271	1,190	2,628	179	4,077	241	46,900	2,136	41,722	1,944	1,769	123
Drug poisoning																
2010	34,055	1,384	19,447	820	14,608	666	789	77	1,507	115	14,519	674	15,740	652	1,500	97
2009	36,060	1,325	20,238	785	15,822	647	1,002	90	1,857	131	15,738	679	16,141	613	1,323	88
2008	33,879	1,511	19,296	850	14,579	729	867	76	1,584	117	15,013	765	15,017	658	1,398	92
2007	31,127	1,270	17,881	787	13,241	633	765	68	1,644	118	14,554	707	12,886	538	1,278	90
2006	29,309	1,218	16,510	706	12,799	578	769	74	1,494	104	14,029	646	12,026	540	992	76
Nondependent abuse of alcohol																
Any drug-related diagnoses																
2010	381,389	13,376	252,815	9,281	128,533	4,380	35,676	1,346	34,287	1,277	167,462	6,088	136,176	5,366	7,787	439
2009	354,951	13,977	234,469	9,776	120,408	4,452	34,444	1,359	31,449	1,235	159,012	6,517	123,441	5,563	6,604	303
2008	347,342	13,815	228,657	9,393	118,538	4,609	36,333	2,207	32,043	1,352	158,677	6,385	114,210	5,072	6,078	346
2007	342,241	12,345	226,516	8,432	115,633	4,158	34,785	2,000	30,221	1,083	163,757	6,262	108,124	4,278	5,354	247
2006	339,675	12,366	225,638	8,547	113,999	4,014	33,117	1,273	29,667	1,061	166,763	6,592	105,490	4,417	4,638	220

See footnotes at end of table.

Table B6. Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Nondependent abuse of alcohol																
Drug psychoses																
2010	21,563	1,496	14,480	1,082	7,080	470	1,480	132	2,191	188	10,014	791	7,162	530	716	64
2009	21,047	1,695	13,958	1,223	7,085	517	1,602	142	1,883	167	9,695	791	7,112	786	755	66
2008	18,962	1,521	12,226	1,029	6,735	531	1,374	149	1,728	166	9,267	798	5,900	531	693	72
2007	19,212	1,487	12,722	1,031	6,485	502	1,365	156	1,531	138	9,808	837	5,782	500	726	67
2006	18,108	1,183	11,790	789	6,318	436	1,306	122	1,461	114	8,992	658	5,654	424	696	63
Drug dependence																
2010	42,152	2,184	28,395	1,559	13,754	699	2,928	240	3,717	238	19,236	1,075	15,298	892	973	97
2009	41,808	2,548	27,725	1,814	14,079	826	2,715	216	3,430	243	19,745	1,182	15,106	1,179	812	91
2008	37,400	2,316	24,322	1,572	13,078	825	3,079	766	3,407	245	17,829	1,081	12,383	778	702	70
2007	36,625	2,253	24,178	1,521	12,438	799	2,988	782	2,607	200	18,572	1,161	11,918	720	540	58
2006	36,984	2,208	23,989	1,429	12,995	831	2,412	203	2,881	247	19,090	1,208	12,010	815	592	59
Nondependent abuse of drugs																
2010	301,996	11,382	208,646	8,069	93,316	3,541	29,931	1,166	26,976	1,062	132,250	5,184	107,645	4,617	5,194	351
2009	278,315	11,971	191,333	8,508	86,914	3,636	29,131	1,200	24,655	1,034	123,480	5,513	96,975	4,819	4,074	253
2008	271,021	11,491	187,117	8,021	83,766	3,602	30,346	1,768	24,673	1,103	123,036	5,258	89,250	4,352	3,715	257
2007	270,723	10,432	187,272	7,304	83,373	3,320	28,999	1,561	24,039	923	129,498	5,328	84,947	3,616	3,240	193
2006	269,972	10,678	187,542	7,532	82,395	3,307	27,785	1,115	23,662	888	132,929	5,742	82,930	3,840	2,666	159
Drug poisoning																
2010	69,491	2,209	35,658	1,213	33,829	1,129	6,292	267	7,035	316	32,021	1,075	22,453	860	1,691	114
2009	66,476	2,204	34,656	1,305	31,816	1,055	5,869	264	6,764	310	31,258	1,070	20,918	842	1,668	101
2008	68,758	2,437	35,029	1,300	33,716	1,242	6,508	295	7,104	323	32,857	1,224	20,692	792	1,598	112
2007	64,583	1,973	32,640	1,080	31,938	1,003	6,183	289	6,573	265	31,552	1,025	18,782	678	1,493	93
2006	61,268	1,940	31,424	1,094	29,840	963	6,023	267	6,169	268	30,290	1,058	17,646	620	1,140	85
All chronic liver disease and cirrhosis																
Any drug-related diagnoses																
2010	65,834	2,436	44,063	1,700	21,771	861	334	52	808	78	17,584	711	44,335	1,748	2,774	167
2009	62,491	2,409	41,811	1,727	20,674	826	295	43	773	83	17,432	807	41,203	1,647	2,788	160
2008	57,741	2,712	38,979	1,842	18,752	959	198	33	697	84	16,476	801	37,943	1,929	2,428	155
2007	53,098	2,080	35,694	1,457	17,399	718	267	44	526	55	15,387	663	34,687	1,444	2,230	131
2006	51,090	2,266	34,472	1,602	16,618	772	201	35	513	74	16,585	809	31,963	1,499	1,828	131
Drug psychoses																
2010	5,248	268	3,237	191	2,011	130	—	—	—	—	1,263	106	3,387	190	535	51
2009	5,554	290	3,346	199	2,208	138	—	—	73	20	1,548	126	3,160	175	752	65
2008	5,205	294	3,152	204	2,053	139	—	—	68	20	1,224	115	3,156	179	734	65
2007	4,540	258	2,734	172	1,806	121	—	—	—	—	1,183	104	2,661	162	650	66
2006	4,088	233	2,410	155	1,678	124	—	—	—	—	1,089	91	2,413	149	538	61
Drug dependence																
2010	17,488	901	10,950	611	6,538	366	—	—	180	30	4,210	247	12,254	703	808	83
2009	17,302	1,035	11,124	713	6,178	378	63	22	195	33	4,576	324	11,880	765	589	72
2008	15,520	1,371	10,218	895	5,301	521	—	—	185	36	4,072	358	10,686	1,059	545	67
2007	13,262	923	8,771	660	4,491	303	55	20	109	27	3,728	290	8,916	651	454	61
2006	12,452	773	8,264	544	4,189	282	64	20	112	28	3,756	284	8,174	537	347	51
Nondependent abuse of drugs																
2010	43,097	1,706	30,350	1,232	12,747	565	278	49	540	60	12,446	540	28,860	1,225	973	86
2009	39,046	1,656	27,766	1,235	11,276	532	185	30	509	63	11,590	551	25,785	1,161	977	93
2008	36,592	1,664	25,924	1,192	10,659	557	144	28	457	64	11,271	543	23,993	1,141	727	82
2007	34,981	1,447	24,394	1,046	10,587	490	156	35	327	46	10,807	479	22,851	1,022	840	80
2006	34,031	1,596	23,800	1,166	10,231	523	118	23	364	65	11,828	593	21,186	1,088	535	63

See footnotes at end of table.

Table B6. Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
All chronic liver disease and cirrhosis																
Drug poisoning																
2010	7,755	311	4,534	203	3,221	169	67	18	107	36	1,972	124	4,904	222	704	63
2009	7,675	295	4,321	203	3,354	170	76	20	87	20	2,079	133	4,748	202	685	65
2008	6,855	316	3,774	208	3,080	163	—	—	138	27	1,943	130	4,125	207	609	58
2007	6,027	251	3,435	167	2,587	145	73	20	111	26	1,484	98	3,836	186	522	52
2006	5,938	283	3,371	175	2,567	156	—	—	73	19	1,678	120	3,604	191	556	57
Alcoholic liver disease																
Any drug-related diagnoses																
2010	36,318	1,412	26,112	1,052	10,206	454	71	17	369	47	10,575	476	24,350	1,010	953	76
2009	35,795	1,519	25,567	1,123	10,228	499	97	21	410	65	11,004	601	23,136	981	1,148	92
2008	33,553	1,583	24,364	1,153	9,183	509	66	23	369	65	10,524	581	21,512	1,025	1,081	94
2007	31,255	1,251	22,240	950	9,010	402	78	23	272	39	9,889	465	20,016	846	1,000	84
2006	30,714	1,351	21,853	994	8,861	437	60	16	226	34	10,897	556	18,767	853	763	79
Drug psychoses																
2010	2,904	189	1,956	147	948	84	—	—	—	—	795	82	1,954	137	114	26
2009	2,909	195	1,988	146	921	83	—	—	—	—	1,035	106	1,586	111	234	35
2008	2,747	201	1,935	154	811	80	—	—	51	19	810	90	1,649	124	227	33
2007	2,405	172	1,704	132	701	67	—	—	—	—	730	82	1,465	107	184	30
2006	2,338	149	1,561	110	777	78	—	—	—	—	679	67	1,463	102	173	30
Drug dependence																
2010	8,579	498	5,908	364	2,672	199	—	—	97	22	2,340	177	5,900	372	231	38
2009	8,998	598	6,341	439	2,657	198	—	—	68	20	2,776	248	5,937	397	200	44
2008	8,118	706	5,976	525	2,142	214	—	—	133	31	2,317	264	5,441	470	214	37
2007	6,597	474	4,750	374	1,847	139	—	—	—	—	2,101	201	4,254	304	177	39
2006	6,865	468	4,908	349	1,957	158	—	—	—	—	2,303	206	4,372	304	134	26
Nondependent abuse of drugs																
2010	25,275	1,020	18,556	772	6,719	328	60	16	245	36	7,701	363	16,828	738	441	49
2009	23,693	1,075	17,466	815	6,227	343	64	17	296	53	7,446	401	15,329	725	558	67
2008	22,615	1,063	16,747	797	5,862	342	57	20	225	48	7,485	397	14,385	692	463	57
2007	22,053	917	15,912	700	6,141	315	—	—	187	32	7,236	343	14,086	643	499	58
2006	21,339	967	15,416	733	5,923	309	—	—	163	28	7,949	406	12,857	632	329	49
Drug poisoning																
2010	3,798	189	2,572	140	1,226	91	—	—	—	—	1,131	95	2,392	135	228	33
2009	4,260	208	2,677	145	1,583	120	—	—	45	13	1,364	103	2,575	141	244	36
2008	3,718	204	2,291	150	1,427	99	—	—	70	20	1,232	101	2,149	129	263	39
2007	3,235	158	1,965	130	1,266	85	—	—	60	20	881	71	2,047	121	232	36
2006	3,318	195	2,034	124	1,285	109	—	—	53	17	1,057	94	2,016	136	190	33
Alcohol poisoning																
Any drug-related diagnoses																
2010	31,064	1,324	15,135	687	15,929	729	2,679	170	3,054	193	13,936	608	10,428	526	967	88
2009	31,724	1,334	15,823	732	15,901	692	3,029	188	3,053	169	14,356	660	10,294	487	991	84
2008	32,708	1,349	15,951	710	16,753	709	3,351	198	3,306	205	15,234	654	9,890	471	926	97
2007	29,652	1,204	14,658	634	14,978	647	2,998	176	2,900	163	14,319	629	8,626	408	810	68
2006	29,766	1,295	14,980	733	14,787	652	3,186	195	3,056	181	14,616	724	8,327	396	582	64
Drug psychoses																
2010	1,238	113	698	73	540	64	99	21	108	25	610	68	378	50	—	—
2009	1,545	124	871	88	675	65	147	26	154	32	602	70	583	66	60	17
2008	1,367	120	787	82	580	66	94	24	143	29	524	57	473	55	132	37
2007	1,172	122	696	76	476	68	101	22	99	24	561	78	340	50	71	18
2006	1,420	103	964	86	456	52	146	26	108	22	704	68	405	48	56	17

See footnotes at end of table.

Table B6. Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	
Alcohol poisoning																	
Drug dependence																	
2010	2,047	149	1,258	109	789	75	150	26	192	41	1,056	90	598	68	—	—	
2009	2,272	174	1,380	119	892	87	118	24	277	52	1,073	101	766	73	—	—	
2008	2,110	172	1,203	122	908	88	122	24	183	33	1,033	98	724	78	—	—	
2007	1,947	173	1,170	127	777	83	107	26	189	34	1,106	120	536	59	—	—	
2006	1,619	128	978	95	641	62	51	15	132	28	1,023	92	405	49	—	—	
Nondependent abuse of drugs																	
2010	7,857	432	4,715	280	3,142	200	799	75	854	80	3,806	243	2,292	155	107	22	
2009	8,146	430	5,015	290	3,131	186	968	84	960	81	3,822	226	2,308	158	88	20	
2008	8,133	417	4,700	248	3,430	213	1,039	82	900	84	3,918	218	2,183	156	93	22	
2007	7,580	398	4,429	241	3,146	210	843	75	845	73	3,947	247	1,858	127	87	20	
2006	7,243	386	4,345	247	2,898	186	864	80	837	75	3,805	231	1,713	130	—	—	
Drug poisoning																	
2010	28,793	1,274	13,530	643	15,263	716	2,369	159	2,821	188	12,943	585	9,724	510	935	85	
2009	29,424	1,253	14,161	666	15,263	674	2,700	174	2,864	163	13,367	626	9,523	455	970	83	
2008	30,349	1,274	14,381	661	15,968	678	2,961	182	3,113	197	14,262	621	9,175	447	838	79	
2007	27,590	1,146	13,210	596	14,368	625	2,667	165	2,734	158	13,394	597	8,031	388	763	65	
2006	27,608	1,240	13,496	695	14,113	637	2,850	186	2,861	171	13,607	698	7,720	380	571	63	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table B7. Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Any alcohol-related diagnoses																
Any mental health-related diagnoses																
2010	252,076	9,132	160,604	6,138	91,461	3,249	9,849	389	11,110	504	97,968	3,768	121,960	4,578	11,189	481
2009	251,254	9,788	159,370	6,628	91,824	3,416	9,928	391	10,676	421	99,563	4,046	119,148	4,985	11,939	509
2008	231,749	9,626	143,690	6,155	88,043	3,707	10,070	527	10,834	503	95,131	4,254	105,226	4,469	10,489	431
2007	213,784	9,580	134,023	6,443	79,743	3,400	10,376	601	9,089	433	89,092	4,307	95,348	4,440	9,879	462
2006	188,704	7,980	118,692	5,355	69,980	2,809	9,319	410	7,725	379	80,416	3,642	82,795	3,653	8,449	393
Adjustment disorder																
2010	5,826	481	3,560	328	2,266	192	418	61	446	55	2,118	207	2,482	236	361	53
2009	5,480	388	3,378	261	2,102	160	386	55	415	51	2,257	190	2,203	181	218	36
2008	5,631	454	3,627	319	2,004	165	439	56	393	71	2,295	215	2,153	192	352	42
2007	4,929	322	3,031	208	1,899	154	563	68	406	54	1,916	158	1,800	141	245	34
2006	4,525	334	2,595	214	1,930	154	481	61	302	49	1,901	172	1,621	133	221	33
Anxiety disorder																
2010	63,713	2,536	38,033	1,583	25,673	1,061	2,041	118	3,559	223	27,560	1,171	28,100	1,185	2,453	158
2009	63,066	2,890	38,028	1,863	25,028	1,116	2,144	132	3,321	185	27,813	1,373	27,184	1,324	2,604	177
2008	55,734	2,508	32,405	1,535	23,329	1,070	2,135	161	3,274	187	24,876	1,225	23,244	1,107	2,206	138
2007	49,449	2,495	29,840	1,602	19,609	989	1,956	144	2,755	181	22,451	1,203	20,419	1,140	1,869	122
2006	43,643	1,919	26,726	1,296	16,913	729	1,732	110	2,275	136	20,185	924	17,902	885	1,549	114
Bipolar disorder																
2010	46,884	2,287	30,076	1,581	16,809	809	1,573	120	1,971	123	20,260	1,048	22,269	1,189	812	90
2009	44,541	2,278	28,058	1,570	16,472	816	1,456	109	1,837	133	20,082	1,069	20,144	1,118	1,021	112
2008	40,464	1,977	25,089	1,324	15,375	763	1,489	118	1,771	137	18,549	1,005	17,868	885	787	74
2007	36,541	2,163	22,947	1,551	13,589	710	1,466	136	1,378	105	17,385	1,120	15,658	988	655	80
2006	29,934	1,991	19,151	1,432	10,783	646	1,311	107	1,180	104	14,760	1,038	12,105	860	578	65
Depressive disorder																
2010	136,673	5,173	85,337	3,402	51,336	1,947	3,604	184	4,732	279	49,896	2,034	70,953	2,739	7,489	359
2009	139,359	5,563	86,124	3,683	53,195	2,056	3,930	194	4,411	216	51,581	2,158	71,357	3,040	8,079	360
2008	130,303	5,878	78,266	3,642	52,021	2,377	4,128	265	4,971	281	51,309	2,497	62,837	2,907	7,059	321
2007	120,134	5,701	72,863	3,676	47,259	2,188	4,293	294	4,141	236	47,587	2,431	57,388	2,794	6,725	359
2006	108,364	4,798	66,060	3,101	42,289	1,816	3,897	203	3,529	214	43,990	2,092	51,248	2,345	5,700	293
Personality disorder																
2010	8,885	766	5,886	556	2,999	251	372	56	611	80	3,757	379	3,928	365	217	39
2009	10,277	1,054	7,004	762	3,268	337	290	42	693	87	4,698	515	4,416	507	179	36
2008	9,974	1,151	6,758	869	3,216	348	394	61	562	80	4,657	574	4,153	525	208	47
2007	10,108	882	6,448	620	3,660	313	470	73	487	64	4,895	467	3,991	359	265	48
2006	9,285	1,084	6,016	764	3,269	374	301	40	463	68	4,651	571	3,569	468	300	63
Schizophrenia and other psychotic disorders																
2010	21,056	1,138	16,306	978	4,746	227	527	64	763	71	8,027	466	10,896	661	844	76
2009	19,625	1,069	15,191	850	4,429	269	501	53	716	67	7,318	425	10,137	637	952	86
2008	17,501	874	13,545	711	3,956	235	466	56	589	62	6,954	381	8,741	504	750	65
2007	18,355	1,315	13,871	1,035	4,483	343	497	59	578	72	7,455	658	8,920	649	905	83
2006	15,058	701	11,498	576	3,552	202	452	64	564	61	6,223	356	7,035	354	785	68
All other mental disorders																
2010	12,598	762	8,075	517	4,523	293	2,981	180	1,423	109	4,905	378	3,104	288	186	30
2009	12,748	634	8,033	434	4,710	260	3,013	169	1,573	115	4,931	312	2,993	226	238	41
2008	10,955	628	6,933	370	4,022	322	2,969	235	1,367	108	4,180	292	2,229	162	211	31
2007	10,815	665	6,488	393	4,327	334	3,048	281	1,120	95	4,069	272	2,358	196	220	34
2006	9,101	483	5,650	321	3,447	210	2,756	170	809	78	3,416	239	1,928	154	192	29

See footnotes at end of table.

Table B7. Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcoholic psychoses																
Any mental health-related diagnoses																
2010	66,894	3,481	45,740	2,422	21,151	1,165	390	52	1,413	123	24,682	1,392	36,901	1,916	3,508	233
2009	69,201	4,460	47,453	3,042	21,748	1,530	385	52	1,368	135	27,106	1,960	36,439	2,280	3,903	263
2008	57,167	3,397	38,973	2,335	18,190	1,149	292	52	1,289	129	22,656	1,496	29,970	1,731	2,960	197
2007	52,620	3,859	36,190	2,820	16,430	1,178	370	50	1,015	110	22,077	1,915	26,490	1,829	2,668	186
2006	45,275	3,052	31,177	2,048	14,097	1,061	276	54	757	99	19,506	1,463	22,401	1,431	2,334	184
Adjustment disorder																
2010	1,271	191	824	149	446	61	—	—	—	—	418	76	699	119	114	28
2009	1,199	155	887	122	313	53	—	—	—	—	488	70	606	91	55	18
2008	1,116	124	796	99	320	42	—	—	—	—	386	58	585	76	111	21
2007	849	92	660	77	190	37	—	—	—	—	360	59	373	49	72	19
2006	848	106	587	71	261	53	—	—	—	—	377	64	396	53	60	17
Anxiety disorder																
2010	19,159	1,040	12,651	688	6,505	407	129	29	612	72	8,332	500	9,297	529	789	86
2009	19,082	1,551	12,613	1,008	6,469	587	109	24	539	72	8,410	791	9,068	683	956	109
2008	15,455	1,012	10,147	642	5,308	418	69	19	598	79	6,802	514	7,330	458	656	71
2007	13,180	817	8,876	535	4,305	348	76	19	425	62	6,119	440	5,980	367	579	61
2006	11,526	754	7,913	514	3,613	286	70	20	255	40	5,512	389	5,274	376	417	50
Bipolar disorder																
2010	12,600	843	8,632	608	3,968	302	86	21	288	43	5,116	381	6,884	472	226	44
2009	12,423	962	8,228	664	4,195	360	69	18	293	56	5,533	484	6,153	480	375	60
2008	10,377	760	7,045	532	3,332	268	83	22	243	45	4,594	380	5,199	385	257	37
2007	10,177	1,167	6,952	905	3,224	310	44	14	223	43	4,904	659	4,810	506	196	46
2006	7,926	933	5,550	628	2,376	331	65	27	178	43	3,883	517	3,606	386	194	40
Depressive disorder																
2010	38,784	2,119	25,826	1,434	12,959	766	162	34	586	66	13,063	802	22,545	1,219	2,428	174
2009	40,616	2,672	27,308	1,803	13,308	936	170	32	587	69	14,562	1,092	22,596	1,464	2,701	194
2008	33,027	2,098	21,815	1,407	11,208	755	110	30	608	76	12,179	867	18,122	1,133	2,008	151
2007	29,957	2,096	20,036	1,441	9,921	736	170	33	413	57	11,499	939	16,098	1,096	1,777	139
2006	26,570	1,761	17,549	1,135	9,020	672	122	29	371	57	10,593	788	13,884	889	1,600	142
Personality disorder																
2010	2,700	354	1,937	265	762	110	—	—	107	30	1,130	166	1,373	191	64	19
2009	3,628	589	2,645	434	983	172	—	—	162	37	1,518	261	1,851	330	79	23
2008	3,543	538	2,410	365	1,133	197	—	—	123	27	1,590	259	1,679	276	117	39
2007	3,423	474	2,238	323	1,185	172	—	—	85	21	1,674	253	1,536	215	99	27
2006	3,152	491	2,161	340	991	178	—	—	65	21	1,545	255	1,396	227	114	40
Schizophrenia and other psychotic disorders																
2010	4,345	296	3,565	264	780	73	—	—	74	19	1,477	126	2,560	180	235	35
2009	4,456	309	3,669	268	787	76	—	—	—	—	1,678	140	2,508	197	219	38
2008	3,601	271	3,025	248	576	56	—	—	—	—	1,429	151	1,995	152	125	25
2007	4,336	658	3,486	548	850	141	—	—	—	—	1,833	341	2,248	334	202	43
2006	2,972	199	2,454	175	518	55	—	—	—	—	1,244	110	1,505	118	181	31
All other mental disorders																
2010	2,204	270	1,359	202	845	100	83	24	142	26	1,127	147	815	134	—	—
2009	2,411	298	1,585	213	826	115	85	25	201	57	1,237	167	794	106	94	31
2008	1,819	204	1,150	124	669	100	72	21	143	27	991	141	535	65	78	19
2007	1,632	170	978	105	654	95	93	24	129	34	776	98	582	74	53	15
2006	1,154	113	780	84	375	54	47	14	56	21	621	72	392	53	—	—

See footnotes at end of table.

Table B7. Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol dependence syndrome																
Any mental health-related diagnoses																
2010	76,219	4,183	50,851	2,977	25,363	1,344	1,145	98	2,524	220	30,106	1,719	39,150	2,207	3,294	225
2009	79,142	5,343	52,235	3,704	26,883	1,741	1,163	105	2,378	166	31,811	2,137	40,174	2,910	3,618	267
2008	72,335	5,229	46,516	3,445	25,816	1,942	1,486	177	2,479	198	31,107	2,358	34,188	2,550	3,076	188
2007	69,057	5,355	44,595	3,606	24,457	1,852	1,369	251	2,104	177	29,702	2,400	32,618	2,540	3,263	262
2006	57,897	3,508	37,752	2,436	20,133	1,167	1,032	103	1,756	154	25,472	1,612	26,990	1,723	2,648	179
Adjustment disorder																
2010	1,755	197	1,163	149	592	71	—	—	93	24	640	92	879	110	114	24
2009	1,655	155	1,010	104	645	73	55	18	112	24	659	72	759	95	69	20
2008	1,756	212	1,202	149	554	77	57	18	69	23	752	112	763	98	114	27
2007	1,551	132	1,001	94	550	65	83	21	68	19	632	70	666	71	103	23
2006	1,563	182	929	117	633	84	—	—	81	25	704	97	673	82	65	17
Anxiety disorder																
2010	17,368	1,016	10,857	670	6,506	398	281	39	743	104	7,396	453	8,246	499	702	72
2009	18,774	1,579	11,870	1,040	6,899	584	240	39	660	69	8,404	730	8,788	780	683	77
2008	16,983	1,505	10,273	973	6,710	593	405	67	678	69	7,869	745	7,380	718	652	68
2007	15,467	1,593	9,638	1,045	5,829	601	283	70	534	72	7,147	764	6,951	755	551	67
2006	12,674	821	7,977	572	4,698	309	179	32	517	62	5,967	400	5,507	410	505	61
Bipolar disorder																
2010	15,785	1,201	10,499	873	5,286	382	171	31	456	57	6,965	554	7,906	657	288	49
2009	15,972	1,404	10,327	968	5,645	482	158	31	497	62	7,259	652	7,692	717	367	60
2008	13,425	1,078	8,677	753	4,748	381	247	40	461	66	6,465	534	5,982	524	269	42
2007	12,756	1,144	8,142	797	4,614	390	236	46	366	49	6,178	575	5,750	549	227	38
2006	9,880	1,055	6,575	815	3,305	296	157	31	281	48	4,891	519	4,320	500	230	38
Depressive disorder																
2010	42,175	2,314	27,454	1,593	14,721	821	488	56	1,200	134	15,631	887	22,588	1,269	2,267	175
2009	44,748	3,020	28,762	2,069	15,966	1,032	548	65	1,051	96	16,700	1,093	23,867	1,760	2,582	197
2008	42,953	3,324	26,668	2,104	16,281	1,322	685	101	1,252	114	17,563	1,441	21,276	1,706	2,177	147
2007	40,732	3,357	25,395	2,174	15,333	1,252	551	119	1,118	119	16,438	1,407	20,148	1,665	2,477	225
2006	34,909	2,117	22,206	1,417	12,699	757	465	53	884	91	14,438	942	17,288	1,088	1,834	136
Personality disorder																
2010	3,876	425	2,572	301	1,305	149	57	21	245	52	1,635	214	1,815	216	125	30
2009	4,432	483	3,025	354	1,407	170	87	23	216	39	2,108	258	1,942	229	80	19
2008	4,408	600	3,155	490	1,253	156	110	27	217	47	2,141	304	1,858	283	81	22
2007	4,541	459	2,923	326	1,617	185	151	36	241	44	2,185	249	1,850	189	113	26
2006	4,305	676	2,794	459	1,511	246	81	22	224	43	2,161	360	1,711	300	127	32
Schizophrenia and other psychotic disorders																
2010	6,233	719	5,206	639	1,027	106	48	19	121	25	2,505	270	3,426	448	133	27
2009	5,768	552	4,595	433	1,169	155	—	—	153	32	2,080	219	3,265	345	223	38
2008	4,374	400	3,540	335	834	106	—	—	91	30	1,779	172	2,280	251	183	32
2007	4,997	746	3,942	558	1,055	202	—	—	128	33	2,141	390	2,524	339	170	34
2006	3,840	301	3,005	236	827	102	64	23	95	22	1,654	151	1,862	170	165	30
All other mental disorders																
2010	3,075	252	1,970	168	1,105	113	290	40	338	45	1,423	142	954	99	70	20
2009	3,112	281	1,956	174	1,156	133	301	43	279	38	1,472	154	1,002	122	59	17
2008	2,696	289	1,703	175	993	147	366	90	340	47	1,238	148	718	85	—	—
2007	2,787	342	1,594	179	1,193	188	431	145	270	42	1,248	142	792	98	—	—
2006	2,257	225	1,394	151	863	100	272	54	172	32	1,149	129	607	80	57	17

See footnotes at end of table.

Table B7. Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Nondependent abuse of alcohol																
Any mental health-related diagnoses																
2010	90,049	3,548	54,212	2,282	35,832	1,385	7,801	333	6,712	311	37,313	1,556	35,522	1,566	2,701	160
2009	83,669	3,123	49,731	2,043	33,903	1,218	7,740	332	6,508	287	35,315	1,397	31,726	1,358	2,379	143
2008	82,285	3,237	47,849	1,980	34,428	1,370	7,660	375	6,586	320	35,720	1,489	29,935	1,303	2,385	141
2007	74,549	2,860	43,498	1,747	31,038	1,232	8,030	414	5,648	274	32,368	1,334	26,381	1,116	2,122	134
2006	68,822	2,786	40,816	1,793	27,987	1,108	7,356	352	4,823	250	30,247	1,332	24,501	1,083	1,895	116
Adjustment disorder																
2010	2,387	211	1,382	130	1,006	110	358	54	293	45	936	101	710	80	91	35
2009	2,238	206	1,291	131	947	95	262	45	247	39	1,015	116	649	70	66	19
2008	2,265	209	1,383	152	882	85	344	47	282	49	980	114	573	69	86	20
2007	2,150	174	1,166	109	984	100	420	55	276	41	805	84	590	72	60	19
2006	1,728	151	875	94	853	85	394	55	204	33	654	77	405	56	72	19
Anxiety disorder																
2010	22,231	1,046	12,040	630	10,191	491	1,520	98	2,032	127	10,101	505	7,985	463	594	67
2009	20,579	834	11,120	507	9,454	389	1,664	115	1,998	132	9,483	410	6,897	350	537	55
2008	18,877	858	9,800	501	9,076	420	1,547	117	1,887	127	8,866	434	6,066	325	511	53
2007	17,111	689	9,291	419	7,820	339	1,486	104	1,725	124	8,032	364	5,516	267	352	44
2006	16,295	694	9,152	454	7,138	315	1,390	96	1,414	97	7,756	360	5,415	287	320	41
Bipolar disorder																
2010	15,646	823	9,501	547	6,145	340	1,239	105	1,121	92	7,037	392	6,021	398	228	41
2009	13,250	629	7,971	429	5,269	266	1,110	90	971	83	6,196	326	4,807	277	166	36
2008	13,582	697	7,866	434	5,716	320	1,058	87	981	87	6,422	394	4,990	281	132	26
2007	11,207	587	6,482	381	4,720	273	1,112	106	736	66	5,487	324	3,708	231	164	32
2006	9,854	516	5,815	337	4,039	229	978	86	660	64	5,076	299	3,034	184	106	22
Depressive disorder																
2010	44,767	1,962	26,503	1,269	18,264	779	2,742	151	2,713	172	18,136	883	19,568	915	1,608	122
2009	42,435	1,786	24,359	1,154	18,056	750	2,851	160	2,570	148	17,449	800	18,143	861	1,421	103
2008	42,663	1,801	23,850	1,092	18,804	803	2,990	187	2,861	180	18,371	804	16,942	810	1,498	106
2007	38,740	1,641	21,763	998	16,969	730	3,256	202	2,417	146	16,676	787	15,147	713	1,244	97
2006	36,529	1,733	21,053	1,102	15,465	715	2,979	176	2,065	144	15,848	845	14,421	730	1,215	87
Personality disorder																
2010	1,992	157	1,196	111	795	80	270	50	246	39	852	87	604	72	—	—
2009	1,917	179	1,214	136	699	81	163	29	282	52	935	104	517	63	—	—
2008	1,650	187	997	125	653	83	239	51	184	38	792	104	429	59	—	—
2007	1,742	153	1,082	107	660	72	271	48	154	30	842	89	433	51	—	—
2006	1,526	126	902	90	624	64	164	28	150	29	804	80	361	52	48	18
Schizophrenia and other psychotic disorders																
2010	8,948	459	6,511	365	2,433	154	466	60	553	60	3,570	212	3,988	254	371	49
2009	7,959	477	6,009	380	1,949	128	433	50	506	55	3,254	219	3,471	255	295	40
2008	7,841	468	5,861	366	1,980	142	409	54	450	53	3,362	224	3,383	237	238	36
2007	7,231	470	5,263	348	1,969	165	409	54	395	55	3,072	215	3,035	236	321	40
2006	6,602	394	4,911	315	1,691	130	355	51	412	52	2,921	209	2,713	193	201	33
All other mental disorders																
2010	6,742	435	4,450	307	2,293	164	2,429	159	871	82	2,182	196	1,191	139	69	19
2009	6,542	327	4,184	230	2,352	144	2,453	144	1,039	84	1,993	140	987	99	70	19
2008	5,783	299	3,716	199	2,067	154	2,392	166	809	74	1,746	121	765	77	71	17
2007	5,778	345	3,554	228	2,224	164	2,330	173	684	66	1,851	144	812	79	101	25
2006	5,015	285	3,108	193	1,903	131	2,222	151	501	56	1,425	123	791	86	77	19

See footnotes at end of table.

Table B7. Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
All chronic liver disease and cirrhosis																
Any mental health-related diagnoses																
2010	14,182	519	7,377	297	6,805	293	48	17	91	22	3,870	202	8,673	365	1,500	102
2009	14,146	512	7,309	295	6,837	283	—	—	119	41	3,298	173	8,919	353	1,775	112
2008	14,574	596	7,549	343	7,025	319	55	16	71	18	3,426	189	9,113	402	1,908	130
2007	12,977	508	7,266	344	5,711	248	—	—	47	14	2,970	163	8,253	377	1,666	105
2006	11,915	491	6,441	307	5,474	273	—	—	58	19	3,131	181	7,260	327	1,427	107
Adjustment disorder																
2010	228	37	103	23	126	26	—	—	—	—	—	—	146	30	—	—
2009	216	36	97	24	119	26	—	—	—	—	58	16	129	25	—	—
2008	271	45	127	26	143	29	—	—	—	—	76	29	154	27	—	—
2007	183	32	118	24	65	17	—	—	—	—	—	—	133	25	—	—
2006	229	41	112	27	118	25	—	—	—	—	83	26	122	24	—	—
Anxiety disorder																
2010	3,791	191	1,937	106	1,854	126	—	—	—	—	1,193	95	2,219	142	338	40
2009	3,531	171	1,879	111	1,652	105	—	—	—	—	1,052	83	2,069	119	358	42
2008	3,261	178	1,628	104	1,633	113	—	—	—	—	889	74	1,995	127	357	46
2007	2,861	160	1,581	117	1,280	87	—	—	—	—	812	70	1,665	120	355	47
2006	2,310	139	1,282	99	1,029	80	—	—	—	—	627	62	1,387	98	271	41
Bipolar disorder																
2010	1,923	116	991	81	933	81	—	—	—	—	681	70	1,165	89	57	18
2009	1,858	130	1,024	91	833	78	—	—	—	—	614	64	1,122	92	81	19
2008	2,247	154	1,148	102	1,099	91	—	—	—	—	675	69	1,429	119	110	22
2007	1,469	108	842	76	627	68	—	—	—	—	380	49	1,024	91	57	17
2006	1,434	120	774	74	661	96	—	—	—	—	513	69	875	84	—	—
Depressive disorder																
2010	8,264	355	4,158	207	4,106	208	—	—	—	—	1,992	132	5,171	254	1,045	86
2009	8,458	342	4,131	203	4,327	200	—	—	—	—	1,665	110	5,516	253	1,211	90
2008	8,361	377	4,211	223	4,150	212	—	—	—	—	1,838	122	5,173	249	1,284	101
2007	7,943	348	4,294	234	3,649	181	—	—	—	—	1,751	120	5,047	251	1,120	84
2006	7,418	338	3,848	213	3,570	183	—	—	—	—	1,855	133	4,559	234	940	81
Personality disorder																
2010	132	29	72	20	60	19	—	—	—	—	—	—	71	20	—	—
2009	102	23	55	15	—	—	—	—	—	—	—	—	64	20	—	—
2008	147	26	97	22	50	14	—	—	—	—	—	—	99	21	—	—
2007	178	29	109	22	69	20	—	—	—	—	76	21	89	19	—	—
2006	118	24	59	16	59	17	—	—	—	—	—	—	75	17	—	—
Schizophrenia and other psychotic disorders																
2010	1,146	84	755	68	391	48	—	—	—	—	291	42	747	62	98	23
2009	1,127	93	719	72	408	50	—	—	—	—	197	39	744	73	180	34
2008	1,367	106	895	80	472	57	—	—	—	—	259	42	924	85	184	35
2007	1,435	111	932	86	503	67	—	—	—	—	271	42	958	92	192	30
2006	1,337	98	880	86	457	51	—	—	—	—	283	39	810	75	238	39
All other mental disorders																
2010	232	32	122	23	111	23	—	—	—	—	113	23	91	21	—	—
2009	249	41	108	24	141	30	—	—	—	—	112	30	107	23	—	—
2008	318	44	182	35	137	27	—	—	—	—	117	23	158	32	—	—
2007	300	43	160	33	140	29	—	—	—	—	124	28	124	28	—	—
2006	221	37	115	23	106	24	—	—	—	—	74	19	119	25	—	—

See footnotes at end of table.

Table B7. Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcoholic liver disease																
Any mental health-related diagnoses																
2010	9,924	387	5,671	244	4,253	205	—	—	73	20	3,033	169	6,273	283	542	54
2009	9,801	380	5,577	247	4,224	204	—	—	48	16	2,665	147	6,428	281	651	60
2008	9,908	412	5,672	261	4,236	207	—	—	—	—	2,756	163	6,269	282	838	78
2007	8,500	366	5,167	263	3,333	171	—	—	—	—	2,363	146	5,490	271	617	57
2006	8,369	377	5,005	254	3,364	202	—	—	—	—	2,555	166	5,259	257	510	59
Adjustment disorder																
2010	174	32	70	18	103	24	—	—	—	—	—	—	123	28	—	—
2009	159	32	80	23	79	22	—	—	—	—	55	16	99	23	—	—
2008	204	40	99	24	104	25	—	—	—	—	—	—	123	24	—	—
2007	138	28	99	23	—	—	—	—	—	—	—	—	102	22	—	—
2006	142	31	89	24	53	15	—	—	—	—	65	22	73	18	—	—
Anxiety disorder																
2010	2,648	149	1,508	92	1,140	93	—	—	—	—	938	82	1,572	111	107	20
2009	2,492	132	1,410	94	1,083	81	—	—	—	—	844	71	1,521	99	101	22
2008	2,282	136	1,256	89	1,026	84	—	—	—	—	748	68	1,400	99	122	24
2007	1,904	124	1,141	93	763	67	—	—	—	—	631	62	1,116	89	140	27
2006	1,608	107	987	83	621	63	—	—	—	—	507	57	1,001	79	82	23
Bipolar disorder																
2010	1,328	86	758	64	570	57	—	—	—	—	473	54	829	69	—	—
2009	1,238	104	735	80	503	54	—	—	—	—	447	56	764	77	—	—
2008	1,500	106	815	75	685	67	—	—	—	—	512	59	927	83	53	15
2007	1,049	89	643	67	406	55	—	—	—	—	300	44	729	75	—	—
2006	1,108	99	671	69	438	70	—	—	—	—	411	57	678	73	—	—
Depressive disorder																
2010	5,913	281	3,269	179	2,644	153	—	—	—	—	1,632	119	3,836	206	414	50
2009	5,977	262	3,287	169	2,690	153	—	—	—	—	1,402	99	4,072	207	474	51
2008	5,670	277	3,227	185	2,443	143	—	—	—	—	1,511	112	3,556	184	578	61
2007	5,235	252	3,053	180	2,182	133	—	—	—	—	1,414	110	3,404	187	411	46
2006	5,321	275	3,065	186	2,256	145	—	—	—	—	1,541	122	3,400	192	348	47
Personality disorder																
2010	94	23	—	—	—	—	—	—	—	—	—	—	51	16	—	—
2009	88	22	51	15	—	—	—	—	—	—	—	—	55	19	—	—
2008	130	25	92	22	—	—	—	—	—	—	—	—	89	20	—	—
2007	118	22	87	19	—	—	—	—	—	—	—	—	59	15	—	—
2006	95	23	51	15	—	—	—	—	—	—	—	—	62	17	—	—
Schizophrenia and other psychotic disorders																
2010	750	65	549	57	201	32	—	—	—	—	228	36	505	50	—	—
2009	662	65	465	54	197	33	—	—	—	—	155	33	427	48	75	22
2008	871	78	630	60	241	40	—	—	—	—	191	31	601	65	79	21
2007	832	83	641	74	191	42	—	—	—	—	209	37	571	69	52	16
2006	824	80	607	72	217	35	—	—	—	—	234	35	499	61	85	21
All other mental disorders																
2010	137	24	65	17	72	18	—	—	—	—	77	19	51	15	—	—
2009	179	34	84	22	94	25	—	—	—	—	81	25	81	20	—	—
2008	190	31	110	23	80	20	—	—	—	—	85	20	100	23	—	—
2007	165	32	80	21	86	23	—	—	—	—	90	24	57	17	—	—
2006	145	28	72	18	72	19	—	—	—	—	60	17	75	19	—	—

See footnotes at end of table.

Table B7. Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol poisoning																
Any mental health-related diagnoses																
2010	4,732	273	2,424	158	2,309	165	465	51	370	58	1,997	139	1,714	120	186	28
2009	5,095	369	2,644	239	2,452	170	606	70	304	37	2,032	181	1,891	178	264	42
2008	5,388	399	2,803	241	2,585	195	576	72	409	46	2,223	179	2,021	180	160	30
2007	4,582	277	2,474	171	2,108	142	566	67	276	36	1,975	140	1,606	133	159	29
2006	4,795	351	2,505	206	2,289	181	616	61	330	41	2,060	187	1,642	160	146	30
Adjustment disorder																
2010	185	39	88	20	97	32	—	—	—	—	89	25	49	15	—	—
2009	171	38	92	24	79	20	50	15	—	—	—	—	60	16	—	—
2008	224	38	119	25	105	24	—	—	—	—	101	23	78	20	—	—
2007	195	33	86	23	109	23	—	—	—	—	88	23	—	—	—	—
2006	158	34	93	26	65	19	—	—	—	—	83	24	—	—	—	—
Anxiety disorder																
2010	1,165	119	549	65	616	75	101	24	141	46	538	61	354	54	—	—
2009	1,100	113	545	73	555	67	123	40	80	19	465	64	362	50	71	21
2008	1,158	136	557	84	600	79	110	29	95	22	450	62	473	70	—	—
2007	831	77	454	59	377	42	100	23	53	15	340	41	306	46	—	—
2006	838	89	403	51	435	61	88	22	68	18	324	49	320	48	—	—
Bipolar disorder																
2010	930	98	453	60	476	59	67	17	96	35	461	62	293	39	—	—
2009	1,038	107	508	69	530	64	115	25	—	—	480	70	370	50	—	—
2008	833	84	353	45	480	59	77	19	77	21	394	50	267	39	—	—
2007	932	88	529	62	403	49	73	22	46	13	437	53	366	54	—	—
2006	839	103	438	66	402	56	106	23	55	16	397	76	271	40	—	—
Depressive disorder																
2010	2,683	156	1,396	99	1,287	94	201	31	188	39	1,073	82	1,081	85	140	25
2009	3,103	226	1,564	142	1,538	120	335	55	164	28	1,205	107	1,234	122	164	29
2008	3,300	248	1,723	156	1,577	124	321	53	206	31	1,357	120	1,323	118	92	21
2007	2,761	184	1,375	115	1,386	104	301	47	182	29	1,222	99	948	87	108	25
2006	2,938	232	1,403	130	1,535	130	302	40	174	30	1,256	117	1,096	121	112	25
Personality disorder																
2010	186	37	109	32	76	19	—	—	—	—	93	28	66	17	—	—
2009	198	29	65	16	133	25	—	—	—	—	99	22	43	14	—	—
2008	227	41	99	27	128	28	—	—	—	—	94	24	87	23	—	—
2007	225	38	95	22	130	30	—	—	—	—	116	26	83	24	—	—
2006	183	46	99	32	84	24	—	—	—	—	101	29	—	—	—	—
Schizophrenia and other psychotic disorders																
2010	384	43	268	38	116	23	—	—	—	—	184	32	174	27	—	—
2009	315	67	198	57	116	25	—	—	—	—	109	21	148	42	—	—
2008	318	44	224	37	94	20	—	—	—	—	126	24	159	31	—	—
2007	355	52	249	44	107	22	—	—	—	—	137	26	155	33	—	—
2006	309	45	249	39	59	19	—	—	—	—	120	25	145	31	—	—
All other mental disorders																
2010	344	42	174	27	170	31	166	28	64	18	60	17	—	—	—	—
2009	433	62	199	40	234	46	166	41	—	—	118	28	103	26	—	—
2008	338	55	182	40	157	28	126	27	71	19	89	21	53	21	—	—
2007	318	48	201	32	117	28	178	35	—	—	70	17	48	14	—	—
2006	453	61	253	42	200	34	211	35	75	20	147	35	—	—	—	—

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table B8. Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	
Any alcohol-related diagnoses																	
Any mental health-related diagnoses																	
2010	1,062,065	34,660	640,166	22,082	421,851	13,140	41,180	1,734	54,172	2,194	389,395	13,867	495,959	16,405	81,359	2,617	
2009	1,006,087	32,872	606,863	21,300	399,000	12,246	41,718	1,771	50,349	1,912	379,261	13,598	458,356	15,101	76,403	2,426	
2008	925,821	33,889	551,791	20,881	373,925	13,490	41,960	3,221	48,936	2,242	357,693	14,334	407,610	14,304	69,622	2,308	
2007	842,541	30,532	507,699	19,470	334,724	11,637	40,652	2,827	42,944	1,749	341,820	13,431	356,891	12,723	60,233	2,008	
2006	766,607	27,339	461,165	17,483	305,388	10,287	36,460	1,650	39,209	1,668	319,201	12,307	317,840	11,395	53,897	1,919	
Adjustment disorder																	
2010	30,808	2,953	18,285	1,794	12,524	1,201	2,712	383	2,905	335	13,013	1,391	10,541	904	1,637	137	
2009	27,908	1,988	16,847	1,251	11,062	788	2,655	261	2,481	233	11,600	927	9,748	698	1,424	118	
2008	28,543	2,300	17,244	1,434	11,295	914	2,836	404	2,935	320	11,780	1,047	9,347	728	1,646	124	
2007	26,201	1,602	15,898	966	10,298	695	2,897	312	2,540	226	11,354	785	8,043	467	1,368	107	
2006	24,773	1,705	14,125	994	10,648	783	2,862	341	2,322	215	10,850	822	7,400	492	1,340	99	
Anxiety disorder																	
2010	272,526	9,711	153,092	5,497	119,403	4,357	9,587	505	15,481	723	107,658	4,181	119,762	4,297	20,037	782	
2009	248,651	8,259	139,441	4,754	109,185	3,658	9,716	509	14,088	578	100,029	3,660	106,544	3,530	18,274	695	
2008	220,631	8,162	123,072	4,487	97,537	3,825	9,325	909	13,062	632	89,731	3,623	92,345	3,230	16,168	643	
2007	196,182	7,387	111,813	4,248	84,323	3,278	8,620	747	11,204	530	83,105	3,381	80,031	2,983	13,223	517	
2006	185,175	6,881	105,571	4,106	79,600	2,938	8,227	434	10,779	520	81,507	3,321	73,054	2,731	11,609	477	
Bipolar disorder																	
2010	227,256	9,748	134,632	6,280	92,614	3,685	10,482	720	13,169	668	96,037	4,307	100,089	4,442	7,478	368	
2009	212,602	9,098	125,105	5,758	87,483	3,603	10,397	702	11,730	614	94,311	4,260	88,733	3,814	7,430	349	
2008	193,921	9,073	111,784	5,425	82,110	3,818	9,836	942	11,836	706	86,327	4,337	79,962	3,500	5,961	308	
2007	172,180	8,191	100,817	5,197	71,343	3,219	8,995	751	9,893	595	81,401	4,050	66,647	3,139	5,244	317	
2006	151,653	7,688	89,755	4,958	61,893	2,889	7,419	564	8,652	561	74,291	3,980	56,524	2,790	4,766	281	
Depressive disorder																	
2010	541,109	17,503	315,219	10,719	225,872	7,123	16,423	725	22,775	1,021	183,078	6,521	268,137	8,783	50,697	1,737	
2009	519,405	16,499	302,493	10,268	216,750	6,624	17,257	775	21,980	898	181,076	6,324	251,663	8,102	47,429	1,595	
2008	482,121	17,816	276,899	10,536	205,172	7,538	17,882	1,575	21,672	998	175,446	7,129	223,527	8,014	43,594	1,510	
2007	440,776	16,218	256,167	9,909	184,562	6,583	17,765	1,376	18,931	810	168,677	6,835	197,579	7,105	37,825	1,325	
2006	405,190	14,644	234,339	9,032	170,824	5,879	16,881	856	17,615	779	159,068	6,249	178,620	6,532	33,005	1,267	
Personality disorder																	
2010	57,478	4,706	33,431	2,925	24,043	1,861	2,911	285	4,504	404	27,727	2,415	21,060	1,720	1,277	124	
2009	60,677	5,062	35,756	3,178	24,916	1,961	3,198	291	4,952	447	29,437	2,555	21,739	1,876	1,351	128	
2008	54,246	4,510	31,543	2,799	22,699	1,800	3,109	309	4,248	398	27,152	2,410	18,488	1,553	1,248	123	
2007	54,742	3,990	31,002	2,354	23,740	1,713	3,284	311	4,199	346	28,358	2,212	17,622	1,250	1,279	118	
2006	49,095	3,686	28,225	2,214	20,865	1,577	2,551	227	3,898	337	26,192	2,094	15,275	1,188	1,180	122	
Schizophrenia and other psychotic disorders																	
2010	137,235	6,890	101,126	5,317	36,101	1,695	3,061	202	6,056	400	51,628	2,942	67,480	3,461	9,010	387	
2009	128,345	7,255	94,967	5,555	33,353	1,818	2,789	201	5,469	386	47,963	3,082	63,453	3,637	8,672	386	
2008	112,945	5,890	83,090	4,484	29,843	1,509	2,754	243	4,638	367	43,277	2,499	54,491	2,917	7,785	342	
2007	109,136	5,763	79,594	4,480	29,532	1,441	2,609	199	4,811	306	44,441	2,776	50,122	2,634	7,154	316	
2006	99,313	4,634	72,750	3,528	26,549	1,240	2,302	159	4,333	289	41,609	2,254	43,809	2,030	7,260	334	
All other mental disorders																	
2010	56,000	2,418	31,716	1,470	24,283	1,048	11,218	625	7,271	381	22,952	1,148	12,901	707	1,658	126	
2009	54,420	2,330	30,556	1,426	23,850	1,044	11,297	654	7,243	375	22,741	1,092	11,566	575	1,573	112	
2008	49,376	3,303	27,362	1,792	22,000	1,579	11,924	1,830	6,346	405	19,478	1,056	10,068	525	1,560	110	
2007	46,964	2,791	25,803	1,625	21,160	1,239	11,738	1,502	5,772	314	18,791	949	9,368	489	1,294	98	
2006	41,011	1,843	22,493	1,093	18,514	863	9,700	623	4,676	289	17,107	860	8,288	408	1,240	100	

See footnotes at end of table.

Table B8. Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcoholic psychoses																
Any mental health-related diagnoses																
2010	143,060	6,048	97,189	4,171	45,868	2,022	942	85	3,214	226	48,633	2,302	78,676	3,361	11,596	505
2009	147,878	7,882	100,702	5,422	47,172	2,611	1,002	99	3,083	229	53,285	3,284	78,918	4,066	11,591	540
2008	130,801	7,232	88,118	4,849	42,679	2,506	894	131	2,958	270	47,429	3,002	69,073	3,722	10,447	456
2007	116,845	6,715	79,683	4,781	37,162	2,139	985	120	2,377	194	45,076	3,073	59,117	3,263	9,289	461
2006	102,098	5,120	69,461	3,496	32,631	1,727	662	88	1,813	160	40,067	2,291	51,140	2,508	8,416	421
Adjustment disorder																
2010	3,130	368	2,087	271	1,042	123	53	20	110	29	1,153	166	1,536	191	277	44
2009	2,935	266	2,038	195	897	100	72	19	114	28	1,135	119	1,404	146	209	37
2008	2,944	279	2,063	205	882	99	—	—	116	29	1,094	124	1,340	140	340	44
2007	2,431	197	1,707	150	724	81	—	—	81	23	983	109	1,079	98	242	37
2006	2,453	231	1,649	165	804	92	—	—	76	20	1,050	128	1,099	110	189	30
Anxiety disorder																
2010	39,471	1,728	25,859	1,132	13,610	669	293	43	1,349	118	15,631	762	19,466	892	2,731	166
2009	39,230	2,497	25,559	1,654	13,671	907	266	40	1,165	110	15,927	1,220	19,149	1,137	2,723	173
2008	33,677	2,099	21,975	1,340	11,703	833	233	40	1,129	123	13,635	983	16,452	1,007	2,227	133
2007	28,869	1,801	19,148	1,206	9,721	695	236	41	857	90	12,519	878	13,406	866	1,852	123
2006	24,610	1,318	16,369	907	8,241	493	134	27	626	72	10,697	620	11,640	673	1,512	104
Bipolar disorder																
2010	27,931	1,581	18,766	1,083	9,165	581	202	38	693	77	10,852	685	15,284	877	900	93
2009	29,781	2,000	19,726	1,369	10,055	711	266	47	675	90	12,582	937	15,149	985	1,109	108
2008	25,440	1,711	16,647	1,140	8,793	632	224	41	671	88	10,572	799	13,002	855	971	82
2007	23,094	1,850	15,373	1,378	7,721	557	234	41	606	86	10,567	986	10,888	827	798	103
2006	18,487	1,404	12,629	968	5,858	488	180	48	416	67	8,430	750	8,698	610	763	77
Depressive disorder																
2010	80,674	3,483	53,460	2,363	27,214	1,235	389	54	1,316	115	25,070	1,236	46,381	2,021	7,518	372
2009	84,358	4,583	56,290	3,127	28,068	1,557	438	55	1,452	127	27,786	1,764	47,164	2,514	7,517	384
2008	74,530	4,531	48,954	2,981	25,572	1,632	361	77	1,338	155	25,094	1,769	40,980	2,443	6,757	344
2007	65,934	3,897	43,809	2,638	22,125	1,375	436	65	1,036	92	23,440	1,645	35,068	2,006	5,954	331
2006	59,369	2,981	38,940	1,960	20,423	1,098	275	47	816	88	21,729	1,265	31,070	1,532	5,478	304
Personality disorder																
2010	6,843	749	4,724	553	2,119	233	59	16	308	50	2,950	346	3,340	391	188	37
2009	8,302	945	5,822	673	2,479	305	65	20	334	56	3,599	440	4,016	489	287	54
2008	8,361	1,046	5,601	694	2,759	382	93	20	370	60	3,955	526	3,685	493	257	53
2007	7,757	765	4,922	512	2,835	284	100	20	281	45	3,811	411	3,221	324	345	56
2006	7,424	896	5,020	609	2,404	322	126	27	241	44	3,657	456	3,113	411	288	62
Schizophrenia and other psychotic disorders																
2010	12,260	661	9,918	560	2,342	145	—	—	156	29	3,873	270	7,081	401	1,104	85
2009	12,157	698	9,630	557	2,523	193	58	19	149	27	3,892	269	6,942	442	1,117	88
2008	10,927	620	8,753	512	2,174	159	—	—	166	29	3,643	276	6,161	375	912	73
2007	11,344	928	9,006	780	2,338	195	—	—	145	29	4,042	458	6,086	477	1,028	94
2006	9,284	515	7,524	439	1,760	119	—	—	126	24	3,360	225	4,783	292	987	86
All other mental disorders																
2010	4,906	471	3,002	312	1,904	196	187	35	368	52	2,376	254	1,792	211	183	32
2009	5,157	440	3,265	302	1,892	182	203	41	400	73	2,576	251	1,709	163	269	48
2008	4,427	393	2,592	217	1,835	200	195	53	359	57	2,181	211	1,416	126	275	42
2007	4,194	362	2,459	208	1,735	189	237	53	346	50	1,967	204	1,403	136	242	36
2006	3,041	222	1,969	161	1,072	98	131	28	172	34	1,520	142	994	89	223	45

See footnotes at end of table.

Table B8. Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol dependence syndrome																
Any mental health-related diagnoses																
2010	444,384	17,216	291,058	11,748	153,312	5,812	5,888	377	13,530	771	158,971	6,762	233,630	9,050	32,365	1,216
2009	442,727	17,400	287,645	11,796	155,026	5,930	6,462	388	13,740	716	164,674	7,202	225,532	8,731	32,319	1,152
2008	397,408	18,182	255,689	11,772	141,691	6,725	7,044	1,073	12,769	837	152,346	8,005	196,546	8,306	28,704	1,023
2007	366,347	17,420	237,900	11,863	128,421	5,949	6,423	854	11,760	729	148,416	8,058	174,219	7,813	25,529	995
2006	319,312	13,984	206,186	9,380	113,096	4,812	5,038	353	9,888	607	132,084	6,384	149,639	6,442	22,663	948
Adjustment disorder																
2010	11,805	1,389	7,799	951	4,006	469	363	79	637	97	4,858	649	5,211	587	736	77
2009	11,171	889	7,211	611	3,961	322	403	58	719	81	4,466	414	4,969	417	615	71
2008	11,164	1,044	7,299	692	3,865	390	441	89	618	108	4,648	485	4,660	423	796	83
2007	9,926	707	6,604	448	3,322	298	373	63	559	83	4,514	387	3,848	256	631	68
2006	10,049	861	6,428	553	3,621	345	395	70	590	88	4,693	438	3,764	322	607	60
Anxiety disorder																
2010	110,195	4,557	67,566	2,781	42,621	1,882	1,411	121	4,052	301	43,264	1,963	54,106	2,243	7,362	345
2009	105,878	4,642	64,696	2,881	41,177	1,860	1,484	128	3,745	253	42,847	2,123	50,724	2,164	7,077	323
2008	92,234	4,508	55,530	2,612	36,696	2,013	1,759	374	3,536	266	37,880	2,160	42,896	1,886	6,163	277
2007	81,243	4,152	50,222	2,547	31,007	1,732	1,356	275	2,945	249	34,805	2,024	37,072	1,789	5,065	242
2006	72,641	3,369	44,309	2,117	28,331	1,356	1,123	97	2,648	205	31,874	1,634	32,483	1,521	4,511	247
Bipolar disorder																
2010	102,590	5,175	65,311	3,522	37,275	1,796	1,647	157	3,817	257	42,737	2,277	51,014	2,621	3,376	219
2009	101,483	5,117	63,581	3,403	37,902	1,861	1,817	152	3,813	275	44,645	2,380	47,481	2,407	3,728	231
2008	88,246	4,874	54,191	3,115	34,051	1,884	1,884	230	3,486	287	39,158	2,412	40,847	2,074	2,871	185
2007	82,508	5,006	51,555	3,434	30,953	1,734	1,730	181	3,350	300	39,030	2,597	35,738	2,081	2,660	208
2006	69,047	4,278	43,679	2,926	25,369	1,466	1,368	132	2,484	215	33,287	2,210	29,485	1,808	2,423	184
Depressive disorder																
2010	236,028	8,965	150,839	5,908	85,185	3,266	2,441	180	5,728	379	77,213	3,232	129,767	4,957	20,878	847
2009	238,757	9,281	151,441	6,124	87,275	3,371	2,969	209	6,074	331	81,352	3,535	127,759	4,976	20,603	792
2008	216,361	10,255	135,864	6,358	80,481	4,082	3,212	657	5,873	412	77,383	4,262	111,203	4,917	18,689	719
2007	198,889	9,539	125,646	6,175	73,230	3,558	2,895	500	5,431	350	74,734	4,073	99,082	4,510	16,747	716
2006	177,221	7,598	111,129	4,929	66,076	2,809	2,288	201	4,670	300	68,688	3,270	87,166	3,709	14,408	646
Personality disorder																
2010	31,132	2,839	19,443	1,874	11,689	1,035	728	112	1,631	182	14,692	1,429	13,276	1,189	804	91
2009	33,973	3,213	21,273	2,097	12,700	1,168	882	118	1,907	209	16,250	1,624	14,087	1,340	848	93
2008	30,253	2,839	19,016	1,866	11,238	1,038	792	133	1,642	185	15,007	1,500	12,007	1,135	805	98
2007	31,118	2,561	18,714	1,607	12,404	1,016	910	108	1,722	197	16,261	1,466	11,434	883	791	91
2006	27,791	2,406	17,003	1,513	10,783	960	594	70	1,573	164	14,990	1,366	9,878	896	757	101
Schizophrenia and other psychotic disorders																
2010	53,000	3,370	40,946	2,725	12,054	724	511	76	1,279	137	19,004	1,384	28,947	1,880	3,259	191
2009	50,951	2,969	38,858	2,347	12,078	704	497	62	1,410	157	18,465	1,301	27,223	1,545	3,356	192
2008	44,090	2,695	33,867	2,127	10,219	638	417	72	1,113	138	16,229	1,178	23,499	1,420	2,832	161
2007	44,682	3,404	34,057	2,725	10,625	755	384	51	1,322	133	17,936	1,746	22,489	1,578	2,551	152
2006	36,722	1,925	27,810	1,499	8,899	502	353	52	1,118	112	14,958	961	17,706	900	2,587	151
All other mental disorders																
2010	18,312	1,100	10,944	680	7,368	476	1,401	139	1,746	137	8,732	566	5,715	414	718	80
2009	18,667	1,015	10,796	644	7,866	439	1,350	123	1,967	151	9,207	562	5,529	345	614	64
2008	16,853	1,565	9,640	835	7,210	781	2,038	641	1,685	165	7,944	646	4,584	312	603	60
2007	15,995	1,280	8,952	723	7,043	608	1,837	478	1,627	143	7,595	579	4,380	290	557	59
2006	13,180	842	7,687	528	5,493	362	1,103	116	1,154	129	6,629	489	3,796	237	497	66

See footnotes at end of table.

Table B8. Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Nondependent abuse of alcohol																
Any mental health-related diagnoses																
2010	507,573	17,440	304,846	10,845	202,704	6,851	33,138	1,448	38,015	1,544	204,920	7,532	203,546	7,177	27,954	1,047
2009	461,554	16,198	275,684	10,419	185,722	6,165	33,203	1,470	34,498	1,322	191,037	7,199	178,066	6,539	24,751	854
2008	438,575	16,415	257,671	9,997	180,841	6,655	32,948	2,292	33,968	1,527	184,308	7,258	163,813	6,176	23,538	898
2007	402,015	14,203	237,974	8,656	163,955	5,780	32,419	2,098	29,493	1,165	175,228	6,435	144,260	5,188	20,615	775
2006	385,936	13,737	228,495	8,610	157,418	5,402	29,815	1,384	27,709	1,163	171,416	6,478	137,459	5,040	19,538	766
Adjustment disorder																
2010	17,475	1,674	9,830	939	7,646	782	2,261	327	2,150	254	7,714	796	4,733	386	618	75
2009	15,383	1,145	9,073	697	6,310	491	2,112	224	1,701	177	6,760	554	4,212	312	597	63
2008	15,837	1,366	9,228	818	6,603	583	2,292	337	2,261	247	6,664	628	4,019	331	600	60
2007	14,761	933	8,572	560	6,184	421	2,396	268	1,839	164	6,293	426	3,674	254	560	57
2006	13,584	920	7,259	492	6,325	491	2,385	303	1,624	151	5,837	425	3,171	220	567	57
Anxiety disorder																
2010	131,793	5,055	73,353	2,865	58,426	2,304	7,687	434	10,563	487	56,360	2,331	49,888	1,979	7,296	347
2009	115,408	3,886	63,588	2,197	51,800	1,807	7,747	414	9,709	392	49,711	1,793	42,041	1,503	6,201	276
2008	105,886	3,925	58,077	2,165	47,798	1,858	7,188	598	9,031	436	46,055	1,772	37,982	1,412	5,630	270
2007	96,230	3,418	53,787	1,971	42,411	1,561	6,846	513	7,846	353	43,111	1,626	33,763	1,239	4,665	219
2006	97,348	3,574	54,768	2,104	42,575	1,593	6,806	378	7,717	374	45,369	1,828	33,044	1,224	4,412	209
Bipolar disorder																
2010	107,139	4,734	62,195	2,951	44,940	1,899	8,270	607	8,750	477	47,675	2,200	39,733	1,853	2,712	175
2009	95,067	4,223	54,581	2,580	40,472	1,818	8,203	585	7,490	401	44,365	2,075	32,624	1,477	2,386	154
2008	91,456	4,553	51,487	2,642	39,953	2,005	7,560	747	7,938	482	42,679	2,202	31,098	1,556	2,181	150
2007	79,571	3,686	44,953	2,134	34,598	1,655	7,006	611	6,273	365	38,844	1,808	25,589	1,237	1,859	130
2006	74,203	3,621	42,589	2,210	31,610	1,503	5,801	462	5,935	393	37,856	1,935	22,854	1,077	1,756	126
Depressive disorder																
2010	244,495	8,499	142,380	5,174	102,106	3,510	12,955	595	15,837	722	93,444	3,546	105,650	3,753	16,610	669
2009	224,046	7,578	128,687	4,698	95,252	3,106	13,197	621	14,852	638	88,174	3,278	93,173	3,219	14,649	547
2008	216,100	7,956	121,724	4,686	94,345	3,422	13,705	1,006	14,547	649	87,550	3,411	86,328	3,225	13,970	585
2007	200,109	7,307	113,886	4,350	86,195	3,090	13,884	943	12,579	550	84,502	3,315	76,860	2,838	12,284	496
2006	193,860	7,217	110,041	4,415	83,808	2,985	13,666	736	11,986	537	82,416	3,293	74,282	2,890	11,510	500
Personality disorder																
2010	24,598	1,969	13,347	1,159	11,247	862	2,069	205	2,808	256	12,393	1,063	6,956	588	372	53
2009	24,912	2,006	13,710	1,200	11,197	875	2,237	205	2,890	286	12,499	1,047	6,892	607	394	58
2008	22,093	1,860	11,762	1,076	10,327	841	2,228	215	2,456	242	11,268	1,010	5,818	523	323	42
2007	22,138	1,632	11,711	896	10,427	783	2,311	235	2,364	194	11,594	866	5,487	489	383	58
2006	20,044	1,444	10,692	817	9,351	702	1,896	183	2,238	206	10,696	843	4,873	368	340	46
Schizophrenia and other psychotic disorders																
2010	73,003	3,671	53,639	2,753	19,355	1,008	2,477	156	4,578	301	30,471	1,669	31,868	1,659	3,609	209
2009	66,984	4,502	49,860	3,426	17,119	1,150	2,233	172	3,913	285	27,659	1,967	29,764	2,162	3,415	202
2008	59,127	3,466	43,353	2,606	15,767	931	2,270	197	3,436	276	25,166	1,529	25,237	1,606	3,018	167
2007	55,723	2,800	40,591	2,091	15,122	821	2,166	178	3,404	220	24,777	1,363	22,452	1,191	2,924	161
2006	54,689	2,881	40,097	2,180	14,592	798	1,883	134	3,131	218	25,031	1,462	21,843	1,214	2,802	162
All other mental disorders																
2010	33,869	1,404	18,983	870	14,886	630	9,283	530	5,186	283	13,088	645	5,686	331	626	70
2009	32,369	1,489	18,049	902	14,311	707	9,466	573	4,994	277	12,370	631	4,910	305	630	65
2008	29,294	1,830	16,158	1,033	13,127	851	9,474	1,247	4,417	277	10,487	508	4,333	238	583	59
2007	28,332	1,635	15,634	991	12,698	718	9,489	1,079	3,945	214	10,436	493	3,968	238	495	53
2006	25,538	1,154	13,571	660	11,963	602	8,282	539	3,353	209	9,661	470	3,745	207	497	55

See footnotes at end of table.

Table B8. Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
All chronic liver disease and cirrhosis																
Any mental health-related diagnoses																
2010	173,330	5,484	87,230	2,876	86,091	2,797	1,228	148	2,143	135	40,275	1,449	104,381	3,413	25,304	981
2009	157,486	5,066	81,020	2,734	76,445	2,539	871	94	1,583	140	36,992	1,447	94,920	3,021	23,119	965
2008	139,201	4,922	71,660	2,653	67,522	2,443	781	79	1,506	134	33,071	1,353	82,758	2,978	21,086	878
2007	113,777	3,987	59,434	2,218	54,343	1,921	672	72	939	91	27,520	1,112	67,309	2,444	17,335	712
2006	100,082	3,711	53,013	2,078	47,070	1,794	510	82	751	90	25,769	1,086	58,255	2,213	14,797	662
Adjustment disorder																
2010	2,236	164	1,190	102	1,045	95	—	—	—	—	533	61	1,289	122	344	45
2009	2,034	151	1,173	98	861	83	—	—	—	—	440	50	1,258	111	263	41
2008	2,132	157	1,162	106	970	78	58	17	—	—	547	66	1,195	99	300	44
2007	1,776	133	1,048	90	728	75	—	—	—	—	521	65	939	82	233	36
2006	1,617	129	893	90	724	69	—	—	—	—	453	51	884	85	243	39
Anxiety disorder																
2010	45,960	1,628	22,308	839	23,648	889	292	44	770	78	12,422	510	26,247	984	6,229	327
2009	39,869	1,511	19,172	762	20,697	843	199	34	581	78	10,844	550	22,501	816	5,743	311
2008	33,911	1,355	16,506	699	17,401	737	197	42	435	63	9,364	470	18,869	769	5,046	294
2007	26,826	1,068	13,300	558	13,526	581	166	31	228	36	7,576	364	14,815	618	4,042	235
2006	22,741	984	11,285	513	11,457	558	119	27	262	40	6,580	339	12,658	584	3,122	180
Bipolar disorder																
2010	28,451	1,117	14,561	660	13,890	585	355	61	540	64	8,468	421	17,507	740	1,582	121
2009	25,448	1,065	13,375	620	12,073	556	167	33	277	64	8,324	459	15,118	643	1,562	125
2008	22,868	1,077	11,744	626	11,117	544	173	29	363	53	6,928	424	14,213	679	1,190	101
2007	16,595	779	8,593	483	8,002	394	149	31	145	28	5,414	338	9,917	501	970	92
2006	15,088	732	8,085	429	7,003	383	108	29	133	31	5,346	334	8,697	440	803	80
Depressive disorder																
2010	97,616	3,250	46,824	1,643	50,788	1,739	530	80	808	76	20,346	809	59,611	2,043	16,322	685
2009	90,453	3,075	44,993	1,632	45,445	1,608	403	60	762	83	18,856	766	55,707	1,951	14,725	645
2008	79,315	2,961	39,070	1,554	40,236	1,534	288	48	737	81	17,210	754	47,512	1,830	13,568	584
2007	66,006	2,388	33,337	1,297	32,669	1,218	267	44	503	65	14,738	630	39,445	1,490	11,053	486
2006	57,945	2,281	29,406	1,226	28,540	1,155	235	42	375	59	13,764	625	34,174	1,377	9,397	476
Personality disorder																
2010	3,509	310	1,870	161	1,638	195	95	43	94	36	1,134	146	2,031	179	154	32
2009	3,538	324	2,228	235	1,309	125	—	—	109	29	1,248	170	1,978	174	182	35
2008	3,425	303	2,047	197	1,378	139	—	—	97	29	1,321	170	1,845	163	143	27
2007	3,030	246	1,675	156	1,355	132	—	—	—	—	1,174	122	1,612	144	189	36
2006	2,935	264	1,731	180	1,204	120	—	—	—	—	1,181	130	1,577	153	119	27
Schizophrenia and other psychotic disorders																
2010	17,619	746	11,391	545	6,229	298	56	26	208	42	3,686	266	11,283	501	2,387	152
2009	15,591	663	10,124	491	5,461	279	—	—	130	38	3,121	204	10,068	460	2,231	151
2008	14,662	656	9,704	502	4,958	239	—	—	104	26	2,991	205	9,326	454	2,204	144
2007	13,163	588	8,445	425	4,718	259	—	—	89	22	2,613	184	8,385	408	2,032	144
2006	11,872	564	7,860	426	4,013	222	—	—	—	—	2,692	175	7,081	374	2,021	144
All other mental disorders																
2010	4,841	251	2,421	151	2,420	152	287	47	316	46	1,647	124	2,189	141	401	44
2009	4,195	227	2,193	142	2,002	130	291	53	274	48	1,626	115	1,693	123	312	42
2008	3,868	244	2,033	148	1,834	134	232	46	177	33	1,486	134	1,618	115	354	45
2007	3,253	198	1,549	118	1,704	121	238	39	155	30	1,137	92	1,466	115	257	38
2006	2,802	179	1,459	109	1,343	114	123	39	78	20	1,074	83	1,265	104	262	37

See footnotes at end of table.

Table B8. Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcoholic liver disease																
Any mental health-related diagnoses																
2010	74,620	2,571	47,126	1,710	27,494	986	77	19	641	72	18,987	767	48,327	1,733	6,589	315
2009	73,097	2,782	46,233	1,829	26,864	1,094	81	21	505	76	19,478	964	46,586	1,755	6,447	314
2008	66,559	2,719	41,665	1,761	24,894	1,065	144	66	604	85	17,998	913	41,618	1,672	6,195	308
2007	54,854	2,159	34,937	1,448	19,917	815	89	21	317	59	15,446	727	33,877	1,396	5,125	265
2006	51,949	2,104	32,878	1,393	19,071	826	—	—	245	36	15,197	734	31,764	1,316	4,702	258
Adjustment disorder																
2010	1,113	99	699	79	414	52	—	—	—	—	292	48	685	72	121	24
2009	1,142	101	737	75	405	53	—	—	—	—	271	39	764	81	80	21
2008	1,165	106	731	83	435	45	—	—	—	—	314	51	706	68	121	27
2007	968	90	700	68	268	47	—	—	—	—	337	57	548	58	77	18
2006	914	82	578	62	336	43	—	—	—	—	301	42	512	57	96	24
Anxiety disorder																
2010	18,311	715	11,312	481	6,999	320	—	—	230	38	5,516	273	11,191	484	1,357	108
2009	16,834	832	10,270	533	6,563	361	—	—	223	47	5,222	365	10,057	482	1,304	102
2008	15,417	757	9,284	474	6,133	352	71	35	217	48	4,886	315	8,929	436	1,314	114
2007	12,240	587	7,677	391	4,563	255	—	—	92	24	4,108	253	7,024	365	986	92
2006	10,778	541	6,635	335	4,143	271	—	—	92	20	3,618	230	6,267	333	781	72
Bipolar disorder																
2010	12,442	575	7,848	400	4,594	251	—	—	125	27	3,540	207	8,362	432	384	51
2009	12,077	672	7,604	445	4,473	305	—	—	82	26	4,113	298	7,402	418	463	62
2008	11,306	697	6,787	444	4,520	315	—	—	143	38	3,653	304	7,040	416	444	59
2007	8,539	474	5,241	331	3,298	214	—	—	—	—	2,832	223	5,294	323	332	50
2006	8,075	431	5,081	304	2,994	206	—	—	—	—	2,959	229	4,790	267	278	41
Depressive disorder																
2010	43,734	1,606	26,893	1,040	16,842	671	—	—	233	33	10,348	496	28,598	1,078	4,535	241
2009	44,099	1,717	27,381	1,118	16,718	729	—	—	263	51	10,613	533	28,832	1,164	4,342	240
2008	39,173	1,698	23,993	1,094	15,180	691	—	—	289	49	9,878	527	24,855	1,088	4,113	216
2007	32,715	1,337	20,259	889	12,456	546	—	—	181	42	8,681	437	20,435	882	3,378	202
2006	31,494	1,361	19,341	880	12,153	564	—	—	126	26	8,665	450	19,492	866	3,192	198
Personality disorder																
2010	1,741	173	1,087	115	654	86	—	—	—	—	582	92	1,041	102	61	22
2009	2,172	252	1,591	207	582	74	—	—	—	—	824	146	1,206	128	114	30
2008	2,147	232	1,482	168	665	89	—	—	51	18	854	131	1,185	126	51	14
2007	1,887	179	1,178	124	709	88	—	—	—	—	776	92	988	104	108	28
2006	1,966	205	1,262	150	704	90	—	—	—	—	803	105	1,075	119	70	20
Schizophrenia and other psychotic disorders																
2010	6,888	353	5,165	297	1,723	122	—	—	67	19	1,627	135	4,674	260	517	58
2009	6,574	342	4,841	272	1,734	129	—	—	—	—	1,568	133	4,359	244	628	72
2008	6,456	361	4,916	289	1,539	121	—	—	65	22	1,534	131	4,251	256	593	65
2007	5,795	345	4,343	272	1,452	122	—	—	—	—	1,374	124	3,799	249	599	63
2006	5,518	305	4,157	248	1,361	111	—	—	—	—	1,448	116	3,466	220	598	61
All other mental disorders																
2010	1,668	122	948	77	720	73	—	—	106	25	656	73	788	74	110	22
2009	1,574	133	888	90	687	70	—	—	77	24	708	73	688	73	68	17
2008	1,562	151	942	102	620	76	—	—	70	23	746	101	621	61	74	18
2007	1,372	122	746	78	625	75	—	—	—	—	600	71	634	77	69	18
2006	1,194	95	646	63	548	61	—	—	—	—	503	57	598	64	64	19

See footnotes at end of table.

Table B8. Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	
Alcohol poisoning																	
Any mental health-related diagnoses																	
2010	23,734	1,015	10,507	483	13,227	600	1,834	134	1,980	137	10,866	503	8,279	385	775	72	
2009	24,989	1,065	11,518	558	13,471	582	1,890	136	2,076	134	11,232	531	8,927	443	865	78	
2008	25,057	1,145	11,478	586	13,580	639	2,058	141	2,150	140	11,689	556	8,498	431	662	69	
2007	22,408	992	10,310	494	12,092	555	1,954	143	1,881	129	10,933	524	7,074	352	566	59	
2006	21,422	982	9,763	504	11,659	541	1,938	133	1,919	129	10,397	536	6,710	346	458	58	
Adjustment disorder																	
2010	1,381	185	636	85	745	113	173	38	176	28	635	103	368	60	—	—	
2009	1,160	110	490	63	669	68	169	27	113	24	496	63	346	45	—	—	
2008	1,292	141	645	80	647	82	124	24	139	34	624	76	360	51	45	15	
2007	1,319	120	605	62	714	84	150	30	188	30	709	85	262	39	—	—	
2006	1,124	116	466	60	658	85	157	34	158	34	587	68	207	38	—	—	
Anxiety disorder																	
2010	4,981	327	2,076	164	2,905	202	369	45	456	71	2,435	178	1,591	123	130	24	
2009	5,329	332	2,285	172	3,044	198	387	77	514	67	2,517	182	1,713	129	198	34	
2008	4,732	302	2,096	158	2,636	185	377	45	414	51	2,299	167	1,500	132	142	26	
2007	4,095	271	1,803	141	2,293	171	395	61	388	50	1,988	144	1,217	113	108	23	
2006	3,930	257	1,671	125	2,259	170	294	44	405	49	1,909	152	1,208	102	116	26	
Bipolar disorder																	
2010	5,315	284	2,361	150	2,954	180	393	42	453	48	2,778	168	1,619	116	71	20	
2009	5,333	288	2,384	171	2,949	175	380	46	459	52	2,735	181	1,698	124	60	19	
2008	5,032	276	2,161	136	2,871	180	342	44	395	46	2,681	169	1,557	119	57	17	
2007	4,436	268	2,055	146	2,381	158	282	47	349	43	2,443	167	1,313	100	—	—	
2006	3,828	266	1,794	152	2,034	150	314	48	321	41	2,051	186	1,102	92	—	—	
Depressive disorder																	
2010	14,476	599	6,134	292	8,341	364	925	85	1,128	90	6,356	295	5,493	268	574	60	
2009	15,616	706	6,892	344	8,725	419	1,118	109	1,206	94	6,650	338	6,011	315	631	64	
2008	15,876	735	7,043	379	8,833	431	1,209	105	1,325	95	7,184	368	5,695	303	462	58	
2007	14,213	639	6,142	314	8,064	377	1,163	95	1,123	89	6,801	342	4,719	248	406	49	
2006	14,027	648	5,961	323	8,066	379	1,127	93	1,215	98	6,672	336	4,694	258	319	49	
Personality disorder																	
2010	1,256	129	497	69	760	86	87	22	95	22	673	81	390	54	—	—	
2009	1,472	166	536	75	936	113	139	25	192	38	757	113	384	51	—	—	
2008	1,483	160	557	73	927	103	123	24	194	42	797	101	365	51	—	—	
2007	1,379	176	499	74	880	118	100	29	181	35	710	97	385	59	—	—	
2006	1,265	152	536	76	729	108	111	24	121	30	758	96	265	44	—	—	
Schizophrenia and other psychotic disorders																	
2010	1,337	107	861	76	477	60	52	17	79	21	665	66	473	50	68	22	
2009	1,344	116	866	96	478	49	—	—	59	16	619	59	556	68	83	28	
2008	1,340	103	904	84	436	47	47	16	59	18	594	60	613	65	—	—	
2007	1,324	118	902	84	422	53	46	14	78	19	626	71	532	62	—	—	
2006	1,241	103	816	81	425	56	—	—	85	21	617	68	460	62	—	—	
All other mental disorders																	
2010	1,466	118	698	70	769	76	459	48	239	45	536	67	221	36	—	—	
2009	1,544	121	692	74	852	83	385	58	295	46	603	63	247	39	—	—	
2008	1,365	114	671	75	694	68	405	49	266	37	516	60	170	34	—	—	
2007	1,277	123	651	72	625	72	425	58	206	34	441	56	199	38	—	—	
2006	1,288	111	684	77	604	62	431	53	215	32	520	66	112	26	—	—	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table B9. Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Any alcohol-related diagnoses																
Any injury-related diagnoses																
2010	132,158	4,641	95,174	3,650	36,979	1,187	11,133	467	9,928	412	45,245	1,829	55,998	2,091	9,853	413
2009	131,493	4,639	94,652	3,585	36,812	1,257	11,610	573	10,190	505	45,787	1,825	54,288	2,040	9,617	359
2008	119,689	4,482	85,446	3,473	34,225	1,197	11,799	559	9,333	441	42,767	1,747	46,892	1,900	8,898	391
2007	109,796	3,590	78,170	2,686	31,608	1,063	11,243	458	8,685	393	39,379	1,401	42,023	1,549	8,467	356
2006	106,430	4,078	76,065	3,025	30,345	1,198	11,802	552	8,042	395	39,219	1,625	40,140	1,720	7,227	312
Unintentional injuries																
2010	91,879	3,459	67,230	2,737	24,645	861	7,078	334	6,199	312	28,696	1,247	41,496	1,662	8,410	383
2009	88,548	3,192	65,316	2,518	23,222	821	6,944	324	6,231	330	27,899	1,168	39,403	1,544	8,070	326
2008	81,843	3,210	59,884	2,522	21,941	828	7,218	414	5,871	314	26,679	1,130	34,398	1,483	7,676	346
2007	71,114	2,538	51,960	1,912	19,146	758	6,803	354	5,214	287	23,066	902	29,053	1,147	6,977	308
2006	67,084	2,794	49,381	2,167	17,687	738	6,740	350	4,473	279	22,564	1,022	27,403	1,286	5,905	277
Falls																
2010	44,714	1,949	32,743	1,549	11,967	497	2,050	146	1,911	141	11,366	611	23,130	1,073	6,258	314
2009	42,629	1,659	31,432	1,308	11,192	455	1,936	136	1,690	120	10,821	545	22,170	921	6,012	262
2008	36,917	1,397	26,976	1,113	9,937	386	1,763	136	1,642	126	9,751	457	18,180	732	5,582	253
2007	32,212	1,209	23,420	939	8,793	378	1,573	114	1,480	111	8,463	368	15,690	664	5,006	248
2006	29,169	1,277	21,493	997	7,660	377	1,434	113	1,137	105	8,144	439	14,185	657	4,269	222
Struck by or against objects/persons																
2010	3,319	181	2,484	151	835	68	441	47	357	47	1,312	108	1,113	84	97	24
2009	3,247	177	2,470	142	777	71	384	44	392	50	1,305	100	1,033	78	133	27
2008	2,785	186	2,193	159	587	59	449	59	319	37	1,087	100	830	76	100	21
2007	2,447	159	1,801	126	646	65	410	53	285	44	1,004	85	665	64	82	19
2006	2,340	148	1,819	126	520	55	349	45	211	33	947	81	755	72	78	22
Motor vehicle traffic																
2010	7,866	389	5,513	289	2,353	141	810	72	1,071	83	3,367	205	2,288	144	330	44
2009	8,018	532	5,808	391	2,205	175	856	84	1,270	113	3,387	266	2,218	163	287	40
2008	7,976	423	5,911	330	2,061	149	916	92	1,188	105	3,565	216	2,017	135	291	37
2007	7,337	366	5,345	279	1,992	142	871	77	1,165	98	3,043	178	1,926	129	332	54
2006	6,873	453	5,071	353	1,802	140	956	95	984	108	2,807	222	1,836	127	290	41
Cut or pierce																
2010	1,691	126	1,148	95	543	61	230	34	170	30	715	63	510	80	66	18
2009	1,717	125	1,333	107	384	45	177	29	246	46	785	75	464	61	—	—
2008	1,649	139	1,257	121	392	43	221	44	271	43	698	70	436	55	—	—
2007	1,475	114	1,090	95	385	49	165	30	226	36	697	71	366	54	—	—
2006	1,434	107	1,024	89	410	51	155	30	222	38	624	61	388	48	—	—
Poisoning																
2010	9,858	785	6,174	579	3,684	266	1,448	141	1,044	105	3,471	313	3,384	301	511	56
2009	11,045	1,118	6,961	843	4,084	321	1,810	184	1,043	135	4,038	440	3,607	410	547	71
2008	12,468	1,472	7,925	1,101	4,542	417	2,124	239	1,144	138	4,233	424	4,316	736	651	132
2007	9,619	901	6,143	662	3,476	299	2,042	220	862	107	3,334	338	2,833	342	549	65
2006	10,719	1,123	6,865	837	3,853	331	2,058	172	918	111	3,998	399	3,322	561	422	64
Intentional injuries																
2010	20,684	988	13,881	753	6,804	327	1,818	122	2,245	139	9,344	528	6,908	355	369	42
2009	21,456	1,193	13,963	845	7,484	421	2,219	240	2,250	179	9,883	543	6,735	399	369	48
2008	20,346	955	13,267	705	7,080	342	2,275	143	2,118	144	9,668	504	5,983	304	302	41
2007	17,771	660	11,362	463	6,404	279	1,952	118	1,829	122	8,598	361	5,143	259	249	36
2006	16,975	792	10,947	564	6,028	305	2,017	144	1,785	126	8,086	425	4,910	269	177	30

See footnotes at end of table.

Table B9. Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcoholic psychoses																
Any injury-related diagnoses																
2010	17,568	799	13,741	657	3,826	206	75	20	249	49	5,557	308	10,054	473	1,632	124
2009	17,245	812	13,493	654	3,752	223	124	32	357	48	5,695	329	9,337	451	1,732	133
2008	15,080	753	11,775	601	3,306	216	87	21	326	47	5,085	311	8,131	415	1,451	108
2007	13,385	640	10,416	525	2,969	180	111	25	239	42	4,789	284	6,991	361	1,255	96
2006	12,436	604	9,867	509	2,570	156	82	22	234	42	4,427	261	6,680	339	1,013	83
Unintentional injuries																
2010	13,510	640	10,632	534	2,878	165	—	—	172	44	4,060	242	7,870	394	1,368	113
2009	12,809	618	10,167	512	2,641	160	—	—	208	35	3,809	237	7,314	370	1,449	113
2008	11,575	580	9,123	470	2,453	165	—	—	175	30	3,660	232	6,497	340	1,220	93
2007	9,563	482	7,505	405	2,058	141	—	—	111	24	3,196	216	5,244	282	967	85
2006	8,632	450	6,982	388	1,650	111	—	—	100	23	2,839	177	4,872	284	797	69
Falls																
2010	8,158	413	6,211	337	1,947	128	—	—	61	16	2,160	149	4,839	261	1,077	96
2009	7,614	396	5,949	322	1,665	119	—	—	76	18	1,990	147	4,450	249	1,086	87
2008	6,801	357	5,265	288	1,536	120	—	—	75	21	1,932	144	3,801	213	980	83
2007	5,408	303	4,162	254	1,246	105	—	—	47	15	1,645	121	3,057	191	644	64
2006	5,021	294	3,994	254	1,027	83	—	—	—	—	1,513	123	2,890	184	599	59
Struck by or against objects/persons																
2010	323	44	265	40	59	18	—	—	—	—	121	23	188	35	—	—
2009	419	50	338	44	81	22	—	—	—	—	148	30	230	33	—	—
2008	322	43	275	39	47	14	—	—	—	—	125	24	179	28	—	—
2007	283	45	203	35	80	20	—	—	—	—	156	32	91	24	—	—
2006	285	40	228	34	57	17	—	—	—	—	119	25	150	27	—	—
Motor vehicle traffic																
2010	388	45	342	43	—	—	—	—	—	—	164	29	205	38	—	—
2009	299	41	239	35	60	18	—	—	—	—	115	24	140	26	—	—
2008	292	42	218	35	74	21	—	—	—	—	120	26	145	30	—	—
2007	249	33	193	31	56	15	—	—	—	—	49	14	158	27	—	—
2006	268	39	225	37	—	—	—	—	—	—	85	20	161	32	—	—
Cut or pierce																
2010	190	41	125	24	—	—	—	—	—	—	71	18	111	36	—	—
2009	169	31	158	30	—	—	—	—	—	—	74	19	90	23	—	—
2008	116	25	100	24	—	—	—	—	—	—	—	—	60	19	—	—
2007	150	33	117	30	—	—	—	—	—	—	61	17	78	27	—	—
2006	161	31	128	28	—	—	—	—	—	—	61	19	86	21	—	—
Poisoning																
2010	554	61	440	52	114	24	—	—	—	—	185	34	311	42	—	—
2009	454	60	337	51	117	30	—	—	—	—	135	25	285	46	—	—
2008	457	61	324	55	133	26	—	—	—	—	172	31	240	41	—	—
2007	380	50	302	43	78	19	—	—	—	—	153	30	169	29	52	17
2006	213	34	131	25	82	23	—	—	—	—	138	28	66	20	—	—
Intentional injuries																
2010	1,798	170	1,305	138	492	61	—	—	47	16	762	81	920	100	—	—
2009	1,782	145	1,262	115	520	67	82	29	92	22	854	81	698	69	—	—
2008	1,625	158	1,138	125	486	62	55	17	120	26	736	82	679	81	—	—
2007	1,293	139	888	107	406	57	—	—	89	28	635	75	501	70	—	—
2006	1,239	132	864	100	375	57	—	—	64	21	609	77	510	61	—	—

See footnotes at end of table.

Table B9. Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol dependence syndrome																
Any injury-related diagnoses																
2010	24,953	1,351	18,395	1,038	6,553	374	819	105	1,007	132	8,435	520	12,421	671	2,271	140
2009	25,273	1,336	18,694	1,065	6,579	345	827	92	1,064	127	8,097	466	13,016	749	2,268	143
2008	19,896	1,000	14,477	766	5,415	308	707	93	902	91	7,019	409	9,481	495	1,787	117
2007	19,697	1,170	14,365	884	5,332	342	671	104	968	103	7,058	427	9,119	553	1,881	172
2006	18,700	1,082	13,627	838	5,066	320	720	92	871	88	7,084	470	8,410	525	1,615	112
Unintentional injuries																
2010	17,691	980	13,273	780	4,413	256	511	67	583	89	5,245	345	9,309	518	2,043	132
2009	17,505	958	13,276	768	4,229	250	497	66	560	83	4,883	311	9,600	573	1,965	128
2008	13,636	721	10,195	580	3,436	205	374	68	466	62	4,208	269	7,027	397	1,561	105
2007	12,595	675	9,326	525	3,269	214	329	51	506	60	4,042	246	6,153	378	1,565	121
2006	12,022	752	9,026	590	2,989	223	410	70	432	60	3,985	284	5,867	397	1,328	99
Falls																
2010	9,692	541	7,312	429	2,376	154	168	32	175	33	2,270	169	5,499	323	1,580	106
2009	10,040	591	7,554	469	2,485	171	149	31	155	35	2,257	184	5,874	375	1,604	109
2008	7,686	407	5,727	332	1,956	128	133	36	156	31	1,806	136	4,321	254	1,270	88
2007	7,063	392	5,158	311	1,905	130	94	24	168	34	1,749	121	3,715	241	1,338	113
2006	6,566	440	4,851	349	1,709	149	155	33	144	31	1,770	152	3,471	254	1,028	84
Struck by or against objects/persons																
2010	754	74	589	66	165	29	—	—	63	18	299	46	321	42	—	—
2009	614	65	472	54	142	27	—	—	64	18	233	37	241	37	—	—
2008	433	50	337	43	95	23	—	—	—	—	174	28	144	29	—	—
2007	394	47	278	37	115	25	—	—	—	—	174	30	147	28	—	—
2006	467	61	351	52	116	27	—	—	—	—	247	41	162	32	—	—
Motor vehicle traffic																
2010	1,082	139	703	95	378	68	100	24	88	27	487	83	341	46	67	22
2009	918	102	705	85	213	39	68	21	104	25	342	52	366	51	—	—
2008	851	94	597	73	254	38	—	—	101	23	365	51	306	42	—	—
2007	885	90	683	76	202	37	53	18	119	29	347	48	321	45	—	—
2006	860	109	644	84	216	39	67	22	122	31	376	62	241	38	—	—
Cut or pierce																
2010	315	46	210	37	105	25	—	—	—	—	133	28	100	24	—	—
2009	366	48	274	43	92	20	—	—	—	—	184	30	97	23	—	—
2008	249	36	177	32	72	18	—	—	—	—	117	25	97	20	—	—
2007	285	42	209	35	76	19	—	—	—	—	173	32	74	20	—	—
2006	240	35	203	32	—	—	—	—	—	—	101	23	92	21	—	—
Poisoning																
2010	624	63	386	49	238	36	—	—	—	—	273	38	294	46	—	—
2009	674	70	411	50	263	38	—	—	—	—	283	45	311	41	—	—
2008	515	54	284	38	231	36	—	—	—	—	226	36	213	33	—	—
2007	524	58	331	44	192	36	—	—	—	—	253	37	160	28	—	—
2006	481	59	296	43	185	36	—	—	—	—	230	36	185	36	—	—
Intentional injuries																
2010	3,941	280	2,641	204	1,300	120	151	28	293	49	1,913	157	1,513	124	71	17
2009	4,304	293	2,840	227	1,463	121	232	42	355	59	1,956	151	1,691	133	70	20
2008	3,742	274	2,434	178	1,308	126	213	37	292	43	1,866	156	1,307	108	64	19
2007	3,219	223	2,170	166	1,050	92	147	28	236	40	1,657	132	1,149	100	—	—
2006	3,217	290	2,142	214	1,075	114	129	27	303	45	1,563	173	1,195	116	—	—

See footnotes at end of table.

Table B9. Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	
Nondependent abuse of alcohol																	
Any injury-related diagnoses																	
2010	71,163	3,128	51,469	2,502	19,695	763	7,671	361	7,230	333	25,262	1,288	26,487	1,336	4,513	257	
2009	67,125	2,953	48,469	2,324	18,627	753	7,200	331	7,156	424	24,754	1,291	23,855	1,148	4,161	205	
2008	62,376	2,687	45,156	2,156	17,207	657	7,531	406	6,468	367	23,547	1,155	20,836	960	3,993	212	
2007	57,368	2,191	41,363	1,679	15,993	621	7,110	333	6,184	331	21,118	853	19,073	875	3,884	211	
2006	53,316	2,233	38,442	1,715	14,860	621	7,271	375	5,481	295	20,020	911	17,141	839	3,403	188	
Unintentional injuries																	
2010	50,622	2,378	36,926	1,893	13,696	587	5,286	281	4,639	262	16,499	873	20,177	1,120	4,021	240	
2009	46,724	2,079	34,376	1,644	12,338	531	4,722	241	4,611	299	15,639	855	18,065	895	3,687	190	
2008	43,601	1,913	32,145	1,532	11,442	475	4,876	309	4,306	270	15,067	750	15,729	758	3,622	198	
2007	38,429	1,607	28,384	1,239	10,037	450	4,525	256	3,912	242	12,833	550	13,777	698	3,383	199	
2006	34,834	1,673	25,656	1,308	9,169	444	4,435	268	3,144	222	12,036	641	12,298	670	2,922	173	
Falls																	
2010	24,859	1,393	17,988	1,118	6,870	350	1,827	138	1,623	133	6,645	431	11,618	770	3,145	196	
2009	23,016	1,109	16,621	866	6,390	313	1,698	129	1,425	112	6,238	403	10,685	578	2,970	162	
2008	20,351	896	14,676	713	5,675	258	1,571	129	1,374	116	5,687	306	8,900	446	2,819	168	
2007	17,741	802	12,890	626	4,851	253	1,380	108	1,249	102	4,758	247	7,762	437	2,592	159	
2006	15,681	807	11,378	622	4,295	237	1,249	102	936	94	4,450	281	6,777	403	2,270	145	
Struck by or against objects/persons																	
2010	2,181	141	1,583	119	598	55	407	45	290	42	869	86	569	61	—	—	
2009	2,100	145	1,577	119	523	58	327	41	319	45	905	82	492	55	57	18	
2008	1,923	158	1,493	135	425	49	391	54	256	33	767	89	450	59	58	16	
2007	1,715	132	1,282	105	433	53	377	51	220	41	656	69	406	49	56	15	
2006	1,502	111	1,164	96	338	44	312	41	192	31	556	55	402	51	—	—	
Motor vehicle traffic																	
2010	6,257	324	4,374	247	1,883	119	710	66	974	76	2,659	172	1,665	114	249	36	
2009	6,606	495	4,708	359	1,893	167	754	80	1,129	108	2,852	252	1,669	144	202	33	
2008	6,699	390	5,012	303	1,682	136	867	90	1,063	101	3,011	195	1,519	117	238	33	
2007	6,055	327	4,383	247	1,672	132	798	73	1,026	92	2,588	160	1,409	110	234	45	
2006	5,616	382	4,108	298	1,508	123	874	91	847	95	2,290	188	1,388	113	217	34	
Cut or pierce																	
2010	1,125	93	787	79	338	42	191	31	131	25	494	56	260	46	49	16	
2009	1,091	104	825	87	265	40	149	27	185	43	495	59	240	48	—	—	
2008	1,254	122	960	107	294	38	212	44	225	41	539	60	265	45	—	—	
2007	1,014	96	759	82	254	41	146	28	190	33	460	61	206	39	—	—	
2006	1,008	89	668	72	340	47	129	25	192	35	462	54	199	36	—	—	
Poisoning																	
2010	1,614	118	869	76	746	77	240	35	259	52	626	59	447	55	—	—	
2009	1,573	118	893	77	679	73	226	35	261	48	663	70	384	48	40	12	
2008	1,476	108	835	79	641	60	214	35	226	33	607	55	401	47	—	—	
2007	1,247	95	688	64	558	58	193	32	173	31	503	53	344	45	—	—	
2006	1,259	101	690	64	569	64	248	38	132	27	554	59	299	42	—	—	
Intentional injuries																	
2010	11,686	712	8,112	558	3,574	217	1,215	95	1,634	116	5,308	406	3,396	223	133	27	
2009	11,592	762	7,752	587	3,831	230	1,336	106	1,543	132	5,633	405	2,978	240	101	22	
2008	11,420	654	7,822	520	3,598	200	1,520	113	1,443	114	5,541	359	2,804	194	112	25	
2007	9,652	462	6,396	337	3,251	183	1,283	99	1,244	100	4,661	254	2,370	159	93	22	
2006	8,947	509	6,007	390	2,940	185	1,349	119	1,184	101	4,360	268	2,000	159	54	16	

See footnotes at end of table.

Table B9. Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
All chronic liver disease and cirrhosis																
Any injury-related diagnoses																
2010	3,362	156	2,191	121	1,171	74	—	—	—	—	553	57	2,077	115	712	58
2009	3,351	172	2,212	130	1,139	89	—	—	—	—	582	58	2,095	125	645	58
2008	3,671	174	2,372	126	1,300	87	—	—	—	—	641	60	2,215	126	809	64
2007	3,644	180	2,261	128	1,383	105	—	—	—	—	644	64	2,179	148	792	67
2006	3,360	181	2,332	141	1,028	76	—	—	—	—	682	63	2,045	127	608	64
Unintentional injuries																
2010	2,677	140	1,704	109	973	68	—	—	—	—	383	47	1,722	106	552	51
2009	2,493	139	1,636	109	857	73	—	—	—	—	401	44	1,558	103	512	49
2008	2,766	144	1,777	105	989	74	—	—	—	—	445	48	1,636	104	677	58
2007	2,739	164	1,674	109	1,066	94	—	—	—	—	428	46	1,670	131	623	61
2006	2,472	147	1,712	113	760	65	—	—	—	—	481	54	1,489	100	481	57
Falls																
2010	1,563	95	960	74	603	55	—	—	—	—	163	27	984	75	397	41
2009	1,356	92	864	74	491	51	—	—	—	—	158	27	866	71	322	39
2008	1,629	98	1,014	73	616	57	—	—	—	—	202	33	984	74	443	44
2007	1,635	119	984	78	651	83	—	—	—	—	212	32	1,017	96	406	48
2006	1,374	94	886	73	487	52	—	—	—	—	231	36	811	65	332	48
Struck by or against objects/persons																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	55	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	71	19	55	18	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	47	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	48	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	51	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	211	36	126	24	85	23	—	—	—	—	56	18	148	30	—	—
2009	134	26	69	17	65	20	—	—	—	—	59	19	59	16	—	—
2008	202	33	130	26	71	19	—	—	—	—	66	17	102	24	—	—
2007	170	29	101	21	69	18	—	—	—	—	—	—	99	24	—	—
2006	152	33	118	31	—	—	—	—	—	—	—	—	82	22	—	—
Intentional injuries																
2010	122	26	90	23	—	—	—	—	—	—	—	—	67	17	—	—
2009	132	27	70	21	62	17	—	—	—	—	—	—	81	19	—	—
2008	150	28	104	23	—	—	—	—	—	—	60	18	72	18	—	—
2007	126	25	64	18	61	18	—	—	—	—	—	—	72	19	—	—
2006	150	29	103	23	—	—	—	—	—	—	56	16	70	21	—	—

See footnotes at end of table.

Table B9. Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcoholic liver disease																
Any injury-related diagnoses																
2010	2,419	133	1,733	108	686	59	—	—	—	—	486	54	1,611	103	308	37
2009	2,484	140	1,771	112	712	69	—	—	—	—	486	54	1,675	107	307	38
2008	2,687	139	1,887	109	800	65	—	—	—	—	546	55	1,781	108	352	40
2007	2,482	137	1,690	110	792	85	—	—	—	—	578	62	1,590	117	295	42
2006	2,553	152	1,884	126	669	61	—	—	—	—	597	58	1,627	109	315	46
Unintentional injuries																
2010	1,935	119	1,351	95	584	55	—	—	—	—	337	44	1,331	94	253	33
2009	1,809	111	1,272	90	537	57	—	—	—	—	322	40	1,226	87	253	34
2008	2,023	115	1,426	92	597	54	—	—	—	—	387	45	1,342	89	286	36
2007	1,873	123	1,252	87	621	77	—	—	—	—	389	45	1,211	100	261	39
2006	1,869	125	1,365	102	505	52	—	—	—	—	428	50	1,178	86	254	42
Falls																
2010	1,162	85	781	68	381	46	—	—	—	—	158	27	800	71	190	28
2009	980	74	683	63	298	36	—	—	—	—	130	24	686	59	165	27
2008	1,161	81	797	65	363	44	—	—	—	—	171	31	826	67	164	27
2007	1,119	99	752	65	367	71	—	—	—	—	206	32	735	85	178	33
2006	1,047	82	723	66	324	43	—	—	—	—	214	33	643	59	190	37
Struck by or against objects/persons																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	55	18	46	16	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	171	33	113	23	58	20	—	—	—	—	—	—	119	26	—	—
2009	113	24	60	16	54	18	—	—	—	—	54	19	51	15	—	—
2008	180	30	126	26	54	16	—	—	—	—	52	15	93	23	—	—
2007	145	27	89	20	56	17	—	—	—	—	—	—	85	22	—	—
2006	124	31	99	29	—	—	—	—	—	—	—	—	68	21	—	—
Intentional injuries																
2010	107	25	80	22	—	—	—	—	—	—	—	—	60	16	—	—
2009	112	25	66	20	46	15	—	—	—	—	—	—	69	18	—	—
2008	111	25	78	20	—	—	—	—	—	—	—	—	48	15	—	—
2007	92	22	—	—	—	—	—	—	—	—	—	—	52	15	—	—
2006	116	27	84	21	—	—	—	—	—	—	—	—	56	19	—	—

See footnotes at end of table.

Table B9. Number of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol poisoning																
Any injury-related diagnoses																
2010	15,112	1,149	9,379	825	5,734	392	2,563	233	1,428	131	5,438	438	4,958	458	726	75
2009	18,499	1,957	11,784	1,412	6,715	608	3,441	404	1,602	205	6,660	713	5,984	701	811	101
2008	18,664	1,808	11,667	1,322	6,998	546	3,471	301	1,633	168	6,475	563	6,228	861	858	146
2007	15,702	1,260	9,766	901	5,931	416	3,351	265	1,265	122	5,770	507	4,661	500	655	69
2006	18,618	1,840	11,797	1,274	6,821	630	3,713	313	1,447	159	7,006	698	5,864	799	589	80
Unintentional injuries																
2010	7,380	786	4,696	577	2,685	247	1,238	135	790	96	2,508	314	2,418	296	426	55
2009	9,017	1,121	5,861	850	3,156	311	1,683	187	844	128	3,167	433	2,865	415	458	66
2008	10,265	1,471	6,644	1,103	3,621	408	1,942	236	920	136	3,299	417	3,508	733	596	133
2007	7,787	898	5,071	660	2,716	292	1,904	221	667	95	2,567	334	2,209	341	440	60
2006	9,123	1,124	6,004	842	3,119	318	1,859	169	787	104	3,224	398	2,878	556	376	64
Falls																
2010	443	71	272	52	171	34	—	—	—	—	128	32	190	32	58	21
2009	604	107	444	90	161	33	68	20	—	—	177	56	294	49	—	—
2008	449	73	294	54	155	30	—	—	—	—	123	28	174	40	70	20
2007	366	56	226	40	140	27	84	22	—	—	99	22	140	31	—	—
2006	527	81	384	73	142	40	—	—	—	—	181	42	236	57	—	—
Struck by or against objects/persons																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	59	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	92	24	62	19	—	—	—	—	—	—	52	19	—	—	—	—
2009	174	60	136	48	—	—	—	—	—	—	69	27	—	—	—	—
2008	84	24	53	19	—	—	—	—	—	—	48	16	—	—	—	—
2007	111	25	71	19	—	—	—	—	—	—	56	17	—	—	—	—
2006	95	27	64	21	—	—	—	—	—	—	44	16	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	6,855	763	4,353	564	2,501	237	1,201	134	743	91	2,331	301	2,184	287	395	54
2009	8,210	1,077	5,250	813	2,960	302	1,563	180	749	123	2,898	415	2,568	395	432	64
2008	9,818	1,453	6,352	1,090	3,466	403	1,881	234	873	134	3,161	411	3,360	727	543	130
2007	7,299	875	4,721	646	2,577	283	1,816	218	635	94	2,385	325	2,061	332	402	57
2006	8,613	1,090	5,630	816	2,983	312	1,782	165	762	104	3,033	377	2,691	547	345	60
Intentional injuries																
2010	3,137	216	1,732	132	1,405	128	426	60	271	43	1,308	106	1,011	84	121	24
2009	3,647	692	2,039	433	1,608	272	565	197	261	67	1,392	220	1,287	228	142	29
2008	3,409	197	1,768	122	1,641	119	488	53	263	39	1,466	106	1,120	89	72	19
2007	3,481	195	1,845	125	1,637	111	475	53	254	34	1,599	114	1,051	92	102	22
2006	3,422	202	1,830	131	1,592	111	498	59	235	34	1,497	115	1,136	97	56	15

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table B10. Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Any alcohol-related diagnoses																
Any injury-related diagnoses																
2010	842,716	23,285	587,359	16,930	255,290	7,026	54,080	1,759	71,549	2,403	297,659	8,934	336,650	9,803	82,778	2,405
2009	808,890	23,063	564,565	17,262	244,008	6,526	55,327	1,827	71,621	2,588	292,315	9,049	311,965	9,331	77,662	2,222
2008	791,542	23,659	553,732	17,157	237,250	6,954	57,650	2,178	72,698	2,837	296,728	9,613	288,538	8,670	75,928	2,245
2007	733,019	21,516	515,624	15,951	216,982	6,081	55,668	1,889	68,974	2,438	282,682	9,079	257,477	7,687	68,218	2,040
2006	709,479	19,188	499,879	13,969	209,463	5,673	57,074	1,774	67,729	2,207	274,801	7,970	245,176	7,145	64,700	1,846
Unintentional injuries																
2010	550,376	15,876	391,203	11,654	159,128	4,601	30,682	1,077	40,810	1,494	169,377	5,357	237,824	7,288	71,682	2,182
2009	517,748	15,146	367,894	11,338	149,623	4,222	30,484	1,083	40,423	1,604	162,641	5,242	217,268	6,660	66,932	1,996
2008	497,690	14,465	355,784	10,615	141,549	4,089	31,434	1,220	40,178	1,640	163,061	5,209	197,904	5,872	65,113	1,955
2007	451,592	13,370	326,055	10,023	125,227	3,653	30,844	1,129	38,894	1,520	153,060	5,148	171,542	5,141	57,251	1,772
2006	438,305	12,206	317,054	9,078	121,143	3,411	31,916	1,127	36,912	1,340	149,481	4,451	165,109	4,996	54,887	1,644
Falls																
2010	262,764	7,650	179,943	5,479	82,810	2,459	8,693	424	12,010	490	58,846	2,003	128,417	3,986	54,797	1,717
2009	242,223	7,180	165,509	5,189	76,624	2,292	7,874	402	10,761	540	55,556	1,893	116,919	3,673	51,114	1,610
2008	222,985	6,454	152,816	4,602	70,080	2,049	7,741	412	10,737	569	52,196	1,758	102,579	3,069	49,730	1,550
2007	195,872	6,029	134,277	4,353	61,526	1,895	7,065	323	9,631	481	47,398	1,727	88,662	2,832	43,116	1,447
2006	188,548	5,776	129,076	4,179	59,426	1,831	7,054	405	8,634	385	46,307	1,614	84,662	2,817	41,891	1,312
Struck by or against objects/persons																
2010	23,920	934	17,780	692	6,140	307	2,177	134	2,820	165	9,180	421	8,437	351	1,305	110
2009	22,001	825	16,404	629	5,593	267	2,149	141	2,645	170	8,456	374	7,563	325	1,189	91
2008	20,920	833	15,966	660	4,941	239	2,206	169	2,532	181	8,394	377	6,656	300	1,132	94
2007	19,037	803	14,614	648	4,418	215	2,053	148	2,442	163	7,927	387	5,637	257	978	78
2006	18,369	667	14,131	533	4,238	198	2,003	137	2,192	132	7,704	324	5,642	263	827	74
Motor vehicle traffic																
2010	87,804	3,653	65,138	2,786	22,653	946	8,436	426	12,650	650	38,036	1,623	25,431	1,149	3,250	204
2009	89,024	3,846	66,481	2,930	22,473	1,003	8,961	471	14,164	750	38,707	1,759	24,328	1,049	2,864	165
2008	95,410	3,798	72,007	2,905	23,196	953	9,758	472	14,215	743	43,325	1,805	25,080	1,001	3,033	151
2007	93,395	3,710	71,086	2,910	22,136	888	10,620	504	15,197	728	41,800	1,764	22,773	907	3,004	168
2006	92,767	3,482	71,270	2,753	21,455	822	11,726	539	15,090	702	40,900	1,640	22,324	818	2,727	157
Cut or pierce																
2010	17,344	683	13,009	543	4,330	210	1,866	126	2,657	166	7,735	360	4,504	227	582	63
2009	16,753	798	12,750	642	3,994	209	1,798	134	2,732	207	7,512	392	4,150	231	561	57
2008	16,833	695	12,880	560	3,950	196	1,861	155	2,721	173	7,721	357	4,096	202	435	50
2007	15,654	882	12,327	746	3,313	210	1,795	139	2,484	189	7,333	486	3,689	209	352	44
2006	15,320	615	11,816	502	3,500	180	1,832	115	2,501	162	6,887	313	3,687	195	413	53
Poisoning																
2010	44,114	1,710	27,247	1,162	16,867	672	3,629	205	3,560	191	16,244	666	17,796	843	2,885	151
2009	44,138	1,849	27,068	1,305	17,070	663	3,963	243	3,519	213	16,522	756	17,277	816	2,857	159
2008	44,254	2,183	27,230	1,516	17,024	756	4,355	306	3,634	229	16,425	773	17,119	1,015	2,721	200
2007	37,162	1,470	23,215	1,025	13,942	532	4,026	274	3,066	190	14,248	636	13,379	605	2,443	130
2006	36,609	1,723	23,061	1,239	13,547	566	4,018	246	2,959	189	14,704	726	13,013	785	1,914	123
Intentional injuries																
2010	207,176	6,838	136,486	4,894	70,672	2,336	17,553	683	24,188	955	98,298	3,381	63,905	2,208	3,232	158
2009	206,311	7,176	136,482	5,251	69,784	2,316	18,565	765	25,048	1,041	99,278	3,562	60,452	2,226	2,967	159
2008	211,862	7,797	140,013	5,427	71,666	2,665	19,690	923	26,316	1,140	103,076	3,876	59,641	2,217	3,140	173
2007	188,880	5,999	124,557	4,346	64,236	1,998	17,165	671	22,683	843	94,818	3,151	51,671	1,745	2,543	129
2006	182,706	5,789	120,439	4,010	62,243	2,056	17,617	658	23,400	902	91,561	3,043	47,821	1,620	2,308	140

See footnotes at end of table.

Table B10. Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcoholic psychoses																
Any injury-related diagnoses																
2010	63,205	2,205	48,033	1,708	15,173	643	331	43	1,024	101	16,438	697	35,124	1,271	10,289	421
2009	61,252	2,248	46,902	1,736	14,350	635	350	48	1,204	95	16,424	722	33,550	1,293	9,725	390
2008	58,351	2,293	44,573	1,766	13,777	644	453	52	1,076	96	16,392	796	30,556	1,226	9,873	399
2007	51,937	1,974	39,514	1,560	12,424	528	408	49	908	99	15,306	712	26,660	1,065	8,656	373
2006	49,421	1,881	38,003	1,487	11,412	492	373	56	832	76	14,839	638	25,536	1,058	7,841	340
Unintentional injuries																
2010	45,752	1,698	35,330	1,344	10,422	479	153	28	527	63	10,465	492	25,755	998	8,852	393
2009	43,397	1,643	33,754	1,303	9,643	435	158	27	611	62	9,801	451	24,588	987	8,238	349
2008	41,357	1,584	32,212	1,270	9,145	411	179	33	509	55	9,939	481	22,481	899	8,249	344
2007	35,151	1,356	27,122	1,093	8,029	359	166	27	423	51	8,669	396	18,782	795	7,111	330
2006	33,389	1,300	26,177	1,046	7,206	333	145	28	311	42	8,635	375	17,759	782	6,539	296
Falls																
2010	26,972	1,006	19,992	764	6,979	342	—	—	157	28	4,732	254	15,136	604	6,907	321
2009	25,445	998	19,079	765	6,366	316	—	—	175	29	4,393	242	14,475	609	6,361	289
2008	23,789	902	18,105	726	5,684	273	—	—	173	33	4,458	227	12,619	528	6,514	289
2007	20,329	837	15,133	660	5,196	255	—	—	115	23	3,736	200	11,089	508	5,361	262
2006	18,832	805	14,133	622	4,692	250	—	—	55	16	3,792	205	9,981	491	4,993	248
Struck by or against objects/persons																
2010	924	86	734	73	190	32	—	—	—	—	351	44	503	60	47	14
2009	1,016	81	829	74	187	32	—	—	—	—	344	44	550	59	88	20
2008	917	78	733	68	184	32	—	—	—	—	316	39	486	55	83	19
2007	776	73	588	62	188	28	—	—	—	—	329	45	324	43	91	21
2006	827	73	672	64	155	29	—	—	—	—	302	46	441	47	55	17
Motor vehicle traffic																
2010	3,245	213	2,828	195	417	50	—	—	67	19	1,039	95	1,783	134	333	45
2009	2,818	208	2,351	177	467	53	—	—	87	22	822	86	1,567	126	325	41
2008	3,193	245	2,659	202	533	70	—	—	117	25	985	100	1,822	159	216	34
2007	2,699	179	2,321	159	377	44	—	—	90	20	919	87	1,320	105	339	46
2006	2,743	172	2,331	150	411	49	—	—	80	20	959	82	1,430	106	253	37
Cut or pierce																
2010	500	63	381	50	119	37	—	—	—	—	202	35	239	48	—	—
2009	463	55	391	49	71	19	—	—	—	—	181	31	244	39	—	—
2008	403	45	342	42	60	16	—	—	—	—	149	26	198	32	—	—
2007	381	49	302	42	79	22	—	—	—	—	165	29	158	34	—	—
2006	468	60	373	53	96	24	—	—	—	—	187	34	249	41	—	—
Poisoning																
2010	3,647	248	2,689	204	958	87	—	—	87	25	1,233	112	1,998	153	301	41
2009	3,668	243	2,649	186	1,018	93	—	—	100	23	1,268	116	1,986	149	275	36
2008	3,508	222	2,537	173	970	83	50	15	65	17	1,115	96	1,975	141	302	38
2007	2,736	172	2,012	136	724	73	54	17	52	15	962	89	1,383	102	285	39
2006	2,443	152	1,805	126	638	61	49	15	54	16	961	86	1,194	96	186	33
Intentional injuries																
2010	9,606	493	6,649	364	2,958	189	149	29	360	53	3,878	231	4,858	272	362	45
2009	9,687	566	6,821	404	2,867	213	164	36	422	53	4,331	292	4,497	271	274	42
2008	9,534	624	6,655	432	2,879	245	175	30	441	63	4,301	317	4,301	270	316	52
2007	8,218	481	5,645	361	2,573	174	170	32	368	60	3,854	264	3,601	225	226	33
2006	8,024	436	5,511	313	2,514	183	129	25	354	45	3,682	249	3,630	210	229	36

See footnotes at end of table.

Table B10. Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	
Alcohol dependence syndrome																	
Any injury-related diagnoses																	
2010	205,350	6,742	147,434	4,953	57,896	2,038	4,026	277	7,226	466	62,082	2,330	106,136	3,597	25,880	893	
2009	203,636	6,807	145,131	5,044	58,460	2,040	4,308	273	7,703	409	62,848	2,402	103,653	3,579	25,124	880	
2008	185,830	6,286	133,250	4,495	52,543	2,008	4,202	349	7,221	438	59,601	2,458	90,591	2,931	24,215	784	
2007	170,594	6,034	122,267	4,467	48,316	1,794	3,819	288	6,792	421	57,452	2,296	80,316	2,886	22,215	804	
2006	162,527	5,784	116,152	4,303	46,346	1,691	4,056	280	6,554	380	55,967	2,223	76,136	2,835	19,814	711	
Unintentional injuries																	
2010	136,189	4,664	100,464	3,520	35,709	1,300	1,924	158	3,618	277	33,993	1,356	74,366	2,669	22,287	800	
2009	132,543	4,601	97,421	3,505	35,094	1,274	2,043	154	3,785	227	32,976	1,333	72,203	2,617	21,536	792	
2008	119,702	3,936	88,919	2,949	30,758	1,118	1,945	199	3,140	215	31,261	1,316	62,687	2,021	20,668	696	
2007	104,953	3,649	77,687	2,791	27,255	1,013	1,662	160	3,315	241	28,848	1,169	52,638	1,904	18,490	699	
2006	99,936	3,655	74,127	2,826	25,781	998	1,903	158	3,035	209	28,022	1,183	50,382	1,956	16,594	605	
Falls																	
2010	75,086	2,589	54,009	1,914	21,072	798	557	71	1,019	107	13,423	597	42,631	1,572	17,457	645	
2009	72,659	2,602	52,054	1,957	20,595	804	540	61	1,047	92	13,008	587	41,380	1,567	16,685	652	
2008	63,697	2,104	46,229	1,552	17,460	658	459	67	817	81	11,867	559	34,452	1,158	16,102	566	
2007	55,148	2,021	39,621	1,530	15,521	607	427	65	896	96	10,599	490	29,273	1,156	13,954	572	
2006	51,993	2,032	37,245	1,557	14,730	625	459	63	762	86	10,403	523	27,554	1,173	12,814	497	
Struck by or against objects/persons																	
2010	4,734	323	3,538	241	1,195	134	174	31	283	57	1,581	139	2,389	164	305	44	
2009	4,183	248	3,158	188	1,026	99	108	23	308	46	1,403	107	2,016	138	348	52	
2008	3,630	208	2,827	173	803	71	171	33	180	32	1,391	102	1,585	114	303	41	
2007	3,418	197	2,569	168	849	72	140	30	204	34	1,331	99	1,507	113	235	34	
2006	3,459	201	2,723	173	736	67	119	24	181	31	1,418	107	1,512	118	227	39	
Motor vehicle traffic																	
2010	10,671	547	8,286	442	2,382	169	441	59	827	91	4,179	257	4,623	251	600	70	
2009	10,444	552	8,069	423	2,370	184	458	56	906	92	3,909	257	4,491	250	679	60	
2008	10,841	607	8,395	476	2,439	173	529	86	772	87	4,453	302	4,532	237	555	66	
2007	10,136	593	7,845	458	2,291	175	478	68	972	114	4,174	289	3,780	210	732	69	
2006	10,166	568	7,906	444	2,261	169	541	70	970	100	4,082	292	4,012	215	562	62	
Cut or pierce																	
2010	2,829	192	2,150	146	675	83	195	46	269	54	1,198	102	1,027	83	139	38	
2009	2,738	176	2,137	150	601	62	115	23	226	34	1,091	86	1,165	102	142	27	
2008	2,360	162	1,814	138	546	52	68	19	266	50	991	92	968	78	67	18	
2007	2,300	154	1,830	133	470	49	66	19	227	36	1,092	98	832	74	84	22	
2006	2,237	154	1,722	130	515	56	148	28	249	42	912	85	864	79	63	19	
Poisoning																	
2010	11,898	577	7,859	429	4,039	218	136	26	385	53	4,187	228	6,228	342	962	71	
2009	12,836	695	8,520	523	4,315	234	326	45	535	54	4,702	293	6,369	382	903	74	
2008	12,444	789	8,515	615	3,930	230	281	40	394	52	4,272	257	6,600	489	898	81	
2007	10,113	557	6,901	425	3,207	196	235	41	431	59	3,716	261	4,867	290	864	71	
2006	9,056	472	6,125	341	2,931	175	218	34	344	43	3,656	205	4,290	277	548	60	
Intentional injuries																	
2010	46,436	1,938	30,268	1,316	16,168	766	1,652	137	2,929	202	21,030	981	19,749	797	1,075	76	
2009	47,945	1,990	30,756	1,325	17,178	793	1,824	148	3,169	216	22,367	1,036	19,594	799	991	81	
2008	44,884	2,064	28,804	1,328	16,072	874	1,830	165	3,298	249	21,249	1,077	17,464	743	1,042	81	
2007	40,724	1,721	26,250	1,180	14,474	681	1,514	117	2,583	181	20,035	911	15,744	692	849	69	
2006	40,027	1,792	25,479	1,189	14,548	704	1,580	138	2,688	193	20,062	967	14,902	686	795	71	

See footnotes at end of table.

Table B10. Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Nondependent abuse of alcohol																
Any injury-related diagnoses																
2010	563,242	17,203	399,502	12,821	163,693	4,826	46,236	1,612	61,091	2,178	217,940	7,112	197,888	6,467	40,087	1,296
2009	532,958	16,985	379,097	12,981	153,599	4,447	46,490	1,679	60,745	2,377	211,630	7,188	177,541	6,005	36,552	1,120
2008	535,966	17,330	382,325	12,891	153,140	4,744	48,568	1,962	61,787	2,535	219,101	7,451	169,595	5,629	36,915	1,212
2007	503,324	16,055	361,016	12,131	141,932	4,259	47,372	1,743	59,171	2,209	209,241	7,211	153,772	4,929	33,768	1,114
2006	489,981	14,035	352,315	10,485	137,559	3,888	48,099	1,582	57,808	1,969	202,728	6,169	147,626	4,557	33,722	1,055
Unintentional injuries																
2010	365,241	11,634	263,392	8,688	101,820	3,199	27,070	1,009	35,766	1,382	126,323	4,369	140,572	4,808	35,510	1,198
2009	339,112	11,089	244,364	8,397	94,544	2,949	26,494	1,023	35,316	1,526	120,865	4,322	124,210	4,247	32,226	1,022
2008	334,323	10,557	242,425	7,898	91,572	2,819	27,337	1,117	35,506	1,526	123,278	4,151	116,029	3,818	32,173	1,073
2007	310,962	10,235	228,286	7,744	82,382	2,699	27,235	1,060	34,422	1,427	116,887	4,292	103,457	3,380	28,960	1,001
2006	305,081	9,132	223,926	6,903	81,076	2,453	28,011	1,052	32,537	1,235	114,465	3,628	101,040	3,275	29,029	960
Falls																
2010	166,215	5,286	115,092	3,879	51,116	1,610	8,017	409	10,854	468	43,408	1,570	76,026	2,629	27,909	971
2009	149,391	4,846	102,947	3,545	46,363	1,486	7,209	395	9,601	519	40,650	1,506	66,571	2,325	25,360	849
2008	140,464	4,420	96,832	3,205	43,552	1,365	7,164	400	9,761	548	38,440	1,366	59,955	2,006	25,143	863
2007	125,704	4,169	87,147	3,013	38,495	1,323	6,534	310	8,650	461	35,309	1,365	52,769	1,810	22,442	832
2006	123,336	4,016	85,227	2,907	38,082	1,268	6,549	391	7,769	358	34,575	1,266	51,722	1,847	22,722	782
Struck by or against objects/persons																
2010	17,758	742	13,443	571	4,315	226	1,958	128	2,503	142	7,247	357	5,312	256	737	83
2009	16,419	682	12,385	528	4,030	219	1,981	139	2,297	160	6,749	339	4,790	242	603	58
2008	16,036	723	12,353	573	3,671	205	1,978	161	2,323	177	6,714	337	4,442	233	579	61
2007	14,616	715	11,393	581	3,218	187	1,858	144	2,202	156	6,278	354	3,679	197	601	63
2006	13,935	549	10,675	437	3,260	169	1,823	129	2,005	124	6,029	287	3,634	187	444	50
Motor vehicle traffic																
2010	72,451	3,261	53,841	2,493	18,598	843	7,838	413	11,671	630	32,505	1,492	18,434	929	2,003	146
2009	74,459	3,456	55,657	2,638	18,738	896	8,314	459	13,086	721	33,525	1,604	17,840	858	1,694	114
2008	80,632	3,327	61,023	2,553	19,418	835	9,095	449	13,212	709	37,719	1,625	18,557	775	2,049	123
2007	80,139	3,291	61,191	2,584	18,780	783	10,016	478	14,067	688	36,657	1,577	17,498	740	1,901	130
2006	80,062	3,172	61,607	2,513	18,413	745	11,035	525	13,900	667	36,088	1,510	17,182	673	1,856	126
Cut or pierce																
2010	13,827	605	10,429	487	3,397	175	1,648	118	2,399	156	6,346	329	3,102	174	331	46
2009	13,444	727	10,201	583	3,235	187	1,664	131	2,443	203	6,223	361	2,766	185	349	46
2008	13,818	634	10,607	519	3,207	176	1,762	152	2,441	162	6,585	321	2,766	165	264	37
2007	12,837	826	10,176	704	2,646	189	1,687	137	2,253	183	6,094	453	2,600	178	203	36
2006	12,522	553	9,692	450	2,827	161	1,657	112	2,234	154	5,801	283	2,551	161	280	40
Poisoning																
2010	22,170	884	13,707	619	8,463	367	2,268	130	2,219	134	8,862	385	7,808	450	1,014	82
2009	21,166	973	12,901	672	8,265	379	2,225	168	2,172	152	8,526	433	7,198	411	1,045	83
2008	21,341	1,106	12,939	777	8,402	391	2,310	150	2,200	139	8,730	437	7,075	516	1,026	120
2007	18,282	718	11,314	476	6,968	317	2,235	173	1,862	120	7,611	334	5,715	281	860	67
2006	18,031	978	11,513	746	6,518	299	2,114	136	1,732	121	7,821	434	5,691	471	673	65
Intentional injuries																
2010	147,504	5,189	100,215	3,887	47,272	1,592	14,693	616	19,988	831	71,488	2,598	39,577	1,510	1,758	113
2009	145,055	5,503	99,321	4,214	45,700	1,572	15,366	691	20,753	908	71,109	2,737	36,298	1,573	1,529	107
2008	152,560	5,883	104,374	4,251	48,030	1,842	16,290	823	21,501	953	75,388	2,944	37,643	1,515	1,738	118
2007	135,848	4,535	92,362	3,414	43,415	1,383	14,296	615	18,963	735	68,938	2,399	32,242	1,178	1,409	88
2006	130,763	4,307	89,416	3,121	41,323	1,399	14,640	567	19,361	770	65,905	2,278	29,603	1,112	1,254	100

See footnotes at end of table.

Table B10. Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
All chronic liver disease and cirrhosis																
Any injury-related diagnoses																
2010	78,912	2,383	48,799	1,523	30,113	993	532	56	673	80	13,669	524	45,823	1,466	18,215	657
2009	71,982	2,054	44,638	1,343	27,334	851	512	65	556	67	12,749	472	41,134	1,243	17,031	615
2008	66,795	2,129	41,199	1,376	25,587	847	335	46	720	87	12,279	481	37,335	1,261	16,127	609
2007	58,835	1,920	36,693	1,255	22,137	778	399	50	459	56	10,910	466	32,923	1,144	14,144	530
2006	54,180	1,743	34,105	1,146	20,076	693	250	40	331	51	10,298	412	30,288	1,058	13,014	477
Unintentional injuries																
2010	61,527	1,953	37,531	1,231	23,996	833	382	47	393	55	9,695	406	35,599	1,194	15,458	582
2009	55,300	1,665	33,786	1,084	21,514	709	379	51	357	54	8,471	331	31,640	1,032	14,453	549
2008	51,019	1,660	31,125	1,067	19,888	685	243	38	416	61	8,224	346	28,380	990	13,756	530
2007	43,577	1,407	26,829	922	16,743	590	274	39	262	42	7,041	307	24,310	843	11,691	450
2006	40,193	1,295	25,039	859	15,154	538	199	35	203	39	6,653	284	22,192	774	10,946	428
Falls																
2010	33,450	1,089	19,311	654	14,139	541	84	23	101	25	3,549	175	18,599	653	11,117	444
2009	30,291	973	17,582	623	12,710	467	57	16	—	—	3,139	160	16,660	575	10,394	429
2008	27,689	923	15,939	564	11,749	430	—	—	113	26	3,004	147	14,541	521	9,981	410
2007	24,026	825	13,909	520	10,116	384	—	—	—	—	2,615	160	12,973	490	8,353	349
2006	21,855	713	12,497	454	9,358	355	—	—	—	—	2,469	144	11,374	418	7,968	324
Struck by or against objects/persons																
2010	1,864	134	1,136	95	728	75	—	—	—	—	418	49	1,087	95	291	46
2009	1,769	124	1,154	98	616	57	—	—	—	—	386	48	1,043	87	277	39
2008	1,604	103	1,056	79	548	61	—	—	—	—	371	44	893	72	297	51
2007	1,256	84	847	68	409	43	—	—	—	—	341	43	689	58	149	25
2006	1,299	91	983	79	316	41	—	—	—	—	348	43	745	65	161	28
Motor vehicle traffic																
2010	4,859	306	3,129	197	1,729	137	114	26	99	24	1,292	114	2,774	174	580	59
2009	3,976	217	2,721	152	1,255	102	117	26	74	19	1,096	90	2,262	143	427	50
2008	4,134	269	2,798	198	1,337	111	69	18	139	44	1,159	90	2,360	174	407	50
2007	3,212	207	2,162	151	1,049	87	85	22	65	19	886	83	1,781	134	395	46
2006	3,029	164	2,158	138	871	74	58	17	63	20	743	67	1,876	122	290	39
Cut or pierce																
2010	868	85	604	68	263	40	—	—	—	—	221	39	503	57	130	26
2009	796	78	594	63	202	35	—	—	—	—	187	31	467	52	98	22
2008	701	65	497	54	205	32	—	—	—	—	122	22	474	50	88	27
2007	614	60	430	48	184	30	—	—	—	—	145	26	381	47	77	19
2006	603	60	437	47	166	31	—	—	—	—	182	29	327	41	81	22
Poisoning																
2010	4,727	237	2,938	176	1,788	110	—	—	—	—	1,004	80	3,130	182	539	55
2009	4,496	234	2,657	176	1,839	113	69	20	—	—	976	86	2,844	166	568	60
2008	4,099	228	2,438	166	1,662	115	—	—	59	16	933	91	2,637	159	454	50
2007	3,353	180	2,120	143	1,228	93	—	—	—	—	720	71	2,146	125	437	47
2006	3,171	169	1,910	122	1,261	95	—	—	—	—	783	79	1,964	120	399	46
Intentional injuries																
2010	6,461	305	4,381	234	2,080	131	80	18	155	43	2,141	133	3,856	215	228	35
2009	6,427	306	4,329	226	2,098	138	97	36	131	33	2,253	154	3,710	189	236	35
2008	6,312	314	4,122	237	2,186	147	78	21	228	45	2,279	153	3,492	195	235	31
2007	5,063	238	3,377	185	1,687	104	77	18	94	24	1,806	111	2,959	168	127	24
2006	4,856	241	3,167	171	1,689	120	—	—	55	17	1,783	110	2,794	169	177	30

See footnotes at end of table.

Table B10. Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcoholic liver disease																
Any injury-related diagnoses																
2010	34,512	1,145	25,049	862	9,463	375	72	17	130	26	6,690	308	22,411	803	5,211	236
2009	34,117	1,139	24,696	841	9,416	399	113	38	198	47	6,835	308	21,847	770	5,124	237
2008	31,128	1,083	22,486	821	8,636	345	—	—	184	34	6,774	312	19,170	693	4,965	233
2007	28,630	975	20,476	733	8,150	339	59	17	177	36	6,141	287	17,794	645	4,459	220
2006	28,364	987	20,467	742	7,897	343	—	—	119	26	6,222	274	17,646	650	4,337	216
Unintentional injuries																
2010	26,352	941	19,120	706	7,232	325	—	—	74	20	4,551	240	17,227	664	4,466	212
2009	25,252	914	18,356	678	6,897	314	60	19	124	39	4,243	208	16,516	642	4,310	211
2008	23,231	827	16,897	641	6,328	270	—	—	98	21	4,385	221	14,497	541	4,231	211
2007	20,773	746	14,885	569	5,883	264	—	—	79	19	3,843	192	13,067	513	3,751	193
2006	20,271	748	14,680	559	5,591	271	—	—	59	19	3,904	193	12,664	501	3,614	190
Falls																
2010	15,753	581	11,029	425	4,724	239	—	—	—	—	2,127	131	10,159	420	3,420	177
2009	14,668	552	10,301	419	4,367	218	—	—	—	—	1,950	118	9,519	388	3,188	168
2008	13,132	495	9,223	373	3,909	190	—	—	—	—	1,868	110	8,059	329	3,165	169
2007	12,000	462	8,333	338	3,667	193	—	—	—	—	1,643	108	7,740	328	2,604	150
2006	11,396	430	7,788	319	3,608	195	—	—	—	—	1,700	113	7,013	290	2,669	156
Struck by or against objects/persons																
2010	622	63	469	53	152	29	—	—	—	—	136	29	431	53	54	16
2009	575	60	440	52	135	25	—	—	—	—	128	28	379	45	52	16
2008	584	54	455	46	128	27	—	—	—	—	138	26	379	42	67	19
2007	492	51	370	43	122	24	—	—	—	—	165	31	273	35	—	—
2006	518	55	426	46	93	25	—	—	—	—	174	32	312	42	—	—
Motor vehicle traffic																
2010	969	73	797	65	172	29	—	—	—	—	201	32	698	60	—	—
2009	981	90	810	82	170	30	—	—	—	—	221	35	673	77	64	19
2008	1,140	97	918	83	222	37	—	—	—	—	363	45	686	75	82	21
2007	963	85	795	77	169	28	—	—	—	—	257	40	593	65	96	23
2006	1,233	93	1,009	80	224	42	—	—	—	—	289	36	853	78	74	22
Cut or pierce																
2010	317	43	227	33	89	25	—	—	—	—	60	19	220	34	—	—
2009	346	53	291	48	55	16	—	—	—	—	73	17	210	37	—	—
2008	171	29	125	25	—	—	—	—	—	—	—	—	121	24	—	—
2007	197	31	156	26	—	—	—	—	—	—	49	14	121	23	—	—
2006	212	32	161	27	51	15	—	—	—	—	65	18	123	25	—	—
Poisoning																
2010	2,354	157	1,745	135	609	59	—	—	—	—	590	64	1,614	118	136	25
2009	2,562	176	1,761	143	801	69	—	—	—	—	677	73	1,605	125	202	35
2008	2,291	162	1,564	128	727	69	—	—	—	—	614	73	1,427	109	205	34
2007	1,884	137	1,322	112	557	57	—	—	—	—	487	57	1,164	102	211	33
2006	1,797	121	1,236	89	561	63	—	—	—	—	546	66	1,074	88	153	30
Intentional injuries																
2010	3,451	185	2,425	144	1,026	81	—	—	—	—	1,266	93	2,027	127	98	24
2009	3,925	223	2,728	167	1,197	106	—	—	58	21	1,413	112	2,284	144	121	24
2008	3,539	209	2,361	154	1,178	93	—	—	72	23	1,399	114	1,937	127	116	23
2007	2,853	154	1,895	120	959	75	—	—	—	—	1,066	75	1,683	112	46	16
2006	3,089	178	2,076	127	1,014	89	—	—	—	—	1,129	85	1,837	124	81	21

See footnotes at end of table.

Table B10. Number of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol poisoning																
Any injury-related diagnoses																
2010	48,071	2,128	26,092	1,298	21,979	968	5,466	325	4,665	266	19,584	856	16,361	830	1,994	137
2009	52,592	2,922	29,560	1,995	23,032	1,067	6,490	485	4,954	330	21,571	1,192	17,455	1,055	2,122	155
2008	53,282	2,750	29,330	1,843	23,929	1,037	6,810	398	5,111	303	22,170	1,067	17,131	1,140	2,059	198
2007	46,804	2,098	25,737	1,321	21,037	894	6,366	358	4,410	247	20,370	936	13,870	769	1,787	117
2006	50,256	2,734	28,441	1,819	21,810	1,031	6,912	422	4,839	299	21,781	1,184	15,191	1,067	1,533	130
Unintentional injuries																
2010	18,410	1,165	11,320	781	7,090	458	2,320	180	1,950	155	6,742	448	6,294	463	1,104	97
2009	20,453	1,497	12,902	1,115	7,551	453	2,857	234	1,917	175	7,468	586	7,044	576	1,167	107
2008	21,350	1,842	13,258	1,328	8,080	574	3,122	280	2,125	185	7,804	615	7,060	848	1,238	168
2007	17,058	1,173	10,596	810	6,452	420	2,874	259	1,716	153	6,510	461	4,907	440	1,051	89
2006	19,012	1,454	12,274	1,066	6,733	442	2,947	215	1,845	160	7,282	565	6,023	663	916	100
Falls																
2010	1,626	194	1,023	134	602	84	99	28	123	34	488	65	700	91	216	45
2009	1,829	236	1,254	185	574	80	125	28	148	33	517	97	819	111	220	38
2008	1,627	173	1,092	124	535	66	141	27	129	25	453	58	678	81	226	40
2007	1,304	155	823	102	480	68	129	28	68	19	417	68	513	67	177	40
2006	1,562	180	1,103	149	454	63	79	20	116	24	441	64	709	105	217	39
Struck by or against objects/persons																
2010	118	25	97	23	—	—	—	—	—	—	59	16	—	—	—	—
2009	168	38	121	29	—	—	—	—	—	—	—	—	66	18	—	—
2008	124	28	104	26	—	—	—	—	—	—	—	—	—	—	—	—
2007	136	33	93	27	—	—	—	—	—	—	63	21	—	—	—	—
2006	138	31	114	27	—	—	—	—	—	—	48	15	—	—	—	—
Motor vehicle traffic																
2010	567	93	401	70	166	34	—	—	96	26	254	55	161	34	—	—
2009	926	229	673	162	253	73	138	34	118	36	413	109	219	79	—	—
2008	672	106	430	75	234	42	69	20	121	35	357	56	115	26	—	—
2007	613	100	448	81	159	32	74	20	107	32	292	49	130	31	—	—
2006	787	102	607	83	180	36	105	24	179	46	336	53	141	26	—	—
Cut or pierce																
2010	64	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	167	33	114	29	53	16	—	—	—	—	102	27	—	—	—	—
2008	110	26	74	22	—	—	—	—	—	—	49	15	—	—	—	—
2007	101	24	61	21	—	—	—	—	—	—	—	—	—	—	—	—
2006	118	26	76	19	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	15,962	1,027	9,715	707	6,247	402	2,117	171	1,678	130	5,848	401	5,384	418	936	86
2009	17,316	1,295	10,657	961	6,659	404	2,497	211	1,591	152	6,324	515	5,936	505	969	92
2008	19,094	1,765	11,771	1,278	7,323	546	2,883	270	1,910	176	6,868	577	6,342	830	1,092	162
2007	14,768	1,093	9,045	762	5,719	391	2,630	253	1,466	142	5,582	428	4,201	412	890	78
2006	16,408	1,370	10,362	1,004	6,046	417	2,692	208	1,506	144	6,349	529	5,145	638	715	84
Intentional injuries																
2010	20,467	899	9,048	447	11,419	514	1,732	127	1,894	141	9,346	442	6,961	343	535	59
2009	21,580	1,256	9,929	720	11,652	604	1,987	243	2,061	172	10,013	542	7,009	425	511	60
2008	21,833	929	9,869	500	11,948	509	2,116	138	2,099	147	10,550	475	6,680	323	387	46
2007	20,106	825	9,183	404	10,907	490	1,810	118	1,802	118	10,229	451	5,855	294	409	46
2006	20,067	880	9,200	446	10,867	502	1,996	132	1,943	128	10,060	484	5,781	297	286	39

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table C1. Rate of emergency department visits with first-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Any alcohol-related diagnoses																
2010	47.8473	1.7564	70.1247	2.8197	26.6018	0.8268	24.7545	0.9874	43.7253	1.6103	52.4604	2.0209	70.3273	2.9489	16.9560	0.5825
2009	46.2017	1.6193	67.5766	2.6323	25.7997	0.7449	24.5465	0.8748	41.8316	1.4521	50.9024	1.9105	67.0800	2.6546	17.3611	0.5809
2008	44.2828	1.7383	64.4225	2.8341	25.0854	0.7962	24.6640	0.9592	41.5310	1.8797	50.1175	2.2256	62.0389	2.5646	16.8511	0.5713
2007	41.7590	1.4704	60.6286	2.3670	23.7729	0.7115	24.1964	0.8450	37.9007	1.4104	46.9764	1.9130	58.1020	2.1829	16.8908	0.5360
2006	39.0878	1.3783	56.8471	2.2176	22.1690	0.6577	22.4671	0.7559	32.2957	1.1607	44.1333	1.6856	55.2444	2.2488	15.6013	0.5066
Alcoholic psychoses																
2010	7.1950	0.3379	11.2224	0.5497	3.3538	0.1542	0.2744	0.0273	2.4318	0.1616	8.4708	0.4290	12.3889	0.5803	2.7677	0.1347
2009	7.3510	0.3702	11.5588	0.6014	3.3382	0.1733	0.2766	0.0256	2.2335	0.1543	8.7770	0.4856	12.5808	0.6287	2.9628	0.1330
2008	6.5777	0.3271	10.2626	0.5404	3.0659	0.1476	0.2462	0.0246	2.1306	0.1456	8.0683	0.4370	11.1322	0.5514	2.4917	0.1190
2007	6.2149	0.3530	9.8023	0.5951	2.7973	0.1429	0.2714	0.0245	1.6724	0.1137	7.8477	0.5229	10.3126	0.5614	2.4494	0.1192
2006	5.6758	0.2532	8.8991	0.4016	2.6057	0.1260	0.2015	0.0205	1.4580	0.0967	7.1853	0.3486	9.4393	0.4220	2.3271	0.1085
Alcohol dependence syndrome																
2010	11.9335	0.6618	18.3186	1.0880	5.8444	0.2796	2.3625	0.1986	7.7708	0.5617	13.8013	0.7610	19.5250	1.1511	3.7485	0.2045
2009	11.3115	0.6043	17.1862	0.9703	5.7083	0.2794	2.4773	0.1839	7.5670	0.4234	13.1814	0.7117	18.2530	1.0378	3.6791	0.2027
2008	10.3156	0.5844	15.5755	0.9465	5.3010	0.2781	2.0641	0.1570	6.7035	0.4319	12.7885	0.7968	16.0300	0.9084	3.3615	0.1658
2007	9.9306	0.5249	15.0168	0.8274	5.0846	0.2642	2.1868	0.1774	6.3651	0.3668	12.3561	0.7106	15.1684	0.8026	3.5332	0.1955
2006	9.1015	0.4660	13.8210	0.7569	4.6046	0.2130	2.1575	0.1876	5.3194	0.2945	11.2357	0.5576	14.1827	0.8280	3.0353	0.1438
Nondependent abuse of alcohol																
2010	24.3784	1.1865	34.9510	1.8933	14.2956	0.5577	21.3052	0.9408	32.2585	1.3036	27.1013	1.3463	30.4654	1.9435	6.1523	0.3179
2009	23.0053	0.9856	32.9643	1.6198	13.4902	0.4409	20.7504	0.8155	30.6356	1.2154	25.7668	1.1758	27.9665	1.5217	6.1728	0.3244
2008	22.6645	1.0338	32.3674	1.6760	13.4151	0.4779	21.3385	0.9123	31.3545	1.5656	26.0027	1.3040	26.1867	1.3911	5.9843	0.2961
2007	20.8585	0.8205	29.5826	1.2984	12.5387	0.4215	20.7498	0.7880	28.7109	1.2029	23.5416	1.0066	23.7403	1.1462	5.7512	0.2691
2006	19.3364	0.8637	27.5809	1.4189	11.4816	0.3902	19.0225	0.6773	24.3287	0.9606	22.1599	1.0760	22.3426	1.3580	5.0463	0.2660
All chronic liver disease and cirrhosis																
2010	3.7319	0.1031	4.8629	0.1370	2.6534	0.0827	0.1099	0.0152	0.4029	0.0394	2.3950	0.0816	7.3117	0.2111	4.1024	0.1455
2009	3.7597	0.1126	4.8563	0.1550	2.7147	0.0826	0.0978	0.0119	0.3737	0.0421	2.2987	0.0822	7.4733	0.2400	4.3283	0.1615
2008	3.9778	0.1368	5.2599	0.1860	2.7562	0.0997	0.1135	0.0140	0.3345	0.0320	2.4510	0.0979	7.8835	0.2865	4.7833	0.1879
2007	4.1230	0.1277	5.4230	0.1763	2.8844	0.0923	0.1046	0.0152	0.3792	0.0370	2.5220	0.0936	8.2656	0.2757	4.9811	0.1803
2006	4.2065	0.1205	5.5497	0.1609	2.9272	0.0932	0.0958	0.0133	0.2976	0.0393	2.6836	0.0907	8.4701	0.2609	5.0238	0.1814
Alcoholic liver disease																
2010	2.2979	0.0667	3.3389	0.0997	1.3053	0.0451	—	—	0.1808	0.0244	1.7343	0.0646	4.8316	0.1470	1.4152	0.0584
2009	2.3411	0.0736	3.3892	0.1142	1.3423	0.0453	0.0151	0.0041	0.1519	0.0234	1.6717	0.0623	5.0108	0.1698	1.5522	0.0772
2008	2.4319	0.0869	3.5685	0.1340	1.3489	0.0506	0.0162	0.0042	0.1574	0.0210	1.8258	0.0776	5.1230	0.1919	1.6879	0.0762
2007	2.4618	0.0808	3.5817	0.1240	1.3947	0.0496	—	—	0.1647	0.0231	1.8110	0.0704	5.2741	0.1812	1.7002	0.0758
2006	2.6029	0.0759	3.8149	0.1115	1.4489	0.0521	0.0211	0.0057	0.1530	0.0283	2.0083	0.0712	5.5525	0.1684	1.7589	0.0786
Alcohol poisoning																
2010	0.6085	0.0459	0.7698	0.0672	0.4547	0.0308	0.7026	0.0620	0.8612	0.0778	0.6919	0.0550	0.6363	0.0586	0.1852	0.0187
2009	0.7741	0.0848	1.0110	0.1242	0.5483	0.0513	0.9445	0.1076	1.0218	0.1276	0.8784	0.0990	0.8064	0.1007	0.2180	0.0265
2008	0.7471	0.0711	0.9571	0.1064	0.5471	0.0421	0.9017	0.0769	1.0078	0.1017	0.8070	0.0693	0.8065	0.1098	0.2303	0.0378
2007	0.6320	0.0499	0.8038	0.0731	0.4680	0.0323	0.8837	0.0690	0.7731	0.0728	0.7091	0.0615	0.6152	0.0651	0.1759	0.0183
2006	0.7676	0.0743	0.9963	0.1052	0.5499	0.0499	0.9899	0.0844	0.8920	0.0961	0.8688	0.0853	0.8098	0.1078	0.1687	0.0220

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table C2. Rate of emergency department visits with all-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Any alcohol-related diagnoses																
2010	151.0292	3.9530	211.7643	5.8582	93.0956	2.3276	48.4441	1.5251	119.8022	3.5653	150.1336	4.2914	227.3438	6.3755	110.3821	2.9293
2009	142.2788	3.8023	199.9175	5.7535	87.2613	2.1215	47.6801	1.4172	113.1652	3.3955	143.0601	4.1896	211.6245	6.0850	105.8611	2.7632
2008	136.5673	3.9806	192.2841	5.9345	83.4041	2.2984	47.8574	1.7713	112.6734	4.0448	139.9944	4.5601	198.8292	5.9629	102.8370	2.9526
2007	128.3925	3.5702	181.8045	5.3540	77.4456	2.0484	46.8144	1.6013	104.3124	3.3540	134.2146	4.2077	183.7800	5.2612	97.6046	2.6458
2006	122.8972	3.3387	174.4642	4.9766	73.7710	1.9035	44.2392	1.2862	96.7265	2.9234	128.5717	3.7981	176.8687	5.1829	95.0442	2.5537
Alcoholic psychoses																
2010	15.3317	0.5574	23.9126	0.8972	7.1480	0.2611	0.5125	0.0402	4.3466	0.2729	15.2900	0.6697	26.8618	0.9605	10.9979	0.3645
2009	15.5222	0.6149	24.2593	0.9874	7.1917	0.2919	0.5574	0.0444	4.2096	0.2660	15.7652	0.7539	27.2258	1.0567	10.9048	0.3483
2008	14.4522	0.5791	22.4734	0.9177	6.8074	0.2921	0.5109	0.0465	3.9782	0.2580	14.8797	0.7057	25.0920	0.9986	10.5781	0.3591
2007	13.5304	0.5706	21.2110	0.9395	6.2133	0.2544	0.5463	0.0464	3.1941	0.1862	14.3701	0.7586	23.1201	0.9548	10.1374	0.3424
2006	12.7313	0.4572	19.8857	0.7263	5.9171	0.2221	0.4176	0.0343	2.7659	0.1510	13.5613	0.5430	21.8044	0.7977	9.8888	0.3348
Alcohol dependence syndrome																
2010	49.1841	1.5252	74.1982	2.3879	25.3262	0.7710	4.8279	0.2794	20.8414	0.9781	48.2130	1.6795	85.2370	2.7083	32.8966	0.9670
2009	47.9432	1.5552	71.9882	2.4366	25.0090	0.7861	5.0751	0.2698	20.5057	0.8669	47.8138	1.7492	82.3282	2.7082	32.5573	0.9408
2008	44.8104	1.5852	67.2980	2.4859	23.3722	0.8214	4.7060	0.3861	18.9098	0.9438	45.7414	1.9621	76.0100	2.5857	31.2595	0.9222
2007	42.2422	1.5319	63.6742	2.4276	21.8175	0.7601	4.6289	0.3302	17.5801	0.8064	44.4115	1.9564	70.2359	2.4502	30.2010	0.9022
2006	39.1677	1.3299	58.9677	2.0565	20.3080	0.6833	4.3337	0.2610	15.2374	0.6651	40.8980	1.5360	65.7272	2.2899	28.7678	0.8694
Nondependent abuse of alcohol																
2010	78.0353	2.4296	112.4105	3.6772	45.2462	1.3411	41.0495	1.4210	92.2015	2.9514	87.3213	2.8488	103.2705	3.6590	37.6919	1.1309
2009	72.2258	2.2107	104.1642	3.4169	41.7279	1.1602	39.9955	1.3109	87.0334	2.8730	81.9847	2.6778	93.1462	3.2318	34.9957	1.0009
2008	71.2243	2.2577	102.8552	3.4321	41.0271	1.2188	40.6707	1.5503	88.0780	3.3293	81.8680	2.7643	89.2192	3.0368	35.5742	1.1197
2007	67.8598	2.0519	98.1922	3.1039	38.9106	1.1309	39.9696	1.4212	82.3221	2.8569	78.8804	2.5978	83.4187	2.6776	34.4163	1.0220
2006	66.8074	2.0333	96.8636	3.1157	38.1737	1.0874	37.8198	1.1646	77.2649	2.4837	77.6048	2.5148	83.3527	2.9190	34.8719	1.0720
All chronic liver disease and cirrhosis																
2010	33.9186	0.9123	40.5850	1.0723	27.5581	0.7941	1.8313	0.1249	6.1740	0.2741	21.2019	0.6383	61.3757	1.6590	46.8476	1.4712
2009	31.1070	0.8315	37.4869	1.0190	25.0157	0.6896	1.6700	0.0959	4.9130	0.2307	19.0654	0.5656	56.6024	1.5541	44.6801	1.3931
2008	28.9939	0.8812	35.1870	1.0709	23.0880	0.7281	1.4449	0.1122	4.5512	0.2649	17.8145	0.5779	53.0423	1.6500	42.3898	1.4434
2007	26.2844	0.7503	32.2821	0.9285	20.5680	0.6074	1.2485	0.0977	3.5582	0.1910	15.9420	0.5118	48.3258	1.4087	39.8435	1.2707
2006	24.9209	0.6901	30.8890	0.8609	19.2348	0.5539	0.9930	0.0702	2.9584	0.1927	15.3602	0.4713	46.0900	1.3097	38.2552	1.1840
Alcoholic liver disease																
2010	12.7617	0.3452	18.9367	0.5173	6.8729	0.2033	0.0654	0.0085	0.9712	0.0713	8.4979	0.2603	26.2589	0.7339	11.3345	0.3629
2009	12.4168	0.3600	18.4255	0.5509	6.6887	0.2061	0.0968	0.0100	0.9471	0.0729	8.2245	0.2810	25.7483	0.7741	11.1653	0.3767
2008	11.7755	0.3652	17.5223	0.5553	6.2989	0.2016	0.0836	0.0187	0.8771	0.0727	8.0745	0.2795	24.2438	0.7711	10.8858	0.3924
2007	11.0922	0.3266	16.5473	0.5014	5.8950	0.1790	0.0695	0.0106	0.7929	0.0789	7.5952	0.2547	22.8585	0.6958	10.6871	0.3452
2006	11.3112	0.3160	16.8335	0.4738	6.0532	0.1855	0.0617	0.0094	0.6658	0.0582	8.0146	0.2615	23.2530	0.6561	11.0337	0.3668
Alcohol poisoning																
2010	1.9448	0.0902	2.1775	0.1140	1.7228	0.0775	1.4903	0.0900	2.8415	0.1699	2.5012	0.1140	2.1127	0.1106	0.5312	0.0345
2009	2.1767	0.1344	2.5269	0.1879	1.8430	0.0925	1.7691	0.1337	3.0781	0.2109	2.8019	0.1736	2.3299	0.1608	0.5841	0.0426
2008	2.1691	0.1153	2.4614	0.1575	1.8884	0.0847	1.7962	0.1048	3.1566	0.1938	2.7984	0.1406	2.2727	0.1524	0.5676	0.0531
2007	1.9261	0.0875	2.1811	0.1123	1.6808	0.0727	1.6994	0.0959	2.7157	0.1514	2.5494	0.1179	1.9026	0.1057	0.4963	0.0335
2006	2.1050	0.1152	2.4571	0.1563	1.7694	0.0849	1.8642	0.1153	3.0245	0.1909	2.7420	0.1493	2.1309	0.1501	0.4724	0.0382

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table C3. Rate of emergency department visits with first-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Any alcohol-related diagnoses																
Northeast																
2010	91.3872	7.7863	141.5123	13.0762	44.8195	3.1706	46.1832	3.8157	78.7930	5.9920	100.8187	9.0744	136.8827	13.2347	28.9558	2.3481
2009	79.4788	6.3589	124.6499	11.0042	37.5592	2.3183	41.8351	3.1778	71.1150	5.5139	89.4630	7.9400	115.9938	10.2514	26.0843	2.1124
2008	74.5026	7.4352	116.0129	12.9364	35.9991	2.6838	41.9087	3.3645	70.0433	7.6284	86.9739	10.1334	104.1978	10.8614	24.1681	1.9805
2007	69.3069	5.9374	105.1454	10.1561	36.1006	2.3857	43.3559	3.2615	61.9884	5.0883	80.4935	8.3812	94.4409	8.6104	25.2091	1.7632
2006	66.3928	5.8660	102.0006	9.9104	33.4412	2.3963	36.9036	2.7456	51.1829	3.9261	76.7963	7.2581	96.4802	9.8410	20.9025	1.7708
Midwest																
2010	40.8843	2.5908	58.4004	3.9176	24.1492	1.4630	20.7536	1.6239	46.2977	3.8435	50.3197	3.4624	54.6588	3.7158	12.1037	0.7957
2009	44.0851	2.8464	61.9331	4.2579	26.9140	1.6134	25.2968	1.9313	48.6243	3.5864	55.2393	3.6868	56.6657	3.9714	13.5088	0.8586
2008	39.1513	2.6303	54.6486	3.8279	24.3470	1.5944	22.6621	1.8801	44.1357	3.8465	48.4431	3.4457	50.5899	3.5039	12.0468	0.6894
2007	36.6769	2.4168	51.1178	3.5730	22.8788	1.4250	21.5549	1.6381	41.0467	2.8559	45.4395	3.1690	46.5681	3.3385	12.3721	0.8056
2006	33.3212	2.1688	45.8524	3.1490	21.3678	1.3228	21.5440	1.5314	36.4584	2.8801	40.7865	2.8793	41.5984	2.9983	12.0207	0.7727
South																
2010	34.1680	1.5894	49.9275	2.3701	19.2490	0.9239	14.1209	0.9081	28.3823	1.7223	36.5230	1.8681	52.6375	2.5123	13.9554	0.6216
2009	35.4049	2.0374	51.9133	3.2718	19.7859	0.9472	13.7076	0.6993	28.1501	1.4606	37.3388	2.2293	55.3890	3.6294	15.5769	0.7649
2008	35.5776	1.9053	51.6257	2.8015	20.3939	1.1006	15.6310	1.0948	31.0580	2.3970	39.3468	2.2545	52.2657	2.7733	15.8032	0.8562
2007	34.1199	1.7541	50.0503	2.6072	19.0497	1.0216	15.0633	1.0110	29.3863	2.0942	37.4207	2.0875	50.2162	2.6059	15.8394	0.8190
2006	30.9469	1.4540	45.3014	2.2412	17.3653	0.7741	14.1279	0.8090	23.4476	1.4147	34.3436	1.8235	45.7040	2.2209	14.4555	0.6468
West																
2010	41.9802	2.7834	58.0537	4.1458	26.1726	1.5446	29.1203	2.2654	39.4644	2.6533	43.8411	3.0287	59.0514	4.4733	16.3580	1.0303
2009	39.0945	2.4612	53.4750	3.5355	24.9476	1.5535	27.7794	1.9146	35.5593	2.2622	39.8318	2.6100	55.4442	3.9690	16.5269	1.0671
2008	38.9743	2.5294	53.6966	3.8194	24.4847	1.3864	27.5516	2.0367	34.7901	2.3181	40.9306	2.8777	53.9131	3.8963	17.0167	1.0813
2007	36.6949	2.2594	51.4719	3.5173	22.1330	1.1579	26.3015	1.4032	30.9112	2.0224	37.9947	2.5058	51.7340	3.6289	15.7671	0.9812
2006	35.5067	1.9791	49.8724	3.0062	21.3494	1.1220	25.1883	1.5145	28.6599	1.9711	37.4035	2.2555	49.3412	3.0272	16.4632	1.0219
Alcoholic psychoses																
Northeast																
2010	12.2799	1.3880	19.7141	2.3908	5.3719	0.5161	0.4838	0.0877	4.3229	0.6256	14.3675	1.8477	21.1132	2.2628	4.4303	0.4784
2009	11.9861	1.4676	19.7155	2.5360	4.8133	0.5408	0.3725	0.0627	3.5611	0.6018	14.6461	2.0243	20.3837	2.4086	4.1572	0.3807
2008	9.7570	1.1849	16.1211	2.1338	3.8542	0.4065	0.3986	0.0709	2.6921	0.4725	12.3060	1.7062	16.3573	1.9019	3.2434	0.3359
2007	9.9856	1.5088	16.4724	2.6947	3.9759	0.4523	0.4225	0.0784	2.5907	0.3629	13.1964	2.4719	16.1558	2.1954	3.3601	0.3136
2006	8.1281	0.8496	13.0843	1.4157	3.5423	0.3735	0.3455	0.0767	1.7890	0.3106	10.1326	1.1784	13.6904	1.4057	3.0920	0.2815
Midwest																
2010	6.3625	0.4999	9.9455	0.7801	2.9385	0.2596	0.2661	0.0621	1.9434	0.2250	8.4793	0.6752	10.1862	0.8443	2.1683	0.2261
2009	7.3736	0.7571	11.2727	1.0931	3.6419	0.4615	0.3573	0.0697	2.5275	0.3316	10.1324	1.0955	11.5023	1.1426	2.4700	0.3017
2008	6.3651	0.6089	9.6355	0.9238	3.2420	0.3272	0.2357	0.0526	2.6938	0.3725	8.5446	0.8996	10.2080	0.9409	1.9106	0.1935
2007	5.9033	0.5423	8.9607	0.8082	2.9852	0.3104	0.3246	0.0561	2.0708	0.2883	8.0461	0.7968	9.3330	0.8580	1.9039	0.1835
2006	5.8571	0.5817	8.9712	0.8953	2.8882	0.3048	0.2159	0.0412	1.7331	0.2302	8.1524	0.8721	9.1876	0.9120	2.0229	0.2151
South																
2010	5.0538	0.3401	7.9508	0.5049	2.3114	0.2032	0.1418	0.0246	1.4637	0.1782	5.3870	0.3851	9.1556	0.6320	2.3730	0.1763
2009	5.3131	0.4190	8.4811	0.6817	2.3165	0.1954	0.1761	0.0319	1.3658	0.1440	5.7848	0.4803	9.5311	0.7877	2.5817	0.1813
2008	5.1163	0.4422	8.0277	0.6877	2.3630	0.2210	0.1567	0.0353	1.4866	0.1887	5.6527	0.5131	9.1136	0.7934	2.4635	0.2106
2007	4.5981	0.3806	7.3028	0.5715	2.0404	0.2110	0.1528	0.0269	1.0832	0.1472	5.2415	0.4452	7.9951	0.6717	2.4220	0.2291
2006	4.1184	0.2912	6.5459	0.4545	1.8225	0.1505	0.1319	0.0241	0.8767	0.0915	4.7765	0.3665	7.1700	0.5125	2.1060	0.1611
West																
2010	7.3972	0.6520	11.0407	0.9933	3.8140	0.3365	0.3332	0.0656	2.9673	0.3549	8.9471	0.8088	12.5539	1.1623	2.5713	0.2462
2009	6.9154	0.5138	10.3751	0.7772	3.5101	0.3021	0.2864	0.0536	2.3409	0.2883	7.9189	0.6303	12.0826	0.9226	3.0510	0.2634
2008	6.5800	0.5421	9.8171	0.8403	3.3944	0.2902	0.2800	0.0507	2.2125	0.2337	8.2426	0.6788	10.9509	0.9780	2.4640	0.2076
2007	6.0660	0.5078	9.3119	0.8490	2.8718	0.2258	0.2901	0.0527	1.5606	0.1919	7.6916	0.6180	10.1249	0.9625	2.2276	0.1903
2006	5.9961	0.4675	9.2198	0.7168	2.8195	0.2578	0.1853	0.0362	1.8603	0.2215	7.7910	0.6394	9.7633	0.7807	2.3148	0.2534

See footnotes at end of table.

Table C3. Rate of emergency department visits with first-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcohol dependence syndrome																
Northeast																
2010	27.4647	3.1132	44.0564	5.2853	12.0520	1.1755	5.9695	0.8830	18.1665	2.5054	31.3244	3.6285	45.0818	5.3187	8.0754	0.9140
2009	21.1519	2.3325	33.5730	3.8284	9.6254	1.0137	5.1915	0.7290	14.6302	1.7805	24.5898	2.8412	34.1379	3.8137	6.0292	0.7743
2008	19.6075	2.5407	31.2377	4.3745	8.8202	0.9655	4.2550	0.6541	12.9722	1.9333	24.8560	3.5758	30.1916	3.8563	5.4444	0.6552
2007	19.0498	2.2113	29.2979	3.6124	9.5555	1.0017	4.7036	0.7052	12.2940	1.5649	24.5198	3.1854	28.2502	3.2283	6.2543	0.7380
2006	17.2138	1.9852	27.3311	3.3570	7.8509	0.8111	4.1233	0.6343	8.7155	1.0198	21.0622	2.2967	27.7062	3.6484	4.7595	0.4999
Midwest																
2010	9.6248	1.0565	14.2480	1.6377	5.2088	0.5297	1.5674	0.3599	6.9623	1.2834	12.4035	1.3281	14.8846	1.6747	2.4355	0.2423
2009	10.2389	0.8654	14.9470	1.3197	5.7265	0.4919	1.9951	0.3020	6.9491	0.6307	13.8602	1.1520	15.0344	1.3670	2.8780	0.2585
2008	10.1840	1.1633	14.7984	1.6924	5.7731	0.7339	1.6427	0.2498	7.0968	0.8017	13.8120	1.6937	15.1013	1.7552	2.8417	0.2604
2007	9.0318	0.9804	13.1218	1.4007	5.1291	0.6318	1.9252	0.3879	6.0988	0.6221	12.3150	1.3445	13.0005	1.4367	2.7838	0.3409
2006	7.9409	0.6875	11.3408	1.0018	4.6954	0.4166	1.5273	0.2249	5.6309	0.5524	10.9083	0.9821	11.4347	1.0473	2.3852	0.2310
South																
2010	8.0336	0.5694	12.3550	0.8943	3.9419	0.2972	1.3643	0.1532	4.9662	0.4810	9.2086	0.6926	13.3212	0.9883	2.7086	0.1875
2009	8.8521	0.9035	13.7167	1.4936	4.2488	0.3645	1.5932	0.1933	5.9299	0.5508	9.9715	1.0480	14.6718	1.6176	3.1829	0.2622
2008	7.6863	0.5251	11.7038	0.8024	3.8847	0.2775	1.5441	0.1945	5.1500	0.4742	9.3178	0.6929	11.8892	0.8098	2.9741	0.1943
2007	7.3246	0.5073	11.4455	0.8178	3.4269	0.2399	1.1982	0.1313	4.6332	0.4437	8.8440	0.6435	11.5632	0.8143	2.8626	0.1808
2006	6.7358	0.4768	10.4168	0.7622	3.2522	0.2233	1.4608	0.1983	3.9516	0.3595	8.2276	0.6143	10.4827	0.7860	2.5814	0.1913
West																
2010	8.1103	0.6109	11.7554	0.9303	4.5256	0.3365	1.9874	0.3315	5.2017	0.5108	9.3905	0.7126	12.8737	1.0984	2.9997	0.2464
2009	8.4590	0.8324	12.1016	1.2156	4.8767	0.5050	2.2774	0.3748	5.4949	0.6178	9.1926	0.8700	13.9599	1.5490	3.2289	0.3533
2008	7.2318	0.6464	10.2474	0.9134	4.2640	0.4162	1.6223	0.2379	4.2342	0.4840	8.3114	0.7963	11.7925	1.0721	2.6463	0.2298
2007	7.6252	0.7332	11.2653	1.1311	4.0399	0.3884	2.0593	0.3281	5.0252	0.5371	8.7044	0.8508	12.1353	1.2698	2.9415	0.3845
2006	7.4179	0.7352	10.8844	1.1437	4.0016	0.3702	2.3336	0.5129	4.7241	0.6455	8.6968	0.8724	11.4338	1.1702	2.8895	0.2665
Nondependent abuse of alcohol																
Northeast																
2010	46.7744	5.6589	71.2370	9.3363	24.0478	2.3803	38.3700	3.6914	54.6092	5.0181	51.5162	6.5371	62.5146	9.4398	11.4714	1.4080
2009	40.9434	4.3275	63.9148	7.5268	19.6249	1.5197	34.1224	2.9659	50.3126	4.6534	46.1397	5.4145	52.5643	6.7107	10.9341	1.3659
2008	39.6243	4.5751	60.9810	7.8350	19.8137	1.7408	35.3504	3.2728	51.9883	6.2252	45.8267	6.0875	48.3138	6.2495	9.9776	1.1632
2007	34.9238	3.3041	52.1248	5.5433	18.9839	1.4624	36.6780	3.1088	45.3058	4.1658	39.0187	4.2015	40.9032	4.7962	9.5900	0.9932
2006	35.1474	3.8616	53.3318	6.6106	18.3186	1.5031	30.7109	2.5175	38.6904	3.2676	40.9148	4.8913	44.6857	6.3299	7.9382	1.1021
Midwest																
2010	21.0853	1.4561	29.3778	2.1888	13.1623	0.8549	18.2953	1.4892	36.1285	2.8519	26.4500	1.9661	22.8546	1.8661	3.9660	0.3109
2009	22.5089	1.6987	30.7737	2.5694	14.5132	0.9296	22.1939	1.7823	37.7438	3.1060	28.1737	2.1885	23.1647	2.1940	4.3560	0.3496
2008	19.0348	1.3037	25.7096	1.9182	12.6592	0.7727	19.9054	1.6800	33.0825	3.1607	23.3270	1.5401	19.0893	1.5733	3.7717	0.2803
2007	17.8906	1.2440	24.1618	1.8736	11.8899	0.7025	18.3426	1.3509	32.0066	2.4284	22.4025	1.6190	17.2158	1.5655	3.6158	0.3306
2006	15.7503	1.1733	20.8620	1.7243	10.8762	0.7249	18.6946	1.3772	27.8767	2.3934	19.0948	1.5517	14.2681	1.3480	3.4619	0.2916
South																
2010	16.8347	0.8560	24.1021	1.2744	9.9551	0.5047	12.0543	0.8422	21.0368	1.3757	19.1338	1.0175	21.9752	1.1940	4.6035	0.2573
2009	16.7171	0.9058	23.8486	1.3967	9.9696	0.4975	11.3634	0.5862	19.9183	1.0753	18.8506	1.0202	22.2323	1.5202	5.0329	0.3381
2008	17.9448	1.0974	25.5065	1.5872	10.7889	0.6703	13.3199	1.0168	23.3905	2.0847	21.3441	1.3796	21.8584	1.3277	5.0092	0.3432
2007	17.3443	1.0467	24.8982	1.5441	10.1962	0.6274	13.1787	0.9623	22.6552	1.8439	20.2563	1.3062	21.1711	1.3210	5.0469	0.3613
2006	15.2326	0.9141	21.9146	1.4472	8.9092	0.4642	11.8315	0.6802	17.8480	1.2073	18.1064	1.2080	18.6064	1.2736	4.4310	0.2582
West																
2010	21.9017	1.6551	29.3728	2.4307	14.5542	0.9716	25.8285	2.1633	29.8088	2.2456	22.2574	1.7681	25.0541	2.3545	6.3052	0.5335
2009	19.3148	1.3523	25.4830	1.9337	13.2473	0.8852	24.0027	1.8501	26.5136	1.9228	19.4316	1.3925	21.4460	1.8762	5.7028	0.5308
2008	20.1338	1.5049	27.2064	2.2818	13.1724	0.8137	24.5478	1.9832	27.2054	1.9823	20.8699	1.6712	21.6982	1.9613	6.3395	0.5925
2007	18.0139	1.2362	24.4644	1.8365	11.6511	0.7136	22.6647	1.3556	23.1695	1.8073	18.0331	1.2967	19.9263	1.6599	5.6732	0.4930
2006	16.5276	1.0222	22.5950	1.5603	10.5465	0.5940	21.5011	1.3459	20.8366	1.5360	16.9044	1.0899	17.4908	1.3508	5.2672	0.4574

See footnotes at end of table.

Table C3. Rate of emergency department visits with first-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
All chronic liver disease and cirrhosis																
 Northeast																
2010	3.9035	0.2732	5.1885	0.3643	2.7097	0.2119	0.1911	0.0477	0.4220	0.1057	2.5703	0.1945	7.0720	0.5237	4.7163	0.4062
2009	3.7674	0.2293	5.0969	0.3211	2.5336	0.1793	0.1401	0.0356	0.2580	0.0571	2.2841	0.1639	7.1267	0.4404	4.5700	0.3636
2008	3.9299	0.3191	5.3794	0.4274	2.5854	0.2405	0.1716	0.0395	0.3407	0.0771	2.4362	0.2325	7.3169	0.6274	5.0089	0.4396
2007	4.2137	0.2257	5.7369	0.3202	2.8026	0.1790	0.1105	0.0283	0.3001	0.0754	2.5331	0.1816	7.8860	0.4486	5.6925	0.4177
2006	4.2089	0.2855	5.8435	0.4082	2.6964	0.2002	—	—	0.2407	0.0652	2.7427	0.2321	8.2297	0.6183	4.8146	0.3842
 Midwest																
2010	3.2253	0.2038	4.1046	0.2616	2.3853	0.1730	0.0732	0.0299	0.3569	0.0818	2.2689	0.1825	6.1097	0.3908	3.3676	0.2646
2009	3.2717	0.2191	4.0812	0.2830	2.4992	0.1752	—	—	0.3417	0.0892	2.1308	0.1712	6.3304	0.4701	3.6473	0.3040
2008	2.9773	0.1983	3.8317	0.2650	2.1621	0.1529	0.0753	0.0232	0.3223	0.0761	2.0177	0.1412	5.7005	0.4290	3.3877	0.2606
2007	3.3089	0.2582	4.2224	0.3465	2.4379	0.1861	0.1072	0.0419	0.2418	0.0586	2.0126	0.1683	6.5432	0.5866	3.9907	0.3180
2006	3.1878	0.2452	3.9766	0.3209	2.4343	0.1868	0.0698	0.0234	0.2996	0.1260	1.9285	0.1612	6.3018	0.5276	4.0600	0.3352
 South																
2010	3.8120	0.1569	4.9631	0.2062	2.7226	0.1318	0.0839	0.0198	0.3718	0.0593	2.3011	0.1169	7.7298	0.3366	4.0881	0.2317
2009	4.0347	0.1995	5.2567	0.2804	2.8789	0.1394	0.1014	0.0201	0.4308	0.0834	2.1761	0.1229	8.3850	0.4488	4.5900	0.2993
2008	4.3629	0.2558	5.7977	0.3554	3.0059	0.1745	0.1191	0.0252	0.3609	0.0503	2.4937	0.1744	8.9084	0.5439	5.2120	0.3304
2007	4.4386	0.2308	5.8653	0.3189	3.0893	0.1633	0.1109	0.0254	0.4962	0.0705	2.5876	0.1565	9.0547	0.4845	5.3541	0.3262
2006	4.3901	0.1769	5.8526	0.2393	3.0073	0.1336	0.1102	0.0261	0.3003	0.0506	2.6757	0.1333	8.9875	0.3754	5.2660	0.3080
 West																
2010	3.9427	0.2301	5.1561	0.3156	2.7494	0.1712	0.1238	0.0339	0.4772	0.0855	2.5216	0.1911	8.0142	0.4920	4.3416	0.3027
2009	3.7744	0.2466	4.7641	0.3375	2.8010	0.1767	0.1134	0.0255	0.3983	0.0788	2.6448	0.2089	7.4085	0.5064	4.3742	0.3070
2008	4.3525	0.2931	5.6624	0.3894	3.0633	0.2285	0.0969	0.0254	0.3006	0.0626	2.7771	0.2206	8.8634	0.6254	5.3302	0.4683
2007	4.3275	0.2824	5.6197	0.3919	3.0538	0.2040	0.0883	0.0248	0.3802	0.0783	2.8659	0.2324	9.0279	0.6410	4.7325	0.3776
2006	4.8980	0.2973	6.3436	0.3780	3.4749	0.2503	0.1181	0.0284	0.3320	0.0722	3.3301	0.2259	10.0222	0.6620	5.8660	0.4463
Alcoholic liver disease																
 Northeast																
2010	2.4437	0.1606	3.6065	0.2552	1.3635	0.1004	—	—	—	—	1.9423	0.1527	4.8833	0.3548	1.5908	0.1367
2009	2.3876	0.1524	3.5781	0.2461	1.2828	0.0923	—	—	—	—	1.6522	0.1190	4.9963	0.3413	1.6534	0.1561
2008	2.3828	0.1914	3.6400	0.2995	1.2168	0.1151	—	—	—	—	1.8132	0.1855	4.8383	0.3952	1.7500	0.1745
2007	2.4800	0.1466	3.7487	0.2243	1.3046	0.1078	—	—	—	—	1.8315	0.1502	4.9908	0.3096	2.0667	0.1806
2006	2.7302	0.1851	4.0646	0.2959	1.4955	0.1059	—	—	0.1952	0.0562	2.2290	0.1965	5.5324	0.3813	1.8649	0.1734
 Midwest																
2010	1.9843	0.1213	2.8617	0.1846	1.1462	0.0842	—	—	—	—	1.6259	0.1332	4.1217	0.2572	0.9880	0.1014
2009	2.0943	0.1434	2.9419	0.2123	1.2854	0.0978	—	—	0.1244	0.0484	1.6636	0.1353	4.3590	0.3197	1.2001	0.1380
2008	1.8781	0.1178	2.6934	0.1824	1.1003	0.0729	—	—	0.1803	0.0499	1.5269	0.1030	3.8465	0.2783	1.1747	0.1060
2007	1.9532	0.1478	2.7563	0.2255	1.1876	0.0910	—	—	—	—	1.5592	0.1448	4.1652	0.3406	1.0812	0.1126
2006	1.9695	0.1468	2.7836	0.2136	1.1938	0.0942	—	—	0.1704	0.1005	1.4409	0.1230	4.2556	0.3324	1.2905	0.1371
 South																
2010	2.2756	0.1046	3.3265	0.1528	1.2810	0.0738	—	—	0.1622	0.0373	1.5795	0.0897	4.9473	0.2420	1.4134	0.0928
2009	2.4401	0.1262	3.5795	0.1986	1.3624	0.0765	—	—	0.1385	0.0348	1.5008	0.0881	5.5117	0.3151	1.5951	0.1514
2008	2.6115	0.1661	3.8548	0.2568	1.4357	0.0911	—	—	0.1920	0.0362	1.8134	0.1345	5.7161	0.3754	1.7255	0.1363
2007	2.6694	0.1500	3.9007	0.2272	1.5049	0.0912	—	—	0.1886	0.0377	1.8028	0.1126	5.8925	0.3406	1.8758	0.1453
2006	2.6876	0.1182	3.9688	0.1702	1.4762	0.0825	—	—	0.1218	0.0310	1.9899	0.1102	5.8821	0.2618	1.7506	0.1274
 West																
2010	2.5123	0.1619	3.5936	0.2356	1.4487	0.1086	—	—	0.2975	0.0648	1.9161	0.1631	5.2996	0.3472	1.7082	0.1503
2009	2.3787	0.1677	3.3611	0.2559	1.4124	0.0991	—	—	0.2091	0.0591	1.9567	0.1635	4.8508	0.3568	1.7594	0.1458
2008	2.7108	0.1912	3.8842	0.2893	1.5561	0.1181	—	—	0.1513	0.0423	2.1174	0.1851	5.6668	0.4157	2.1197	0.1877
2007	2.6038	0.1806	3.7317	0.2836	1.4919	0.1025	—	—	0.2437	0.0643	2.0324	0.1651	5.6174	0.4067	1.7204	0.1511
2006	2.9777	0.1786	4.3602	0.2530	1.6167	0.1386	—	—	0.1548	0.0393	2.3793	0.1617	6.3423	0.4145	2.1898	0.2069

See footnotes at end of table.

Table C3. Rate of emergency department visits with first-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Alcohol poisoning																	
Northeast																	
2010	0.9647	0.2022	1.3163	0.3130	0.6380	0.1154	1.1688	0.2462	1.2724	0.2853	1.0403	0.2448	1.1010	0.2512	0.2624	0.0643	
2009	1.6300	0.3918	2.3498	0.5840	0.9620	0.2297	2.0086	0.5465	2.3531	0.6376	1.8032	0.4456	1.7812	0.4334	0.3938	0.1070	
2008	1.5839	0.3630	2.2937	0.5592	0.9255	0.1937	1.7330	0.3654	2.0500	0.4863	1.5491	0.3370	2.0183	0.5623	0.4938	0.1740	
2007	1.1341	0.2345	1.5133	0.3361	0.7828	0.1457	1.4414	0.2999	1.4977	0.2984	1.2255	0.2800	1.2457	0.3056	0.3122	0.0679	
2006	1.6947	0.3757	2.4099	0.5419	1.0329	0.2393	1.6543	0.3586	1.7474	0.4509	1.9440	0.4301	2.1681	0.5428	0.2981	0.0879	
Midwest																	
2010	0.5863	0.0757	0.7245	0.1004	0.4544	0.0592	0.5516	0.0985	0.9065	0.1438	0.7181	0.0955	0.6237	0.1049	0.1662	0.0309	
2009	0.6921	0.1740	0.8585	0.2512	0.5332	0.1058	0.7096	0.1078	1.0622	0.2072	0.9422	0.2387	0.6339	0.2312	0.1574	0.0399	
2008	0.5901	0.0617	0.6734	0.0759	0.5107	0.0596	0.8029	0.1041	0.9403	0.1342	0.7417	0.0896	0.4908	0.0753	0.1350	0.0299	
2007	0.5422	0.0406	0.6510	0.0532	0.4368	0.0392	0.8554	0.0877	0.6287	0.1018	0.6634	0.0698	0.4756	0.0592	0.0780	0.0213	
2006	0.5850	0.0481	0.7018	0.0630	0.4738	0.0430	1.0364	0.1630	0.9180	0.1501	0.7024	0.0765	0.4062	0.0484	0.0906	0.0274	
South																	
2010	0.4339	0.0276	0.5564	0.0387	0.3180	0.0248	0.4766	0.0570	0.5439	0.0712	0.4925	0.0386	0.4558	0.0412	0.1822	0.0266	
2009	0.4879	0.0443	0.6102	0.0667	0.3722	0.0288	0.4737	0.0670	0.5053	0.0711	0.5558	0.0654	0.5688	0.0559	0.1895	0.0306	
2008	0.4674	0.0363	0.5900	0.0501	0.3514	0.0301	0.4912	0.0538	0.6700	0.0947	0.5385	0.0503	0.4960	0.0451	0.1444	0.0225	
2007	0.4144	0.0273	0.5385	0.0409	0.2970	0.0224	0.4227	0.0443	0.5186	0.0674	0.4913	0.0393	0.4321	0.0393	0.1539	0.0238	
2006	0.4700	0.0352	0.5714	0.0491	0.3740	0.0313	0.5934	0.0681	0.4710	0.0711	0.5574	0.0514	0.4575	0.0436	0.1711	0.0275	
West																	
2010	0.6282	0.0843	0.7287	0.1105	0.5294	0.0693	0.8474	0.1381	1.0094	0.1810	0.7245	0.0989	0.5554	0.0936	0.1402	0.0339	
2009	0.6309	0.0814	0.7511	0.1165	0.5127	0.0588	1.0995	0.1441	0.8115	0.1403	0.6439	0.0927	0.5472	0.0937	0.1700	0.0370	
2008	0.6762	0.0703	0.7632	0.0925	0.5906	0.0603	1.0046	0.1209	0.8373	0.1415	0.7296	0.0939	0.6081	0.0776	0.2367	0.0572	
2007	0.6623	0.0915	0.8107	0.1517	0.5163	0.0557	1.1992	0.1509	0.7758	0.1637	0.6996	0.1216	0.5196	0.1014	0.1922	0.0361	
2006	0.6671	0.0864	0.8297	0.1169	0.5069	0.0693	1.0502	0.1393	0.9069	0.1637	0.6812	0.1026	0.6311	0.1096	0.1258	0.0295	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table C4. Rate of emergency department visits with all-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Any alcohol-related diagnoses																
Northeast																
2010	201.3879	13.0042	297.8478	20.6595	111.7738	6.6606	74.9144	5.2815	168.8035	10.8802	210.9943	15.1095	293.7588	20.7748	125.0476	7.8366
2009	180.0731	11.0135	268.5312	17.9035	97.9784	5.3412	67.8958	4.5397	152.8490	10.0439	190.5139	13.2082	258.8253	17.1840	116.8376	6.2650
2008	168.3805	12.4088	251.0128	20.2729	91.7263	5.9834	66.2952	4.9963	143.1067	11.8595	181.4741	15.6227	236.8461	18.2285	112.5741	7.8057
2007	162.0502	10.3815	237.5373	16.9123	92.1119	5.2208	67.7888	4.8146	136.9873	9.0713	178.9623	13.7452	221.0644	14.9729	110.8025	5.9683
2006	159.8705	11.7655	235.4611	18.5216	89.9183	5.9497	61.2876	4.1117	126.0454	8.4713	175.0896	13.7619	226.7986	18.4811	105.4659	7.5689
Midwest																
2010	144.8179	7.4720	197.8298	10.3828	94.1610	5.0028	46.0933	2.6836	134.7362	7.9842	158.5772	8.6399	204.2495	11.4185	96.2590	5.2965
2009	140.5598	7.0993	192.1411	10.3221	90.9515	4.3091	51.4424	3.0894	134.4692	8.2394	157.7935	8.4338	191.6717	10.6054	92.8671	4.7730
2008	133.1461	8.3772	181.8161	11.6814	86.4353	5.4511	51.2361	5.0555	136.8923	11.0789	151.0911	10.1854	179.4345	11.3907	84.0490	4.8771
2007	125.1717	7.4736	171.6173	10.5556	80.6594	4.7210	50.5331	4.2803	125.4470	8.1866	144.7958	9.3672	163.4321	10.0825	83.4544	4.8102
2006	113.9554	6.3594	155.4112	8.9069	74.4069	4.1108	48.1602	2.8787	114.5965	7.6495	130.6346	7.9351	146.2818	8.7940	81.9720	4.6186
South																
2010	134.3917	5.2639	188.8235	7.4333	82.8413	3.3687	30.8920	1.7046	88.9325	4.9166	126.6849	5.5057	214.6649	8.4863	107.6648	4.5198
2009	132.5632	6.0062	187.4223	9.1092	80.6648	3.2648	31.0386	1.5272	86.4117	4.2872	126.2669	6.2756	212.0481	10.0913	105.3568	4.6089
2008	128.9003	5.8059	182.3908	8.2795	78.2911	3.5434	32.9507	1.9838	90.9321	5.3642	127.1220	6.0172	199.1114	8.9752	103.8702	5.0659
2007	121.6457	5.2058	173.9924	7.4739	72.1059	3.1795	32.2386	1.8978	85.0362	4.6294	122.0429	5.5948	185.2680	7.8790	99.6995	4.7135
2006	115.4217	4.3804	165.9990	6.3929	67.5817	2.5912	30.4481	1.6135	76.1253	3.8216	116.8499	4.7333	176.1109	6.7798	95.9137	3.9337
West																
2010	143.8236	8.2105	194.8029	12.0156	93.6815	4.7526	58.2865	3.5934	118.4241	7.0072	134.9085	8.1556	215.3143	13.6578	116.6233	6.7793
2009	129.4902	7.6426	173.9587	10.8108	85.7424	4.7895	54.9173	3.2480	106.5847	6.9665	121.4170	7.7776	191.0930	12.1510	110.4605	6.8650
2008	126.7012	7.2019	172.1364	10.4959	81.9775	4.2246	53.8828	3.2306	102.5686	6.5669	119.3938	7.7569	185.6868	11.4764	112.2236	6.1833
2007	115.1997	7.2231	160.2061	10.8343	70.8659	3.9641	49.9480	2.8419	91.4750	6.8434	110.0639	7.7263	170.1429	11.2935	96.8534	5.7391
2006	113.4815	5.9562	157.8908	8.6297	69.7144	3.5744	48.7452	2.5399	91.1451	5.3172	109.4156	6.4014	166.3045	9.6046	97.9114	4.9806
Alcoholic psychoses																
Northeast																
2010	23.2892	2.1197	37.2966	3.6247	10.2750	0.8202	0.9991	0.1617	7.5044	1.2053	24.4383	2.8778	39.9721	3.3393	13.9148	1.0464
2009	23.4745	2.3082	37.9076	3.8849	10.0807	0.9370	0.8302	0.1471	7.2595	1.1324	25.3663	3.1174	40.2560	3.7534	13.5212	0.9029
2008	19.8342	1.9420	32.1757	3.2929	8.3873	0.8378	0.8231	0.1466	5.2506	0.8777	21.8067	2.5816	33.7600	3.2235	11.8437	0.8156
2007	19.5240	2.1268	31.5595	3.7702	8.3739	0.7017	0.7864	0.1179	4.6098	0.5115	22.5265	3.2625	32.1460	3.2497	12.1538	0.8772
2006	17.0232	1.5024	27.1365	2.5129	7.6658	0.6257	0.6738	0.1174	3.5370	0.4765	18.9801	1.7813	28.4190	2.6183	11.6065	0.9244
Midwest																
2010	13.9553	0.9365	21.6518	1.4392	6.6019	0.4911	0.5084	0.0765	3.8501	0.3702	15.5360	1.1020	23.1560	1.6077	9.1750	0.7287
2009	15.3865	1.2400	23.5858	1.8458	7.5473	0.7171	0.6870	0.0961	4.5872	0.5092	17.6984	1.5863	25.2940	2.0099	9.5698	0.6890
2008	14.5489	1.2930	21.9695	1.9040	7.4633	0.7637	0.6135	0.1337	5.2714	0.6939	16.5721	1.7330	23.9148	2.0908	9.3571	0.6335
2007	13.2822	1.1049	20.1816	1.6182	6.6976	0.6437	0.6103	0.1200	3.9502	0.5326	15.4538	1.4924	21.4584	1.7489	9.1779	0.6484
2006	12.5904	0.9512	19.2610	1.4700	6.2283	0.4890	0.4615	0.0627	2.9731	0.3152	14.8192	1.2694	20.6062	1.5697	8.6009	0.6378
South																
2010	12.6126	0.6348	19.8868	0.9515	5.7260	0.3646	0.2831	0.0377	2.9877	0.2802	10.8418	0.6153	23.0842	1.1800	11.1425	0.5599
2009	12.8440	0.7652	20.3397	1.2376	5.7520	0.3586	0.3674	0.0608	2.6287	0.2528	11.3823	0.8134	23.6078	1.4235	10.8968	0.5552
2008	12.4306	0.7686	19.6060	1.1844	5.6438	0.3957	0.3195	0.0521	2.7931	0.3196	11.1778	0.7733	22.6330	1.3968	10.8997	0.6726
2007	11.4603	0.6992	18.1588	1.0548	5.1250	0.3841	0.3672	0.0517	2.1766	0.2168	10.5712	0.7369	20.6266	1.2586	10.3551	0.5962
2006	10.9749	0.6025	17.4078	0.9366	4.8920	0.3123	0.2902	0.0506	1.8871	0.1784	10.2469	0.6481	19.7325	1.0895	10.1762	0.5082
West																
2010	14.7068	1.1058	22.0821	1.7063	7.4535	0.5496	0.5138	0.0782	4.5653	0.4617	15.3093	1.2231	25.7311	2.0735	10.0084	0.7028
2009	13.6315	0.9456	20.5317	1.4516	6.8425	0.5053	0.5295	0.0797	4.0865	0.4310	13.8186	1.0380	24.1131	1.7179	9.9246	0.7390
2008	13.2983	0.9572	19.9285	1.5131	6.7735	0.4812	0.4772	0.0677	3.7287	0.3499	13.9794	1.1104	22.9823	1.7400	10.1459	0.7009
2007	12.2574	0.9474	18.8952	1.5939	5.7250	0.3856	0.5807	0.1075	3.0618	0.3501	13.1650	1.0199	21.2041	1.8529	8.8841	0.6381
2006	12.1882	0.8617	18.6546	1.3252	5.8172	0.4610	0.3773	0.0606	3.3739	0.3485	13.4229	1.0343	20.7405	1.4772	9.1478	0.7224

See footnotes at end of table.

Table C4. Rate of emergency department visits with all-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
All chronic liver disease and cirrhosis																
Northeast																
2010	30.8563	2.0520	39.2109	2.5889	23.0935	1.6263	1.6055	0.2630	4.4737	0.5826	18.2435	1.2828	53.1209	3.4734	46.0360	3.5054
2009	28.3681	1.5907	36.7820	2.0822	20.5583	1.1986	1.2473	0.1688	3.8037	0.3954	15.7651	1.0380	49.7427	2.7719	43.8740	2.8151
2008	26.9737	2.1265	35.0862	2.6530	19.4453	1.6980	1.0910	0.1542	3.5555	0.3621	15.6807	1.2213	46.9202	3.7961	42.3976	3.7197
2007	25.6139	1.5349	32.9249	1.9390	18.8407	1.2434	1.1271	0.1835	3.2715	0.4212	14.5748	1.0602	44.3568	2.5981	42.2041	2.8465
2006	25.2337	1.8077	32.9511	2.4005	18.0931	1.3109	0.9715	0.1612	2.5240	0.3590	14.9936	1.1165	44.9832	3.3106	39.2448	3.1014
Midwest																
2010	33.3408	2.0394	38.3176	2.2814	28.5831	1.8542	1.7459	0.2652	6.9493	0.5902	23.0311	1.5166	57.9724	3.6550	43.7591	2.7755
2009	29.4152	1.7280	34.2239	2.0582	24.7752	1.4690	1.5856	0.1619	5.0684	0.4747	20.2886	1.3397	51.0238	3.1978	40.4067	2.5618
2008	25.8750	1.7609	30.1358	2.0618	21.7959	1.5279	1.4785	0.1939	5.0541	0.6128	18.1745	1.3932	45.8170	3.1858	33.8677	2.3580
2007	24.9621	1.6940	29.3117	2.0458	20.8085	1.3999	1.4107	0.2573	3.6338	0.4847	17.2051	1.3246	43.9984	3.1304	35.3461	2.3723
2006	21.9785	1.4432	25.8707	1.7457	18.2575	1.2022	1.1072	0.1301	2.9921	0.3657	14.9592	1.0774	38.3683	2.6496	33.5826	2.2458
South																
2010	34.5824	1.5020	41.0621	1.7201	28.4425	1.3399	1.7633	0.1871	6.3581	0.4954	21.4109	1.0831	63.3006	2.6724	47.4424	2.5290
2009	32.1867	1.3869	38.5873	1.7121	26.1324	1.1540	1.6385	0.1511	4.7857	0.3898	19.0434	0.8836	60.4738	2.5975	44.5917	2.4695
2008	30.4469	1.4351	36.7253	1.7628	24.5068	1.1637	1.3119	0.1577	4.9358	0.5140	18.3627	0.8910	56.8006	2.6995	43.5893	2.4046
2007	26.8908	1.2146	32.9253	1.4828	21.1812	0.9931	1.0991	0.1311	3.7509	0.3027	15.9891	0.7541	49.9354	2.2325	40.9593	2.2797
2006	24.6572	0.9546	30.5824	1.1693	19.0526	0.7865	0.7995	0.1011	2.6162	0.2016	14.6685	0.6291	46.3015	1.7683	38.1869	1.9014
West																
2010	35.8074	1.8778	42.9776	2.2794	28.7559	1.5952	2.1790	0.3072	6.4537	0.5114	21.4460	1.2575	68.4902	3.7638	49.8030	3.1285
2009	33.1461	1.9565	39.3353	2.3390	27.0591	1.6575	2.1079	0.2647	5.7764	0.5459	20.4514	1.3046	61.5726	3.8308	50.1398	3.2738
2008	31.2498	1.9316	37.5860	2.3260	25.0143	1.6196	1.8816	0.3444	4.2290	0.4661	18.2314	1.2567	59.2648	3.8355	49.5100	3.3178
2007	27.1241	1.6667	33.5806	2.1114	20.7648	1.3064	1.4169	0.2291	3.3991	0.3619	15.7692	1.0992	53.4091	3.4495	40.5608	2.6692
2006	27.9382	1.6408	34.5281	2.0124	21.4488	1.3526	1.1977	0.1850	3.7571	0.6067	17.0678	1.1498	54.4963	3.3454	42.5925	2.5276
Alcoholic liver disease																
Northeast																
2010	13.6356	0.8524	20.8330	1.3796	6.9476	0.4251	0.1079	0.0248	1.0240	0.1369	9.4334	0.6691	26.6912	1.7472	12.4017	0.8528
2009	12.6982	0.7750	19.6288	1.2244	6.2668	0.3983	—	—	0.8316	0.1372	8.2545	0.5754	25.4878	1.5983	11.8821	0.8068
2008	12.0443	0.8559	18.7753	1.3455	5.8012	0.4432	—	—	0.7024	0.1307	8.1773	0.6130	23.8145	1.7595	11.8417	0.9791
2007	11.2099	0.6647	17.2359	1.0227	5.6271	0.3843	—	—	0.5389	0.1212	7.5251	0.4960	21.8625	1.3660	12.1793	0.8034
2006	12.2736	0.9011	18.7004	1.4077	6.3273	0.4708	—	—	0.6515	0.1351	8.4669	0.6537	24.3316	1.8129	12.6369	1.0590
Midwest																
2010	11.6972	0.7365	17.1189	1.0577	6.5184	0.4737	—	—	0.8756	0.1601	8.4749	0.6468	23.6752	1.4994	9.0878	0.6313
2009	11.7905	0.7685	17.0053	1.1388	6.8049	0.4712	0.0960	0.0253	0.9315	0.1500	9.4069	0.7674	23.2489	1.5321	9.1013	0.6147
2008	10.5376	0.6866	15.1906	1.0188	6.0966	0.4072	0.0911	0.0243	1.2036	0.1983	8.4506	0.6726	20.9445	1.3707	8.0115	0.5429
2007	10.2107	0.7062	14.8677	1.0448	5.7673	0.4171	0.0794	0.0245	0.6776	0.1210	8.1079	0.6849	20.1955	1.4141	8.7257	0.6035
2006	9.7099	0.6508	14.0643	0.9523	5.5607	0.3895	0.0950	0.0245	0.5934	0.1433	7.7786	0.6339	19.2565	1.3225	8.5433	0.5967
South																
2010	11.7627	0.4815	17.6814	0.7133	6.1605	0.2913	0.0435	0.0113	0.7766	0.1035	7.1058	0.3188	24.9797	1.0664	10.7054	0.5257
2009	11.6088	0.5410	17.4839	0.8643	6.0516	0.2795	0.0572	0.0137	0.6020	0.0893	6.7040	0.3430	25.3959	1.2714	10.2302	0.6044
2008	11.2536	0.5940	16.9747	0.9115	5.8420	0.3129	0.0369	0.0103	0.7142	0.0966	7.0363	0.3966	23.9758	1.2828	10.5037	0.6912
2007	10.8607	0.5091	16.2671	0.7723	5.7479	0.2861	0.0573	0.0166	0.7745	0.1026	6.8564	0.3361	23.1157	1.1126	10.4160	0.6172
2006	10.6337	0.4252	15.9393	0.6311	5.6175	0.2582	0.0485	0.0120	0.5207	0.0702	7.0634	0.3382	22.4617	0.8930	10.3775	0.5536
West																
2010	14.6677	0.8414	21.1322	1.2364	8.3100	0.5001	0.0874	0.0213	1.3157	0.1797	9.9876	0.6061	30.5393	1.8281	13.8234	1.0161
2009	14.0757	0.8853	20.2948	1.2961	7.9594	0.5537	0.1913	0.0248	1.5738	0.2119	9.5205	0.6734	29.0239	1.8773	14.3402	1.0416
2008	13.5731	0.8520	19.5940	1.2681	7.6478	0.4954	0.1652	0.0719	0.9612	0.1696	9.2716	0.6512	28.3340	1.8551	13.7730	0.9221
2007	12.2144	0.7895	18.0364	1.2468	6.4811	0.3818	0.0743	0.0208	1.1067	0.2511	8.3337	0.5977	25.9576	1.7557	11.8925	0.7435
2006	13.1626	0.7212	19.4022	1.0646	7.0180	0.4496	0.0748	0.0245	0.9637	0.1430	9.3511	0.6028	27.6625	1.5475	13.3989	0.8436

See footnotes at end of table.

Table C4. Rate of emergency department visits with all-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Alcohol poisoning																	
Northeast																	
2010	2.3602	0.2786	2.8767	0.3878	1.8804	0.2087	2.1165	0.3073	3.2037	0.4285	2.8682	0.3278	2.7172	0.3531	0.6113	0.0946	
2009	3.0473	0.4822	3.9635	0.6971	2.1970	0.3089	2.8812	0.6075	4.4265	0.8521	3.7902	0.5686	3.3190	0.5281	0.7364	0.1391	
2008	2.9182	0.4543	3.7837	0.6763	2.1154	0.2725	2.6754	0.4261	3.9197	0.6344	3.4354	0.4803	3.4481	0.6575	0.7321	0.1999	
2007	2.3767	0.3326	2.8730	0.4436	1.9169	0.2404	2.2115	0.3634	3.6190	0.5373	2.9823	0.4204	2.5144	0.4119	0.5877	0.0850	
2006	3.2333	0.5070	4.2554	0.7290	2.2876	0.3258	2.6081	0.4308	4.0434	0.7024	4.2198	0.6456	3.6989	0.6901	0.6213	0.1206	
Midwest																	
2010	2.2906	0.2453	2.5788	0.3129	2.0153	0.1930	1.5119	0.2057	3.8858	0.5032	3.1925	0.3224	2.3680	0.2808	0.5155	0.0728	
2009	2.4491	0.3784	2.7735	0.5340	2.1395	0.2425	1.6914	0.2134	4.0098	0.5241	3.5713	0.5522	2.3775	0.4668	0.5135	0.0745	
2008	2.5093	0.2696	2.6720	0.3368	2.3446	0.2180	1.9500	0.2056	4.1824	0.5108	3.7526	0.3916	2.2301	0.2907	0.4615	0.0877	
2007	2.2246	0.1712	2.3655	0.1903	2.0821	0.1677	2.0184	0.1795	3.2618	0.3184	3.2815	0.2652	1.9638	0.1786	0.3619	0.0730	
2006	2.3186	0.1942	2.5181	0.2317	2.1285	0.1750	2.2386	0.2832	3.7846	0.4437	3.3507	0.2982	1.9304	0.1921	0.3881	0.0711	
South																	
2010	1.5077	0.0863	1.6779	0.1029	1.3465	0.0844	1.0312	0.0856	1.9671	0.1589	2.0056	0.1255	1.6359	0.1090	0.4898	0.0507	
2009	1.6205	0.1013	1.8449	0.1340	1.4083	0.0811	1.0806	0.1032	2.1904	0.1824	2.0276	0.1419	1.8770	0.1286	0.5360	0.0501	
2008	1.6502	0.1042	1.8896	0.1317	1.4238	0.0895	1.1211	0.0902	2.2874	0.2135	2.1753	0.1470	1.7980	0.1240	0.4763	0.0522	
2007	1.5552	0.0834	1.7624	0.1019	1.3578	0.0790	1.0034	0.0712	2.0586	0.1612	2.0995	0.1261	1.6321	0.1047	0.5389	0.0518	
2006	1.6138	0.0984	1.8465	0.1239	1.3938	0.0855	1.3283	0.1030	2.2667	0.2136	2.1394	0.1334	1.5904	0.1171	0.4822	0.0583	
West																	
2010	1.9931	0.1791	2.0566	0.1952	1.9306	0.1863	1.7205	0.1971	3.0073	0.3794	2.4033	0.2246	2.1353	0.2178	0.5467	0.0724	
2009	2.1193	0.1997	2.2621	0.2537	1.9789	0.1761	2.0791	0.2236	2.6385	0.2972	2.6037	0.2568	2.1924	0.2452	0.6027	0.1017	
2008	2.0772	0.1627	2.1368	0.1938	2.0186	0.1554	2.0354	0.1958	3.0270	0.3502	2.4498	0.2145	2.1007	0.1813	0.6881	0.1083	
2007	1.8698	0.1714	2.1233	0.2341	1.6203	0.1442	2.0841	0.2216	2.5860	0.3224	2.2685	0.2243	1.7639	0.2032	0.4814	0.0679	
2006	1.7665	0.1577	1.9398	0.1937	1.5941	0.1388	1.7673	0.1879	2.7674	0.3318	2.0001	0.1957	1.8749	0.1821	0.4045	0.0621	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table C5. Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Any alcohol-related diagnoses																	
Any drug-related diagnoses																	
2010	4.9176	0.2336	7.1598	0.3766	2.7792	0.1098	2.6140	0.0950	4.8760	0.2069	6.8162	0.3270	6.2945	0.3735	0.5052	0.0370	
2009	4.9425	0.2409	7.1737	0.3821	2.8152	0.1169	2.5565	0.0964	4.9002	0.2292	6.9816	0.3656	6.2222	0.3447	0.4879	0.0370	
2008	4.7736	0.2534	6.9335	0.4106	2.7147	0.1250	2.8393	0.1289	4.8461	0.2532	6.9218	0.4136	5.5927	0.3259	0.4658	0.0352	
2007	4.7721	0.3043	6.9485	0.5015	2.6983	0.1313	2.7344	0.1419	4.6823	0.2275	7.0947	0.5443	5.4684	0.3636	0.4260	0.0325	
2006	4.1088	0.1857	5.9633	0.2873	2.3416	0.0980	2.4769	0.0989	4.1396	0.1922	6.1945	0.3322	4.5364	0.2134	0.2963	0.0223	
Drug psychoses																	
2010	0.3826	0.0287	0.5634	0.0460	0.2101	0.0159	0.0502	0.0092	0.2542	0.0359	0.5389	0.0448	0.5648	0.0428	0.0701	0.0092	
2009	0.4127	0.0330	0.5958	0.0486	0.2378	0.0216	0.0785	0.0103	0.4054	0.0517	0.5652	0.0521	0.5847	0.0462	0.0802	0.0188	
2008	0.3707	0.0339	0.5274	0.0505	0.2214	0.0206	0.0672	0.0115	0.2880	0.0421	0.5121	0.0537	0.5285	0.0469	0.0922	0.0188	
2007	0.3448	0.0426	0.5078	0.0736	0.1895	0.0179	0.0676	0.0121	0.1816	0.0276	0.5205	0.0780	0.4675	0.0532	0.0700	0.0116	
2006	0.2809	0.0220	0.4025	0.0337	0.1652	0.0133	0.0567	0.0089	0.1582	0.0205	0.4176	0.0435	0.3884	0.0271	0.0494	0.0086	
Drug dependence																	
2010	1.1425	0.1453	1.7326	0.2414	0.5797	0.0575	0.1522	0.0185	0.6751	0.0696	1.5880	0.1908	1.7532	0.2600	0.1515	0.0211	
2009	1.2180	0.1213	1.8130	0.1937	0.6511	0.0575	0.1589	0.0197	0.8148	0.0828	1.7951	0.1927	1.7643	0.1762	0.1305	0.0227	
2008	1.1370	0.1533	1.7289	0.2709	0.5726	0.0524	0.2193	0.0398	0.7355	0.0940	1.7366	0.2577	1.5555	0.2099	0.1136	0.0142	
2007	1.1968	0.2086	1.8210	0.3554	0.6023	0.0759	0.2409	0.0490	0.6296	0.0782	1.9483	0.3808	1.5333	0.2544	0.1094	0.0188	
2006	0.7759	0.0576	1.1187	0.0851	0.4496	0.0349	0.1327	0.0158	0.5075	0.0541	1.2543	0.1033	0.9887	0.0720	0.0748	0.0105	
Nondependent abuse of drugs																	
2010	3.5126	0.1335	5.1660	0.2091	1.9356	0.0695	2.3072	0.0862	3.7870	0.1665	4.9216	0.1995	4.2104	0.1866	0.2792	0.0241	
2009	3.4296	0.1506	5.0618	0.2401	1.8731	0.0735	2.2078	0.0859	3.7649	0.1747	4.8196	0.2237	4.0967	0.2131	0.2544	0.0207	
2008	3.3467	0.1457	4.9123	0.2183	1.8543	0.0835	2.4203	0.1053	3.7400	0.1900	4.8335	0.2359	3.6981	0.1731	0.2368	0.0207	
2007	3.2887	0.1571	4.8175	0.2513	1.8318	0.0778	2.2850	0.1150	3.6738	0.1879	4.7962	0.2695	3.6076	0.1839	0.2133	0.0181	
2006	3.0362	0.1444	4.5170	0.2298	1.6250	0.0699	2.1071	0.0892	3.2598	0.1554	4.5435	0.2663	3.2294	0.1600	0.1633	0.0158	
Drug poisoning																	
2010	0.3526	0.0145	0.3991	0.0170	0.3082	0.0176	0.2062	0.0183	0.4937	0.0434	0.4801	0.0248	0.4112	0.0214	0.0558	0.0077	
2009	0.3817	0.0150	0.4251	0.0187	0.3403	0.0162	0.2429	0.0211	0.4658	0.0426	0.5390	0.0253	0.4193	0.0217	0.0798	0.0098	
2008	0.3603	0.0163	0.3860	0.0192	0.3359	0.0176	0.2749	0.0203	0.4981	0.0441	0.5184	0.0264	0.3545	0.0213	0.0625	0.0095	
2007	0.3510	0.0154	0.3935	0.0199	0.3105	0.0162	0.2745	0.0257	0.5127	0.0418	0.4892	0.0255	0.3437	0.0201	0.0712	0.0104	
2006	0.3417	0.0175	0.3898	0.0223	0.2959	0.0169	0.2871	0.0243	0.4441	0.0418	0.5066	0.0310	0.3173	0.0201	0.0351	0.0071	
Alcoholic psychoses																	
Any drug-related diagnoses																	
2010	1.0989	0.0711	1.6808	0.1117	0.5441	0.0367	0.0770	0.0116	0.5892	0.0617	1.5614	0.1070	1.7049	0.1107	0.1313	0.0140	
2009	1.1980	0.1014	1.8358	0.1591	0.5902	0.0519	0.0864	0.0140	0.6759	0.0764	1.7657	0.1626	1.7750	0.1460	0.1705	0.0232	
2008	1.0174	0.0833	1.5681	0.1370	0.4923	0.0398	0.0824	0.0126	0.5652	0.0619	1.5202	0.1315	1.4860	0.1235	0.1374	0.0161	
2007	1.0947	0.1891	1.7220	0.3270	0.4973	0.0610	0.0996	0.0134	0.4851	0.0611	1.7465	0.3507	1.5045	0.2334	0.1345	0.0183	
2006	0.7818	0.0558	1.2027	0.0856	0.3810	0.0314	0.0614	0.0115	0.3502	0.0432	1.2690	0.1006	1.0580	0.0732	0.0870	0.0113	
Drug psychoses																	
2010	0.2020	0.0156	0.2980	0.0236	0.1104	0.0107	0.0152	0.0051	0.0962	0.0191	0.2939	0.0238	0.3034	0.0262	0.0344	0.0062	
2009	0.2248	0.0230	0.3247	0.0324	0.1296	0.0166	0.0170	0.0047	0.2055	0.0396	0.3066	0.0371	0.3313	0.0318	0.0524	0.0174	
2008	0.1845	0.0164	0.2660	0.0255	0.1068	0.0102	0.0203	0.0055	0.1289	0.0218	0.2546	0.0258	0.2747	0.0254	0.0420	0.0077	
2007	0.1945	0.0369	0.2972	0.0645	0.0966	0.0135	0.0173	0.0069	0.1036	0.0209	0.3042	0.0705	0.2682	0.0435	0.0279	0.0060	
2006	0.1424	0.0139	0.2000	0.0202	0.0875	0.0097	0.0130	0.0041	0.0686	0.0141	0.2232	0.0270	0.1981	0.0176	0.0184	0.0045	
Drug dependence																	
2010	0.3814	0.0333	0.5617	0.0499	0.2095	0.0200	0.0233	0.0064	0.1895	0.0344	0.5378	0.0517	0.6012	0.0507	0.0447	0.0070	
2009	0.4807	0.0631	0.7137	0.0974	0.2587	0.0338	0.0242	0.0070	0.2526	0.0413	0.7071	0.1008	0.7184	0.0921	0.0771	0.0193	
2008	0.3899	0.0520	0.5871	0.0901	0.2019	0.0205	0.0290	0.0076	0.2057	0.0369	0.5692	0.0838	0.5876	0.0764	0.0519	0.0094	
2007	0.4947	0.1662	0.7748	0.2889	0.2279	0.0508	0.0406	0.0091	0.1502	0.0377	0.8363	0.3049	0.6469	0.2069	0.0606	0.0133	
2006	0.2820	0.0329	0.4054	0.0481	0.1645	0.0207	0.0231	0.0086	0.1281	0.0241	0.4658	0.0615	0.3726	0.0391	0.0301	0.0062	

See footnotes at end of table.

Table C5. Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcoholic psychoses																
Nondependent abuse of drugs																
2010	0.7096	0.0444	1.1127	0.0728	0.3252	0.0213	0.0541	0.0091	0.3949	0.0402	1.0429	0.0690	1.0706	0.0696	0.0649	0.0101
2009	0.6998	0.0496	1.1048	0.0817	0.3138	0.0230	0.0585	0.0101	0.4265	0.0499	1.0590	0.0809	1.0124	0.0720	0.0703	0.0102
2008	0.6198	0.0425	0.9716	0.0656	0.2844	0.0240	0.0547	0.0088	0.3734	0.0419	0.9632	0.0702	0.8712	0.0612	0.0573	0.0091
2007	0.5773	0.0570	0.9171	0.0989	0.2537	0.0206	0.0610	0.0100	0.3234	0.0396	0.8928	0.1116	0.8135	0.0685	0.0528	0.0092
2006	0.4825	0.0297	0.7760	0.0494	0.2031	0.0145	0.0394	0.0073	0.2188	0.0299	0.7869	0.0527	0.6482	0.0449	0.0522	0.0088
Drug poisoning																
2010	0.0268	0.0025	0.0367	0.0041	0.0174	0.0029	—	—	—	—	0.0290	0.0045	0.0482	0.0056	—	—
2009	0.0329	0.0031	0.0457	0.0052	0.0207	0.0031	—	—	—	—	0.0449	0.0062	0.0480	0.0056	0.0100	0.0032
2008	0.0250	0.0033	0.0325	0.0043	0.0179	0.0038	—	—	—	—	0.0348	0.0047	0.0344	0.0063	—	—
2007	0.0238	0.0026	0.0317	0.0039	0.0162	0.0030	—	—	—	—	0.0309	0.0053	0.0326	0.0049	—	—
2006	0.0176	0.0024	0.0220	0.0032	0.0134	0.0029	—	—	—	—	0.0254	0.0043	0.0265	0.0048	—	—
Alcohol dependence syndrome																
Any drug-related diagnoses																
2010	1.5286	0.1658	2.3210	0.2790	0.7727	0.0627	0.3004	0.0265	1.0215	0.0825	2.2208	0.2219	2.1877	0.2889	0.1839	0.0242
2009	1.4958	0.1426	2.2570	0.2326	0.7704	0.0603	0.3324	0.0290	1.1549	0.0977	2.2211	0.2153	2.0640	0.2182	0.1322	0.0185
2008	1.4401	0.1523	2.1886	0.2562	0.7262	0.0655	0.3682	0.0465	1.1091	0.1182	2.2939	0.2597	1.7925	0.1962	0.1356	0.0164
2007	1.3642	0.1274	2.0414	0.1988	0.7193	0.0651	0.3613	0.0599	1.0561	0.0956	2.1993	0.2223	1.6658	0.1520	0.0987	0.0151
2006	1.0876	0.0675	1.6204	0.1044	0.5799	0.0373	0.2712	0.0245	0.8686	0.0727	1.7536	0.1198	1.3163	0.0834	0.0958	0.0119
Drug psychoses																
2010	0.1090	0.0143	0.1661	0.0241	0.0546	0.0072	—	—	0.0579	0.0137	0.1582	0.0233	0.1629	0.0216	0.0201	0.0053
2009	0.1141	0.0168	0.1697	0.0257	0.0612	0.0098	0.0185	0.0054	0.0940	0.0199	0.1640	0.0274	0.1614	0.0242	0.0175	0.0057
2008	0.1194	0.0218	0.1776	0.0330	0.0639	0.0121	0.0145	0.0045	0.0809	0.0260	0.1807	0.0340	0.1681	0.0303	0.0129	0.0060
2007	0.0937	0.0132	0.1373	0.0224	0.0522	0.0063	0.0209	0.0065	0.0523	0.0127	0.1348	0.0221	0.1314	0.0177	0.0207	0.0081
2006	0.0796	0.0119	0.1183	0.0193	0.0426	0.0062	—	—	0.0361	0.0101	0.1183	0.0221	0.1165	0.0165	0.0190	0.0056
Drug dependence																
2010	0.5825	0.1319	0.9214	0.2228	0.2593	0.0467	0.0651	0.0108	0.3115	0.0465	0.8470	0.1672	0.8726	0.2427	0.0701	0.0169
2009	0.5658	0.0909	0.8610	0.1481	0.2845	0.0389	0.0933	0.0144	0.3869	0.0533	0.8745	0.1462	0.7752	0.1318	0.0433	0.0101
2008	0.5789	0.1102	0.9109	0.1955	0.2622	0.0372	0.1207	0.0297	0.4070	0.0636	0.9626	0.1899	0.7083	0.1449	0.0375	0.0085
2007	0.5311	0.0821	0.7983	0.1257	0.2767	0.0449	0.1325	0.0402	0.3517	0.0539	0.8965	0.1497	0.6263	0.0913	0.0309	0.0085
2006	0.3489	0.0308	0.5061	0.0461	0.1993	0.0186	0.0740	0.0106	0.2671	0.0383	0.5815	0.0553	0.4102	0.0387	0.0320	0.0066
Nondependent abuse of drugs																
2010	0.9133	0.0586	1.3794	0.0966	0.4684	0.0272	0.2331	0.0217	0.6878	0.0557	1.3468	0.0915	1.2512	0.0864	0.0977	0.0129
2009	0.8916	0.0697	1.3635	0.1140	0.4418	0.0315	0.2408	0.0227	0.7566	0.0689	1.3094	0.0995	1.2133	0.1121	0.0719	0.0113
2008	0.8274	0.0664	1.2479	0.1023	0.4265	0.0352	0.2529	0.0269	0.6879	0.0699	1.3043	0.1148	1.0114	0.0823	0.0806	0.0116
2007	0.8022	0.0633	1.2073	0.1014	0.4163	0.0305	0.2241	0.0340	0.6760	0.0624	1.2780	0.1070	0.9834	0.0812	0.0470	0.0082
2006	0.6950	0.0417	1.0635	0.0666	0.3437	0.0226	0.1954	0.0196	0.5749	0.0519	1.1123	0.0751	0.8408	0.0537	0.0482	0.0084
Drug poisoning																
2010	0.0624	0.0048	0.0757	0.0069	0.0497	0.0053	—	—	0.0411	0.0135	0.0911	0.0095	0.0889	0.0084	—	—
2009	0.0742	0.0054	0.0839	0.0074	0.0650	0.0063	0.0173	0.0048	0.0523	0.0130	0.1046	0.0098	0.1085	0.0102	—	—
2008	0.0545	0.0057	0.0617	0.0068	0.0476	0.0062	0.0176	0.0046	0.0500	0.0136	0.0845	0.0103	0.0644	0.0083	—	—
2007	0.0481	0.0042	0.0587	0.0055	0.0379	0.0051	0.0172	0.0054	0.0487	0.0154	0.0726	0.0084	0.0564	0.0066	—	—
2006	0.0545	0.0047	0.0662	0.0067	0.0434	0.0051	0.0140	0.0046	0.0376	0.0101	0.0903	0.0102	0.0654	0.0076	—	—
Nondependent abuse of alcohol																
Any drug-related diagnoses																
2010	1.8810	0.0678	2.6088	0.1006	1.1870	0.0428	2.1040	0.0840	3.0052	0.1412	2.5871	0.1028	1.6965	0.0794	0.1282	0.0155
2009	1.8360	0.0741	2.5267	0.1092	1.1766	0.0466	1.9698	0.0775	2.8288	0.1378	2.5636	0.1169	1.6597	0.0854	0.1254	0.0137
2008	1.8706	0.0732	2.5828	0.1046	1.1920	0.0491	2.1907	0.0944	2.9176	0.1548	2.6219	0.1140	1.5710	0.0731	0.1034	0.0141
2007	1.8561	0.0782	2.5582	0.1172	1.1866	0.0487	2.0947	0.0976	2.8911	0.1458	2.6599	0.1309	1.5074	0.0797	0.1067	0.0113
2006	1.7731	0.0993	2.5036	0.1578	1.0765	0.0505	1.9538	0.0837	2.6268	0.1305	2.6228	0.2015	1.4006	0.0883	0.0631	0.0096

See footnotes at end of table.

Table C5. Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group											
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years			
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.		
Nondependent abuse of alcohol																		
Drug psychoses																		
2010	0.0520	0.0081	0.0725	0.0126	0.0325	0.0049	0.0236	0.0060	0.0892	0.0181	0.0652	0.0135	0.0641	0.0102	0.0122	0.0038		
2009	0.0496	0.0056	0.0700	0.0085	0.0298	0.0042	0.0297	0.0057	0.0868	0.0180	0.0681	0.0094	0.0545	0.0080	—	—		
2008	0.0442	0.0056	0.0546	0.0077	0.0342	0.0052	0.0268	0.0068	0.0561	0.0153	0.0623	0.0097	0.0471	0.0075	—	—		
2007	0.0364	0.0040	0.0476	0.0062	0.0258	0.0033	0.0226	0.0058	—	—	0.0601	0.0072	0.0365	0.0063	—	—		
2006	0.0334	0.0039	0.0462	0.0059	0.0211	0.0036	0.0298	0.0063	0.0346	0.0104	0.0513	0.0086	0.0300	0.0050	—	—		
Drug dependence																		
2010	0.1144	0.0084	0.1625	0.0125	0.0685	0.0066	0.0602	0.0104	0.1511	0.0212	0.1510	0.0122	0.1387	0.0132	0.0274	0.0096		
2009	0.1041	0.0092	0.1495	0.0154	0.0608	0.0061	0.0328	0.0067	0.1631	0.0253	0.1632	0.0173	0.1142	0.0121	—	—		
2008	0.0917	0.0080	0.1236	0.0124	0.0612	0.0065	0.0589	0.0117	0.1088	0.0191	0.1371	0.0138	0.0969	0.0101	—	—		
2007	0.0912	0.0129	0.1318	0.0193	0.0525	0.0084	0.0624	0.0123	0.1157	0.0233	0.1398	0.0238	0.0897	0.0123	—	—		
2006	0.0779	0.0060	0.1108	0.0095	0.0466	0.0051	0.0321	0.0064	0.0883	0.0164	0.1335	0.0124	0.0730	0.0080	—	—		
Nondependent abuse of drugs																		
2010	1.6305	0.0613	2.3028	0.0924	0.9894	0.0371	1.9575	0.0803	2.5784	0.1310	2.2522	0.0944	1.4166	0.0703	0.0832	0.0108		
2009	1.5898	0.0671	2.2275	0.1002	0.9810	0.0410	1.8268	0.0745	2.4440	0.1227	2.1892	0.1042	1.4167	0.0788	0.0969	0.0124		
2008	1.6326	0.0670	2.3070	0.0975	0.9899	0.0434	2.0070	0.0891	2.5630	0.1393	2.2710	0.1045	1.3461	0.0675	0.0743	0.0100		
2007	1.6298	0.0712	2.2900	0.1078	1.0002	0.0435	1.9213	0.0900	2.5424	0.1343	2.3362	0.1203	1.2875	0.0716	0.0800	0.0100		
2006	1.5713	0.0958	2.2613	0.1530	0.9133	0.0468	1.7851	0.0786	2.3323	0.1210	2.3154	0.1967	1.2268	0.0839	0.0468	0.0081		
Drug poisoning																		
2010	0.1460	0.0077	0.1554	0.0095	0.1370	0.0099	0.1118	0.0130	0.3000	0.0363	0.1981	0.0127	0.1420	0.0114	0.0157	0.0040		
2009	0.1543	0.0082	0.1649	0.0105	0.1442	0.0095	0.1195	0.0124	0.2548	0.0335	0.2344	0.0152	0.1338	0.0119	0.0210	0.0052		
2008	0.1509	0.0089	0.1573	0.0107	0.1448	0.0101	0.1343	0.0147	0.2788	0.0313	0.2255	0.0163	0.1244	0.0102	—	—		
2007	0.1516	0.0087	0.1552	0.0102	0.1481	0.0103	0.1408	0.0208	0.2938	0.0329	0.2082	0.0142	0.1308	0.0112	0.0181	0.0048		
2006	0.1343	0.0078	0.1473	0.0096	0.1220	0.0096	0.1462	0.0169	0.2172	0.0265	0.1986	0.0139	0.1018	0.0096	—	—		
All chronic liver disease and cirrhosis																		
Any drug-related diagnoses																		
2010	0.2454	0.0122	0.3486	0.0184	0.1469	0.0103	—	—	0.0313	0.0106	0.2131	0.0133	0.5390	0.0309	0.0381	0.0065		
2009	0.2416	0.0121	0.3479	0.0197	0.1404	0.0091	—	—	0.0423	0.0103	0.2025	0.0135	0.5484	0.0317	0.0215	0.0051		
2008	0.2657	0.0151	0.3893	0.0230	0.1479	0.0112	—	—	—	—	0.2491	0.0170	0.5745	0.0353	0.0460	0.0083		
2007	0.2852	0.0142	0.4109	0.0225	0.1655	0.0117	—	—	0.0322	0.0102	0.2565	0.0158	0.6298	0.0371	0.0484	0.0088		
2006	0.2837	0.0160	0.4145	0.0245	0.1591	0.0121	—	—	0.0440	0.0126	0.2890	0.0207	0.5996	0.0369	0.0330	0.0068		
Drug psychoses																		
2010	0.0096	0.0013	0.0135	0.0021	0.0058	0.0014	—	—	—	—	0.0067	0.0019	0.0226	0.0033	—	—		
2009	0.0134	0.0016	0.0167	0.0027	0.0103	0.0019	—	—	—	—	0.0139	0.0029	0.0260	0.0042	—	—		
2008	0.0121	0.0017	0.0166	0.0028	0.0078	0.0016	—	—	—	—	0.0072	0.0022	0.0280	0.0044	—	—		
2007	0.0109	0.0015	0.0152	0.0025	0.0067	0.0016	—	—	—	—	0.0109	0.0028	0.0188	0.0034	—	—		
2006	0.0135	0.0018	0.0178	0.0030	0.0094	0.0020	—	—	—	—	0.0110	0.0027	0.0282	0.0047	—	—		
Drug dependence																		
2010	0.0503	0.0043	0.0681	0.0067	0.0333	0.0039	—	—	—	—	0.0331	0.0044	0.1220	0.0123	—	—		
2009	0.0555	0.0049	0.0731	0.0080	0.0387	0.0041	—	—	—	—	0.0351	0.0050	0.1388	0.0134	—	—		
2008	0.0624	0.0073	0.0899	0.0105	0.0363	0.0061	—	—	—	—	0.0494	0.0077	0.1465	0.0183	—	—		
2007	0.0664	0.0067	0.0961	0.0099	0.0382	0.0055	—	—	—	—	0.0565	0.0070	0.1524	0.0166	—	—		
2006	0.0578	0.0049	0.0844	0.0081	0.0326	0.0039	—	—	—	—	0.0569	0.0078	0.1245	0.0121	—	—		
Nondependent abuse of drugs																		
2010	0.1900	0.0097	0.2724	0.0144	0.1115	0.0087	—	—	—	—	0.1777	0.0121	0.4045	0.0241	0.0273	0.0056		
2009	0.1769	0.0099	0.2646	0.0167	0.0932	0.0068	—	—	0.0269	0.0082	0.1619	0.0115	0.3894	0.0259	0.0136	0.0037		
2008	0.1927	0.0111	0.2889	0.0181	0.1011	0.0077	—	—	—	—	0.1934	0.0135	0.4100	0.0268	0.0198	0.0059		
2007	0.2141	0.0112	0.3112	0.0183	0.1215	0.0096	—	—	—	—	0.1978	0.0136	0.4707	0.0298	0.0266	0.0060		
2006	0.2173	0.0130	0.3196	0.0201	0.1199	0.0101	—	—	0.0343	0.0110	0.2251	0.0164	0.4602	0.0310	0.0153	0.0046		

See footnotes at end of table.

Table C5. Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
All chronic liver disease and cirrhosis																	
Drug poisoning																	
2010	0.0076	0.0013	0.0090	0.0018	0.0062	0.0017	—	—	—	—	0.0062	0.0020	0.0172	0.0035	—	—	
2009	0.0073	0.0016	0.0095	0.0029	0.0052	0.0013	—	—	—	—	0.0058	0.0017	0.0140	0.0046	—	—	
2008	0.0092	0.0014	0.0101	0.0021	0.0083	0.0018	—	—	—	—	0.0085	0.0022	0.0149	0.0032	—	—	
2007	0.0060	0.0011	0.0061	0.0015	0.0058	0.0015	—	—	—	—	—	—	0.0111	0.0026	—	—	
2006	0.0068	0.0013	0.0089	0.0023	0.0048	0.0015	—	—	—	—	0.0068	0.0020	0.0120	0.0032	—	—	
Alcoholic liver disease																	
Any drug-related diagnoses																	
2010	0.1906	0.0097	0.2752	0.0147	0.1099	0.0085	—	—	—	—	0.1761	0.0114	0.4102	0.0248	0.0265	0.0056	
2009	0.1807	0.0096	0.2669	0.0161	0.0986	0.0074	—	—	0.0261	0.0079	0.1612	0.0118	0.4029	0.0252	0.0131	0.0039	
2008	0.1997	0.0113	0.2981	0.0176	0.1059	0.0083	—	—	—	—	0.1996	0.0136	0.4208	0.0266	0.0324	0.0071	
2007	0.2043	0.0108	0.2980	0.0177	0.1151	0.0094	—	—	—	—	0.1993	0.0134	0.4381	0.0279	0.0271	0.0069	
2006	0.2122	0.0123	0.3133	0.0184	0.1160	0.0098	—	—	0.0327	0.0094	0.2287	0.0174	0.4396	0.0270	0.0171	0.0048	
Drug psychoses																	
2010	0.0067	0.0011	0.0104	0.0019	—	—	—	—	—	—	—	—	0.0158	0.0028	—	—	
2009	0.0079	0.0012	0.0111	0.0021	0.0049	0.0013	—	—	—	—	0.0106	0.0025	0.0138	0.0030	—	—	
2008	0.0087	0.0014	0.0129	0.0024	0.0047	0.0012	—	—	—	—	0.0068	0.0022	0.0206	0.0038	—	—	
2007	0.0071	0.0011	0.0104	0.0020	0.0039	0.0011	—	—	—	—	0.0074	0.0021	0.0141	0.0029	—	—	
2006	0.0091	0.0016	0.0127	0.0027	0.0057	0.0017	—	—	—	—	0.0080	0.0023	0.0200	0.0042	—	—	
Drug dependence																	
2010	0.0353	0.0032	0.0476	0.0051	0.0235	0.0033	—	—	—	—	0.0257	0.0037	0.0830	0.0094	—	—	
2009	0.0388	0.0036	0.0529	0.0062	0.0255	0.0033	—	—	—	—	0.0245	0.0040	0.0982	0.0100	—	—	
2008	0.0388	0.0038	0.0596	0.0058	0.0189	0.0035	—	—	—	—	0.0328	0.0049	0.0886	0.0099	—	—	
2007	0.0368	0.0040	0.0542	0.0069	0.0203	0.0034	—	—	—	—	0.0329	0.0049	0.0817	0.0094	—	—	
2006	0.0426	0.0041	0.0640	0.0065	0.0222	0.0033	—	—	—	—	0.0465	0.0071	0.0879	0.0100	—	—	
Nondependent abuse of drugs																	
2010	0.1521	0.0080	0.2216	0.0120	0.0858	0.0073	—	—	—	—	0.1493	0.0104	0.3179	0.0199	0.0215	0.0049	
2009	0.1340	0.0081	0.2033	0.0142	0.0680	0.0057	—	—	—	—	0.1309	0.0101	0.2881	0.0214	—	—	
2008	0.1520	0.0091	0.2281	0.0149	0.0796	0.0066	—	—	—	—	0.1610	0.0119	0.3154	0.0221	0.0161	0.0055	
2007	0.1625	0.0092	0.2387	0.0150	0.0900	0.0084	—	—	—	—	0.1617	0.0120	0.3477	0.0243	0.0161	0.0045	
2006	0.1635	0.0095	0.2413	0.0145	0.0895	0.0078	—	—	—	—	0.1780	0.0132	0.3375	0.0214	—	—	
Drug poisoning																	
2010	0.0059	0.0011	0.0080	0.0017	—	—	—	—	—	—	—	—	0.0137	0.0031	—	—	
2009	0.0062	0.0015	0.0084	0.0028	0.0042	0.0012	—	—	—	—	0.0052	0.0016	0.0119	0.0045	—	—	
2008	0.0082	0.0013	0.0094	0.0020	0.0070	0.0016	—	—	—	—	0.0074	0.0021	0.0132	0.0031	—	—	
2007	0.0050	0.0010	0.0051	0.0014	0.0049	0.0014	—	—	—	—	—	—	0.0090	0.0024	—	—	
2006	0.0049	0.0012	0.0066	0.0021	—	—	—	—	—	—	—	—	0.0105	0.0030	—	—	
Alcohol poisoning																	
Any drug-related diagnoses																	
2010	0.1637	0.0094	0.2006	0.0120	0.1286	0.0113	0.1269	0.0145	0.2288	0.0274	0.2338	0.0168	0.1664	0.0122	0.0237	0.0048	
2009	0.1711	0.0105	0.2063	0.0143	0.1377	0.0103	0.1644	0.0190	0.1983	0.0246	0.2288	0.0171	0.1751	0.0141	0.0383	0.0070	
2008	0.1798	0.0107	0.2047	0.0130	0.1562	0.0113	0.1941	0.0199	0.2350	0.0272	0.2367	0.0168	0.1687	0.0142	0.0433	0.0104	
2007	0.1718	0.0098	0.2161	0.0140	0.1297	0.0094	0.1751	0.0177	0.2178	0.0289	0.2325	0.0176	0.1610	0.0133	0.0377	0.0072	
2006	0.1826	0.0134	0.2220	0.0180	0.1451	0.0117	0.1866	0.0176	0.2499	0.0367	0.2601	0.0236	0.1620	0.0145	0.0174	0.0049	
Drug psychoses																	
2010	0.0100	0.0014	0.0132	0.0022	0.0069	0.0016	—	—	—	—	0.0150	0.0028	0.0118	0.0025	—	—	
2009	0.0107	0.0014	0.0147	0.0022	0.0069	0.0016	0.0121	0.0036	—	—	0.0124	0.0028	0.0114	0.0025	—	—	
2008	0.0106	0.0019	0.0125	0.0024	0.0087	0.0028	—	—	—	—	0.0073	0.0020	0.0106	0.0025	—	—	
2007	0.0093	0.0016	0.0106	0.0020	0.0081	0.0023	—	—	—	—	0.0104	0.0024	0.0126	0.0037	—	—	
2006	0.0122	0.0018	0.0201	0.0033	0.0046	0.0013	—	—	—	—	0.0138	0.0033	0.0157	0.0039	—	—	

See footnotes at end of table.

Table C5. Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcohol poisoning																
Drug dependence																
2010	0.0139	0.0017	0.0189	0.0028	0.0090	0.0020	—	—	—	—	0.0192	0.0036	0.0187	0.0032	—	—
2009	0.0120	0.0017	0.0157	0.0026	0.0085	0.0017	—	—	—	—	0.0152	0.0031	0.0177	0.0034	—	—
2008	0.0141	0.0018	0.0174	0.0026	0.0111	0.0024	—	—	—	—	0.0183	0.0037	0.0163	0.0030	—	—
2007	0.0133	0.0021	0.0200	0.0039	0.0070	0.0016	—	—	—	—	0.0191	0.0039	0.0181	0.0041	—	—
2006	0.0092	0.0016	0.0120	0.0025	0.0066	0.0016	—	—	—	—	0.0165	0.0035	0.0085	0.0023	—	—
Nondependent abuse of drugs																
2010	0.0693	0.0054	0.0987	0.0087	0.0412	0.0046	0.0566	0.0082	0.0993	0.0180	0.1019	0.0103	0.0675	0.0080	—	—
2009	0.0716	0.0058	0.1013	0.0093	0.0433	0.0046	0.0794	0.0110	0.1108	0.0183	0.1000	0.0093	0.0650	0.0083	—	—
2008	0.0741	0.0062	0.0969	0.0081	0.0525	0.0059	0.1018	0.0134	0.1041	0.0176	0.1016	0.0099	0.0594	0.0080	—	—
2007	0.0653	0.0046	0.0919	0.0068	0.0400	0.0048	0.0749	0.0108	0.1053	0.0224	0.0914	0.0088	0.0526	0.0061	—	—
2006	0.0701	0.0061	0.0965	0.0091	0.0450	0.0052	0.0844	0.0120	0.0996	0.0188	0.1039	0.0108	0.0534	0.0074	—	—
Drug poisoning																
2010	0.1098	0.0076	0.1222	0.0085	0.0980	0.0103	0.0831	0.0125	0.1375	0.0202	0.1556	0.0133	0.1150	0.0101	0.0202	0.0044
2009	0.1130	0.0077	0.1211	0.0097	0.1052	0.0085	0.0990	0.0148	0.1360	0.0199	0.1493	0.0135	0.1149	0.0107	0.0375	0.0069
2008	0.1208	0.0080	0.1245	0.0095	0.1173	0.0092	0.1173	0.0142	0.1562	0.0224	0.1651	0.0137	0.1164	0.0107	0.0236	0.0057
2007	0.1217	0.0083	0.1418	0.0119	0.1025	0.0079	0.1130	0.0134	0.1402	0.0204	0.1721	0.0153	0.1128	0.0113	0.0304	0.0066
2006	0.1284	0.0113	0.1453	0.0150	0.1124	0.0098	0.1259	0.0151	0.1789	0.0284	0.1855	0.0206	0.1116	0.0118	0.0156	0.0048

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table C6. Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Any alcohol-related diagnoses																
Any drug-related diagnoses																
2010	25.7963	0.9316	35.4552	1.3742	16.5813	0.5490	11.0656	0.4072	27.6679	1.0274	34.7569	1.2915	34.0680	1.3743	4.2210	0.1895
2009	24.9717	0.9486	34.2484	1.4001	16.1250	0.5528	10.9617	0.4166	26.6670	1.0338	34.3072	1.3780	32.2606	1.3072	3.9109	0.1509
2008	24.0599	0.9868	32.8283	1.4372	15.6912	0.6116	11.6136	0.7803	26.6118	1.1413	33.4590	1.4449	29.9444	1.2731	3.5874	0.1530
2007	23.8965	0.9464	32.8266	1.4248	15.3801	0.5474	11.0698	0.6865	25.1830	0.9110	34.6110	1.5155	28.7562	1.1684	3.2655	0.1237
2006	22.2939	0.7891	30.4167	1.1148	14.5553	0.4999	10.3900	0.3897	23.9988	0.8649	32.7342	1.2447	26.2040	1.0037	2.8311	0.1111
Drug psychoses																
2010	2.2349	0.1573	3.1449	0.2474	1.3671	0.0791	0.5772	0.0505	2.2707	0.2053	3.1351	0.2570	2.9078	0.1956	0.6227	0.0348
2009	2.3621	0.1708	3.2968	0.2614	1.4711	0.0927	0.6399	0.0538	2.4025	0.2172	3.3413	0.2823	2.9909	0.2095	0.7361	0.0477
2008	2.0762	0.1527	2.8454	0.2215	1.3430	0.0933	0.5355	0.0576	2.0103	0.1888	2.9196	0.2467	2.6469	0.1878	0.7081	0.0449
2007	2.0737	0.1905	2.9016	0.3112	1.2848	0.0901	0.5461	0.0584	1.7116	0.1383	3.1372	0.3538	2.4807	0.2153	0.6592	0.0397
2006	1.7293	0.1056	2.3391	0.1451	1.1487	0.0728	0.4924	0.0421	1.5331	0.1219	2.5483	0.1868	2.0781	0.1184	0.5829	0.0378
Drug dependence																
2010	5.8411	0.4084	8.2293	0.6449	3.5630	0.1993	1.4021	0.1109	5.2427	0.3629	8.1020	0.5797	8.2173	0.6537	0.9605	0.0659
2009	6.0205	0.3780	8.4158	0.5724	3.7376	0.2084	1.4622	0.1064	5.4170	0.3850	8.7242	0.5873	8.1599	0.5220	0.8266	0.0643
2008	5.4957	0.4680	7.6642	0.7554	3.4285	0.2392	1.6635	0.3866	5.0265	0.4006	8.0075	0.7384	7.2173	0.6147	0.7336	0.0479
2007	5.7406	0.5246	8.1147	0.8536	3.4776	0.2403	1.6218	0.3507	4.5017	0.3208	8.9902	0.9063	7.1310	0.6430	0.6143	0.0505
2006	4.5730	0.2635	6.2100	0.3619	3.0137	0.1773	1.1843	0.0879	4.0873	0.3021	7.1541	0.4501	5.5765	0.3160	0.5626	0.0375
Nondependent abuse of drugs																
2010	17.2896	0.6228	24.8239	0.9252	10.1015	0.3564	8.5645	0.3240	19.2815	0.7445	23.3911	0.8680	22.4088	0.8955	2.0775	0.1205
2009	16.2564	0.6611	23.3330	0.9862	9.5068	0.3681	8.3661	0.3349	18.3201	0.7358	22.1993	0.9311	20.7108	0.9269	1.7900	0.0946
2008	15.6533	0.6270	22.3915	0.9034	9.2210	0.3781	8.7671	0.5294	18.0089	0.8013	21.7227	0.8835	19.1430	0.8175	1.5945	0.0946
2007	15.5308	0.5808	22.2615	0.8465	9.1124	0.3475	8.2878	0.4617	17.4726	0.6717	22.2931	0.8837	18.4276	0.7282	1.4761	0.0749
2006	15.1561	0.5721	21.7816	0.8328	8.8442	0.3384	7.9563	0.3125	16.8199	0.6223	22.2967	0.8953	17.5276	0.7457	1.2488	0.0650
Drug poisoning																
2010	4.7061	0.1473	5.0237	0.1631	4.4030	0.1458	2.2140	0.0902	6.0168	0.2532	6.5823	0.2171	5.5382	0.1884	1.0503	0.0491
2009	4.7166	0.1438	5.0808	0.1688	4.3690	0.1371	2.2526	0.0922	6.0450	0.2529	6.6553	0.2151	5.4615	0.1822	1.0425	0.0483
2008	4.7870	0.1616	5.0788	0.1773	4.5076	0.1555	2.4391	0.0977	6.3573	0.2818	6.8102	0.2411	5.3620	0.1903	1.0041	0.0498
2007	4.4640	0.1311	4.7509	0.1492	4.1894	0.1270	2.2838	0.0940	5.8889	0.2178	6.4886	0.2051	4.8199	0.1552	0.9342	0.0417
2006	4.3145	0.1316	4.5949	0.1509	4.0472	0.1248	2.2886	0.0944	5.6814	0.2233	6.2863	0.2109	4.6396	0.1520	0.7709	0.0382
Alcoholic psychoses																
Any drug-related diagnoses																
2010	2.7282	0.1631	4.0950	0.2656	1.4249	0.0747	0.2069	0.0249	1.4980	0.1646	3.5916	0.2609	4.3875	0.2287	0.5619	0.0350
2009	2.9265	0.2045	4.4285	0.3245	1.4950	0.0983	0.2524	0.0307	1.6557	0.1674	4.0154	0.3263	4.5364	0.2851	0.5852	0.0406
2008	2.5521	0.1636	3.8329	0.2525	1.3310	0.0893	0.2232	0.0302	1.4152	0.1465	3.5001	0.2581	3.9483	0.2314	0.5479	0.0332
2007	2.5458	0.2537	3.8895	0.4355	1.2660	0.0893	0.2375	0.0292	1.1437	0.1070	3.7117	0.4638	3.7710	0.3167	0.5086	0.0359
2006	2.0716	0.1064	3.1038	0.1607	1.0879	0.0605	0.1665	0.0228	0.8553	0.0773	3.0151	0.1717	3.0998	0.1564	0.4322	0.0303
Drug psychoses																
2010	0.6728	0.0945	0.9966	0.1587	0.3641	0.0365	0.0726	0.0163	0.5117	0.1166	0.9503	0.1681	0.9611	0.1055	0.1710	0.0159
2009	0.7658	0.0950	1.1263	0.1511	0.4222	0.0450	0.0888	0.0181	0.6572	0.1235	1.1024	0.1606	1.0410	0.1117	0.2234	0.0246
2008	0.5805	0.0500	0.8190	0.0723	0.3528	0.0315	0.0698	0.0114	0.4604	0.0753	0.7930	0.0804	0.8221	0.0644	0.2057	0.0173
2007	0.5742	0.0775	0.8520	0.1358	0.3096	0.0280	0.0772	0.0153	0.3121	0.0476	0.8611	0.1514	0.7621	0.0856	0.1939	0.0190
2006	0.4631	0.0333	0.6453	0.0478	0.2897	0.0223	0.0603	0.0122	0.2162	0.0335	0.6704	0.0589	0.6511	0.0434	0.1542	0.0163
Drug dependence																
2010	0.9402	0.1089	1.3781	0.1802	0.5227	0.0456	0.0697	0.0177	0.6024	0.1285	1.2999	0.1886	1.4533	0.1313	0.1512	0.0159
2009	1.1830	0.1449	1.7530	0.2287	0.6398	0.0687	0.1040	0.0205	0.7516	0.1270	1.7524	0.2385	1.7106	0.1913	0.1812	0.0250
2008	0.9270	0.0957	1.3514	0.1521	0.5223	0.0497	0.0872	0.0184	0.5971	0.0967	1.3328	0.1555	1.3731	0.1303	0.1497	0.0156
2007	1.0085	0.2147	1.5438	0.3749	0.4986	0.0660	0.0892	0.0140	0.4095	0.0677	1.6180	0.3957	1.3806	0.2628	0.1346	0.0185
2006	0.6706	0.0544	0.9659	0.0789	0.3890	0.0338	0.0628	0.0152	0.3111	0.0472	1.0211	0.0951	0.9568	0.0707	0.1094	0.0127

See footnotes at end of table.

Table C6. Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcoholic psychoses																
Nondependent abuse of drugs																
2010	1.5929	0.0757	2.4764	0.1238	0.7504	0.0371	0.1300	0.0153	0.8693	0.0726	2.1451	0.1129	2.5631	0.1230	0.2207	0.0200
2009	1.5450	0.0833	2.4344	0.1365	0.6974	0.0396	0.1475	0.0176	0.9163	0.0844	2.1076	0.1266	2.4382	0.1272	0.2144	0.0198
2008	1.4331	0.0850	2.2300	0.1299	0.6734	0.0463	0.1285	0.0175	0.7782	0.0739	2.0257	0.1376	2.2153	0.1227	0.1875	0.0166
2007	1.3573	0.0806	2.1255	0.1334	0.6257	0.0364	0.1482	0.0225	0.6803	0.0643	1.9408	0.1424	2.0680	0.1117	0.1836	0.0180
2006	1.2255	0.0602	1.9202	0.0965	0.5637	0.0314	0.0964	0.0139	0.4928	0.0462	1.8277	0.0961	1.8288	0.0969	0.1763	0.0179
Drug poisoning																
2010	0.3139	0.0146	0.4068	0.0207	0.2253	0.0133	0.0242	0.0055	0.1582	0.0242	0.3704	0.0214	0.5253	0.0279	0.1157	0.0125
2009	0.3267	0.0183	0.4359	0.0253	0.2227	0.0154	0.0235	0.0065	0.1747	0.0278	0.4211	0.0299	0.5194	0.0299	0.1046	0.0121
2008	0.3150	0.0199	0.4156	0.0259	0.2191	0.0173	0.0346	0.0069	0.1528	0.0263	0.4043	0.0306	0.4896	0.0318	0.1243	0.0135
2007	0.2718	0.0150	0.3548	0.0206	0.1928	0.0128	0.0305	0.0066	0.1407	0.0242	0.3595	0.0273	0.4119	0.0233	0.1024	0.0120
2006	0.2516	0.0138	0.3246	0.0195	0.1821	0.0124	0.0253	0.0061	0.1404	0.0204	0.3274	0.0222	0.3954	0.0240	0.0787	0.0111
Alcohol dependence syndrome																
Any drug-related diagnoses																
2010	9.5326	0.4845	13.7703	0.7632	5.4901	0.2408	1.4307	0.0922	6.3527	0.3703	12.7701	0.6700	14.6840	0.7926	1.6684	0.0840
2009	9.5354	0.4577	13.7065	0.7051	5.5601	0.2398	1.5739	0.0978	6.9244	0.3996	13.2454	0.7048	14.0964	0.6488	1.5615	0.0787
2008	8.8302	0.5263	12.6719	0.8351	5.1670	0.2775	1.6951	0.2571	6.1925	0.4212	12.4816	0.8376	12.7632	0.7000	1.4349	0.0681
2007	8.9242	0.5688	12.8464	0.9199	5.1856	0.2670	1.6007	0.2046	6.0550	0.3658	13.2262	0.9737	12.3662	0.7214	1.3491	0.0676
2006	7.3569	0.3342	10.4122	0.4804	4.4459	0.2046	1.2565	0.0849	4.9932	0.3010	11.0015	0.5435	10.0906	0.4468	1.1607	0.0591
Drug psychoses																
2010	1.2414	0.1165	1.8073	0.1910	0.7018	0.0510	0.1753	0.0254	0.9127	0.1385	1.7694	0.1955	1.7603	0.1462	0.2827	0.0221
2009	1.3409	0.1292	1.9481	0.2026	0.7623	0.0658	0.1949	0.0278	1.1864	0.1545	1.9806	0.2233	1.7706	0.1495	0.3388	0.0337
2008	1.1424	0.1002	1.6378	0.1511	0.6701	0.0564	0.1531	0.0265	0.8729	0.1112	1.6398	0.1652	1.5872	0.1294	0.2978	0.0240
2007	1.1698	0.1479	1.7100	0.2529	0.6552	0.0574	0.1770	0.0258	0.7505	0.0825	1.8144	0.2836	1.5018	0.1665	0.2967	0.0261
2006	0.8710	0.0657	1.2159	0.0929	0.5428	0.0434	0.1273	0.0186	0.5987	0.0762	1.3215	0.1200	1.1214	0.0725	0.2627	0.0240
Drug dependence																
2010	3.8543	0.3411	5.5604	0.5518	2.2268	0.1529	0.6397	0.0621	2.9457	0.2608	5.5134	0.4811	5.5354	0.5597	0.5570	0.0450
2009	4.0255	0.2972	5.7727	0.4583	2.3604	0.1547	0.7487	0.0659	3.2397	0.2768	6.0228	0.4844	5.4792	0.3892	0.5016	0.0456
2008	3.6934	0.3910	5.3083	0.6544	2.1535	0.1779	0.8627	0.2061	2.8963	0.2825	5.5724	0.6445	4.9077	0.5064	0.4375	0.0341
2007	4.0053	0.4604	5.8143	0.7653	2.2811	0.1910	0.8492	0.1670	2.8825	0.2473	6.4902	0.8146	4.9603	0.5659	0.3902	0.0384
2006	2.8551	0.1834	3.9511	0.2584	1.8108	0.1177	0.5498	0.0510	2.2758	0.1951	4.6281	0.3251	3.4708	0.2106	0.3367	0.0275
Nondependent abuse of drugs																
2010	5.0898	0.2061	7.6330	0.3242	2.6633	0.1031	0.7559	0.0474	3.2146	0.1749	6.7114	0.2825	8.0881	0.3449	0.6899	0.0437
2009	4.8433	0.2101	7.2901	0.3312	2.5113	0.1043	0.7800	0.0513	3.4767	0.1986	6.5608	0.3012	7.4294	0.3305	0.6304	0.0400
2008	4.4426	0.1974	6.6179	0.2941	2.3685	0.1141	0.8512	0.1074	3.0570	0.1936	6.1977	0.2983	6.6049	0.2781	0.5510	0.0365
2007	4.2821	0.1870	6.3752	0.2855	2.2872	0.1027	0.7602	0.0814	2.9351	0.1783	6.0678	0.2833	6.2924	0.2760	0.5190	0.0332
2006	3.8740	0.1694	5.7925	0.2572	2.0461	0.0927	0.6768	0.0462	2.4285	0.1435	5.6753	0.2585	5.5469	0.2585	0.4759	0.0330
Drug poisoning																
2010	1.3076	0.0532	1.5298	0.0645	1.0957	0.0500	0.2028	0.0197	0.8806	0.0673	1.7657	0.0820	1.9247	0.0797	0.3711	0.0241
2009	1.3969	0.0513	1.6066	0.0623	1.1970	0.0490	0.2567	0.0232	1.0922	0.0773	1.9143	0.0826	2.0107	0.0764	0.3338	0.0222
2008	1.3247	0.0591	1.5463	0.0681	1.1133	0.0556	0.2220	0.0195	0.9386	0.0695	1.8219	0.0929	1.9101	0.0837	0.3606	0.0237
2007	1.2293	0.0502	1.4476	0.0637	1.0210	0.0488	0.1962	0.0174	0.9767	0.0700	1.7639	0.0857	1.6721	0.0698	0.3378	0.0239
2006	1.1694	0.0486	1.3506	0.0577	0.9969	0.0450	0.1979	0.0192	0.8899	0.0617	1.6976	0.0781	1.5988	0.0718	0.2670	0.0205
Nondependent abuse of alcohol																
Any drug-related diagnoses																
2010	14.6437	0.5136	19.8870	0.7300	9.6410	0.3285	9.1740	0.3461	20.0377	0.7461	20.3655	0.7404	16.6516	0.6561	1.9257	0.1085
2009	13.7501	0.5414	18.6140	0.7761	9.1093	0.3368	8.8234	0.3482	18.4991	0.7264	19.3419	0.7927	15.3777	0.6930	1.6667	0.0763
2008	13.5816	0.5402	18.3241	0.7527	9.0515	0.3519	9.2992	0.5649	18.9857	0.8012	19.2569	0.7749	14.5273	0.6451	1.5675	0.0892
2007	13.5162	0.4875	18.3382	0.6826	8.9163	0.3206	8.9264	0.5132	17.9507	0.6434	19.8470	0.7590	14.0296	0.5550	1.4154	0.0653
2006	13.5527	0.4934	18.4586	0.6992	8.8788	0.3126	8.5297	0.3279	17.6716	0.6319	20.1797	0.7977	14.0250	0.5872	1.2479	0.0591

See footnotes at end of table.

Table C6. Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Nondependent abuse of alcohol																	
Drug psychoses																	
2010	0.8279	0.0574	1.1391	0.0851	0.5311	0.0353	0.3807	0.0339	1.2803	0.1099	1.2179	0.0962	0.8758	0.0648	0.1770	0.0159	
2009	0.8153	0.0657	1.1081	0.0971	0.5360	0.0391	0.4103	0.0363	1.1076	0.0983	1.1793	0.0962	0.8860	0.0979	0.1906	0.0166	
2008	0.7414	0.0595	0.9798	0.0824	0.5143	0.0406	0.3516	0.0381	1.0239	0.0982	1.1246	0.0968	0.7504	0.0676	0.1788	0.0184	
2007	0.7587	0.0587	1.0300	0.0835	0.5000	0.0387	0.3503	0.0399	0.9092	0.0821	1.1887	0.1014	0.7502	0.0649	0.1919	0.0177	
2006	0.7225	0.0472	0.9645	0.0645	0.4921	0.0339	0.3363	0.0314	0.8700	0.0678	1.0881	0.0797	0.7517	0.0563	0.1873	0.0170	
Drug dependence																	
2010	1.6184	0.0838	2.2336	0.1226	1.0317	0.0524	0.7530	0.0618	2.1722	0.1389	2.3393	0.1308	1.8706	0.1091	0.2406	0.0240	
2009	1.6196	0.0987	2.2010	0.1440	1.0651	0.0625	0.6954	0.0552	2.0177	0.1428	2.4018	0.1438	1.8819	0.1469	0.2049	0.0230	
2008	1.4624	0.0906	1.9491	0.1260	0.9986	0.0630	0.7880	0.1960	2.0189	0.1451	2.1637	0.1312	1.5751	0.0989	0.1811	0.0181	
2007	1.4464	0.0890	1.9574	0.1231	0.9591	0.0616	0.7668	0.2007	1.5486	0.1186	2.2508	0.1407	1.5464	0.0934	0.1429	0.0154	
2006	1.4756	0.0881	1.9625	0.1169	1.0121	0.0647	0.6211	0.0522	1.7159	0.1473	2.3101	0.1461	1.5967	0.1084	0.1593	0.0159	
Nondependent abuse of drugs																	
2010	11.5954	0.4370	16.4126	0.6347	6.9994	0.2656	7.6967	0.2999	15.7648	0.6205	16.0832	0.6304	13.1629	0.5645	1.2845	0.0867	
2009	10.7814	0.4637	15.1895	0.6754	6.5754	0.2751	7.4624	0.3075	14.5023	0.6084	15.0199	0.6706	12.0807	0.6003	1.0283	0.0639	
2008	10.5973	0.4493	14.9952	0.6428	6.3963	0.2751	7.7669	0.4524	14.6188	0.6532	14.9316	0.6381	11.3525	0.5535	0.9580	0.0664	
2007	10.6917	0.4120	15.1611	0.5913	6.4288	0.2560	7.4415	0.4005	14.2786	0.5482	15.6949	0.6458	11.0223	0.4692	0.8566	0.0509	
2006	10.7716	0.4261	15.3422	0.6162	6.4173	0.2576	7.1564	0.2871	14.0944	0.5292	16.0855	0.6948	11.0256	0.5105	0.7172	0.0428	
Drug poisoning																	
2010	2.6682	0.0848	2.8049	0.0954	2.5374	0.0847	1.6179	0.0687	4.1110	0.1847	3.8942	0.1307	2.7456	0.1052	0.4181	0.0282	
2009	2.5752	0.0854	2.7512	0.1036	2.4070	0.0798	1.5035	0.0677	3.9785	0.1824	3.8021	0.1301	2.6059	0.1049	0.4209	0.0255	
2008	2.6886	0.0953	2.8071	0.1042	2.5746	0.0948	1.6656	0.0754	4.2091	0.1916	3.9875	0.1485	2.6320	0.1007	0.4121	0.0289	
2007	2.5506	0.0779	2.6424	0.0874	2.4627	0.0774	1.5867	0.0742	3.9045	0.1572	3.8240	0.1242	2.4370	0.0879	0.3947	0.0246	
2006	2.4445	0.0774	2.5707	0.0895	2.3241	0.0750	1.5512	0.0689	3.6749	0.1595	3.6653	0.1280	2.3461	0.0824	0.3067	0.0227	
All chronic liver disease and cirrhosis																	
Any drug-related diagnoses																	
2010	2.5278	0.0935	3.4661	0.1337	1.6330	0.0646	0.0859	0.0133	0.4721	0.0454	2.1384	0.0865	5.4212	0.2137	0.6860	0.0413	
2009	2.4208	0.0933	3.3193	0.1371	1.5641	0.0625	0.0756	0.0110	0.4545	0.0486	2.1204	0.0981	5.1328	0.2051	0.7037	0.0403	
2008	2.2578	0.1060	3.1237	0.1477	1.4319	0.0732	0.0507	0.0084	0.4129	0.0496	1.9995	0.0972	4.8262	0.2453	0.6260	0.0401	
2007	2.0970	0.0821	2.8897	0.1180	1.3416	0.0554	0.0685	0.0112	0.3126	0.0326	1.8649	0.0804	4.5008	0.1874	0.5896	0.0347	
2006	2.0384	0.0904	2.8200	0.1310	1.2943	0.0601	0.0516	0.0089	0.3054	0.0438	2.0069	0.0979	4.2495	0.1993	0.4920	0.0354	
Drug psychoses																	
2010	0.2015	0.0103	0.2546	0.0150	0.1508	0.0098	—	—	—	—	0.1536	0.0128	0.4141	0.0233	0.1323	0.0125	
2009	0.2151	0.0112	0.2656	0.0158	0.1670	0.0104	—	—	0.0427	0.0120	0.1883	0.0153	0.3936	0.0218	0.1899	0.0165	
2008	0.2035	0.0115	0.2526	0.0163	0.1567	0.0107	—	—	0.0404	0.0120	0.1485	0.0139	0.4014	0.0227	0.1893	0.0167	
2007	0.1793	0.0102	0.2213	0.0139	0.1393	0.0093	—	—	—	—	0.1434	0.0126	0.3453	0.0210	0.1719	0.0173	
2006	0.1631	0.0093	0.1972	0.0127	0.1307	0.0097	—	—	—	—	0.1318	0.0111	0.3209	0.0198	0.1446	0.0163	
Drug dependence																	
2010	0.6715	0.0346	0.8613	0.0480	0.4904	0.0275	—	—	0.1051	0.0176	0.5120	0.0300	1.4984	0.0860	0.1997	0.0206	
2009	0.6703	0.0401	0.8831	0.0566	0.4674	0.0286	0.0161	0.0056	0.1145	0.0196	0.5566	0.0394	1.4799	0.0953	0.1486	0.0183	
2008	0.6068	0.0536	0.8189	0.0717	0.4048	0.0398	—	—	0.1096	0.0213	0.4942	0.0435	1.3592	0.1347	0.1405	0.0172	
2007	0.5238	0.0365	0.7101	0.0535	0.3463	0.0233	0.0142	0.0051	0.0645	0.0158	0.4518	0.0351	1.1569	0.0845	0.1201	0.0162	
2006	0.4968	0.0308	0.6760	0.0445	0.3262	0.0219	0.0164	0.0050	0.0664	0.0169	0.4545	0.0344	1.0868	0.0714	0.0933	0.0138	
Nondependent abuse of drugs																	
2010	1.6547	0.0655	2.3874	0.0969	0.9561	0.0424	0.0715	0.0126	0.3156	0.0350	1.5136	0.0656	3.5290	0.1498	0.2406	0.0212	
2009	1.5126	0.0641	2.2043	0.0981	0.8530	0.0403	0.0473	0.0078	0.2995	0.0370	1.4098	0.0670	3.2121	0.1446	0.2467	0.0234	
2008	1.4308	0.0651	2.0775	0.0955	0.8139	0.0425	0.0369	0.0072	0.2706	0.0381	1.3678	0.0659	3.0519	0.1451	0.1874	0.0210	
2007	1.3815	0.0571	1.9749	0.0847	0.8164	0.0378	0.0401	0.0089	0.1943	0.0275	1.3098	0.0581	2.9650	0.1325	0.2220	0.0211	
2006	1.3578	0.0637	1.9470	0.0954	0.7968	0.0407	0.0305	0.0060	0.2168	0.0385	1.4313	0.0717	2.8167	0.1446	0.1439	0.0171	

See footnotes at end of table.

Table C6. Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
All chronic liver disease and cirrhosis																	
Drug poisoning																	
2010	0.2977	0.0119	0.3566	0.0159	0.2416	0.0126	0.0172	0.0046	0.0626	0.0210	0.2398	0.0151	0.5997	0.0271	0.1741	0.0156	
2009	0.2973	0.0114	0.3431	0.0161	0.2537	0.0129	0.0195	0.0052	0.0514	0.0119	0.2528	0.0162	0.5915	0.0252	0.1729	0.0165	
2008	0.2680	0.0124	0.3025	0.0167	0.2352	0.0125	—	—	0.0815	0.0161	0.2358	0.0157	0.5248	0.0263	0.1571	0.0150	
2007	0.2380	0.0099	0.2781	0.0135	0.1995	0.0111	0.0188	0.0051	0.0660	0.0157	0.1798	0.0119	0.4978	0.0242	0.1381	0.0138	
2006	0.2369	0.0113	0.2758	0.0144	0.1999	0.0121	—	—	0.0436	0.0114	0.2030	0.0146	0.4791	0.0254	0.1497	0.0154	
Alcoholic liver disease																	
Any drug-related diagnoses																	
2010	1.3945	0.0542	2.0541	0.0827	0.7655	0.0341	0.0183	0.0044	0.2158	0.0272	1.2861	0.0578	2.9775	0.1235	0.2357	0.0189	
2009	1.3866	0.0588	2.0297	0.0892	0.7738	0.0377	0.0248	0.0054	0.2414	0.0383	1.3385	0.0731	2.8821	0.1222	0.2897	0.0231	
2008	1.3120	0.0619	1.9524	0.0924	0.7012	0.0389	0.0170	0.0059	0.2186	0.0386	1.2772	0.0705	2.7363	0.1304	0.2788	0.0243	
2007	1.2344	0.0494	1.8005	0.0769	0.6948	0.0310	0.0201	0.0059	0.1615	0.0231	1.1986	0.0563	2.5971	0.1097	0.2643	0.0222	
2006	1.2254	0.0539	1.7877	0.0813	0.6901	0.0340	0.0155	0.0042	0.1349	0.0202	1.3186	0.0673	2.4951	0.1134	0.2052	0.0212	
Drug psychoses																	
2010	0.1115	0.0072	0.1539	0.0115	0.0711	0.0063	—	—	—	—	0.0967	0.0100	0.2390	0.0167	0.0281	0.0064	
2009	0.1127	0.0076	0.1578	0.0116	0.0697	0.0063	—	—	—	—	0.1260	0.0129	0.1976	0.0139	0.0590	0.0088	
2008	0.1074	0.0079	0.1551	0.0123	0.0620	0.0061	—	—	0.0304	0.0110	0.0983	0.0110	0.2098	0.0157	0.0585	0.0085	
2007	0.0950	0.0068	0.1379	0.0107	0.0541	0.0052	—	—	—	—	0.0885	0.0099	0.1901	0.0138	0.0485	0.0080	
2006	0.0933	0.0059	0.1277	0.0090	0.0605	0.0061	—	—	—	—	0.0821	0.0082	0.1944	0.0136	0.0466	0.0080	
Drug dependence																	
2010	0.3294	0.0191	0.4647	0.0286	0.2004	0.0149	—	—	0.0564	0.0128	0.2845	0.0216	0.7215	0.0455	0.0570	0.0093	
2009	0.3486	0.0232	0.5034	0.0348	0.2010	0.0150	—	—	0.0401	0.0116	0.3377	0.0302	0.7396	0.0494	0.0505	0.0110	
2008	0.3174	0.0276	0.4789	0.0421	0.1636	0.0163	—	—	0.0786	0.0185	0.2812	0.0320	0.6921	0.0598	0.0551	0.0094	
2007	0.2605	0.0187	0.3846	0.0303	0.1424	0.0108	—	—	—	—	0.2547	0.0244	0.5520	0.0394	0.0468	0.0102	
2006	0.2739	0.0187	0.4015	0.0286	0.1524	0.0123	—	—	—	—	0.2787	0.0249	0.5812	0.0405	0.0360	0.0071	
Nondependent abuse of drugs																	
2010	0.9705	0.0392	1.4597	0.0607	0.5040	0.0246	0.0156	0.0040	0.1429	0.0211	0.9366	0.0442	2.0578	0.0902	0.1089	0.0120	
2009	0.9178	0.0416	1.3866	0.0647	0.4711	0.0260	0.0164	0.0043	0.1742	0.0313	0.9057	0.0488	1.9096	0.0903	0.1409	0.0168	
2008	0.8843	0.0416	1.3421	0.0639	0.4476	0.0261	0.0147	0.0052	0.1335	0.0282	0.9083	0.0482	1.8297	0.0880	0.1194	0.0148	
2007	0.8709	0.0362	1.2882	0.0567	0.4736	0.0243	—	—	0.1109	0.0190	0.8770	0.0415	1.8278	0.0834	0.1319	0.0153	
2006	0.8514	0.0386	1.2612	0.0599	0.4613	0.0241	—	—	0.0970	0.0167	0.9620	0.0492	1.7093	0.0840	0.0885	0.0133	
Drug poisoning																	
2010	0.1458	0.0072	0.2023	0.0111	0.0920	0.0068	—	—	—	—	0.1375	0.0116	0.2925	0.0165	0.0565	0.0082	
2009	0.1650	0.0081	0.2125	0.0116	0.1198	0.0091	—	—	0.0265	0.0077	0.1660	0.0126	0.3208	0.0176	0.0616	0.0091	
2008	0.1454	0.0080	0.1836	0.0121	0.1089	0.0075	—	—	0.0414	0.0118	0.1495	0.0122	0.2734	0.0165	0.0679	0.0099	
2007	0.1278	0.0062	0.1590	0.0106	0.0976	0.0065	—	—	0.0356	0.0117	0.1067	0.0086	0.2656	0.0157	0.0612	0.0095	
2006	0.1324	0.0078	0.1664	0.0101	0.1001	0.0085	—	—	0.0315	0.0100	0.1279	0.0113	0.2680	0.0181	0.0510	0.0089	
Alcohol poisoning																	
Any drug-related diagnoses																	
2010	1.1927	0.0508	1.1906	0.0541	1.1948	0.0547	0.6889	0.0436	1.7846	0.1131	1.6948	0.0739	1.2752	0.0643	0.2391	0.0217	
2009	1.2289	0.0517	1.2562	0.0581	1.2029	0.0523	0.7759	0.0482	1.7955	0.0996	1.7463	0.0803	1.2824	0.0606	0.2502	0.0211	
2008	1.2789	0.0528	1.2783	0.0569	1.2792	0.0541	0.8578	0.0508	1.9587	0.1216	1.8488	0.0793	1.2580	0.0600	0.2389	0.0249	
2007	1.1711	0.0476	1.1867	0.0513	1.1550	0.0499	0.7693	0.0452	1.7223	0.0968	1.7354	0.0762	1.1192	0.0529	0.2141	0.0180	
2006	1.1876	0.0517	1.2254	0.0600	1.1517	0.0508	0.8205	0.0502	1.8201	0.1076	1.7687	0.0876	1.1071	0.0527	0.1567	0.0171	
Drug psychoses																	
2010	0.0475	0.0043	0.0549	0.0058	0.0405	0.0048	0.0254	0.0054	0.0630	0.0148	0.0742	0.0083	0.0462	0.0062	—	—	
2009	0.0599	0.0048	0.0691	0.0070	0.0510	0.0049	0.0377	0.0067	0.0907	0.0186	0.0732	0.0085	0.0726	0.0082	0.0150	0.0042	
2008	0.0535	0.0047	0.0631	0.0065	0.0443	0.0050	0.0242	0.0060	0.0847	0.0170	0.0636	0.0069	0.0602	0.0070	0.0342	0.0097	
2007	0.0463	0.0048	0.0563	0.0062	0.0367	0.0052	0.0259	0.0057	0.0585	0.0145	0.0680	0.0094	0.0441	0.0064	0.0188	0.0049	
2006	0.0567	0.0041	0.0789	0.0070	0.0355	0.0040	0.0376	0.0066	0.0645	0.0132	0.0852	0.0083	0.0539	0.0064	0.0151	0.0046	

See footnotes at end of table.

Table C6. Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Alcohol poisoning																	
Drug dependence																	
2010	0.0786	0.0057	0.0989	0.0085	0.0592	0.0056	0.0385	0.0068	0.1122	0.0242	0.1285	0.0110	0.0732	0.0083	—	—	
2009	0.0880	0.0067	0.1096	0.0095	0.0675	0.0066	0.0301	0.0061	0.1630	0.0303	0.1305	0.0123	0.0954	0.0091	—	—	
2008	0.0825	0.0067	0.0964	0.0098	0.0693	0.0067	0.0313	0.0063	0.1083	0.0193	0.1254	0.0119	0.0920	0.0099	—	—	
2007	0.0769	0.0068	0.0947	0.0103	0.0599	0.0064	0.0276	0.0067	0.1121	0.0201	0.1341	0.0145	0.0696	0.0077	—	—	
2006	0.0646	0.0051	0.0800	0.0078	0.0499	0.0048	0.0131	0.0040	0.0785	0.0166	0.1237	0.0111	0.0538	0.0066	—	—	
Nondependent abuse of drugs																	
2010	0.3017	0.0166	0.3709	0.0220	0.2357	0.0150	0.2054	0.0192	0.4989	0.0466	0.4629	0.0296	0.2802	0.0189	0.0265	0.0055	
2009	0.3156	0.0167	0.3981	0.0230	0.2369	0.0141	0.2480	0.0215	0.5646	0.0474	0.4649	0.0275	0.2875	0.0196	0.0223	0.0051	
2008	0.3180	0.0163	0.3766	0.0199	0.2619	0.0162	0.2660	0.0211	0.5331	0.0500	0.4755	0.0265	0.2777	0.0199	0.0239	0.0056	
2007	0.2994	0.0157	0.3585	0.0195	0.2426	0.0162	0.2164	0.0192	0.5019	0.0433	0.4784	0.0299	0.2410	0.0164	0.0230	0.0053	
2006	0.2890	0.0154	0.3554	0.0202	0.2257	0.0145	0.2225	0.0206	0.4984	0.0446	0.4604	0.0279	0.2277	0.0173	—	—	
Drug poisoning																	
2010	1.1055	0.0489	1.0643	0.0506	1.1448	0.0537	0.6093	0.0410	1.6486	0.1096	1.5741	0.0711	1.1891	0.0624	0.2313	0.0211	
2009	1.1398	0.0485	1.1242	0.0529	1.1547	0.0510	0.6916	0.0447	1.6848	0.0957	1.6260	0.0761	1.1864	0.0567	0.2447	0.0209	
2008	1.1867	0.0498	1.1524	0.0530	1.2193	0.0518	0.7579	0.0466	1.8447	0.1168	1.7308	0.0754	1.1670	0.0569	0.2160	0.0204	
2007	1.0896	0.0453	1.0695	0.0483	1.1079	0.0482	0.6843	0.0425	1.6241	0.0936	1.6234	0.0724	1.0420	0.0503	0.2018	0.0171	
2006	1.1015	0.0495	1.1040	0.0568	1.0992	0.0497	0.7340	0.0479	1.7040	0.1021	1.6465	0.0845	1.0263	0.0506	0.1538	0.0171	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table C7. Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Any alcohol-related diagnoses																	
Any mental health-related diagnoses																	
2010	9.6787	0.3506	12.6335	0.4829	6.8603	0.2437	2.5327	0.1001	6.4926	0.2946	11.9142	0.4583	14.9133	0.5598	2.7670	0.1189	
2009	9.7331	0.3792	12.6521	0.5262	6.9468	0.2584	2.5433	0.1003	6.2797	0.2477	12.1106	0.4921	14.8429	0.6210	3.0131	0.1286	
2008	9.0618	0.3764	11.5150	0.4932	6.7229	0.2830	2.5773	0.1349	6.4189	0.2978	11.5450	0.5163	13.3845	0.5684	2.7050	0.1111	
2007	8.4430	0.3784	10.8502	0.5216	6.1489	0.2622	2.6625	0.1543	5.3989	0.2570	10.7977	0.5221	12.3719	0.5761	2.6117	0.1220	
2006	7.5291	0.3184	9.7098	0.4381	5.4505	0.2188	2.4001	0.1056	4.6013	0.2260	9.7310	0.4407	11.0076	0.4857	2.2735	0.1058	
Adjustment disorder																	
2010	0.2237	0.0185	0.2800	0.0258	0.1700	0.0144	0.1076	0.0156	0.2608	0.0321	0.2576	0.0252	0.3036	0.0289	0.0894	0.0132	
2009	0.2123	0.0150	0.2681	0.0208	0.1590	0.0121	0.0990	0.0140	0.2440	0.0299	0.2745	0.0231	0.2745	0.0225	0.0551	0.0090	
2008	0.2202	0.0177	0.2907	0.0256	0.1530	0.0126	0.1123	0.0143	0.2326	0.0419	0.2786	0.0261	0.2739	0.0245	0.0907	0.0109	
2007	0.1947	0.0127	0.2453	0.0168	0.1464	0.0119	0.1444	0.0174	0.2412	0.0321	0.2322	0.0191	0.2336	0.0183	0.0647	0.0091	
2006	0.1806	0.0133	0.2123	0.0175	0.1503	0.0120	0.1238	0.0157	0.1799	0.0289	0.2301	0.0208	0.2155	0.0177	0.0593	0.0088	
Anxiety disorder																	
2010	2.4463	0.0974	2.9918	0.1246	1.9257	0.0796	0.5248	0.0302	2.0801	0.1304	3.3517	0.1425	3.4361	0.1448	0.6066	0.0390	
2009	2.4430	0.1119	3.0190	0.1479	1.8935	0.0844	0.5492	0.0337	1.9535	0.1086	3.3831	0.1670	3.3864	0.1650	0.6573	0.0447	
2008	2.1793	0.0980	2.5969	0.1230	1.7814	0.0817	0.5464	0.0412	1.9397	0.1106	3.0189	0.1486	2.9565	0.1408	0.5688	0.0355	
2007	1.9529	0.0985	2.4158	0.1297	1.5121	0.0763	0.5019	0.0369	1.6364	0.1073	2.7210	0.1458	2.6495	0.1479	0.4941	0.0324	
2006	1.7413	0.0765	2.1864	0.1060	1.3173	0.0568	0.4461	0.0284	1.3550	0.0812	2.4426	0.1118	2.3801	0.1177	0.4169	0.0306	
Bipolar disorder																	
2010	1.8002	0.0878	2.3658	0.1244	1.2608	0.0607	0.4044	0.0308	1.1521	0.0717	2.4639	0.1274	2.7230	0.1454	0.2007	0.0222	
2009	1.7254	0.0882	2.2275	0.1247	1.2462	0.0617	0.3730	0.0279	1.0808	0.0784	2.4427	0.1300	2.5095	0.1393	0.2578	0.0282	
2008	1.5822	0.0773	2.0106	0.1061	1.1740	0.0583	0.3812	0.0303	1.0493	0.0810	2.2511	0.1219	2.2728	0.1126	0.2029	0.0191	
2007	1.4431	0.0854	1.8577	0.1256	1.0478	0.0548	0.3763	0.0350	0.8183	0.0625	2.1070	0.1357	2.0316	0.1281	0.1731	0.0212	
2006	1.1943	0.0794	1.5667	0.1172	0.8399	0.0503	0.3377	0.0275	0.7028	0.0620	1.7861	0.1256	1.6094	0.1144	0.1555	0.0175	
Depressive disorder																	
2010	5.2477	0.1986	6.7128	0.2676	3.8506	0.1460	0.9268	0.0473	2.7652	0.1630	6.0679	0.2474	8.6761	0.3349	1.8519	0.0887	
2009	5.3985	0.2155	6.8372	0.2924	4.0244	0.1555	1.0068	0.0497	2.5946	0.1272	6.2743	0.2624	8.8893	0.3788	2.0390	0.0908	
2008	5.0951	0.2298	6.2721	0.2919	3.9723	0.1815	1.0566	0.0678	2.9451	0.1663	6.2268	0.3030	7.9927	0.3698	1.8204	0.0828	
2007	4.7445	0.2252	5.8988	0.2976	3.6440	0.1687	1.1015	0.0753	2.4596	0.1404	5.7674	0.2946	7.4464	0.3625	1.7780	0.0950	
2006	4.3236	0.1914	5.4041	0.2537	3.2937	0.1415	1.0038	0.0523	2.1021	0.1276	5.3231	0.2531	6.8134	0.3118	1.5337	0.0788	
Personality disorder																	
2010	0.3412	0.0294	0.4630	0.0438	0.2250	0.0188	0.0956	0.0145	0.3572	0.0470	0.4568	0.0461	0.4804	0.0446	0.0537	0.0097	
2009	0.3981	0.0408	0.5560	0.0605	0.2472	0.0255	0.0743	0.0107	0.4077	0.0511	0.5715	0.0626	0.5502	0.0632	0.0452	0.0090	
2008	0.3900	0.0450	0.5416	0.0696	0.2456	0.0266	0.1009	0.0156	0.3330	0.0472	0.5652	0.0697	0.5282	0.0668	0.0536	0.0121	
2007	0.3992	0.0348	0.5220	0.0502	0.2822	0.0242	0.1206	0.0187	0.2891	0.0378	0.5932	0.0566	0.5179	0.0466	0.0702	0.0127	
2006	0.3704	0.0432	0.4921	0.0625	0.2546	0.0291	0.0775	0.0103	0.2761	0.0405	0.5628	0.0691	0.4745	0.0622	0.0806	0.0170	
Schizophrenia and other psychotic disorders																	
2010	0.8085	0.0437	1.2827	0.0769	0.3560	0.0171	0.1356	0.0164	0.4457	0.0417	0.9761	0.0567	1.3323	0.0809	0.2086	0.0187	
2009	0.7602	0.0414	1.2060	0.0675	0.3351	0.0204	0.1283	0.0135	0.4213	0.0395	0.8902	0.0516	1.2628	0.0793	0.2404	0.0217	
2008	0.6843	0.0342	1.0855	0.0570	0.3021	0.0179	0.1193	0.0144	0.3491	0.0364	0.8440	0.0462	1.1119	0.0641	0.1934	0.0169	
2007	0.7249	0.0519	1.1230	0.0838	0.3457	0.0264	0.1274	0.0150	0.3434	0.0430	0.9036	0.0797	1.1574	0.0842	0.2393	0.0219	
2006	0.6008	0.0280	0.9406	0.0471	0.2767	0.0157	0.1164	0.0165	0.3358	0.0363	0.7531	0.0430	0.9352	0.0470	0.2112	0.0183	
All other mental disorders																	
2010	0.4837	0.0293	0.6352	0.0407	0.3392	0.0220	0.7664	0.0463	0.8315	0.0638	0.5965	0.0460	0.3795	0.0353	0.0459	0.0074	
2009	0.4938	0.0246	0.6377	0.0344	0.3563	0.0197	0.7719	0.0433	0.9251	0.0679	0.5998	0.0380	0.3728	0.0282	0.0600	0.0103	
2008	0.4284	0.0246	0.5556	0.0297	0.3071	0.0246	0.7598	0.0601	0.8097	0.0637	0.5073	0.0354	0.2835	0.0206	0.0543	0.0081	
2007	0.4271	0.0263	0.5252	0.0319	0.3337	0.0258	0.7821	0.0722	0.6655	0.0565	0.4931	0.0329	0.3060	0.0254	0.0581	0.0089	
2006	0.3631	0.0193	0.4622	0.0262	0.2684	0.0164	0.7099	0.0439	0.4819	0.0464	0.4134	0.0289	0.2563	0.0205	0.0516	0.0079	

See footnotes at end of table.

Table C7. Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Alcoholic psychoses																	
Any mental health-related diagnoses																	
2010	2.5684	0.1336	3.5980	0.1905	1.5865	0.0874	0.1004	0.0135	0.8256	0.0717	3.0016	0.1693	4.5122	0.2343	0.8676	0.0577	
2009	2.6807	0.1728	3.7672	0.2415	1.6453	0.1158	0.0986	0.0134	0.8046	0.0792	3.2972	0.2385	4.5394	0.2840	0.9849	0.0665	
2008	2.2353	0.1328	3.1232	0.1871	1.3890	0.0877	0.0748	0.0132	0.7636	0.0765	2.7495	0.1815	3.8121	0.2202	0.7634	0.0507	
2007	2.0781	0.1524	2.9299	0.2283	1.2669	0.0909	0.0948	0.0128	0.6028	0.0651	2.6757	0.2321	3.4372	0.2374	0.7054	0.0492	
2006	1.8064	0.1218	2.5505	0.1675	1.0980	0.0827	0.0711	0.0139	0.4510	0.0588	2.3604	0.1771	2.9782	0.1903	0.6280	0.0494	
Adjustment disorder																	
2010	0.0488	0.0073	0.0649	0.0117	0.0335	0.0046	—	—	—	—	0.0509	0.0092	0.0855	0.0145	0.0282	0.0070	
2009	0.0465	0.0060	0.0704	0.0097	0.0236	0.0040	—	—	—	—	0.0593	0.0086	0.0755	0.0113	0.0139	0.0045	
2008	0.0436	0.0049	0.0638	0.0080	0.0244	0.0032	—	—	—	—	0.0469	0.0071	0.0744	0.0096	0.0286	0.0055	
2007	0.0335	0.0036	0.0534	0.0063	0.0146	0.0028	—	—	—	—	0.0437	0.0072	0.0484	0.0064	0.0191	0.0050	
2006	0.0338	0.0042	0.0480	0.0058	0.0203	0.0041	—	—	—	—	0.0456	0.0078	0.0527	0.0070	0.0161	0.0045	
Anxiety disorder																	
2010	0.7356	0.0399	0.9951	0.0542	0.4879	0.0305	0.0331	0.0073	0.3575	0.0421	1.0133	0.0608	1.1368	0.0647	0.1950	0.0212	
2009	0.7392	0.0601	1.0013	0.0800	0.4894	0.0444	0.0279	0.0060	0.3172	0.0424	1.0229	0.0963	1.1297	0.0851	0.2412	0.0276	
2008	0.6043	0.0396	0.8132	0.0514	0.4053	0.0319	0.0176	0.0048	0.3543	0.0467	0.8255	0.0623	0.9324	0.0582	0.1693	0.0184	
2007	0.5205	0.0323	0.7185	0.0433	0.3319	0.0268	0.0195	0.0048	0.2527	0.0369	0.7417	0.0534	0.7759	0.0476	0.1531	0.0162	
2006	0.4599	0.0301	0.6473	0.0420	0.2814	0.0223	0.0179	0.0053	0.1517	0.0239	0.6670	0.0471	0.7011	0.0501	0.1121	0.0136	
Bipolar disorder																	
2010	0.4838	0.0324	0.6790	0.0478	0.2976	0.0227	0.0220	0.0054	0.1684	0.0252	0.6222	0.0464	0.8418	0.0577	0.0558	0.0110	
2009	0.4812	0.0373	0.6532	0.0527	0.3174	0.0273	0.0175	0.0046	0.1722	0.0332	0.6731	0.0588	0.7665	0.0598	0.0948	0.0151	
2008	0.4058	0.0297	0.5646	0.0427	0.2544	0.0205	0.0214	0.0056	0.1442	0.0266	0.5575	0.0462	0.6614	0.0489	0.0663	0.0096	
2007	0.4019	0.0461	0.5629	0.0733	0.2486	0.0239	0.0114	0.0036	0.1324	0.0254	0.5943	0.0799	0.6241	0.0656	0.0518	0.0123	
2006	0.3163	0.0372	0.4540	0.0514	0.1851	0.0258	0.0169	0.0070	0.1062	0.0258	0.4699	0.0625	0.4794	0.0514	0.0522	0.0109	
Depressive disorder																	
2010	1.4891	0.0814	2.0315	0.1128	0.9720	0.0575	0.0416	0.0088	0.3423	0.0385	1.5886	0.0975	2.7568	0.1490	0.6005	0.0431	
2009	1.5734	0.1035	2.1679	0.1431	1.0068	0.0708	0.0436	0.0082	0.3451	0.0406	1.7713	0.1329	2.8150	0.1824	0.6816	0.0490	
2008	1.2914	0.0820	1.7482	0.1127	0.8559	0.0577	0.0281	0.0076	0.3605	0.0453	1.4780	0.1052	2.3051	0.1441	0.5178	0.0391	
2007	1.1831	0.0828	1.6221	0.1167	0.7650	0.0568	0.0436	0.0085	0.2453	0.0337	1.3936	0.1138	2.0888	0.1423	0.4698	0.0367	
2006	1.0601	0.0702	1.4357	0.0929	0.7025	0.0524	0.0315	0.0073	0.2211	0.0341	1.2818	0.0953	1.8458	0.1182	0.4304	0.0382	
Personality disorder																	
2010	0.1037	0.0136	0.1524	0.0209	0.0572	0.0083	—	—	0.0625	0.0175	0.1374	0.0202	0.1679	0.0233	0.0159	0.0047	
2009	0.1405	0.0228	0.2100	0.0345	0.0743	0.0130	—	—	0.0955	0.0219	0.1846	0.0318	0.2306	0.0411	0.0199	0.0058	
2008	0.1385	0.0211	0.1931	0.0293	0.0865	0.0150	—	—	0.0730	0.0163	0.1930	0.0315	0.2136	0.0351	0.0302	0.0100	
2007	0.1352	0.0187	0.1812	0.0262	0.0914	0.0133	—	—	0.0504	0.0124	0.2029	0.0306	0.1993	0.0279	0.0260	0.0072	
2006	0.1258	0.0196	0.1768	0.0278	0.0772	0.0139	—	—	0.0387	0.0124	0.1870	0.0308	0.1856	0.0302	0.0306	0.0109	
Schizophrenia and other psychotic disorders																	
2010	0.1668	0.0114	0.2804	0.0207	0.0585	0.0054	—	—	0.0430	0.0109	0.1796	0.0154	0.3131	0.0221	0.0581	0.0088	
2009	0.1726	0.0120	0.2913	0.0213	0.0595	0.0058	—	—	—	—	0.2041	0.0171	0.3125	0.0245	0.0553	0.0096	
2008	0.1408	0.0106	0.2424	0.0199	0.0440	0.0043	—	—	—	—	0.1734	0.0183	0.2537	0.0193	0.0323	0.0064	
2007	0.1713	0.0260	0.2823	0.0444	0.0655	0.0109	—	—	—	—	0.2221	0.0413	0.2917	0.0433	0.0534	0.0114	
2006	0.1186	0.0079	0.2008	0.0143	0.0403	0.0043	—	—	—	—	0.1505	0.0133	0.2001	0.0157	0.0488	0.0082	
All other mental disorders																	
2010	0.0846	0.0104	0.1069	0.0159	0.0634	0.0075	0.0214	0.0063	0.0828	0.0155	0.1370	0.0179	0.0997	0.0164	—	—	
2009	0.0934	0.0115	0.1258	0.0169	0.0625	0.0087	0.0218	0.0064	0.1185	0.0338	0.1504	0.0203	0.0989	0.0132	0.0236	0.0079	
2008	0.0711	0.0080	0.0922	0.0100	0.0511	0.0076	0.0184	0.0054	0.0845	0.0163	0.1203	0.0171	0.0681	0.0082	0.0202	0.0050	
2007	0.0644	0.0067	0.0792	0.0085	0.0504	0.0073	0.0238	0.0062	0.0764	0.0199	0.0940	0.0119	0.0755	0.0096	0.0139	0.0039	
2006	0.0461	0.0045	0.0638	0.0069	0.0292	0.0042	0.0121	0.0037	0.0332	0.0122	0.0751	0.0087	0.0521	0.0070	—	—	

See footnotes at end of table.

Table C7. Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcohol dependence syndrome																
Any mental health-related diagnoses																
2010	2.9265	0.1606	4.0001	0.2341	1.9024	0.1008	0.2943	0.0253	1.4749	0.1287	3.6613	0.2090	4.7873	0.2698	0.8147	0.0557
2009	3.0658	0.2070	4.1468	0.2941	2.0338	0.1317	0.2978	0.0269	1.3985	0.0976	3.8694	0.2599	5.0046	0.3625	0.9130	0.0675
2008	2.8284	0.2045	3.7277	0.2761	1.9713	0.1483	0.3803	0.0452	1.4689	0.1171	3.7751	0.2862	4.3486	0.3243	0.7932	0.0485
2007	2.7273	0.2115	3.6103	0.2919	1.8858	0.1428	0.3513	0.0643	1.2498	0.1051	3.5999	0.2908	4.2323	0.3296	0.8628	0.0693
2006	2.3100	0.1400	3.0884	0.1993	1.5680	0.0909	0.2658	0.0266	1.0458	0.0920	3.0823	0.1951	3.5884	0.2290	0.7124	0.0481
Adjustment disorder																
2010	0.0674	0.0076	0.0915	0.0117	0.0444	0.0053	—	—	0.0546	0.0143	0.0779	0.0111	0.1075	0.0134	0.0282	0.0059
2009	0.0641	0.0060	0.0801	0.0082	0.0488	0.0055	0.0142	0.0045	0.0658	0.0142	0.0802	0.0087	0.0945	0.0118	0.0175	0.0051
2008	0.0687	0.0083	0.0963	0.0120	0.0423	0.0059	0.0146	0.0046	0.0411	0.0136	0.0913	0.0136	0.0971	0.0125	0.0295	0.0070
2007	0.0613	0.0052	0.0811	0.0076	0.0424	0.0050	0.0214	0.0054	0.0403	0.0112	0.0766	0.0085	0.0864	0.0091	0.0271	0.0062
2006	0.0623	0.0073	0.0760	0.0096	0.0493	0.0065	—	—	0.0484	0.0150	0.0852	0.0117	0.0895	0.0109	0.0174	0.0047
Anxiety disorder																
2010	0.6668	0.0390	0.8540	0.0527	0.4880	0.0299	0.0723	0.0100	0.4341	0.0611	0.8994	0.0551	1.0083	0.0610	0.1737	0.0178
2009	0.7273	0.0612	0.9424	0.0825	0.5219	0.0442	0.0614	0.0099	0.3884	0.0406	1.0222	0.0887	1.0947	0.0971	0.1723	0.0193
2008	0.6641	0.0589	0.8232	0.0780	0.5124	0.0453	0.1037	0.0173	0.4017	0.0407	0.9550	0.0904	0.9387	0.0913	0.1680	0.0177
2007	0.6108	0.0629	0.7803	0.0846	0.4494	0.0463	0.0727	0.0180	0.3174	0.0425	0.8662	0.0926	0.9020	0.0980	0.1458	0.0176
2006	0.5057	0.0328	0.6525	0.0468	0.3659	0.0240	0.0462	0.0083	0.3077	0.0372	0.7220	0.0484	0.7322	0.0545	0.1358	0.0163
Bipolar disorder																
2010	0.6061	0.0461	0.8259	0.0687	0.3965	0.0287	0.0439	0.0081	0.2665	0.0333	0.8471	0.0673	0.9667	0.0804	0.0712	0.0122
2009	0.6187	0.0544	0.8199	0.0769	0.4270	0.0365	0.0404	0.0080	0.2923	0.0362	0.8829	0.0793	0.9582	0.0893	0.0926	0.0152
2008	0.5249	0.0422	0.6954	0.0603	0.3625	0.0291	0.0633	0.0104	0.2733	0.0393	0.7845	0.0648	0.7609	0.0667	0.0694	0.0109
2007	0.5038	0.0452	0.6591	0.0646	0.3558	0.0301	0.0607	0.0118	0.2172	0.0292	0.7487	0.0697	0.7461	0.0712	0.0600	0.0100
2006	0.3942	0.0421	0.5379	0.0666	0.2574	0.0230	0.0405	0.0079	0.1676	0.0287	0.5919	0.0628	0.5744	0.0665	0.0618	0.0104
Depressive disorder																
2010	1.6193	0.0889	2.1596	0.1253	1.1042	0.0616	0.1254	0.0145	0.7014	0.0780	1.9010	0.1079	2.7621	0.1552	0.5606	0.0433
2009	1.7334	0.1170	2.2834	0.1643	1.2079	0.0781	0.1404	0.0165	0.6181	0.0563	2.0314	0.1329	2.9733	0.2192	0.6515	0.0496
2008	1.6795	0.1300	2.1371	0.1686	1.2432	0.1010	0.1753	0.0259	0.7418	0.0677	2.1315	0.1748	2.7062	0.2170	0.5614	0.0380
2007	1.6087	0.1326	2.0559	0.1760	1.1823	0.0965	0.1414	0.0305	0.6640	0.0706	1.9923	0.1706	2.6143	0.2161	0.6548	0.0595
2006	1.3928	0.0845	1.8166	0.1159	0.9890	0.0589	0.1197	0.0137	0.5268	0.0543	1.7471	0.1140	2.2984	0.1446	0.4934	0.0366
Personality disorder																
2010	0.1488	0.0163	0.2023	0.0237	0.0979	0.0112	0.0146	0.0054	0.1429	0.0301	0.1988	0.0261	0.2219	0.0264	0.0310	0.0074
2009	0.1717	0.0187	0.2402	0.0281	0.1065	0.0128	0.0222	0.0059	0.1270	0.0231	0.2564	0.0314	0.2419	0.0285	0.0202	0.0049
2008	0.1723	0.0234	0.2528	0.0393	0.0957	0.0119	0.0281	0.0068	0.1285	0.0278	0.2599	0.0369	0.2364	0.0360	0.0209	0.0057
2007	0.1793	0.0181	0.2367	0.0264	0.1247	0.0142	0.0387	0.0093	0.1429	0.0263	0.2649	0.0302	0.2401	0.0245	0.0300	0.0070
2006	0.1717	0.0270	0.2286	0.0376	0.1177	0.0192	0.0210	0.0056	0.1332	0.0257	0.2616	0.0436	0.2275	0.0399	0.0341	0.0086
Schizophrenia and other psychotic disorders																
2010	0.2393	0.0276	0.4095	0.0503	0.0770	0.0080	0.0124	0.0050	0.0705	0.0148	0.3047	0.0329	0.4189	0.0548	0.0329	0.0066
2009	0.2234	0.0214	0.3648	0.0344	0.0884	0.0117	—	—	0.0901	0.0187	0.2530	0.0266	0.4068	0.0430	0.0562	0.0096
2008	0.1710	0.0156	0.2837	0.0268	0.0637	0.0081	—	—	0.0537	0.0176	0.2159	0.0209	0.2900	0.0320	0.0473	0.0082
2007	0.1973	0.0294	0.3191	0.0452	0.0813	0.0155	—	—	0.0763	0.0197	0.2595	0.0472	0.3275	0.0440	0.0448	0.0091
2006	0.1532	0.0120	0.2458	0.0193	0.0644	0.0079	0.0165	0.0058	0.0565	0.0133	0.2002	0.0182	0.2475	0.0226	0.0443	0.0081
All other mental disorders																
2010	0.1181	0.0097	0.1550	0.0132	0.0829	0.0085	0.0746	0.0104	0.1976	0.0262	0.1730	0.0173	0.1166	0.0121	0.0174	0.0048
2009	0.1206	0.0109	0.1553	0.0138	0.0875	0.0101	0.0772	0.0110	0.1642	0.0223	0.1790	0.0188	0.1248	0.0152	0.0148	0.0043
2008	0.1054	0.0113	0.1365	0.0140	0.0759	0.0112	0.0937	0.0230	0.2017	0.0279	0.1502	0.0179	0.0914	0.0109	—	—
2007	0.1101	0.0135	0.1290	0.0145	0.0920	0.0145	0.1106	0.0373	0.1603	0.0251	0.1513	0.0173	0.1028	0.0128	—	—
2006	0.0901	0.0090	0.1141	0.0124	0.0672	0.0078	0.0700	0.0138	0.1027	0.0193	0.1390	0.0156	0.0807	0.0107	0.0153	0.0045

See footnotes at end of table.

Table C7. Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Nondependent abuse of alcohol																	
Any mental health-related diagnoses																	
2010	3.4575	0.1362	4.2644	0.1795	2.6877	0.1039	2.0060	0.0857	3.9227	0.1816	4.5377	0.1892	4.3436	0.1915	0.6678	0.0395	
2009	3.2412	0.1210	3.9480	0.1622	2.5649	0.0922	1.9828	0.0850	3.8281	0.1691	4.2957	0.1699	3.9523	0.1692	0.6005	0.0362	
2008	3.2175	0.1266	3.8345	0.1587	2.6289	0.1046	1.9606	0.0960	3.9022	0.1893	4.3349	0.1807	3.8076	0.1657	0.6151	0.0364	
2007	2.9442	0.1129	3.5215	0.1415	2.3933	0.0950	2.0606	0.1062	3.3547	0.1625	3.9230	0.1617	3.4231	0.1449	0.5610	0.0354	
2006	2.7459	0.1112	3.3391	0.1467	2.1798	0.0863	1.8947	0.0907	2.8730	0.1487	3.6601	0.1611	3.2575	0.1440	0.5098	0.0312	
Adjustment disorder																	
2010	0.0917	0.0081	0.1087	0.0102	0.0754	0.0083	0.0920	0.0140	0.1713	0.0261	0.1138	0.0123	0.0868	0.0098	0.0226	0.0086	
2009	0.0867	0.0080	0.1025	0.0104	0.0716	0.0072	0.0670	0.0114	0.1451	0.0231	0.1234	0.0142	0.0809	0.0087	0.0167	0.0048	
2008	0.0886	0.0082	0.1108	0.0122	0.0673	0.0065	0.0881	0.0119	0.1669	0.0293	0.1189	0.0138	0.0729	0.0088	0.0222	0.0052	
2007	0.0849	0.0069	0.0944	0.0088	0.0759	0.0077	0.1077	0.0141	0.1638	0.0242	0.0975	0.0101	0.0765	0.0093	0.0159	0.0050	
2006	0.0690	0.0060	0.0716	0.0077	0.0665	0.0066	0.1014	0.0142	0.1215	0.0196	0.0791	0.0093	0.0538	0.0075	0.0194	0.0051	
Anxiety disorder																	
2010	0.8536	0.0401	0.9471	0.0495	0.7644	0.0368	0.3909	0.0251	1.1873	0.0740	1.2284	0.0614	0.9764	0.0567	0.1469	0.0165	
2009	0.7972	0.0323	0.8828	0.0402	0.7152	0.0295	0.4262	0.0294	1.1754	0.0775	1.1535	0.0498	0.8592	0.0436	0.1356	0.0139	
2008	0.7381	0.0335	0.7854	0.0401	0.6931	0.0321	0.3959	0.0300	1.1183	0.0753	1.0760	0.0527	0.7716	0.0414	0.1317	0.0137	
2007	0.6758	0.0272	0.7522	0.0339	0.6030	0.0262	0.3812	0.0266	1.0245	0.0736	0.9734	0.0442	0.7158	0.0346	0.0932	0.0117	
2006	0.6502	0.0277	0.7487	0.0371	0.5560	0.0245	0.3581	0.0247	0.8424	0.0578	0.9385	0.0436	0.7199	0.0382	0.0860	0.0110	
Bipolar disorder																	
2010	0.6007	0.0316	0.7474	0.0430	0.4609	0.0255	0.3187	0.0271	0.6551	0.0539	0.8557	0.0476	0.7362	0.0486	0.0564	0.0101	
2009	0.5133	0.0244	0.6328	0.0341	0.3986	0.0201	0.2844	0.0231	0.5711	0.0489	0.7537	0.0396	0.5989	0.0345	0.0418	0.0092	
2008	0.5311	0.0273	0.6304	0.0348	0.4365	0.0245	0.2707	0.0223	0.5812	0.0513	0.7793	0.0478	0.6347	0.0357	0.0340	0.0067	
2007	0.4426	0.0232	0.5247	0.0309	0.3640	0.0210	0.2855	0.0273	0.4369	0.0393	0.6650	0.0392	0.4811	0.0300	0.0435	0.0084	
2006	0.3932	0.0206	0.4757	0.0276	0.3146	0.0178	0.2520	0.0221	0.3933	0.0382	0.6142	0.0362	0.4033	0.0245	0.0285	0.0060	
Depressive disorder																	
2010	1.7189	0.0753	2.0848	0.0998	1.3699	0.0584	0.7050	0.0389	1.5858	0.1006	2.2056	0.1074	2.3928	0.1119	0.3977	0.0303	
2009	1.6438	0.0692	1.9338	0.0916	1.3660	0.0568	0.7303	0.0409	1.5118	0.0871	2.1225	0.0973	2.2602	0.1072	0.3587	0.0260	
2008	1.6682	0.0704	1.9113	0.0875	1.4359	0.0613	0.7653	0.0479	1.6950	0.1064	2.2295	0.0975	2.1550	0.1030	0.3863	0.0274	
2007	1.5300	0.0648	1.7619	0.0808	1.3085	0.0563	0.8356	0.0518	1.4358	0.0870	2.0211	0.0954	1.9654	0.0926	0.3288	0.0256	
2006	1.4575	0.0691	1.7223	0.0902	1.2045	0.0557	0.7673	0.0454	1.2301	0.0860	1.9178	0.1023	1.9173	0.0970	0.3269	0.0234	
Personality disorder																	
2010	0.0765	0.0060	0.0941	0.0087	0.0597	0.0060	0.0696	0.0127	0.1438	0.0231	0.1037	0.0106	0.0739	0.0088	—	—	
2009	0.0743	0.0069	0.0963	0.0108	0.0528	0.0061	0.0419	0.0074	0.1657	0.0307	0.1138	0.0127	0.0644	0.0079	—	—	
2008	0.0645	0.0073	0.0799	0.0100	0.0498	0.0063	0.0612	0.0129	0.1091	0.0226	0.0961	0.0126	0.0546	0.0075	—	—	
2007	0.0688	0.0060	0.0876	0.0087	0.0509	0.0056	0.0697	0.0124	0.0913	0.0178	0.1021	0.0108	0.0562	0.0066	—	—	
2006	0.0609	0.0050	0.0738	0.0074	0.0486	0.0049	0.0421	0.0072	0.0891	0.0171	0.0973	0.0096	0.0479	0.0070	0.0130	0.0049	
Schizophrenia and other psychotic disorders																	
2010	0.3436	0.0176	0.5122	0.0287	0.1825	0.0116	0.1198	0.0153	0.3234	0.0349	0.4342	0.0258	0.4877	0.0311	0.0917	0.0122	
2009	0.3083	0.0185	0.4771	0.0301	0.1475	0.0097	0.1109	0.0129	0.2977	0.0326	0.3958	0.0266	0.4323	0.0318	0.0744	0.0100	
2008	0.3066	0.0183	0.4697	0.0293	0.1512	0.0109	0.1046	0.0138	0.2665	0.0314	0.4080	0.0272	0.4303	0.0301	0.0613	0.0092	
2007	0.2856	0.0186	0.4260	0.0281	0.1518	0.0127	0.1050	0.0139	0.2343	0.0327	0.3723	0.0261	0.3938	0.0307	0.0848	0.0107	
2006	0.2634	0.0157	0.4017	0.0258	0.1317	0.0101	0.0914	0.0130	0.2453	0.0309	0.3535	0.0253	0.3606	0.0256	0.0541	0.0090	
All other mental disorders																	
2010	0.2589	0.0167	0.3500	0.0241	0.1720	0.0123	0.6246	0.0409	0.5090	0.0477	0.2654	0.0239	0.1456	0.0170	0.0171	0.0046	
2009	0.2534	0.0126	0.3322	0.0183	0.1780	0.0109	0.6284	0.0370	0.6113	0.0497	0.2424	0.0171	0.1229	0.0123	0.0177	0.0047	
2008	0.2261	0.0117	0.2978	0.0160	0.1578	0.0117	0.6123	0.0424	0.4793	0.0441	0.2119	0.0147	0.0973	0.0098	0.0182	0.0045	
2007	0.2282	0.0136	0.2878	0.0185	0.1715	0.0127	0.5979	0.0443	0.4066	0.0394	0.2243	0.0174	0.1054	0.0102	0.0267	0.0067	
2006	0.2001	0.0114	0.2543	0.0158	0.1482	0.0102	0.5722	0.0388	0.2983	0.0334	0.1725	0.0148	0.1051	0.0115	0.0207	0.0050	

See footnotes at end of table.

Table C7. Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
All chronic liver disease and cirrhosis																	
Any mental health-related diagnoses																	
2010	0.5445	0.0199	0.5803	0.0234	0.5104	0.0220	0.0123	0.0043	0.0531	0.0128	0.4707	0.0246	1.0606	0.0446	0.3709	0.0252	
2009	0.5480	0.0198	0.5802	0.0235	0.5173	0.0214	—	—	0.0699	0.0241	0.4012	0.0210	1.1110	0.0440	0.4481	0.0283	
2008	0.5699	0.0233	0.6050	0.0275	0.5364	0.0243	0.0142	0.0042	0.0422	0.0106	0.4158	0.0229	1.1592	0.0511	0.4921	0.0334	
2007	0.5125	0.0201	0.5882	0.0279	0.4404	0.0191	—	—	0.0278	0.0084	0.3599	0.0198	1.0709	0.0489	0.4404	0.0277	
2006	0.4754	0.0196	0.5269	0.0251	0.4264	0.0212	—	—	0.0348	0.0111	0.3789	0.0219	0.9652	0.0435	0.3840	0.0289	
Adjustment disorder																	
2010	0.0088	0.0014	0.0081	0.0018	0.0094	0.0020	—	—	—	—	—	—	0.0178	0.0037	—	—	
2009	0.0084	0.0014	0.0077	0.0019	0.0090	0.0020	—	—	—	—	0.0071	0.0020	0.0161	0.0032	—	—	
2008	0.0106	0.0017	0.0102	0.0021	0.0109	0.0022	—	—	—	—	0.0093	0.0035	0.0196	0.0034	—	—	
2007	0.0072	0.0013	0.0095	0.0020	0.0051	0.0013	—	—	—	—	—	—	0.0173	0.0032	—	—	
2006	0.0091	0.0016	0.0091	0.0022	0.0092	0.0020	—	—	—	—	0.0100	0.0032	0.0162	0.0031	—	—	
Anxiety disorder																	
2010	0.1456	0.0074	0.1524	0.0083	0.1391	0.0095	—	—	—	—	0.1450	0.0116	0.2713	0.0174	0.0835	0.0098	
2009	0.1368	0.0066	0.1492	0.0088	0.1249	0.0079	—	—	—	—	0.1279	0.0101	0.2577	0.0149	0.0903	0.0106	
2008	0.1275	0.0070	0.1304	0.0084	0.1247	0.0086	—	—	—	—	0.1079	0.0090	0.2538	0.0162	0.0921	0.0117	
2007	0.1130	0.0063	0.1280	0.0095	0.0987	0.0067	—	—	—	—	0.0984	0.0084	0.2161	0.0156	0.0940	0.0123	
2006	0.0922	0.0056	0.1049	0.0081	0.0801	0.0063	—	—	—	—	0.0759	0.0074	0.1843	0.0130	0.0729	0.0110	
Bipolar disorder																	
2010	0.0738	0.0045	0.0779	0.0063	0.0700	0.0061	—	—	—	—	0.0828	0.0085	0.1425	0.0109	0.0142	0.0045	
2009	0.0720	0.0051	0.0813	0.0072	0.0630	0.0059	—	—	—	—	0.0747	0.0078	0.1398	0.0114	0.0205	0.0047	
2008	0.0879	0.0060	0.0920	0.0082	0.0840	0.0069	—	—	—	—	0.0820	0.0084	0.1818	0.0151	0.0284	0.0057	
2007	0.0580	0.0043	0.0681	0.0062	0.0484	0.0052	—	—	—	—	0.0461	0.0060	0.1328	0.0119	0.0151	0.0044	
2006	0.0572	0.0048	0.0633	0.0061	0.0514	0.0075	—	—	—	—	0.0621	0.0083	0.1163	0.0112	—	—	
Depressive disorder																	
2010	0.3173	0.0136	0.3271	0.0163	0.3080	0.0156	—	—	—	—	0.2423	0.0161	0.6323	0.0310	0.2584	0.0212	
2009	0.3276	0.0132	0.3279	0.0161	0.3273	0.0151	—	—	—	—	0.2025	0.0134	0.6872	0.0315	0.3057	0.0227	
2008	0.3269	0.0147	0.3374	0.0178	0.3169	0.0162	—	—	—	—	0.2231	0.0148	0.6580	0.0317	0.3311	0.0260	
2007	0.3137	0.0138	0.3476	0.0189	0.2814	0.0139	—	—	—	—	0.2123	0.0146	0.6549	0.0326	0.2960	0.0223	
2006	0.2960	0.0135	0.3148	0.0174	0.2781	0.0142	—	—	—	—	0.2244	0.0161	0.6062	0.0311	0.2529	0.0219	
Personality disorder																	
2010	0.0051	0.0011	0.0056	0.0016	0.0045	0.0014	—	—	—	—	—	—	0.0087	0.0025	—	—	
2009	0.0039	0.0009	0.0044	0.0012	—	—	—	—	—	—	—	—	0.0079	0.0025	—	—	
2008	0.0058	0.0010	0.0078	0.0018	0.0038	0.0011	—	—	—	—	—	—	0.0125	0.0027	—	—	
2007	0.0070	0.0011	0.0089	0.0018	0.0053	0.0015	—	—	—	—	0.0092	0.0025	0.0116	0.0025	—	—	
2006	0.0047	0.0010	0.0048	0.0013	0.0046	0.0013	—	—	—	—	—	—	0.0099	0.0023	—	—	
Schizophrenia and other psychotic disorders																	
2010	0.0440	0.0032	0.0594	0.0053	0.0293	0.0036	—	—	—	—	0.0354	0.0051	0.0914	0.0076	0.0243	0.0056	
2009	0.0437	0.0036	0.0571	0.0057	0.0309	0.0038	—	—	—	—	0.0240	0.0048	0.0927	0.0090	0.0455	0.0085	
2008	0.0534	0.0041	0.0717	0.0064	0.0360	0.0044	—	—	—	—	0.0314	0.0050	0.1176	0.0108	0.0473	0.0089	
2007	0.0567	0.0044	0.0754	0.0070	0.0388	0.0051	—	—	—	—	0.0329	0.0051	0.1243	0.0120	0.0508	0.0080	
2006	0.0533	0.0039	0.0720	0.0070	0.0356	0.0040	—	—	—	—	0.0343	0.0048	0.1077	0.0100	0.0640	0.0104	
All other mental disorders																	
2010	0.0089	0.0012	0.0096	0.0018	0.0083	0.0017	—	—	—	—	0.0137	0.0028	0.0111	0.0026	—	—	
2009	0.0097	0.0016	0.0086	0.0019	0.0107	0.0023	—	—	—	—	0.0136	0.0037	0.0133	0.0029	—	—	
2008	0.0125	0.0017	0.0146	0.0028	0.0104	0.0021	—	—	—	—	0.0142	0.0028	0.0200	0.0040	—	—	
2007	0.0119	0.0017	0.0130	0.0026	0.0108	0.0022	—	—	—	—	0.0151	0.0034	0.0161	0.0036	—	—	
2006	0.0088	0.0015	0.0094	0.0019	0.0083	0.0019	—	—	—	—	0.0089	0.0023	0.0158	0.0033	—	—	

See footnotes at end of table.

Table C7. Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Alcoholic liver disease																	
Any mental health-related diagnoses																	
2010	0.3810	0.0149	0.4461	0.0192	0.3190	0.0154	—	—	0.0426	0.0118	0.3689	0.0206	0.7670	0.0346	0.1341	0.0132	
2009	0.3797	0.0147	0.4427	0.0196	0.3196	0.0154	—	—	0.0282	0.0094	0.3242	0.0179	0.8008	0.0350	0.1642	0.0152	
2008	0.3874	0.0161	0.4545	0.0209	0.3234	0.0158	—	—	—	—	0.3344	0.0197	0.7974	0.0359	0.2161	0.0202	
2007	0.3357	0.0145	0.4183	0.0213	0.2570	0.0132	—	—	—	—	0.2864	0.0177	0.7123	0.0351	0.1631	0.0150	
2006	0.3339	0.0150	0.4094	0.0208	0.2620	0.0157	—	—	—	—	0.3092	0.0201	0.6992	0.0342	0.1372	0.0159	
Adjustment disorder																	
2010	0.0067	0.0012	0.0055	0.0014	0.0077	0.0018	—	—	—	—	—	—	0.0150	0.0034	—	—	
2009	0.0062	0.0013	0.0064	0.0018	0.0060	0.0016	—	—	—	—	0.0067	0.0020	0.0124	0.0029	—	—	
2008	0.0080	0.0016	0.0079	0.0019	0.0080	0.0019	—	—	—	—	—	—	0.0156	0.0031	—	—	
2007	0.0055	0.0011	0.0080	0.0018	—	—	—	—	—	—	—	—	0.0132	0.0029	—	—	
2006	0.0057	0.0013	0.0073	0.0020	0.0042	0.0012	—	—	—	—	0.0078	0.0027	0.0097	0.0024	—	—	
Anxiety disorder																	
2010	0.1017	0.0057	0.1186	0.0072	0.0855	0.0070	—	—	—	—	0.1140	0.0100	0.1922	0.0136	0.0264	0.0048	
2009	0.0965	0.0051	0.1119	0.0075	0.0819	0.0061	—	—	—	—	0.1026	0.0087	0.1895	0.0124	0.0254	0.0054	
2008	0.0892	0.0053	0.1006	0.0071	0.0784	0.0064	—	—	—	—	0.0908	0.0083	0.1780	0.0126	0.0316	0.0063	
2007	0.0752	0.0049	0.0924	0.0075	0.0588	0.0051	—	—	—	—	0.0764	0.0075	0.1447	0.0115	0.0371	0.0070	
2006	0.0642	0.0043	0.0808	0.0068	0.0484	0.0049	—	—	—	—	0.0614	0.0069	0.1331	0.0105	0.0222	0.0061	
Bipolar disorder																	
2010	0.0510	0.0033	0.0597	0.0051	0.0427	0.0043	—	—	—	—	0.0575	0.0066	0.1013	0.0084	—	—	
2009	0.0479	0.0040	0.0583	0.0063	0.0381	0.0041	—	—	—	—	0.0543	0.0068	0.0952	0.0096	—	—	
2008	0.0586	0.0041	0.0653	0.0060	0.0523	0.0051	—	—	—	—	0.0622	0.0071	0.1179	0.0105	0.0138	0.0040	
2007	0.0414	0.0035	0.0520	0.0054	0.0313	0.0043	—	—	—	—	0.0364	0.0054	0.0946	0.0097	—	—	
2006	0.0442	0.0039	0.0549	0.0056	0.0341	0.0055	—	—	—	—	0.0497	0.0069	0.0901	0.0097	—	—	
Depressive disorder																	
2010	0.2270	0.0108	0.2571	0.0141	0.1983	0.0115	—	—	—	—	0.1984	0.0144	0.4691	0.0252	0.1024	0.0123	
2009	0.2316	0.0101	0.2610	0.0134	0.2035	0.0116	—	—	—	—	0.1705	0.0121	0.5072	0.0257	0.1197	0.0130	
2008	0.2217	0.0108	0.2586	0.0148	0.1866	0.0109	—	—	—	—	0.1834	0.0135	0.4523	0.0233	0.1490	0.0158	
2007	0.2067	0.0100	0.2471	0.0146	0.1682	0.0102	—	—	—	—	0.1714	0.0133	0.4416	0.0243	0.1086	0.0123	
2006	0.2123	0.0110	0.2507	0.0152	0.1757	0.0113	—	—	—	—	0.1865	0.0148	0.4521	0.0256	0.0935	0.0126	
Personality disorder																	
2010	0.0036	0.0009	—	—	—	—	—	—	—	—	—	—	0.0062	0.0019	—	—	
2009	0.0034	0.0008	0.0040	0.0012	—	—	—	—	—	—	—	—	0.0068	0.0023	—	—	
2008	0.0051	0.0010	0.0074	0.0018	—	—	—	—	—	—	—	—	0.0113	0.0025	—	—	
2007	0.0046	0.0009	0.0070	0.0015	—	—	—	—	—	—	—	—	0.0077	0.0020	—	—	
2006	0.0038	0.0009	0.0042	0.0013	—	—	—	—	—	—	—	—	0.0083	0.0022	—	—	
Schizophrenia and other psychotic disorders																	
2010	0.0288	0.0025	0.0431	0.0045	0.0151	0.0024	—	—	—	—	0.0277	0.0044	0.0617	0.0061	—	—	
2009	0.0257	0.0025	0.0369	0.0043	0.0149	0.0025	—	—	—	—	0.0188	0.0040	0.0532	0.0060	0.0189	0.0054	
2008	0.0340	0.0031	0.0505	0.0048	0.0184	0.0030	—	—	—	—	0.0232	0.0038	0.0764	0.0083	0.0203	0.0054	
2007	0.0329	0.0033	0.0519	0.0060	0.0147	0.0032	—	—	—	—	0.0253	0.0045	0.0741	0.0089	0.0137	0.0043	
2006	0.0329	0.0032	0.0497	0.0059	0.0169	0.0027	—	—	—	—	0.0283	0.0043	0.0664	0.0081	0.0230	0.0057	
All other mental disorders																	
2010	0.0052	0.0009	0.0051	0.0013	0.0054	0.0014	—	—	—	—	0.0094	0.0023	0.0063	0.0018	—	—	
2009	0.0069	0.0013	0.0067	0.0018	0.0071	0.0019	—	—	—	—	0.0099	0.0030	0.0101	0.0025	—	—	
2008	0.0074	0.0012	0.0088	0.0019	0.0061	0.0015	—	—	—	—	0.0104	0.0025	0.0127	0.0029	—	—	
2007	0.0065	0.0013	0.0064	0.0017	0.0066	0.0018	—	—	—	—	0.0109	0.0029	0.0074	0.0022	—	—	
2006	0.0058	0.0011	0.0059	0.0015	0.0056	0.0015	—	—	—	—	0.0073	0.0021	0.0100	0.0025	—	—	

See footnotes at end of table.

Table C7. Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Alcohol poisoning																	
Any mental health-related diagnoses																	
2010	0.1817	0.0105	0.1907	0.0124	0.1732	0.0124	0.1196	0.0132	0.2163	0.0339	0.2429	0.0169	0.2096	0.0146	0.0459	0.0069	
2009	0.1974	0.0143	0.2099	0.0189	0.1855	0.0128	0.1551	0.0178	0.1786	0.0218	0.2471	0.0220	0.2355	0.0222	0.0666	0.0105	
2008	0.2107	0.0156	0.2247	0.0193	0.1974	0.0149	0.1474	0.0184	0.2421	0.0274	0.2697	0.0217	0.2571	0.0229	0.0412	0.0078	
2007	0.1809	0.0110	0.2003	0.0139	0.1625	0.0109	0.1453	0.0171	0.1638	0.0212	0.2393	0.0169	0.2084	0.0172	0.0421	0.0077	
2006	0.1913	0.0140	0.2049	0.0168	0.1783	0.0141	0.1587	0.0158	0.1967	0.0246	0.2493	0.0226	0.2183	0.0213	0.0393	0.0081	
Adjustment disorder																	
2010	0.0071	0.0015	0.0069	0.0016	0.0072	0.0024	—	—	—	—	0.0108	0.0030	0.0060	0.0018	—	—	
2009	0.0066	0.0015	0.0073	0.0019	0.0060	0.0015	0.0127	0.0038	—	—	—	—	0.0075	0.0020	—	—	
2008	0.0088	0.0015	0.0095	0.0020	0.0081	0.0018	—	—	—	—	0.0123	0.0027	0.0099	0.0025	—	—	
2007	0.0077	0.0013	0.0070	0.0018	0.0084	0.0018	—	—	—	—	0.0106	0.0028	—	—	—	—	
2006	0.0063	0.0014	0.0076	0.0021	0.0050	0.0015	—	—	—	—	0.0101	0.0029	—	—	—	—	
Anxiety disorder																	
2010	0.0447	0.0046	0.0432	0.0051	0.0462	0.0057	0.0259	0.0062	0.0826	0.0269	0.0655	0.0074	0.0433	0.0066	—	—	
2009	0.0426	0.0044	0.0433	0.0058	0.0420	0.0051	0.0314	0.0101	0.0469	0.0112	0.0565	0.0077	0.0451	0.0062	0.0179	0.0053	
2008	0.0453	0.0053	0.0447	0.0067	0.0458	0.0061	0.0281	0.0074	0.0563	0.0132	0.0546	0.0076	0.0602	0.0089	—	—	
2007	0.0328	0.0030	0.0367	0.0047	0.0291	0.0033	0.0258	0.0059	0.0314	0.0090	0.0413	0.0050	0.0397	0.0060	—	—	
2006	0.0334	0.0036	0.0329	0.0042	0.0339	0.0048	0.0228	0.0056	0.0403	0.0107	0.0392	0.0059	0.0426	0.0064	—	—	
Bipolar disorder																	
2010	0.0357	0.0037	0.0357	0.0048	0.0357	0.0044	0.0173	0.0043	0.0563	0.0205	0.0560	0.0075	0.0358	0.0048	—	—	
2009	0.0402	0.0041	0.0403	0.0055	0.0401	0.0048	0.0295	0.0065	—	—	0.0583	0.0085	0.0461	0.0062	—	—	
2008	0.0326	0.0033	0.0283	0.0036	0.0367	0.0045	0.0197	0.0050	0.0457	0.0123	0.0478	0.0061	0.0340	0.0050	—	—	
2007	0.0368	0.0035	0.0429	0.0050	0.0311	0.0038	0.0188	0.0057	0.0272	0.0079	0.0530	0.0064	0.0475	0.0070	—	—	
2006	0.0335	0.0041	0.0358	0.0054	0.0313	0.0043	0.0273	0.0059	0.0327	0.0096	0.0480	0.0092	0.0360	0.0054	—	—	
Depressive disorder																	
2010	0.1030	0.0060	0.1098	0.0078	0.0965	0.0071	0.0518	0.0081	0.1098	0.0226	0.1305	0.0100	0.1321	0.0104	0.0347	0.0061	
2009	0.1202	0.0088	0.1242	0.0113	0.1164	0.0091	0.0859	0.0142	0.0967	0.0164	0.1465	0.0131	0.1537	0.0152	0.0415	0.0072	
2008	0.1290	0.0097	0.1381	0.0125	0.1204	0.0094	0.0821	0.0135	0.1222	0.0186	0.1647	0.0146	0.1683	0.0150	0.0238	0.0054	
2007	0.1091	0.0073	0.1113	0.0093	0.1069	0.0080	0.0772	0.0122	0.1082	0.0175	0.1481	0.0120	0.1230	0.0113	0.0286	0.0065	
2006	0.1172	0.0093	0.1148	0.0106	0.1195	0.0102	0.0777	0.0104	0.1034	0.0176	0.1519	0.0142	0.1457	0.0161	0.0301	0.0067	
Personality disorder																	
2010	0.0071	0.0014	0.0086	0.0025	0.0057	0.0014	—	—	—	—	0.0114	0.0034	0.0080	0.0021	—	—	
2009	0.0077	0.0011	0.0052	0.0013	0.0101	0.0019	—	—	—	—	0.0121	0.0026	0.0053	0.0017	—	—	
2008	0.0089	0.0016	0.0079	0.0021	0.0098	0.0022	—	—	—	—	0.0114	0.0029	0.0111	0.0030	—	—	
2007	0.0089	0.0015	0.0077	0.0018	0.0100	0.0023	—	—	—	—	0.0141	0.0031	0.0107	0.0031	—	—	
2006	0.0073	0.0018	0.0081	0.0026	0.0065	0.0019	—	—	—	—	0.0122	0.0035	—	—	—	—	
Schizophrenia and other psychotic disorders																	
2010	0.0147	0.0017	0.0211	0.0030	0.0087	0.0017	—	—	—	—	0.0223	0.0039	0.0212	0.0033	—	—	
2009	0.0122	0.0026	0.0158	0.0046	0.0088	0.0019	—	—	—	—	0.0133	0.0025	0.0185	0.0053	—	—	
2008	0.0124	0.0017	0.0179	0.0030	0.0072	0.0016	—	—	—	—	0.0152	0.0029	0.0203	0.0039	—	—	
2007	0.0140	0.0020	0.0201	0.0036	0.0082	0.0017	—	—	—	—	0.0167	0.0031	0.0201	0.0043	—	—	
2006	0.0123	0.0018	0.0204	0.0032	0.0046	0.0015	—	—	—	—	0.0145	0.0031	0.0193	0.0041	—	—	
All other mental disorders																	
2010	0.0132	0.0016	0.0137	0.0022	0.0127	0.0023	0.0428	0.0073	0.0374	0.0107	0.0073	0.0021	—	—	—	—	
2009	0.0168	0.0024	0.0158	0.0031	0.0177	0.0035	0.0426	0.0105	—	—	0.0144	0.0034	0.0128	0.0032	—	—	
2008	0.0132	0.0021	0.0146	0.0032	0.0120	0.0021	0.0323	0.0069	0.0419	0.0114	0.0107	0.0025	0.0067	0.0027	—	—	
2007	0.0126	0.0019	0.0163	0.0026	0.0090	0.0022	0.0457	0.0089	—	—	0.0084	0.0021	0.0063	0.0018	—	—	
2006	0.0181	0.0024	0.0207	0.0035	0.0156	0.0027	0.0544	0.0091	0.0447	0.0120	0.0178	0.0042	—	—	—	—	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table C8. Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Any alcohol-related diagnoses																
Any mental health-related diagnoses																
2010	40.7788	1.3308	50.3569	1.7371	31.6421	0.9856	10.5894	0.4458	31.6587	1.2824	47.3552	1.6865	60.6457	2.0060	20.1198	0.6472
2009	38.9738	1.2734	48.1776	1.6910	30.1858	0.9265	10.6868	0.4538	29.6164	1.1248	46.1326	1.6540	57.0998	1.8812	19.2824	0.6121
2008	36.2011	1.3251	44.2192	1.6733	28.5528	1.0301	10.7392	0.8243	28.9944	1.3282	43.4094	1.7395	51.8472	1.8194	17.9542	0.5953
2007	33.2746	1.2058	41.1022	1.5763	25.8101	0.8973	10.4319	0.7254	25.5079	1.0387	41.4279	1.6278	46.3083	1.6508	15.9240	0.5309
2006	30.5868	1.0908	37.7263	1.4302	23.7853	0.8012	9.3908	0.4249	23.3553	0.9937	38.6260	1.4893	42.2568	1.5149	14.5023	0.5164
Adjustment disorder																
2010	1.1829	0.1134	1.4383	0.1411	0.9394	0.0901	0.6973	0.0985	1.6976	0.1959	1.5825	0.1691	1.2890	0.1105	0.4049	0.0338
2009	1.0811	0.0770	1.3374	0.0994	0.8368	0.0596	0.6801	0.0669	1.4594	0.1370	1.4110	0.1128	1.2144	0.0869	0.3594	0.0297
2008	1.1161	0.0899	1.3819	0.1149	0.8625	0.0698	0.7258	0.1034	1.7390	0.1894	1.4296	0.1271	1.1890	0.0926	0.4243	0.0320
2007	1.0348	0.0632	1.2871	0.0782	0.7941	0.0536	0.7434	0.0800	1.5086	0.1345	1.3760	0.0951	1.0436	0.0607	0.3617	0.0282
2006	0.9884	0.0680	1.1555	0.0813	0.8293	0.0610	0.7371	0.0879	1.3829	0.1284	1.3129	0.0995	0.9838	0.0654	0.3605	0.0265
Anxiety disorder																
2010	10.4638	0.3729	12.0425	0.4324	8.9562	0.3268	2.4653	0.1300	9.0471	0.4228	13.0926	0.5084	14.6445	0.5254	4.9551	0.1935
2009	9.6322	0.3199	11.0700	0.3774	8.2602	0.2768	2.4889	0.1304	8.2868	0.3397	12.1673	0.4451	13.2728	0.4398	4.6120	0.1754
2008	8.6270	0.3192	9.8627	0.3596	7.4479	0.2920	2.3867	0.2327	7.7393	0.3745	10.8897	0.4397	11.7461	0.4108	4.1695	0.1657
2007	7.7479	0.2917	9.0521	0.3439	6.5021	0.2528	2.2119	0.1917	6.6547	0.3146	10.0722	0.4098	10.3844	0.3870	3.4957	0.1368
2006	7.3883	0.2745	8.6364	0.3359	6.1997	0.2288	2.1189	0.1117	6.4206	0.3095	9.8630	0.4019	9.7125	0.3631	3.1236	0.1283
Bipolar disorder																
2010	8.7257	0.3743	10.5905	0.4940	6.9468	0.2764	2.6955	0.1852	7.6961	0.3901	11.6793	0.5238	12.2389	0.5432	1.8493	0.0909
2009	8.2358	0.3524	9.9318	0.4571	6.6184	0.2726	2.6634	0.1797	6.8997	0.3610	11.4718	0.5182	11.0540	0.4752	1.8753	0.0880
2008	7.5826	0.3548	8.9581	0.4347	6.2699	0.2915	2.5173	0.2412	7.0126	0.4182	10.4766	0.5263	10.1710	0.4452	1.5372	0.0795
2007	6.7999	0.3235	8.1620	0.4207	5.5012	0.2482	2.3083	0.1926	5.8762	0.3537	9.8656	0.4908	8.6478	0.4073	1.3863	0.0838
2006	6.0508	0.3067	7.3426	0.4056	4.8206	0.2250	1.9109	0.1453	5.1539	0.3339	8.9899	0.4816	7.5149	0.3710	1.2824	0.0756
Depressive disorder																
2010	20.7763	0.6720	24.7958	0.8432	16.9422	0.5343	4.2231	0.1865	13.3096	0.5968	22.2646	0.7930	32.7877	1.0740	12.5371	0.4295
2009	20.1207	0.6391	24.0143	0.8151	16.3979	0.5011	4.4207	0.1985	12.9291	0.5283	22.0257	0.7692	31.3510	1.0093	11.9700	0.4026
2008	18.8517	0.6966	22.1900	0.8443	15.6669	0.5756	4.5769	0.4032	12.8404	0.5915	21.2920	0.8651	28.4322	1.0194	11.2421	0.3894
2007	17.4077	0.6405	20.7387	0.8022	14.2313	0.5076	4.5588	0.3531	11.2444	0.4813	20.4433	0.8284	25.6369	0.9219	9.9997	0.3503
2006	16.1666	0.5843	19.1704	0.7389	13.3047	0.4579	4.3479	0.2204	10.4928	0.4642	19.2486	0.7562	23.7475	0.8685	8.8808	0.3410
Personality disorder																
2010	2.2069	0.1807	2.6298	0.2301	1.8034	0.1396	0.7486	0.0732	2.6319	0.2363	3.3719	0.2937	2.5752	0.2104	0.3159	0.0305
2009	2.3505	0.1961	2.8386	0.2523	1.8850	0.1483	0.8192	0.0747	2.9130	0.2632	3.5807	0.3108	2.7082	0.2337	0.3409	0.0322
2008	2.1211	0.1763	2.5278	0.2243	1.7333	0.1374	0.7958	0.0791	2.5171	0.2357	3.2951	0.2925	2.3517	0.1975	0.3219	0.0317
2007	2.1619	0.1576	2.5099	0.1906	1.8305	0.1320	0.8428	0.0798	2.4939	0.2054	3.4369	0.2681	2.2866	0.1622	0.3380	0.0313
2006	1.9589	0.1471	2.3090	0.1811	1.6251	0.1228	0.6571	0.0586	2.3217	0.2005	3.1694	0.2534	2.0308	0.1580	0.3175	0.0328
Schizophrenia and other psychotic disorders																
2010	5.2693	0.2646	7.9548	0.4183	2.7078	0.1271	0.7871	0.0519	3.5391	0.2335	6.2785	0.3577	8.2515	0.4232	2.2282	0.0956
2009	4.9718	0.2811	7.5393	0.4410	2.5233	0.1375	0.7145	0.0516	3.2171	0.2269	5.8341	0.3748	7.9046	0.4531	2.1885	0.0975
2008	4.4163	0.2303	6.6587	0.3593	2.2788	0.1152	0.7049	0.0622	2.7478	0.2172	5.2520	0.3033	6.9312	0.3710	2.0076	0.0882
2007	4.3101	0.2276	6.4438	0.3627	2.2772	0.1111	0.6694	0.0511	2.8574	0.1817	5.3862	0.3365	6.5035	0.3418	1.8912	0.0834
2006	3.9625	0.1849	5.9514	0.2886	2.0678	0.0966	0.5929	0.0409	2.5807	0.1721	5.0350	0.2728	5.8244	0.2699	1.9536	0.0900
All other mental disorders																
2010	2.1502	0.0928	2.4949	0.1157	1.8215	0.0786	2.8846	0.1607	4.2494	0.2227	2.7912	0.1396	1.5775	0.0865	0.4101	0.0310
2009	2.1081	0.0903	2.4258	0.1132	1.8044	0.0790	2.8938	0.1676	4.2607	0.2203	2.7662	0.1328	1.4408	0.0716	0.3970	0.0283
2008	1.9307	0.1292	2.1928	0.1436	1.6799	0.1206	3.0518	0.4682	3.7601	0.2398	2.3639	0.1282	1.2806	0.0668	0.4022	0.0283
2007	1.8547	0.1102	2.0890	0.1315	1.6316	0.0955	3.0121	0.3855	3.4285	0.1863	2.2775	0.1151	1.2156	0.0634	0.3422	0.0258
2006	1.6363	0.0735	1.8401	0.0894	1.4420	0.0672	2.4983	0.1605	2.7855	0.1721	2.0701	0.1041	1.1018	0.0543	0.3337	0.0268

See footnotes at end of table.

Table C8. Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcoholic psychoses																
Any mental health-related diagnoses																
2010	5.4929	0.2322	7.6451	0.3281	3.4405	0.1517	0.2422	0.0217	1.8781	0.1320	5.9144	0.2799	9.6204	0.4110	2.8675	0.1249
2009	5.7285	0.3053	7.9945	0.4304	3.5687	0.1975	0.2566	0.0253	1.8134	0.1346	6.4814	0.3995	9.8312	0.5065	2.9252	0.1364
2008	5.1145	0.2828	7.0616	0.3886	3.2589	0.1914	0.2287	0.0336	1.7529	0.1602	5.7559	0.3643	8.7859	0.4734	2.6941	0.1175
2007	4.6146	0.2652	6.4510	0.3871	2.8655	0.1649	0.2527	0.0308	1.4120	0.1153	5.4631	0.3724	7.6708	0.4234	2.4557	0.1219
2006	4.0736	0.2043	5.6824	0.2860	2.5414	0.1345	0.1705	0.0227	1.0797	0.0954	4.8484	0.2772	6.7991	0.3335	2.2647	0.1132
Adjustment disorder																
2010	0.1202	0.0141	0.1642	0.0214	0.0782	0.0092	0.0137	0.0052	0.0641	0.0167	0.1402	0.0202	0.1879	0.0234	0.0686	0.0108
2009	0.1137	0.0103	0.1618	0.0155	0.0679	0.0076	0.0185	0.0050	0.0671	0.0163	0.1381	0.0145	0.1749	0.0182	0.0527	0.0092
2008	0.1151	0.0109	0.1653	0.0164	0.0673	0.0076	—	—	0.0685	0.0172	0.1328	0.0150	0.1705	0.0178	0.0877	0.0112
2007	0.0960	0.0078	0.1382	0.0122	0.0558	0.0062	—	—	0.0479	0.0136	0.1191	0.0132	0.1400	0.0127	0.0641	0.0097
2006	0.0979	0.0092	0.1349	0.0135	0.0626	0.0072	—	—	0.0454	0.0118	0.1271	0.0155	0.1461	0.0146	0.0508	0.0080
Anxiety disorder																
2010	1.5155	0.0664	2.0341	0.0890	1.0208	0.0502	0.0753	0.0110	0.7885	0.0689	1.9010	0.0927	2.3803	0.1091	0.6754	0.0410
2009	1.5197	0.0967	2.0291	0.1313	1.0343	0.0686	0.0683	0.0103	0.6855	0.0650	1.9373	0.1484	2.3855	0.1416	0.6872	0.0437
2008	1.3168	0.0821	1.7610	0.1074	0.8936	0.0636	0.0597	0.0103	0.6690	0.0730	1.6548	0.1193	2.0927	0.1280	0.5743	0.0344
2007	1.1401	0.0711	1.5502	0.0976	0.7496	0.0536	0.0605	0.0106	0.5088	0.0533	1.5172	0.1064	1.7395	0.1124	0.4896	0.0325
2006	0.9819	0.0526	1.3391	0.0742	0.6418	0.0384	0.0346	0.0070	0.3727	0.0430	1.2945	0.0751	1.5476	0.0895	0.4069	0.0279
Bipolar disorder																
2010	1.0724	0.0607	1.4762	0.0852	0.6875	0.0436	0.0520	0.0098	0.4049	0.0447	1.3197	0.0833	1.8689	0.1072	0.2226	0.0230
2009	1.1537	0.0775	1.5660	0.1087	0.7607	0.0538	0.0681	0.0119	0.3971	0.0528	1.5304	0.1140	1.8873	0.1227	0.2800	0.0272
2008	0.9947	0.0669	1.3340	0.0914	0.6715	0.0483	0.0574	0.0104	0.3978	0.0523	1.2830	0.0970	1.6538	0.1087	0.2504	0.0212
2007	0.9121	0.0731	1.2446	0.1116	0.5953	0.0429	0.0601	0.0105	0.3601	0.0514	1.2807	0.1195	1.4128	0.1073	0.2110	0.0272
2006	0.7376	0.0560	1.0331	0.0792	0.4563	0.0380	0.0464	0.0123	0.2480	0.0401	1.0201	0.0907	1.1564	0.0811	0.2052	0.0206
Depressive disorder																
2010	3.0975	0.1337	4.2053	0.1859	2.0412	0.0926	0.1001	0.0139	0.7692	0.0670	3.0488	0.1503	5.6714	0.2471	1.8592	0.0920
2009	3.2678	0.1775	4.4688	0.2483	2.1234	0.1178	0.1121	0.0140	0.8542	0.0746	3.3798	0.2146	5.8755	0.3132	1.8972	0.0969
2008	2.9142	0.1772	3.9231	0.2389	1.9527	0.1246	0.0924	0.0196	0.7929	0.0920	3.0454	0.2146	5.2126	0.3108	1.7426	0.0887
2007	2.6039	0.1539	3.5467	0.2135	1.7060	0.1060	0.1118	0.0166	0.6154	0.0549	2.8409	0.1994	4.5502	0.2603	1.5740	0.0875
2006	2.3687	0.1189	3.1855	0.1603	1.5907	0.0855	0.0709	0.0121	0.4860	0.0521	2.6294	0.1531	4.1307	0.2036	1.4741	0.0818
Personality disorder																
2010	0.2628	0.0288	0.3716	0.0435	0.1590	0.0174	0.0150	0.0041	0.1798	0.0292	0.3587	0.0421	0.4084	0.0478	0.0464	0.0093
2009	0.3216	0.0366	0.4622	0.0534	0.1876	0.0231	0.0167	0.0050	0.1962	0.0329	0.4378	0.0536	0.5003	0.0609	0.0725	0.0135
2008	0.3269	0.0409	0.4489	0.0556	0.2107	0.0292	0.0238	0.0050	0.2194	0.0358	0.4800	0.0638	0.4687	0.0627	0.0663	0.0138
2007	0.3064	0.0302	0.3985	0.0415	0.2186	0.0219	0.0256	0.0052	0.1668	0.0270	0.4618	0.0498	0.4179	0.0420	0.0913	0.0149
2006	0.2962	0.0358	0.4107	0.0498	0.1872	0.0251	0.0323	0.0069	0.1435	0.0265	0.4425	0.0552	0.4139	0.0546	0.0774	0.0167
Schizophrenia and other psychotic disorders																
2010	0.4707	0.0254	0.7801	0.0440	0.1757	0.0109	—	—	0.0911	0.0170	0.4711	0.0328	0.8658	0.0491	0.2730	0.0210
2009	0.4709	0.0270	0.7645	0.0442	0.1909	0.0146	0.0149	0.0049	0.0875	0.0159	0.4734	0.0327	0.8647	0.0550	0.2819	0.0222
2008	0.4272	0.0243	0.7014	0.0410	0.1660	0.0122	—	—	0.0982	0.0173	0.4422	0.0334	0.7837	0.0478	0.2353	0.0187
2007	0.4480	0.0366	0.7291	0.0632	0.1803	0.0150	—	—	0.0863	0.0171	0.4898	0.0555	0.7896	0.0619	0.2717	0.0248
2006	0.3704	0.0206	0.6155	0.0360	0.1371	0.0093	—	—	0.0750	0.0143	0.4066	0.0272	0.6359	0.0388	0.2655	0.0232
All other mental disorders																
2010	0.1884	0.0181	0.2361	0.0245	0.1428	0.0147	0.0481	0.0090	0.2150	0.0302	0.2890	0.0309	0.2191	0.0257	0.0452	0.0078
2009	0.1998	0.0170	0.2592	0.0240	0.1431	0.0138	0.0519	0.0105	0.2355	0.0432	0.3133	0.0306	0.2129	0.0203	0.0679	0.0120
2008	0.1731	0.0154	0.2077	0.0174	0.1401	0.0153	0.0499	0.0137	0.2128	0.0336	0.2647	0.0256	0.1802	0.0161	0.0710	0.0108
2007	0.1656	0.0143	0.1991	0.0168	0.1338	0.0146	0.0608	0.0135	0.2055	0.0297	0.2384	0.0247	0.1820	0.0176	0.0639	0.0094
2006	0.1213	0.0089	0.1611	0.0132	0.0835	0.0076	0.0338	0.0072	0.1027	0.0204	0.1839	0.0172	0.1322	0.0119	0.0600	0.0120

See footnotes at end of table.

Table C8. Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Alcohol dependence syndrome																	
Any mental health-related diagnoses																	
2010	17.0625	0.6610	22.8953	0.9241	11.4996	0.4359	1.5141	0.0970	7.9071	0.4508	19.3329	0.8223	28.5682	1.1066	8.0038	0.3007	
2009	17.1503	0.6740	22.8356	0.9364	11.7283	0.4486	1.6554	0.0993	8.0820	0.4214	20.0307	0.8761	28.0957	1.0877	8.1566	0.2908	
2008	15.5393	0.7109	20.4904	0.9434	10.8195	0.5136	1.8027	0.2747	7.5654	0.4960	18.4886	0.9714	25.0002	1.0565	7.4023	0.2638	
2007	14.4682	0.6880	19.2599	0.9604	9.9024	0.4587	1.6482	0.2191	6.9851	0.4333	17.9877	0.9766	22.6058	1.0137	6.7492	0.2632	
2006	12.7402	0.5580	16.8674	0.7673	8.8086	0.3748	1.2975	0.0908	5.8900	0.3615	15.9833	0.7725	19.8945	0.8565	6.0981	0.2551	
Adjustment disorder																	
2010	0.4533	0.0533	0.6135	0.0748	0.3005	0.0352	0.0933	0.0203	0.3722	0.0565	0.5908	0.0789	0.6373	0.0718	0.1819	0.0191	
2009	0.4328	0.0345	0.5724	0.0485	0.2997	0.0243	0.1033	0.0149	0.4227	0.0474	0.5432	0.0503	0.6190	0.0519	0.1552	0.0179	
2008	0.4365	0.0408	0.5849	0.0555	0.2951	0.0298	0.1130	0.0227	0.3664	0.0640	0.5641	0.0589	0.5927	0.0538	0.2054	0.0215	
2007	0.3920	0.0279	0.5347	0.0363	0.2561	0.0230	0.0958	0.0162	0.3322	0.0493	0.5471	0.0469	0.4993	0.0332	0.1669	0.0180	
2006	0.4009	0.0344	0.5259	0.0453	0.2820	0.0269	0.1016	0.0181	0.3516	0.0522	0.5679	0.0530	0.5004	0.0428	0.1633	0.0160	
Anxiety disorder																	
2010	4.2310	0.1750	5.3149	0.2187	3.1969	0.1412	0.3629	0.0312	2.3681	0.1757	5.2615	0.2387	6.6160	0.2742	1.8205	0.0854	
2009	4.1015	0.1798	5.1361	0.2288	3.1152	0.1407	0.3802	0.0327	2.2029	0.1490	5.2119	0.2582	6.3190	0.2696	1.7862	0.0814	
2008	3.6065	0.1763	4.4501	0.2093	2.8021	0.1537	0.4501	0.0957	2.0950	0.1575	4.5971	0.2621	5.4564	0.2399	1.5894	0.0715	
2007	3.2085	0.1640	4.0659	0.2062	2.3909	0.1335	0.3479	0.0706	1.7493	0.1481	4.2183	0.2453	4.8102	0.2321	1.3390	0.0640	
2006	2.8983	0.1344	3.6248	0.1732	2.2066	0.1056	0.2893	0.0251	1.5774	0.1221	3.8571	0.1977	4.3187	0.2022	1.2139	0.0664	
Bipolar disorder																	
2010	3.9390	0.1987	5.1375	0.2771	2.7959	0.1347	0.4234	0.0404	2.2304	0.1499	5.1973	0.2769	6.2380	0.3205	0.8349	0.0542	
2009	3.9312	0.1982	5.0476	0.2701	2.8674	0.1408	0.4654	0.0390	2.2428	0.1620	5.4306	0.2895	5.9149	0.2998	0.9408	0.0583	
2008	3.4506	0.1906	4.3427	0.2496	2.6001	0.1438	0.4823	0.0589	2.0657	0.1703	4.7521	0.2927	5.1956	0.2638	0.7404	0.0476	
2007	3.2585	0.1977	4.1738	0.2780	2.3868	0.1337	0.4441	0.0465	1.9901	0.1781	4.7303	0.3147	4.6371	0.2700	0.7033	0.0549	
2006	2.7549	0.1707	3.5732	0.2394	1.9758	0.1142	0.3523	0.0339	1.4793	0.1281	4.0280	0.2675	3.9201	0.2404	0.6521	0.0496	
Depressive disorder																	
2010	9.0625	0.3442	11.8653	0.4647	6.3895	0.2450	0.6277	0.0462	3.3477	0.2213	9.3901	0.3931	15.8679	0.6062	5.1631	0.2094	
2009	9.2490	0.3595	12.0226	0.4862	6.6027	0.2550	0.7605	0.0534	3.5730	0.1950	9.8955	0.4300	15.9156	0.6199	5.1996	0.1998	
2008	8.4600	0.4010	10.8879	0.5095	6.1455	0.3117	0.8221	0.1682	3.4799	0.2442	9.3912	0.5173	14.1448	0.6255	4.8194	0.1855	
2007	7.8547	0.3767	10.1721	0.4999	5.6467	0.2743	0.7428	0.1282	3.2258	0.2076	9.0576	0.4937	12.8564	0.5851	4.4275	0.1894	
2006	7.0709	0.3032	9.0910	0.4032	5.1464	0.2188	0.5893	0.0519	2.7818	0.1786	8.3119	0.3956	11.5887	0.4931	3.8769	0.1738	
Personality disorder																	
2010	1.1953	0.1090	1.5294	0.1474	0.8768	0.0776	0.1873	0.0289	0.9533	0.1066	1.7867	0.1737	1.6234	0.1454	0.1988	0.0224	
2009	1.3161	0.1245	1.6889	0.1665	0.9608	0.0884	0.2260	0.0303	1.1215	0.1231	1.9766	0.1976	1.7549	0.1669	0.2139	0.0235	
2008	1.1830	0.1110	1.5239	0.1495	0.8581	0.0793	0.2027	0.0340	0.9729	0.1096	1.8213	0.1821	1.5273	0.1443	0.2076	0.0253	
2007	1.2289	0.1012	1.5150	0.1301	0.9565	0.0783	0.2335	0.0278	1.0230	0.1171	1.9707	0.1776	1.4837	0.1146	0.2091	0.0240	
2006	1.1088	0.0960	1.3909	0.1238	0.8399	0.0748	0.1531	0.0181	0.9369	0.0976	1.8139	0.1653	1.3132	0.1191	0.2037	0.0272	
Schizophrenia and other psychotic disorders																	
2010	2.0350	0.1294	3.2209	0.2143	0.9041	0.0543	0.1313	0.0196	0.7475	0.0803	2.3111	0.1683	3.5397	0.2299	0.8058	0.0472	
2009	1.9737	0.1150	3.0849	0.1863	0.9137	0.0533	0.1273	0.0158	0.8295	0.0922	2.2460	0.1583	3.3913	0.1925	0.8471	0.0485	
2008	1.7240	0.1054	2.7141	0.1704	0.7803	0.0487	0.1067	0.0185	0.6596	0.0816	1.9695	0.1430	2.9891	0.1806	0.7302	0.0416	
2007	1.7646	0.1344	2.7572	0.2206	0.8193	0.0582	0.0986	0.0131	0.7852	0.0791	2.1738	0.2116	2.9181	0.2047	0.6745	0.0401	
2006	1.4652	0.0768	2.2750	0.1226	0.6931	0.0391	0.0909	0.0134	0.6658	0.0666	1.8100	0.1162	2.3540	0.1197	0.6962	0.0406	
All other mental disorders																	
2010	0.7031	0.0422	0.8609	0.0535	0.5526	0.0357	0.3603	0.0358	1.0204	0.0799	1.0619	0.0688	0.6988	0.0506	0.1776	0.0197	
2009	0.7231	0.0393	0.8571	0.0511	0.5951	0.0332	0.3459	0.0316	1.1569	0.0888	1.1199	0.0684	0.6888	0.0430	0.1548	0.0162	
2008	0.6590	0.0612	0.7725	0.0669	0.5505	0.0596	0.5217	0.1641	0.9985	0.0977	0.9640	0.0784	0.5830	0.0397	0.1554	0.0155	
2007	0.6317	0.0506	0.7247	0.0585	0.5431	0.0469	0.4713	0.1225	0.9662	0.0852	0.9204	0.0702	0.5684	0.0377	0.1472	0.0157	
2006	0.5259	0.0336	0.6289	0.0432	0.4278	0.0282	0.2842	0.0298	0.6875	0.0770	0.8022	0.0591	0.5047	0.0315	0.1337	0.0178	

See footnotes at end of table.

Table C8. Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Nondependent abuse of alcohol																	
Any mental health-related diagnoses																	
2010	19.4887	0.6696	23.9798	0.8531	15.2044	0.5139	8.5213	0.3722	22.2163	0.9024	24.9209	0.9159	24.8896	0.8776	6.9129	0.2588	
2009	17.8797	0.6275	21.8860	0.8272	14.0505	0.4664	8.5054	0.3766	20.2923	0.7774	23.2374	0.8756	22.1826	0.8146	6.2466	0.2156	
2008	17.1490	0.6419	20.6492	0.8011	13.8090	0.5081	8.4328	0.5866	20.1261	0.9047	22.3675	0.8808	20.8368	0.7856	6.0699	0.2316	
2007	15.8768	0.5609	19.2659	0.7008	12.6424	0.4457	8.3193	0.5385	17.5185	0.6919	21.2372	0.7799	18.7184	0.6732	5.4500	0.2049	
2006	15.3984	0.5481	18.6923	0.7044	12.2606	0.4208	7.6792	0.3564	16.5050	0.6926	20.7427	0.7838	18.2752	0.6700	5.2572	0.2062	
Adjustment disorder																	
2010	0.6710	0.0643	0.7732	0.0739	0.5735	0.0586	0.5814	0.0842	1.2565	0.1482	0.9381	0.0968	0.5787	0.0473	0.1527	0.0187	
2009	0.5959	0.0443	0.7203	0.0554	0.4774	0.0372	0.5411	0.0575	1.0005	0.1043	0.8223	0.0674	0.5247	0.0389	0.1508	0.0159	
2008	0.6192	0.0534	0.7395	0.0656	0.5042	0.0445	0.5867	0.0862	1.3399	0.1463	0.8087	0.0762	0.5112	0.0421	0.1548	0.0155	
2007	0.5830	0.0368	0.6940	0.0454	0.4768	0.0325	0.6148	0.0689	1.0923	0.0975	0.7627	0.0516	0.4767	0.0330	0.1480	0.0150	
2006	0.5420	0.0367	0.5938	0.0403	0.4926	0.0382	0.6143	0.0781	0.9675	0.0900	0.7063	0.0515	0.4215	0.0292	0.1525	0.0154	
Anxiety disorder																	
2010	5.0603	0.1941	5.7701	0.2254	4.3824	0.1728	1.9766	0.1116	6.1729	0.2847	6.8541	0.2834	6.1003	0.2419	1.8043	0.0858	
2009	4.4707	0.1505	5.0482	0.1744	3.9189	0.1367	1.9844	0.1061	5.7108	0.2309	6.0467	0.2181	5.2373	0.1872	1.5651	0.0696	
2008	4.1403	0.1535	4.6542	0.1735	3.6499	0.1419	1.8397	0.1531	5.3507	0.2582	5.5892	0.2150	4.8312	0.1796	1.4519	0.0695	
2007	3.8004	0.1350	4.3545	0.1596	3.2702	0.1204	1.7567	0.1316	4.6602	0.2097	5.2250	0.1970	4.3809	0.1608	1.2334	0.0579	
2006	3.8841	0.1426	4.4804	0.1721	3.3160	0.1241	1.7529	0.0973	4.5967	0.2230	5.4900	0.2212	4.3932	0.1628	1.1873	0.0562	
Bipolar disorder																	
2010	4.1137	0.1818	4.8924	0.2322	3.3709	0.1424	2.1265	0.1560	5.1133	0.2789	5.7979	0.2675	4.8585	0.2266	0.6706	0.0433	
2009	3.6827	0.1636	4.3330	0.2048	3.0619	0.1376	2.1013	0.1500	4.4056	0.2361	5.3964	0.2525	4.0641	0.1840	0.6022	0.0390	
2008	3.5761	0.1780	4.1260	0.2117	3.0508	0.1531	1.9350	0.1911	4.7031	0.2855	5.1795	0.2673	3.9556	0.1979	0.5625	0.0387	
2007	3.1425	0.1456	3.6393	0.1728	2.6678	0.1276	1.7977	0.1569	3.7261	0.2170	4.7079	0.2191	3.3203	0.1606	0.4915	0.0344	
2006	2.9606	0.1445	3.4840	0.1808	2.4620	0.1171	1.4942	0.1189	3.5355	0.2341	4.5809	0.2342	3.0384	0.1432	0.4726	0.0339	
Depressive disorder																	
2010	9.3876	0.3263	11.1999	0.4070	7.6588	0.2633	3.3314	0.1530	9.2552	0.4217	11.3639	0.4313	12.9189	0.4589	4.1075	0.1653	
2009	8.6791	0.2935	10.2162	0.3729	7.2062	0.2350	3.3805	0.1591	8.7364	0.3750	10.7253	0.3988	11.6071	0.4010	3.6972	0.1381	
2008	8.4499	0.3111	9.7547	0.3755	7.2042	0.2613	3.5078	0.2576	8.6194	0.3845	10.6250	0.4139	10.9807	0.4102	3.6026	0.1507	
2007	7.9030	0.2886	9.2199	0.3522	6.6464	0.2382	3.5627	0.2419	7.4717	0.3266	10.2415	0.4018	9.9730	0.3682	3.2476	0.1313	
2006	7.7348	0.2880	9.0021	0.3612	6.5274	0.2325	3.5198	0.1897	7.1395	0.3199	9.9730	0.3985	9.8757	0.3842	3.0972	0.1345	
Personality disorder																	
2010	0.9445	0.0756	1.0499	0.0912	0.8436	0.0646	0.5322	0.0527	1.6411	0.1494	1.5072	0.1293	0.8505	0.0719	0.0919	0.0131	
2009	0.9650	0.0777	1.0884	0.0953	0.8471	0.0662	0.5731	0.0524	1.7000	0.1685	1.5203	0.1273	0.8585	0.0756	0.0994	0.0147	
2008	0.8639	0.0727	0.9426	0.0863	0.7886	0.0642	0.5702	0.0550	1.4554	0.1432	1.3675	0.1226	0.7400	0.0665	0.0834	0.0108	
2007	0.8743	0.0644	0.9481	0.0725	0.8040	0.0604	0.5929	0.0604	1.4039	0.1150	1.4052	0.1050	0.7119	0.0635	0.1013	0.0153	
2006	0.7997	0.0576	0.8747	0.0668	0.7283	0.0547	0.4883	0.0472	1.3333	0.1225	1.2943	0.1021	0.6479	0.0489	0.0915	0.0123	
Schizophrenia and other psychotic disorders																	
2010	2.8030	0.1410	4.2193	0.2166	1.4518	0.0756	0.6370	0.0401	2.6756	0.1761	3.7056	0.2029	3.8968	0.2028	0.8925	0.0517	
2009	2.5948	0.1744	3.9583	0.2720	1.2951	0.0870	0.5720	0.0439	2.3014	0.1675	3.3644	0.2393	3.7079	0.2693	0.8619	0.0511	
2008	2.3120	0.1355	3.4742	0.2089	1.2040	0.0711	0.5809	0.0504	2.0359	0.1636	3.0542	0.1856	3.2101	0.2043	0.7784	0.0432	
2007	2.2007	0.1106	3.2862	0.1693	1.1660	0.0633	0.5559	0.0456	2.0218	0.1307	3.0029	0.1652	2.9132	0.1545	0.7729	0.0425	
2006	2.1820	0.1149	3.2802	0.1783	1.1365	0.0622	0.4849	0.0346	1.8651	0.1296	3.0290	0.1769	2.9040	0.1614	0.7539	0.0437	
All other mental disorders																	
2010	1.3004	0.0539	1.4932	0.0684	1.1166	0.0473	2.3872	0.1362	3.0308	0.1652	1.5916	0.0785	0.6953	0.0405	0.1548	0.0172	
2009	1.2539	0.0577	1.4329	0.0716	1.0826	0.0535	2.4248	0.1467	2.9374	0.1632	1.5047	0.0768	0.6116	0.0380	0.1589	0.0164	
2008	1.1454	0.0716	1.2949	0.0828	1.0024	0.0650	2.4248	0.3192	2.6171	0.1641	1.2727	0.0617	0.5511	0.0303	0.1502	0.0153	
2007	1.1189	0.0646	1.2657	0.0802	0.9791	0.0553	2.4349	0.2768	2.3431	0.1274	1.2648	0.0597	0.5148	0.0309	0.1308	0.0139	
2006	1.0189	0.0460	1.1102	0.0540	0.9318	0.0469	2.1331	0.1389	1.9975	0.1245	1.1690	0.0568	0.4979	0.0276	0.1338	0.0147	

See footnotes at end of table.

Table C8. Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
All chronic liver disease and cirrhosis																	
Any mental health-related diagnoses																	
2010	6.6552	0.2105	6.8617	0.2262	6.4575	0.2098	0.3158	0.0382	1.2523	0.0789	4.8979	0.1762	12.7636	0.4174	6.2576	0.2427	
2009	6.1007	0.1962	6.4320	0.2170	5.7834	0.1921	0.2232	0.0242	0.9313	0.0824	4.4997	0.1760	11.8247	0.3763	5.8347	0.2435	
2008	5.4430	0.1925	5.7427	0.2126	5.1559	0.1866	0.2000	0.0202	0.8921	0.0796	4.0135	0.1642	10.5266	0.3788	5.4376	0.2263	
2007	4.4934	0.1574	4.8117	0.1796	4.1903	0.1481	0.1726	0.0184	0.5579	0.0538	3.3354	0.1347	8.7337	0.3171	4.5830	0.1883	
2006	3.9932	0.1480	4.3368	0.1700	3.6660	0.1397	0.1314	0.0212	0.4475	0.0538	3.1182	0.1314	7.7450	0.2942	3.9816	0.1782	
Adjustment disorder																	
2010	0.0858	0.0063	0.0936	0.0081	0.0784	0.0071	—	—	—	—	0.0649	0.0075	0.1576	0.0149	0.0852	0.0110	
2009	0.0788	0.0058	0.0931	0.0078	0.0651	0.0063	—	—	—	—	0.0535	0.0061	0.1567	0.0139	0.0665	0.0103	
2008	0.0834	0.0061	0.0931	0.0085	0.0741	0.0059	0.0148	0.0043	—	—	0.0664	0.0080	0.1520	0.0126	0.0772	0.0112	
2007	0.0701	0.0053	0.0848	0.0072	0.0562	0.0058	—	—	—	—	0.0632	0.0079	0.1219	0.0106	0.0616	0.0094	
2006	0.0645	0.0052	0.0730	0.0074	0.0564	0.0054	—	—	—	—	0.0548	0.0062	0.1175	0.0113	0.0653	0.0105	
Anxiety disorder																	
2010	1.7647	0.0625	1.7548	0.0660	1.7738	0.0667	0.0751	0.0114	0.4502	0.0457	1.5106	0.0620	3.2095	0.1203	1.5404	0.0808	
2009	1.5444	0.0585	1.5220	0.0605	1.5658	0.0638	0.0510	0.0087	0.3420	0.0461	1.3190	0.0669	2.8031	0.1016	1.4495	0.0784	
2008	1.3260	0.0530	1.3228	0.0560	1.3287	0.0563	0.0504	0.0107	0.2576	0.0376	1.1364	0.0570	2.4001	0.0979	1.3012	0.0758	
2007	1.0595	0.0422	1.0768	0.0452	1.0430	0.0448	0.0426	0.0080	0.1352	0.0212	0.9181	0.0442	1.9223	0.0802	1.0687	0.0622	
2006	0.9074	0.0393	0.9232	0.0420	0.8923	0.0435	0.0306	0.0070	0.1559	0.0241	0.7963	0.0411	1.6829	0.0777	0.8400	0.0484	
Bipolar disorder																	
2010	1.0924	0.0429	1.1454	0.0519	1.0419	0.0439	0.0912	0.0157	0.3158	0.0376	1.0298	0.0512	2.1408	0.0905	0.3911	0.0300	
2009	0.9858	0.0412	1.0618	0.0492	0.9134	0.0420	0.0428	0.0085	0.1627	0.0377	1.0125	0.0558	1.8834	0.0801	0.3943	0.0316	
2008	0.8942	0.0421	0.9411	0.0502	0.8489	0.0415	0.0442	0.0075	0.2153	0.0316	0.8408	0.0515	1.8079	0.0864	0.3070	0.0260	
2007	0.6554	0.0308	0.6956	0.0391	0.6170	0.0304	0.0382	0.0079	0.0861	0.0165	0.6562	0.0410	1.2868	0.0650	0.2564	0.0243	
2006	0.6020	0.0292	0.6614	0.0351	0.5454	0.0298	0.0279	0.0075	0.0791	0.0186	0.6469	0.0405	1.1563	0.0585	0.2161	0.0215	
Depressive disorder																	
2010	3.7481	0.1248	3.6833	0.1292	3.8095	0.1304	0.1363	0.0206	0.4719	0.0444	2.4743	0.0984	7.2892	0.2498	4.0363	0.1693	
2009	3.5040	0.1191	3.5719	0.1296	3.4381	0.1216	0.1032	0.0153	0.4480	0.0490	2.2936	0.0931	6.9398	0.2431	3.7163	0.1628	
2008	3.1013	0.1158	3.1310	0.1245	3.0724	0.1172	0.0738	0.0122	0.4369	0.0479	2.0886	0.0915	6.0434	0.2328	3.4988	0.1506	
2007	2.6068	0.0943	2.6989	0.1050	2.5190	0.0939	0.0686	0.0113	0.2986	0.0384	1.7863	0.0764	5.1182	0.1934	2.9220	0.1284	
2006	2.3120	0.0910	2.4056	0.1003	2.2228	0.0900	0.0607	0.0108	0.2231	0.0352	1.6655	0.0756	4.5435	0.1831	2.5285	0.1282	
Personality disorder																	
2010	0.1347	0.0119	0.1471	0.0126	0.1229	0.0146	0.0245	0.0110	0.0549	0.0210	0.1380	0.0177	0.2483	0.0218	0.0381	0.0078	
2009	0.1370	0.0126	0.1769	0.0187	0.0991	0.0095	—	—	0.0642	0.0171	0.1518	0.0206	0.2464	0.0217	0.0459	0.0088	
2008	0.1339	0.0119	0.1640	0.0158	0.1053	0.0106	—	—	0.0575	0.0169	0.1603	0.0206	0.2347	0.0208	0.0368	0.0070	
2007	0.1197	0.0097	0.1356	0.0126	0.1045	0.0102	—	—	—	—	0.1423	0.0148	0.2092	0.0187	0.0499	0.0094	
2006	0.1171	0.0105	0.1416	0.0147	0.0938	0.0094	—	—	—	—	0.1429	0.0157	0.2096	0.0204	0.0320	0.0072	
Schizophrenia and other psychotic disorders																	
2010	0.6765	0.0286	0.8960	0.0429	0.4672	0.0223	0.0143	0.0066	0.1214	0.0243	0.4483	0.0323	1.3796	0.0613	0.5903	0.0375	
2009	0.6039	0.0257	0.8038	0.0390	0.4131	0.0211	—	—	0.0767	0.0225	0.3796	0.0248	1.2543	0.0574	0.5632	0.0381	
2008	0.5733	0.0257	0.7777	0.0402	0.3786	0.0183	—	—	0.0615	0.0151	0.3630	0.0248	1.1862	0.0578	0.5684	0.0371	
2007	0.5199	0.0232	0.6837	0.0344	0.3638	0.0199	—	—	0.0528	0.0132	0.3167	0.0222	1.0880	0.0529	0.5371	0.0379	
2006	0.4737	0.0225	0.6430	0.0348	0.3125	0.0173	—	—	—	—	0.3257	0.0211	0.9414	0.0497	0.5437	0.0387	
All other mental disorders																	
2010	0.1859	0.0097	0.1904	0.0119	0.1815	0.0114	0.0738	0.0120	0.1845	0.0267	0.2003	0.0150	0.2677	0.0172	0.0992	0.0108	
2009	0.1625	0.0088	0.1741	0.0113	0.1515	0.0098	0.0744	0.0135	0.1612	0.0284	0.1978	0.0140	0.2108	0.0153	0.0788	0.0106	
2008	0.1512	0.0096	0.1630	0.0118	0.1401	0.0102	0.0595	0.0117	0.1048	0.0198	0.1804	0.0163	0.2058	0.0146	0.0914	0.0116	
2007	0.1285	0.0078	0.1254	0.0096	0.1314	0.0094	0.0612	0.0100	0.0919	0.0180	0.1378	0.0112	0.1903	0.0149	0.0678	0.0101	
2006	0.1118	0.0071	0.1193	0.0089	0.1046	0.0089	0.0316	0.0100	0.0467	0.0122	0.1300	0.0101	0.1681	0.0138	0.0706	0.0100	

See footnotes at end of table.

Table C8. Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Alcoholic liver disease																	
Any mental health-related diagnoses																	
2010	2.8651	0.0987	3.7071	0.1345	2.0623	0.0739	0.0198	0.0048	0.3744	0.0420	2.3090	0.0932	5.9094	0.2119	1.6294	0.0780	
2009	2.8316	0.1078	3.6703	0.1452	2.0324	0.0827	0.0207	0.0055	0.2971	0.0449	2.3692	0.1173	5.8035	0.2186	1.6271	0.0792	
2008	2.6026	0.1063	3.3390	0.1411	1.9009	0.0813	0.0369	0.0169	0.3580	0.0504	2.1843	0.1108	5.2937	0.2127	1.5975	0.0795	
2007	2.1664	0.0853	2.8284	0.1172	1.5358	0.0628	0.0228	0.0055	0.1884	0.0351	1.8721	0.0881	4.3956	0.1812	1.3550	0.0700	
2006	2.0727	0.0839	2.6896	0.1140	1.4853	0.0643	—	—	0.1458	0.0216	1.8390	0.0888	4.2230	0.1749	1.2651	0.0695	
Adjustment disorder																	
2010	0.0427	0.0038	0.0550	0.0062	0.0311	0.0039	—	—	—	—	0.0355	0.0058	0.0838	0.0088	0.0300	0.0059	
2009	0.0442	0.0039	0.0585	0.0059	0.0307	0.0040	—	—	—	—	0.0330	0.0047	0.0952	0.0101	0.0202	0.0053	
2008	0.0456	0.0041	0.0585	0.0066	0.0332	0.0035	—	—	—	—	0.0381	0.0062	0.0898	0.0086	0.0312	0.0069	
2007	0.0382	0.0035	0.0567	0.0055	0.0206	0.0036	—	—	—	—	0.0409	0.0069	0.0711	0.0075	0.0204	0.0048	
2006	0.0365	0.0033	0.0473	0.0051	0.0261	0.0034	—	—	—	—	0.0365	0.0050	0.0681	0.0076	0.0259	0.0064	
Anxiety disorder																	
2010	0.7031	0.0274	0.8898	0.0378	0.5250	0.0240	—	—	0.1346	0.0219	0.6708	0.0332	1.3685	0.0592	0.3356	0.0267	
2009	0.6521	0.0322	0.8153	0.0423	0.4965	0.0273	—	—	0.1313	0.0274	0.6352	0.0444	1.2529	0.0600	0.3290	0.0257	
2008	0.6028	0.0296	0.7440	0.0380	0.4683	0.0269	0.0182	0.0089	0.1285	0.0282	0.5930	0.0383	1.1357	0.0554	0.3389	0.0293	
2007	0.4834	0.0232	0.6216	0.0316	0.3518	0.0197	—	—	0.0544	0.0145	0.4978	0.0306	0.9114	0.0473	0.2607	0.0244	
2006	0.4300	0.0216	0.5428	0.0274	0.3227	0.0211	—	—	0.0549	0.0119	0.4378	0.0279	0.8332	0.0443	0.2102	0.0193	
Bipolar disorder																	
2010	0.4777	0.0221	0.6174	0.0314	0.3446	0.0188	—	—	0.0728	0.0157	0.4305	0.0251	1.0225	0.0528	0.0948	0.0126	
2009	0.4678	0.0260	0.6037	0.0353	0.3384	0.0231	—	—	0.0483	0.0153	0.5003	0.0362	0.9221	0.0521	0.1168	0.0158	
2008	0.4421	0.0273	0.5439	0.0356	0.3451	0.0240	—	—	0.0846	0.0224	0.4433	0.0369	0.8955	0.0529	0.1144	0.0151	
2007	0.3372	0.0187	0.4243	0.0268	0.2543	0.0165	—	—	—	—	0.3433	0.0271	0.6870	0.0419	0.0878	0.0131	
2006	0.3222	0.0172	0.4156	0.0249	0.2332	0.0160	—	—	—	—	0.3580	0.0277	0.6369	0.0355	0.0747	0.0111	
Depressive disorder																	
2010	1.6792	0.0617	2.1154	0.0818	1.2632	0.0503	—	—	0.1361	0.0192	1.2585	0.0603	3.4969	0.1318	1.1214	0.0597	
2009	1.7083	0.0665	2.1738	0.0888	1.2648	0.0551	—	—	0.1547	0.0299	1.2910	0.0649	3.5918	0.1451	1.0957	0.0605	
2008	1.5317	0.0664	1.9227	0.0877	1.1592	0.0528	—	—	0.1711	0.0290	1.1987	0.0639	3.1615	0.1383	1.0607	0.0556	
2007	1.2920	0.0528	1.6402	0.0720	0.9604	0.0421	—	—	0.1074	0.0248	1.0521	0.0530	2.6515	0.1144	0.8931	0.0535	
2006	1.2566	0.0543	1.5822	0.0720	0.9465	0.0440	—	—	0.0748	0.0153	1.0485	0.0544	2.5915	0.1151	0.8588	0.0533	
Personality disorder																	
2010	0.0669	0.0066	0.0855	0.0090	0.0491	0.0065	—	—	—	—	0.0708	0.0111	0.1273	0.0125	0.0151	0.0056	
2009	0.0842	0.0098	0.1263	0.0164	0.0440	0.0056	—	—	—	—	0.1003	0.0177	0.1502	0.0159	0.0287	0.0077	
2008	0.0840	0.0091	0.1188	0.0134	0.0508	0.0068	—	—	0.0304	0.0108	0.1036	0.0159	0.1507	0.0160	0.0133	0.0037	
2007	0.0745	0.0071	0.0954	0.0100	0.0547	0.0068	—	—	—	—	0.0941	0.0112	0.1282	0.0135	0.0287	0.0073	
2006	0.0784	0.0082	0.1032	0.0123	0.0548	0.0070	—	—	—	—	0.0972	0.0127	0.1429	0.0158	0.0189	0.0054	
Schizophrenia and other psychotic disorders																	
2010	0.2645	0.0136	0.4063	0.0233	0.1292	0.0091	—	—	0.0391	0.0113	0.1978	0.0165	0.5716	0.0318	0.1278	0.0142	
2009	0.2547	0.0133	0.3843	0.0216	0.1312	0.0098	—	—	—	—	0.1908	0.0162	0.5430	0.0304	0.1585	0.0181	
2008	0.2524	0.0141	0.3940	0.0232	0.1175	0.0092	—	—	0.0386	0.0132	0.1862	0.0159	0.5407	0.0326	0.1529	0.0167	
2007	0.2289	0.0136	0.3516	0.0220	0.1120	0.0094	—	—	—	—	0.1665	0.0150	0.4930	0.0324	0.1583	0.0166	
2006	0.2202	0.0122	0.3401	0.0203	0.1060	0.0087	—	—	—	—	0.1752	0.0141	0.4609	0.0292	0.1610	0.0165	
All other mental disorders																	
2010	0.0640	0.0047	0.0746	0.0060	0.0540	0.0055	—	—	0.0622	0.0146	0.0798	0.0089	0.0963	0.0090	0.0271	0.0055	
2009	0.0610	0.0052	0.0705	0.0071	0.0519	0.0053	—	—	0.0452	0.0139	0.0861	0.0089	0.0857	0.0091	0.0172	0.0043	
2008	0.0611	0.0059	0.0755	0.0082	0.0474	0.0058	—	—	0.0415	0.0137	0.0905	0.0123	0.0790	0.0077	0.0190	0.0046	
2007	0.0542	0.0048	0.0604	0.0063	0.0482	0.0058	—	—	—	—	0.0727	0.0086	0.0823	0.0100	0.0181	0.0047	
2006	0.0476	0.0038	0.0529	0.0052	0.0427	0.0047	—	—	—	—	0.0609	0.0069	0.0795	0.0086	0.0173	0.0052	

See footnotes at end of table.

Table C8. Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Alcohol poisoning																	
Any mental health-related diagnoses																	
2010	0.9113	0.0390	0.8265	0.0380	0.9921	0.0450	0.4717	0.0344	1.1569	0.0798	1.3214	0.0612	1.0124	0.0470	0.1917	0.0178	
2009	0.9680	0.0412	0.9144	0.0443	1.0191	0.0440	0.4841	0.0349	1.2209	0.0789	1.3663	0.0646	1.1120	0.0552	0.2183	0.0196	
2008	0.9798	0.0448	0.9198	0.0470	1.0370	0.0488	0.5267	0.0362	1.2738	0.0832	1.4186	0.0674	1.0809	0.0549	0.1708	0.0179	
2007	0.8850	0.0392	0.8346	0.0400	0.9324	0.0428	0.5015	0.0367	1.1173	0.0765	1.3250	0.0636	0.9179	0.0457	0.1495	0.0155	
2006	0.8547	0.0392	0.7987	0.0412	0.9081	0.0421	0.4991	0.0342	1.1431	0.0770	1.2582	0.0648	0.8921	0.0459	0.1231	0.0156	
Adjustment disorder																	
2010	0.0530	0.0071	0.0500	0.0067	0.0559	0.0085	0.0444	0.0099	0.1031	0.0166	0.0772	0.0125	0.0450	0.0074	—	—	
2009	0.0449	0.0043	0.0389	0.0050	0.0506	0.0052	0.0434	0.0070	0.0663	0.0143	0.0603	0.0076	0.0430	0.0057	—	—	
2008	0.0505	0.0055	0.0517	0.0064	0.0494	0.0063	0.0317	0.0062	0.0822	0.0201	0.0758	0.0093	0.0457	0.0065	0.0117	0.0037	
2007	0.0521	0.0047	0.0489	0.0050	0.0551	0.0065	0.0385	0.0077	0.1119	0.0179	0.0859	0.0102	0.0340	0.0051	—	—	
2006	0.0448	0.0046	0.0381	0.0049	0.0512	0.0066	0.0404	0.0088	0.0942	0.0203	0.0711	0.0082	0.0275	0.0051	—	—	
Anxiety disorder																	
2010	0.1912	0.0126	0.1633	0.0129	0.2179	0.0151	0.0950	0.0116	0.2664	0.0413	0.2962	0.0216	0.1945	0.0151	0.0321	0.0060	
2009	0.2064	0.0128	0.1814	0.0137	0.2303	0.0150	0.0992	0.0197	0.3021	0.0396	0.3062	0.0222	0.2134	0.0160	0.0500	0.0085	
2008	0.1850	0.0118	0.1680	0.0127	0.2013	0.0141	0.0964	0.0116	0.2450	0.0302	0.2791	0.0202	0.1908	0.0168	0.0365	0.0066	
2007	0.1617	0.0107	0.1459	0.0114	0.1768	0.0132	0.1014	0.0158	0.2303	0.0295	0.2410	0.0174	0.1579	0.0146	0.0285	0.0061	
2006	0.1568	0.0103	0.1367	0.0103	0.1760	0.0133	0.0757	0.0114	0.2409	0.0290	0.2310	0.0184	0.1605	0.0135	0.0312	0.0069	
Bipolar disorder																	
2010	0.2041	0.0109	0.1857	0.0118	0.2215	0.0135	0.1012	0.0109	0.2646	0.0283	0.3378	0.0205	0.1980	0.0142	0.0177	0.0048	
2009	0.2066	0.0112	0.1892	0.0135	0.2231	0.0132	0.0973	0.0118	0.2703	0.0303	0.3327	0.0220	0.2116	0.0155	0.0152	0.0047	
2008	0.1967	0.0108	0.1732	0.0109	0.2192	0.0138	0.0875	0.0114	0.2340	0.0274	0.3254	0.0205	0.1980	0.0152	0.0146	0.0044	
2007	0.1752	0.0106	0.1663	0.0118	0.1836	0.0122	0.0724	0.0121	0.2075	0.0253	0.2961	0.0202	0.1704	0.0130	—	—	
2006	0.1527	0.0106	0.1468	0.0124	0.1584	0.0117	0.0809	0.0124	0.1910	0.0245	0.2481	0.0225	0.1465	0.0122	—	—	
Depressive disorder																	
2010	0.5558	0.0230	0.4826	0.0230	0.6257	0.0273	0.2380	0.0219	0.6594	0.0525	0.7729	0.0359	0.6716	0.0328	0.1419	0.0148	
2009	0.6049	0.0273	0.5471	0.0273	0.6601	0.0317	0.2864	0.0280	0.7094	0.0551	0.8089	0.0411	0.7488	0.0392	0.1593	0.0161	
2008	0.6208	0.0287	0.5644	0.0304	0.6745	0.0329	0.3095	0.0268	0.7853	0.0561	0.8719	0.0446	0.7244	0.0385	0.1190	0.0150	
2007	0.5613	0.0252	0.4972	0.0254	0.6218	0.0291	0.2986	0.0244	0.6672	0.0526	0.8243	0.0415	0.6123	0.0322	0.1073	0.0130	
2006	0.5597	0.0258	0.4877	0.0264	0.6282	0.0295	0.2901	0.0239	0.7240	0.0582	0.8073	0.0407	0.6241	0.0343	0.0859	0.0133	
Personality disorder																	
2010	0.0482	0.0050	0.0391	0.0054	0.0570	0.0064	0.0224	0.0055	0.0553	0.0131	0.0819	0.0098	0.0476	0.0066	—	—	
2009	0.0570	0.0064	0.0425	0.0059	0.0708	0.0085	0.0356	0.0065	0.1129	0.0222	0.0921	0.0137	0.0478	0.0063	—	—	
2008	0.0580	0.0062	0.0446	0.0059	0.0707	0.0079	0.0315	0.0061	0.1147	0.0248	0.0967	0.0122	0.0465	0.0065	—	—	
2007	0.0545	0.0069	0.0404	0.0060	0.0679	0.0091	0.0256	0.0073	0.1077	0.0210	0.0860	0.0118	0.0499	0.0076	—	—	
2006	0.0505	0.0061	0.0439	0.0062	0.0568	0.0084	0.0285	0.0062	0.0723	0.0177	0.0917	0.0116	0.0352	0.0058	—	—	
Schizophrenia and other psychotic disorders																	
2010	0.0514	0.0041	0.0677	0.0060	0.0358	0.0045	0.0134	0.0043	0.0460	0.0125	0.0809	0.0081	0.0579	0.0061	0.0168	0.0053	
2009	0.0521	0.0045	0.0688	0.0076	0.0362	0.0037	—	—	0.0349	0.0092	0.0753	0.0071	0.0693	0.0084	0.0209	0.0071	
2008	0.0524	0.0040	0.0724	0.0068	0.0333	0.0036	0.0121	0.0041	0.0352	0.0109	0.0721	0.0073	0.0779	0.0082	—	—	
2007	0.0523	0.0047	0.0730	0.0068	0.0326	0.0041	0.0118	0.0037	0.0462	0.0114	0.0758	0.0085	0.0690	0.0081	—	—	
2006	0.0495	0.0041	0.0668	0.0066	0.0331	0.0043	—	—	0.0504	0.0127	0.0747	0.0082	0.0612	0.0082	—	—	
All other mental disorders																	
2010	0.0563	0.0045	0.0549	0.0055	0.0576	0.0057	0.1181	0.0122	0.1397	0.0260	0.0652	0.0081	0.0271	0.0044	—	—	
2009	0.0598	0.0047	0.0550	0.0058	0.0645	0.0063	0.0987	0.0148	0.1734	0.0272	0.0734	0.0077	0.0308	0.0049	—	—	
2008	0.0534	0.0045	0.0538	0.0060	0.0530	0.0052	0.1038	0.0125	0.1578	0.0217	0.0626	0.0073	0.0216	0.0043	—	—	
2007	0.0504	0.0048	0.0527	0.0058	0.0482	0.0056	0.1092	0.0148	0.1223	0.0205	0.0534	0.0068	0.0259	0.0049	—	—	
2006	0.0514	0.0044	0.0560	0.0063	0.0470	0.0048	0.1110	0.0136	0.1279	0.0190	0.0629	0.0080	0.0149	0.0034	—	—	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table C9. Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Any alcohol-related diagnoses																
Any injury-related diagnoses																
2010	5.0743	0.1782	7.4866	0.2871	2.7737	0.0891	2.8627	0.1202	5.8022	0.2410	5.5024	0.2225	6.8474	0.2557	2.4367	0.1021
2009	5.0938	0.1797	7.5142	0.2846	2.7850	0.0951	2.9741	0.1469	5.9942	0.2970	5.5695	0.2220	6.7629	0.2541	2.4271	0.0906
2008	4.6800	0.1752	6.8475	0.2783	2.6134	0.0914	3.0199	0.1432	5.5295	0.2612	5.1902	0.2120	5.9646	0.2417	2.2946	0.1007
2007	4.3362	0.1418	6.3285	0.2175	2.4373	0.0820	2.8850	0.1176	5.1587	0.2335	4.7726	0.1698	5.4527	0.2010	2.2383	0.0940
2006	4.2465	0.1627	6.2226	0.2475	2.3634	0.0933	3.0398	0.1423	4.7902	0.2355	4.7458	0.1966	5.3367	0.2287	1.9446	0.0840
Unintentional injuries																
2010	3.5278	0.1328	5.2885	0.2153	1.8485	0.0646	1.8201	0.0859	3.6225	0.1825	3.4898	0.1516	5.0742	0.2032	2.0797	0.0947
2009	3.4302	0.1237	5.1853	0.1999	1.7569	0.0621	1.7789	0.0830	3.6653	0.1943	3.3936	0.1421	4.9087	0.1923	2.0367	0.0822
2008	3.2002	0.1255	4.7990	0.2021	1.6754	0.0632	1.8475	0.1060	3.4786	0.1860	3.2377	0.1372	4.3754	0.1887	1.9795	0.0892
2007	2.8085	0.1002	4.2066	0.1548	1.4763	0.0585	1.7458	0.0909	3.0971	0.1702	2.7956	0.1093	3.7697	0.1488	1.8446	0.0815
2006	2.6766	0.1115	4.0397	0.1773	1.3776	0.0574	1.7359	0.0902	2.6642	0.1662	2.7304	0.1236	3.6432	0.1709	1.5888	0.0746
Falls																
2010	1.7168	0.0748	2.5757	0.1219	0.8976	0.0373	0.5271	0.0374	1.1169	0.0826	1.3822	0.0743	2.8283	0.1312	1.5475	0.0777
2009	1.6514	0.0643	2.4953	0.1038	0.8467	0.0344	0.4960	0.0349	0.9942	0.0706	1.3162	0.0662	2.7618	0.1147	1.5173	0.0660
2008	1.4435	0.0546	2.1618	0.0892	0.7588	0.0295	0.4511	0.0349	0.9730	0.0744	1.1833	0.0555	2.3125	0.0932	1.4394	0.0654
2007	1.2722	0.0477	1.8960	0.0760	0.6780	0.0291	0.4036	0.0291	0.8792	0.0658	1.0257	0.0446	2.0359	0.0861	1.3236	0.0656
2006	1.1638	0.0510	1.7583	0.0816	0.5966	0.0294	0.3694	0.0292	0.6772	0.0626	0.9855	0.0531	1.8858	0.0874	1.1488	0.0597
Struck by or against objects/persons																
2010	0.1274	0.0070	0.1954	0.0119	0.0626	0.0051	0.1133	0.0120	0.2087	0.0277	0.1595	0.0131	0.1361	0.0102	0.0239	0.0058
2009	0.1258	0.0068	0.1961	0.0113	0.0588	0.0054	0.0984	0.0114	0.2308	0.0294	0.1587	0.0122	0.1287	0.0097	0.0336	0.0068
2008	0.1089	0.0073	0.1758	0.0128	0.0449	0.0045	0.1149	0.0151	0.1893	0.0220	0.1319	0.0122	0.1056	0.0097	0.0258	0.0054
2007	0.0966	0.0063	0.1458	0.0102	0.0498	0.0050	0.1053	0.0135	0.1695	0.0263	0.1217	0.0103	0.0863	0.0083	0.0218	0.0050
2006	0.0933	0.0059	0.1488	0.0103	0.0405	0.0043	0.0899	0.0115	0.1256	0.0197	0.1146	0.0098	0.1004	0.0096	0.0209	0.0058
Motor vehicle traffic																
2010	0.3020	0.0150	0.4337	0.0228	0.1765	0.0106	0.2083	0.0185	0.6260	0.0486	0.4095	0.0249	0.2798	0.0176	0.0816	0.0109
2009	0.3106	0.0206	0.4611	0.0311	0.1668	0.0132	0.2192	0.0216	0.7472	0.0666	0.4120	0.0324	0.2764	0.0203	0.0724	0.0101
2008	0.3119	0.0166	0.4737	0.0265	0.1573	0.0114	0.2343	0.0235	0.7037	0.0623	0.4326	0.0262	0.2566	0.0172	0.0751	0.0095
2007	0.2897	0.0145	0.4327	0.0226	0.1536	0.0109	0.2236	0.0198	0.6917	0.0581	0.3688	0.0216	0.2499	0.0167	0.0877	0.0143
2006	0.2742	0.0181	0.4148	0.0289	0.1404	0.0109	0.2462	0.0245	0.5863	0.0641	0.3397	0.0268	0.2440	0.0169	0.0780	0.0110
Cut or pierce																
2010	0.0649	0.0048	0.0903	0.0075	0.0407	0.0046	0.0591	0.0089	0.0994	0.0173	0.0869	0.0077	0.0624	0.0098	0.0164	0.0046
2009	0.0665	0.0048	0.1058	0.0085	0.0290	0.0034	0.0453	0.0074	0.1448	0.0271	0.0955	0.0091	0.0578	0.0076	—	—
2008	0.0645	0.0054	0.1008	0.0097	0.0299	0.0033	0.0566	0.0113	0.1603	0.0254	0.0848	0.0085	0.0554	0.0070	—	—
2007	0.0582	0.0045	0.0882	0.0077	0.0297	0.0038	0.0423	0.0076	0.1344	0.0216	0.0845	0.0086	0.0475	0.0070	—	—
2006	0.0572	0.0043	0.0838	0.0073	0.0319	0.0039	0.0398	0.0076	0.1320	0.0228	0.0755	0.0074	0.0515	0.0064	—	—
Poisoning																
2010	0.3785	0.0301	0.4857	0.0456	0.2763	0.0200	0.3724	0.0362	0.6099	0.0616	0.4222	0.0381	0.4138	0.0369	0.1264	0.0139
2009	0.4279	0.0433	0.5526	0.0669	0.3089	0.0243	0.4637	0.0471	0.6134	0.0792	0.4912	0.0535	0.4494	0.0511	0.1380	0.0179
2008	0.4875	0.0576	0.6351	0.0882	0.3468	0.0318	0.5437	0.0613	0.6778	0.0818	0.5137	0.0514	0.5490	0.0936	0.1678	0.0340
2007	0.3799	0.0356	0.4974	0.0536	0.2680	0.0231	0.5239	0.0565	0.5120	0.0637	0.4040	0.0410	0.3675	0.0444	0.1452	0.0172
2006	0.4277	0.0448	0.5616	0.0685	0.3001	0.0258	0.5302	0.0443	0.5469	0.0662	0.4838	0.0483	0.4417	0.0746	0.1135	0.0171
Intentional injuries																
2010	0.7942	0.0379	1.0919	0.0592	0.5103	0.0245	0.4674	0.0314	1.3117	0.0815	1.1364	0.0642	0.8447	0.0435	0.0913	0.0104
2009	0.8312	0.0462	1.1085	0.0671	0.5662	0.0319	0.5685	0.0614	1.3236	0.1055	1.2021	0.0661	0.8390	0.0497	0.0930	0.0121
2008	0.7956	0.0373	1.0631	0.0565	0.5406	0.0262	0.5823	0.0365	1.2550	0.0856	1.1733	0.0612	0.7610	0.0386	0.0778	0.0106
2007	0.7018	0.0261	0.9199	0.0375	0.4938	0.0215	0.5010	0.0302	1.0864	0.0727	1.0420	0.0437	0.6674	0.0337	0.0658	0.0096
2006	0.6773	0.0316	0.8955	0.0461	0.4695	0.0238	0.5194	0.0370	1.0634	0.0750	0.9784	0.0515	0.6528	0.0358	0.0476	0.0080

See footnotes at end of table.

Table C9. Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcoholic psychoses																
Any injury-related diagnoses																
2010	0.6745	0.0307	1.0809	0.0517	0.2870	0.0155	0.0194	0.0050	0.1456	0.0285	0.6758	0.0375	1.2294	0.0578	0.4036	0.0306
2009	0.6680	0.0314	1.0712	0.0519	0.2838	0.0169	0.0318	0.0082	0.2102	0.0280	0.6927	0.0400	1.1631	0.0561	0.4371	0.0336
2008	0.5897	0.0294	0.9436	0.0481	0.2524	0.0165	0.0223	0.0054	0.1932	0.0280	0.6171	0.0377	1.0342	0.0528	0.3742	0.0280
2007	0.5286	0.0253	0.8432	0.0425	0.2289	0.0139	0.0286	0.0063	0.1419	0.0250	0.5804	0.0345	0.9072	0.0469	0.3317	0.0255
2006	0.4962	0.0241	0.8072	0.0416	0.2001	0.0121	0.0212	0.0058	0.1395	0.0251	0.5357	0.0316	0.8881	0.0450	0.2725	0.0224
Unintentional injuries																
2010	0.5187	0.0246	0.8363	0.0420	0.2159	0.0124	—	—	0.1006	0.0256	0.4938	0.0294	0.9624	0.0482	0.3383	0.0279
2009	0.4962	0.0240	0.8072	0.0407	0.1998	0.0121	—	—	0.1221	0.0203	0.4633	0.0288	0.9112	0.0461	0.3656	0.0285
2008	0.4526	0.0227	0.7311	0.0377	0.1873	0.0126	—	—	0.1040	0.0180	0.4441	0.0282	0.8265	0.0433	0.3146	0.0240
2007	0.3777	0.0190	0.6076	0.0328	0.1587	0.0108	—	—	0.0657	0.0140	0.3874	0.0262	0.6804	0.0365	0.2556	0.0225
2006	0.3444	0.0180	0.5712	0.0317	0.1285	0.0086	—	—	0.0598	0.0136	0.3435	0.0214	0.6477	0.0378	0.2145	0.0187
Falls																
2010	0.3132	0.0159	0.4885	0.0265	0.1461	0.0096	—	—	0.0357	0.0095	0.2627	0.0182	0.5917	0.0319	0.2663	0.0237
2009	0.2949	0.0153	0.4723	0.0256	0.1259	0.0090	—	—	0.0445	0.0107	0.2421	0.0179	0.5544	0.0310	0.2740	0.0221
2008	0.2659	0.0140	0.4219	0.0231	0.1173	0.0092	—	—	0.0446	0.0123	0.2345	0.0175	0.4834	0.0271	0.2528	0.0213
2007	0.2136	0.0120	0.3369	0.0206	0.0961	0.0081	—	—	0.0279	0.0090	0.1993	0.0147	0.3966	0.0248	0.1704	0.0169
2006	0.2003	0.0117	0.3267	0.0208	0.0800	0.0065	—	—	—	—	0.1831	0.0149	0.3842	0.0245	0.1611	0.0159
Struck by or against objects/persons																
2010	0.0124	0.0017	0.0208	0.0031	0.0044	0.0013	—	—	—	—	0.0147	0.0028	0.0230	0.0042	—	—
2009	0.0162	0.0019	0.0268	0.0035	0.0061	0.0017	—	—	—	—	0.0180	0.0037	0.0287	0.0041	—	—
2008	0.0126	0.0017	0.0220	0.0031	0.0036	0.0010	—	—	—	—	0.0152	0.0030	0.0227	0.0036	—	—
2007	0.0112	0.0018	0.0164	0.0028	0.0062	0.0016	—	—	—	—	0.0189	0.0039	0.0118	0.0031	—	—
2006	0.0114	0.0016	0.0187	0.0028	0.0044	0.0013	—	—	—	—	0.0143	0.0030	0.0199	0.0036	—	—
Motor vehicle traffic																
2010	0.0149	0.0017	0.0269	0.0034	—	—	—	—	—	—	0.0199	0.0035	0.0251	0.0046	—	—
2009	0.0116	0.0016	0.0190	0.0028	0.0045	0.0014	—	—	—	—	0.0139	0.0029	0.0174	0.0033	—	—
2008	0.0114	0.0016	0.0174	0.0028	0.0057	0.0016	—	—	—	—	0.0145	0.0031	0.0184	0.0039	—	—
2007	0.0098	0.0013	0.0157	0.0025	0.0043	0.0012	—	—	—	—	0.0059	0.0017	0.0206	0.0036	—	—
2006	0.0107	0.0016	0.0184	0.0030	—	—	—	—	—	—	0.0103	0.0024	0.0214	0.0042	—	—
Cut or pierce																
2010	0.0073	0.0016	0.0098	0.0019	—	—	—	—	—	—	0.0086	0.0022	0.0135	0.0044	—	—
2009	0.0065	0.0012	0.0126	0.0024	—	—	—	—	—	—	0.0090	0.0023	0.0113	0.0029	—	—
2008	0.0045	0.0010	0.0080	0.0019	—	—	—	—	—	—	—	—	0.0077	0.0024	—	—
2007	0.0059	0.0013	0.0094	0.0024	—	—	—	—	—	—	0.0074	0.0021	0.0101	0.0036	—	—
2006	0.0064	0.0012	0.0105	0.0023	—	—	—	—	—	—	0.0074	0.0023	0.0114	0.0028	—	—
Poisoning																
2010	0.0213	0.0023	0.0346	0.0041	0.0085	0.0018	—	—	—	—	0.0225	0.0042	0.0381	0.0051	—	—
2009	0.0176	0.0023	0.0268	0.0040	0.0089	0.0023	—	—	—	—	0.0164	0.0031	0.0355	0.0058	—	—
2008	0.0179	0.0024	0.0260	0.0044	0.0102	0.0020	—	—	—	—	0.0209	0.0038	0.0305	0.0052	—	—
2007	0.0150	0.0020	0.0244	0.0035	0.0060	0.0015	—	—	—	—	0.0186	0.0037	0.0219	0.0037	0.0137	0.0044
2006	0.0085	0.0014	0.0107	0.0021	0.0064	0.0018	—	—	—	—	0.0167	0.0034	0.0087	0.0027	—	—
Intentional injuries																
2010	0.0690	0.0065	0.1027	0.0109	0.0369	0.0045	—	—	0.0275	0.0091	0.0926	0.0099	0.1126	0.0122	—	—
2009	0.0690	0.0056	0.1002	0.0091	0.0394	0.0050	0.0210	0.0074	0.0541	0.0132	0.1039	0.0099	0.0870	0.0086	—	—
2008	0.0635	0.0062	0.0912	0.0100	0.0371	0.0047	0.0140	0.0043	0.0708	0.0154	0.0893	0.0100	0.0864	0.0103	—	—
2007	0.0511	0.0055	0.0719	0.0086	0.0313	0.0044	—	—	0.0529	0.0168	0.0769	0.0091	0.0650	0.0091	—	—
2006	0.0494	0.0053	0.0707	0.0082	0.0292	0.0044	—	—	0.0383	0.0123	0.0737	0.0093	0.0678	0.0082	—	—

See footnotes at end of table.

Table C9. Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcohol dependence syndrome																
Any injury-related diagnoses																
2010	0.9581	0.0519	1.4470	0.0817	0.4916	0.0281	0.2107	0.0269	0.5884	0.0771	1.0258	0.0632	1.5188	0.0820	0.5615	0.0347
2009	0.9790	0.0518	1.4841	0.0845	0.4977	0.0261	0.2119	0.0236	0.6259	0.0747	0.9849	0.0566	1.6215	0.0933	0.5724	0.0362
2008	0.7780	0.0391	1.1602	0.0614	0.4135	0.0235	0.1808	0.0239	0.5342	0.0539	0.8519	0.0496	1.2060	0.0629	0.4609	0.0302
2007	0.7779	0.0462	1.1630	0.0716	0.4112	0.0264	0.1721	0.0266	0.5752	0.0609	0.8554	0.0517	1.1832	0.0718	0.4974	0.0454
2006	0.7461	0.0432	1.1148	0.0686	0.3946	0.0249	0.1855	0.0237	0.5189	0.0524	0.8572	0.0569	1.1181	0.0698	0.4345	0.0301
Unintentional injuries																
2010	0.6793	0.0376	1.0441	0.0613	0.3310	0.0192	0.1314	0.0171	0.3408	0.0522	0.6378	0.0420	1.1383	0.0633	0.5053	0.0326
2009	0.6781	0.0371	1.0539	0.0609	0.3200	0.0189	0.1272	0.0170	0.3296	0.0486	0.5940	0.0378	1.1959	0.0714	0.4959	0.0324
2008	0.5332	0.0282	0.8170	0.0465	0.2624	0.0156	0.0957	0.0174	0.2758	0.0370	0.5106	0.0327	0.8939	0.0505	0.4026	0.0271
2007	0.4974	0.0267	0.7550	0.0425	0.2521	0.0165	0.0844	0.0132	0.3005	0.0355	0.4899	0.0298	0.7984	0.0490	0.4137	0.0320
2006	0.4797	0.0300	0.7384	0.0483	0.2328	0.0173	0.1057	0.0181	0.2571	0.0360	0.4823	0.0344	0.7800	0.0528	0.3574	0.0267
Falls																
2010	0.3721	0.0208	0.5752	0.0338	0.1782	0.0116	0.0432	0.0081	0.1022	0.0191	0.2761	0.0206	0.6724	0.0395	0.3907	0.0262
2009	0.3889	0.0229	0.5997	0.0373	0.1880	0.0129	0.0382	0.0081	0.0910	0.0205	0.2745	0.0224	0.7318	0.0467	0.4049	0.0275
2008	0.3005	0.0159	0.4589	0.0266	0.1493	0.0098	0.0341	0.0093	0.0923	0.0182	0.2192	0.0165	0.5496	0.0324	0.3275	0.0227
2007	0.2789	0.0155	0.4175	0.0252	0.1469	0.0100	0.0240	0.0061	0.0996	0.0204	0.2120	0.0147	0.4820	0.0312	0.3536	0.0298
2006	0.2620	0.0176	0.3968	0.0286	0.1331	0.0116	0.0398	0.0084	0.0855	0.0187	0.2141	0.0185	0.4614	0.0338	0.2766	0.0225
Struck by or against objects/persons																
2010	0.0289	0.0028	0.0463	0.0052	0.0123	0.0022	—	—	0.0370	0.0105	0.0363	0.0055	0.0393	0.0052	—	—
2009	0.0238	0.0025	0.0375	0.0043	0.0108	0.0021	—	—	0.0377	0.0107	0.0284	0.0046	0.0301	0.0046	—	—
2008	0.0169	0.0020	0.0270	0.0034	0.0073	0.0017	—	—	—	—	0.0211	0.0035	0.0183	0.0037	—	—
2007	0.0156	0.0018	0.0225	0.0030	0.0089	0.0020	—	—	—	—	0.0211	0.0036	0.0191	0.0037	—	—
2006	0.0186	0.0024	0.0287	0.0043	0.0091	0.0021	—	—	—	—	0.0299	0.0049	0.0215	0.0043	—	—
Motor vehicle traffic																
2010	0.0415	0.0053	0.0553	0.0075	0.0284	0.0051	0.0256	0.0063	0.0513	0.0157	0.0592	0.0101	0.0417	0.0056	0.0165	0.0054
2009	0.0356	0.0040	0.0560	0.0068	0.0161	0.0029	0.0175	0.0053	0.0609	0.0144	0.0417	0.0063	0.0456	0.0064	—	—
2008	0.0333	0.0037	0.0478	0.0059	0.0194	0.0029	—	—	0.0597	0.0136	0.0443	0.0061	0.0389	0.0053	—	—
2007	0.0349	0.0035	0.0553	0.0061	0.0156	0.0029	0.0137	0.0046	0.0705	0.0169	0.0421	0.0058	0.0416	0.0058	—	—
2006	0.0343	0.0044	0.0527	0.0069	0.0168	0.0030	0.0173	0.0056	0.0727	0.0185	0.0455	0.0075	0.0320	0.0051	—	—
Cut or pierce																
2010	0.0121	0.0018	0.0165	0.0029	0.0079	0.0019	—	—	—	—	0.0162	0.0034	0.0122	0.0030	—	—
2009	0.0142	0.0019	0.0218	0.0034	0.0070	0.0015	—	—	—	—	0.0223	0.0036	0.0121	0.0028	—	—
2008	0.0097	0.0014	0.0142	0.0026	0.0055	0.0014	—	—	—	—	0.0142	0.0030	0.0123	0.0025	—	—
2007	0.0113	0.0017	0.0170	0.0029	0.0058	0.0015	—	—	—	—	0.0210	0.0039	0.0097	0.0026	—	—
2006	0.0096	0.0014	0.0166	0.0026	—	—	—	—	—	—	0.0122	0.0028	0.0123	0.0028	—	—
Poisoning																
2010	0.0240	0.0024	0.0304	0.0038	0.0179	0.0027	—	—	—	—	0.0332	0.0046	0.0359	0.0057	—	—
2009	0.0261	0.0027	0.0326	0.0040	0.0199	0.0029	—	—	—	—	0.0344	0.0054	0.0388	0.0051	—	—
2008	0.0202	0.0021	0.0228	0.0030	0.0176	0.0028	—	—	—	—	0.0275	0.0044	0.0271	0.0042	—	—
2007	0.0207	0.0023	0.0268	0.0036	0.0148	0.0028	—	—	—	—	0.0307	0.0045	0.0207	0.0037	—	—
2006	0.0192	0.0024	0.0242	0.0035	0.0144	0.0028	—	—	—	—	0.0278	0.0043	0.0246	0.0048	—	—
Intentional injuries																
2010	0.1513	0.0108	0.2077	0.0161	0.0975	0.0090	0.0387	0.0071	0.1715	0.0286	0.2326	0.0191	0.1851	0.0152	0.0176	0.0042
2009	0.1667	0.0113	0.2255	0.0180	0.1107	0.0091	0.0593	0.0107	0.2087	0.0344	0.2380	0.0184	0.2107	0.0166	0.0176	0.0049
2008	0.1463	0.0107	0.1951	0.0142	0.0998	0.0097	0.0544	0.0095	0.1731	0.0253	0.2265	0.0189	0.1662	0.0137	0.0165	0.0050
2007	0.1271	0.0088	0.1757	0.0134	0.0809	0.0071	0.0376	0.0073	0.1404	0.0239	0.2009	0.0160	0.1491	0.0130	—	—
2006	0.1284	0.0116	0.1753	0.0175	0.0837	0.0088	0.0333	0.0070	0.1802	0.0267	0.1891	0.0210	0.1588	0.0155	—	—

See footnotes at end of table.

Table C9. Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Nondependent abuse of alcohol																
Any injury-related diagnoses																
2010	2.7324	0.1201	4.0486	0.1968	1.4773	0.0572	1.9726	0.0927	4.2252	0.1947	3.0722	0.1566	3.2389	0.1633	1.1161	0.0636
2009	2.6003	0.1144	3.8478	0.1845	1.4092	0.0570	1.8443	0.0849	4.2090	0.2494	3.0110	0.1570	2.9718	0.1431	1.0500	0.0518
2008	2.4390	0.1051	3.6187	0.1727	1.3139	0.0502	1.9276	0.1038	3.8321	0.2173	2.8577	0.1402	2.6504	0.1221	1.0298	0.0546
2007	2.2657	0.0865	3.3486	0.1359	1.2332	0.0479	1.8245	0.0854	3.6733	0.1969	2.5594	0.1034	2.4748	0.1135	1.0267	0.0557
2006	2.1273	0.0891	3.1448	0.1403	1.1574	0.0484	1.8727	0.0967	3.2646	0.1757	2.4226	0.1102	2.2789	0.1115	0.9158	0.0505
Unintentional injuries																
2010	1.9437	0.0913	2.9047	0.1489	1.0273	0.0440	1.3593	0.0721	2.7108	0.1529	2.0065	0.1061	2.4672	0.1369	0.9943	0.0592
2009	1.8100	0.0805	2.7290	0.1305	0.9334	0.0402	1.2097	0.0617	2.7122	0.1759	1.9023	0.1040	2.2505	0.1115	0.9304	0.0480
2008	1.7048	0.0748	2.5760	0.1227	0.8737	0.0363	1.2480	0.0792	2.5513	0.1598	1.8286	0.0910	2.0007	0.0964	0.9341	0.0512
2007	1.5177	0.0634	2.2979	0.1003	0.7740	0.0347	1.1612	0.0656	2.3238	0.1437	1.5553	0.0667	1.7876	0.0905	0.8943	0.0527
2006	1.3898	0.0667	2.0988	0.1070	0.7141	0.0345	1.1423	0.0689	1.8727	0.1323	1.4564	0.0775	1.6350	0.0890	0.7862	0.0465
Falls																
2010	0.9545	0.0535	1.4150	0.0879	0.5153	0.0262	0.4699	0.0354	0.9487	0.0778	0.8081	0.0524	1.4206	0.0942	0.7778	0.0485
2009	0.8916	0.0430	1.3195	0.0687	0.4834	0.0237	0.4349	0.0330	0.8379	0.0656	0.7588	0.0490	1.3310	0.0721	0.7496	0.0410
2008	0.7958	0.0350	1.1761	0.0571	0.4333	0.0197	0.4020	0.0330	0.8144	0.0688	0.6901	0.0372	1.1321	0.0567	0.7270	0.0433
2007	0.7006	0.0317	1.0435	0.0507	0.3741	0.0195	0.3542	0.0278	0.7416	0.0604	0.5767	0.0300	1.0072	0.0567	0.6852	0.0421
2006	0.6257	0.0322	0.9308	0.0509	0.3345	0.0185	0.3217	0.0262	0.5578	0.0559	0.5384	0.0341	0.9010	0.0536	0.6107	0.0391
Struck by or against objects/persons																
2010	0.0837	0.0054	0.1245	0.0094	0.0449	0.0041	0.1046	0.0115	0.1696	0.0245	0.1057	0.0104	0.0696	0.0075	—	—
2009	0.0814	0.0056	0.1252	0.0094	0.0396	0.0044	0.0838	0.0106	0.1874	0.0263	0.1101	0.0100	0.0613	0.0069	0.0143	0.0046
2008	0.0752	0.0062	0.1197	0.0108	0.0324	0.0037	0.1001	0.0139	0.1518	0.0193	0.0931	0.0108	0.0572	0.0075	0.0150	0.0041
2007	0.0677	0.0052	0.1038	0.0085	0.0334	0.0041	0.0968	0.0131	0.1305	0.0246	0.0795	0.0084	0.0526	0.0063	0.0148	0.0040
2006	0.0599	0.0044	0.0952	0.0079	0.0263	0.0035	0.0803	0.0106	0.1143	0.0186	0.0673	0.0067	0.0535	0.0067	—	—
Motor vehicle traffic																
2010	0.2402	0.0124	0.3441	0.0194	0.1412	0.0089	0.1826	0.0169	0.5692	0.0446	0.3233	0.0209	0.2036	0.0140	0.0616	0.0090
2009	0.2559	0.0192	0.3737	0.0285	0.1432	0.0127	0.1932	0.0206	0.6641	0.0633	0.3469	0.0307	0.2079	0.0179	0.0509	0.0082
2008	0.2619	0.0153	0.4017	0.0243	0.1284	0.0104	0.2220	0.0230	0.6298	0.0597	0.3654	0.0236	0.1933	0.0149	0.0613	0.0085
2007	0.2391	0.0129	0.3549	0.0200	0.1289	0.0101	0.2047	0.0187	0.6097	0.0545	0.3136	0.0193	0.1829	0.0143	0.0619	0.0119
2006	0.2241	0.0152	0.3361	0.0244	0.1174	0.0096	0.2250	0.0236	0.5046	0.0564	0.2771	0.0227	0.1845	0.0151	0.0583	0.0091
Cut or pierce																
2010	0.0432	0.0036	0.0619	0.0062	0.0253	0.0031	0.0492	0.0079	0.0764	0.0147	0.0601	0.0068	0.0318	0.0056	0.0121	0.0040
2009	0.0423	0.0040	0.0655	0.0069	0.0201	0.0030	0.0382	0.0068	0.1086	0.0250	0.0602	0.0072	0.0299	0.0059	—	—
2008	0.0490	0.0048	0.0770	0.0085	0.0224	0.0029	0.0543	0.0112	0.1335	0.0243	0.0654	0.0073	0.0338	0.0057	—	—
2007	0.0400	0.0038	0.0615	0.0066	0.0196	0.0031	0.0374	0.0072	0.1129	0.0197	0.0557	0.0074	0.0268	0.0051	—	—
2006	0.0402	0.0035	0.0547	0.0059	0.0265	0.0037	0.0332	0.0065	0.1145	0.0211	0.0558	0.0065	0.0265	0.0048	—	—
Poisoning																
2010	0.0620	0.0045	0.0683	0.0060	0.0559	0.0057	0.0617	0.0090	0.1515	0.0302	0.0761	0.0071	0.0546	0.0067	—	—
2009	0.0609	0.0046	0.0709	0.0061	0.0514	0.0055	0.0578	0.0091	0.1534	0.0284	0.0806	0.0085	0.0478	0.0060	0.0100	0.0031
2008	0.0577	0.0042	0.0669	0.0063	0.0489	0.0046	0.0548	0.0090	0.1338	0.0195	0.0737	0.0066	0.0510	0.0060	—	—
2007	0.0492	0.0038	0.0557	0.0052	0.0431	0.0045	0.0495	0.0083	0.1026	0.0187	0.0609	0.0065	0.0447	0.0059	—	—
2006	0.0502	0.0040	0.0565	0.0053	0.0443	0.0050	0.0639	0.0099	0.0789	0.0160	0.0670	0.0072	0.0398	0.0055	—	—
Intentional injuries																
2010	0.4487	0.0274	0.6381	0.0439	0.2681	0.0163	0.3126	0.0244	0.9547	0.0679	0.6455	0.0493	0.4152	0.0273	0.0330	0.0067
2009	0.4490	0.0295	0.6154	0.0466	0.2898	0.0174	0.3423	0.0271	0.9076	0.0774	0.6852	0.0493	0.3710	0.0299	0.0255	0.0057
2008	0.4465	0.0256	0.6269	0.0417	0.2747	0.0153	0.3890	0.0288	0.8551	0.0673	0.6725	0.0436	0.3567	0.0246	0.0288	0.0064
2007	0.3812	0.0182	0.5178	0.0273	0.2507	0.0141	0.3293	0.0255	0.7389	0.0591	0.5649	0.0308	0.3075	0.0206	0.0246	0.0057
2006	0.3570	0.0203	0.4914	0.0319	0.2290	0.0144	0.3474	0.0307	0.7052	0.0601	0.5276	0.0324	0.2659	0.0212	0.0144	0.0044

See footnotes at end of table.

Table C9. Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
All chronic liver disease and cirrhosis																
Any injury-related diagnoses																
2010	0.1291	0.0060	0.1723	0.0095	0.0878	0.0055	—	—	—	—	0.0673	0.0069	0.2540	0.0141	0.1760	0.0144
2009	0.1298	0.0067	0.1756	0.0103	0.0862	0.0067	—	—	—	—	0.0707	0.0071	0.2609	0.0156	0.1628	0.0145
2008	0.1436	0.0068	0.1901	0.0101	0.0992	0.0066	—	—	—	—	0.0777	0.0073	0.2817	0.0161	0.2085	0.0165
2007	0.1439	0.0071	0.1830	0.0104	0.1066	0.0081	—	—	—	—	0.0781	0.0078	0.2828	0.0192	0.2093	0.0176
2006	0.1341	0.0072	0.1908	0.0115	0.0801	0.0059	—	—	—	—	0.0825	0.0076	0.2719	0.0169	0.1635	0.0173
Unintentional injuries																
2010	0.1028	0.0054	0.1340	0.0085	0.0730	0.0051	—	—	—	—	0.0466	0.0057	0.2106	0.0129	0.1365	0.0126
2009	0.0966	0.0054	0.1299	0.0087	0.0649	0.0055	—	—	—	—	0.0488	0.0054	0.1941	0.0129	0.1291	0.0124
2008	0.1082	0.0056	0.1424	0.0084	0.0755	0.0057	—	—	—	—	0.0541	0.0058	0.2081	0.0133	0.1746	0.0150
2007	0.1082	0.0065	0.1355	0.0088	0.0822	0.0073	—	—	—	—	0.0519	0.0056	0.2167	0.0169	0.1646	0.0160
2006	0.0986	0.0059	0.1401	0.0093	0.0592	0.0050	—	—	—	—	0.0582	0.0065	0.1980	0.0133	0.1296	0.0154
Falls																
2010	0.0600	0.0036	0.0756	0.0059	0.0452	0.0041	—	—	—	—	0.0198	0.0033	0.1203	0.0092	0.0982	0.0102
2009	0.0525	0.0035	0.0686	0.0059	0.0372	0.0039	—	—	—	—	0.0192	0.0033	0.1079	0.0088	0.0812	0.0098
2008	0.0637	0.0038	0.0812	0.0059	0.0470	0.0044	—	—	—	—	0.0246	0.0041	0.1252	0.0094	0.1141	0.0114
2007	0.0646	0.0047	0.0797	0.0063	0.0502	0.0064	—	—	—	—	0.0256	0.0039	0.1319	0.0124	0.1072	0.0127
2006	0.0548	0.0037	0.0725	0.0060	0.0380	0.0040	—	—	—	—	0.0280	0.0043	0.1078	0.0086	0.0893	0.0128
Struck by or against objects/persons																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	0.0021	0.0006	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	0.0028	0.0008	0.0044	0.0014	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	0.0019	0.0007	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	0.0018	0.0006	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	0.0020	0.0006	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	0.0081	0.0014	0.0099	0.0019	0.0064	0.0017	—	—	—	—	0.0068	0.0022	0.0181	0.0036	—	—
2009	0.0052	0.0010	0.0055	0.0014	0.0049	0.0015	—	—	—	—	0.0071	0.0023	0.0073	0.0020	—	—
2008	0.0079	0.0013	0.0105	0.0021	0.0054	0.0015	—	—	—	—	0.0080	0.0021	0.0129	0.0030	—	—
2007	0.0067	0.0011	0.0082	0.0017	0.0054	0.0014	—	—	—	—	—	—	0.0129	0.0031	—	—
2006	0.0061	0.0013	0.0096	0.0025	—	—	—	—	—	—	—	—	0.0109	0.0029	—	—
Intentional injuries																
2010	0.0047	0.0010	0.0071	0.0018	—	—	—	—	—	—	—	—	0.0082	0.0021	—	—
2009	0.0051	0.0010	0.0055	0.0016	0.0047	0.0013	—	—	—	—	—	—	0.0101	0.0024	—	—
2008	0.0059	0.0011	0.0083	0.0019	—	—	—	—	—	—	0.0072	0.0022	0.0092	0.0023	—	—
2007	0.0050	0.0010	0.0052	0.0015	0.0047	0.0014	—	—	—	—	—	—	0.0094	0.0025	—	—
2006	0.0060	0.0012	0.0084	0.0019	—	—	—	—	—	—	0.0068	0.0019	0.0093	0.0028	—	—

See footnotes at end of table.

Table C9. Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcoholic liver disease																
Any injury-related diagnoses																
2010	0.0929	0.0051	0.1364	0.0085	0.0514	0.0045	—	—	—	—	0.0591	0.0066	0.1970	0.0126	0.0761	0.0092
2009	0.0962	0.0054	0.1406	0.0089	0.0539	0.0052	—	—	—	—	0.0591	0.0066	0.2086	0.0133	0.0774	0.0096
2008	0.1050	0.0054	0.1512	0.0088	0.0611	0.0050	—	—	—	—	0.0662	0.0066	0.2266	0.0138	0.0908	0.0104
2007	0.0980	0.0054	0.1368	0.0089	0.0611	0.0066	—	—	—	—	0.0701	0.0075	0.2064	0.0151	0.0780	0.0110
2006	0.1019	0.0061	0.1541	0.0103	0.0521	0.0047	—	—	—	—	0.0722	0.0070	0.2164	0.0145	0.0847	0.0125
Unintentional injuries																
2010	0.0743	0.0046	0.1063	0.0075	0.0438	0.0042	—	—	—	—	0.0410	0.0054	0.1627	0.0114	0.0626	0.0082
2009	0.0701	0.0043	0.1010	0.0072	0.0407	0.0043	—	—	—	—	0.0392	0.0048	0.1527	0.0108	0.0639	0.0086
2008	0.0791	0.0045	0.1143	0.0074	0.0456	0.0041	—	—	—	—	0.0470	0.0054	0.1707	0.0114	0.0738	0.0094
2007	0.0740	0.0048	0.1014	0.0070	0.0479	0.0060	—	—	—	—	0.0471	0.0054	0.1571	0.0130	0.0690	0.0104
2006	0.0746	0.0050	0.1116	0.0084	0.0393	0.0041	—	—	—	—	0.0518	0.0060	0.1566	0.0115	0.0684	0.0113
Falls																
2010	0.0446	0.0033	0.0615	0.0053	0.0286	0.0034	—	—	—	—	0.0192	0.0033	0.0978	0.0087	0.0470	0.0070
2009	0.0380	0.0029	0.0542	0.0050	0.0225	0.0027	—	—	—	—	0.0158	0.0029	0.0854	0.0074	0.0417	0.0068
2008	0.0454	0.0032	0.0639	0.0052	0.0277	0.0033	—	—	—	—	0.0207	0.0037	0.1051	0.0085	0.0423	0.0069
2007	0.0442	0.0039	0.0608	0.0053	0.0283	0.0055	—	—	—	—	0.0250	0.0038	0.0953	0.0110	0.0470	0.0086
2006	0.0418	0.0033	0.0592	0.0054	0.0252	0.0033	—	—	—	—	0.0259	0.0040	0.0855	0.0079	0.0511	0.0099
Struck by or against objects/persons																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	0.0022	0.0007	0.0037	0.0013	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	0.0065	0.0013	0.0089	0.0018	0.0043	0.0015	—	—	—	—	—	—	0.0146	0.0032	—	—
2009	0.0044	0.0009	0.0047	0.0013	0.0041	0.0014	—	—	—	—	0.0065	0.0023	0.0063	0.0018	—	—
2008	0.0070	0.0012	0.0101	0.0021	0.0041	0.0012	—	—	—	—	0.0063	0.0018	0.0118	0.0029	—	—
2007	0.0057	0.0011	0.0072	0.0016	0.0043	0.0013	—	—	—	—	—	—	0.0110	0.0029	—	—
2006	0.0050	0.0012	0.0081	0.0024	—	—	—	—	—	—	—	—	0.0091	0.0028	—	—
Intentional injuries																
2010	0.0041	0.0009	0.0063	0.0017	—	—	—	—	—	—	—	—	0.0074	0.0020	—	—
2009	0.0043	0.0010	0.0052	0.0016	0.0035	0.0012	—	—	—	—	—	—	0.0086	0.0023	—	—
2008	0.0043	0.0010	0.0062	0.0016	—	—	—	—	—	—	—	—	0.0061	0.0019	—	—
2007	0.0036	0.0009	—	—	—	—	—	—	—	—	—	—	0.0067	0.0019	—	—
2006	0.0046	0.0011	0.0069	0.0018	—	—	—	—	—	—	—	—	0.0074	0.0026	—	—

See footnotes at end of table.

Table C9. Rate of emergency department visits with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcohol poisoning																
Any injury-related diagnoses																
2010	0.5802	0.0441	0.7377	0.0649	0.4301	0.0294	0.6590	0.0599	0.8345	0.0768	0.6613	0.0533	0.6063	0.0560	0.1795	0.0185
2009	0.7166	0.0758	0.9355	0.1121	0.5080	0.0460	0.8815	0.1034	0.9424	0.1206	0.8102	0.0867	0.7455	0.0873	0.2047	0.0255
2008	0.7298	0.0707	0.9349	0.1060	0.5343	0.0417	0.8883	0.0769	0.9675	0.0996	0.7858	0.0684	0.7922	0.1095	0.2212	0.0377
2007	0.6201	0.0498	0.7906	0.0729	0.4574	0.0321	0.8599	0.0681	0.7514	0.0726	0.6993	0.0614	0.6048	0.0649	0.1732	0.0183
2006	0.7428	0.0734	0.9650	0.1042	0.5313	0.0490	0.9563	0.0807	0.8616	0.0947	0.8477	0.0845	0.7796	0.1062	0.1584	0.0216
Unintentional injuries																
2010	0.2834	0.0302	0.3694	0.0454	0.2014	0.0186	0.3183	0.0348	0.4618	0.0558	0.3051	0.0382	0.2957	0.0361	0.1053	0.0136
2009	0.3493	0.0434	0.4653	0.0674	0.2388	0.0235	0.4310	0.0479	0.4964	0.0751	0.3852	0.0526	0.3570	0.0517	0.1157	0.0166
2008	0.4014	0.0575	0.5325	0.0884	0.2765	0.0311	0.4971	0.0605	0.5450	0.0804	0.4003	0.0507	0.4463	0.0933	0.1536	0.0343
2007	0.3075	0.0355	0.4105	0.0535	0.2094	0.0225	0.4885	0.0567	0.3964	0.0563	0.3111	0.0405	0.2866	0.0443	0.1163	0.0158
2006	0.3640	0.0448	0.4912	0.0689	0.2429	0.0248	0.4787	0.0435	0.4690	0.0619	0.3901	0.0482	0.3826	0.0739	0.1011	0.0172
Falls																
2010	0.0170	0.0027	0.0214	0.0041	0.0128	0.0025	—	—	—	—	0.0156	0.0039	0.0233	0.0040	0.0145	0.0053
2009	0.0234	0.0041	0.0352	0.0071	0.0122	0.0025	0.0174	0.0052	—	—	0.0215	0.0069	0.0366	0.0061	—	—
2008	0.0176	0.0029	0.0236	0.0043	0.0118	0.0023	—	—	—	—	0.0149	0.0034	0.0221	0.0051	0.0179	0.0050
2007	0.0145	0.0022	0.0183	0.0033	0.0108	0.0021	0.0216	0.0056	—	—	0.0120	0.0026	0.0182	0.0041	—	—
2006	0.0210	0.0032	0.0314	0.0060	0.0111	0.0031	—	—	—	—	0.0219	0.0051	0.0314	0.0075	—	—
Struck by or against objects/persons																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	0.0023	0.0007	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	0.0035	0.0009	0.0048	0.0015	—	—	—	—	—	—	0.0063	0.0023	—	—	—	—
2009	0.0068	0.0023	0.0108	0.0038	—	—	—	—	—	—	0.0084	0.0033	—	—	—	—
2008	0.0033	0.0010	0.0042	0.0015	—	—	—	—	—	—	0.0058	0.0020	—	—	—	—
2007	0.0044	0.0010	0.0057	0.0016	—	—	—	—	—	—	0.0068	0.0021	—	—	—	—
2006	0.0038	0.0011	0.0052	0.0017	—	—	—	—	—	—	0.0054	0.0019	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	0.2632	0.0293	0.3425	0.0444	0.1876	0.0178	0.3088	0.0344	0.4343	0.0534	0.2835	0.0366	0.2670	0.0351	0.0978	0.0133
2009	0.3180	0.0417	0.4168	0.0645	0.2239	0.0228	0.4004	0.0461	0.4404	0.0725	0.3526	0.0505	0.3200	0.0493	0.1089	0.0161
2008	0.3839	0.0568	0.5090	0.0874	0.2647	0.0307	0.4813	0.0598	0.5170	0.0797	0.3837	0.0499	0.4274	0.0924	0.1400	0.0336
2007	0.2883	0.0345	0.3822	0.0523	0.1987	0.0218	0.4660	0.0558	0.3770	0.0557	0.2891	0.0394	0.2674	0.0431	0.1062	0.0152
2006	0.3437	0.0435	0.4606	0.0667	0.2323	0.0243	0.4591	0.0426	0.4542	0.0619	0.3670	0.0456	0.3577	0.0727	0.0928	0.0162
Intentional injuries																
2010	0.1205	0.0083	0.1362	0.0104	0.1054	0.0096	0.1097	0.0154	0.1581	0.0250	0.1590	0.0128	0.1236	0.0103	0.0300	0.0060
2009	0.1413	0.0268	0.1619	0.0344	0.1216	0.0206	0.1447	0.0505	0.1533	0.0397	0.1694	0.0268	0.1603	0.0284	0.0359	0.0073
2008	0.1333	0.0077	0.1417	0.0098	0.1253	0.0091	0.1249	0.0136	0.1559	0.0231	0.1779	0.0129	0.1425	0.0113	0.0186	0.0048
2007	0.1375	0.0077	0.1493	0.0101	0.1262	0.0085	0.1219	0.0136	0.1507	0.0199	0.1938	0.0139	0.1363	0.0120	0.0271	0.0057
2006	0.1365	0.0081	0.1497	0.0107	0.1240	0.0087	0.1283	0.0151	0.1397	0.0201	0.1812	0.0139	0.1510	0.0129	0.0150	0.0041

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table C10. Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Any alcohol-related diagnoses																
Any injury-related diagnoses																
2010	32.3568	0.8940	46.2030	1.3318	19.1487	0.5270	13.9066	0.4524	41.8139	1.4042	36.1990	1.0865	41.1655	1.1987	20.4706	0.5948
2009	31.3347	0.8934	44.8197	1.3704	18.4601	0.4938	14.1729	0.4679	42.1285	1.5225	35.5566	1.1008	38.8632	1.1624	19.6000	0.5607
2008	30.9506	0.9251	44.3748	1.3750	18.1163	0.5310	14.7551	0.5573	43.0736	1.6808	36.0107	1.1666	36.7015	1.1028	19.5804	0.5789
2007	28.9492	0.8497	41.7438	1.2913	16.7312	0.4689	14.2851	0.4846	40.9689	1.4483	34.2605	1.1004	33.4090	0.9975	18.0349	0.5394
2006	28.3075	0.7656	40.8934	1.1428	16.3141	0.4419	14.7001	0.4569	40.3433	1.3149	33.2532	0.9644	32.5961	0.9499	17.4092	0.4968
Unintentional injuries																
2010	21.1321	0.6096	30.7729	0.9167	11.9359	0.3451	7.8898	0.2769	23.8497	0.8733	20.5983	0.6514	29.0811	0.8911	17.7267	0.5396
2009	20.0565	0.5867	29.2063	0.9001	11.3195	0.3194	7.8089	0.2775	23.7774	0.9433	19.7833	0.6376	27.0663	0.8296	16.8922	0.5039
2008	19.4605	0.5656	28.5117	0.8507	10.8087	0.3122	8.0453	0.3122	23.8057	0.9720	19.7889	0.6322	25.1730	0.7469	16.7913	0.5041
2007	17.8348	0.5280	26.3967	0.8114	9.6561	0.2817	7.9150	0.2896	23.1025	0.9027	18.5506	0.6240	22.2585	0.6670	15.1355	0.4684
2006	17.4879	0.4870	25.9371	0.7426	9.4352	0.2656	8.2203	0.2902	21.9872	0.7980	18.0885	0.5386	21.9512	0.6643	14.7687	0.4423
Falls																
2010	10.0890	0.2937	14.1547	0.4310	6.2114	0.1844	2.2354	0.1089	7.0189	0.2866	7.1564	0.2436	15.7028	0.4874	13.5511	0.4246
2009	9.3832	0.2781	13.1394	0.4119	5.7969	0.1734	2.0172	0.1030	6.3296	0.3174	6.7577	0.2303	14.5652	0.4576	12.9000	0.4064
2008	8.7191	0.2524	12.2464	0.3688	5.3513	0.1565	1.9814	0.1054	6.3617	0.3371	6.3345	0.2134	13.0479	0.3904	12.8245	0.3998
2007	7.7356	0.2381	10.8708	0.3524	4.7441	0.1461	1.8129	0.0828	5.7207	0.2856	5.7445	0.2094	11.5043	0.3675	11.3987	0.3825
2006	7.5229	0.2305	10.5593	0.3419	4.6284	0.1426	1.8167	0.1043	5.1428	0.2293	5.6035	0.1953	11.2559	0.3745	11.2719	0.3531
Struck by or against objects/persons																
2010	0.9184	0.0359	1.3986	0.0544	0.4606	0.0230	0.5598	0.0344	1.6482	0.0964	1.1164	0.0512	1.0317	0.0429	0.3227	0.0272
2009	0.8523	0.0320	1.3022	0.0499	0.4231	0.0202	0.5505	0.0361	1.5556	0.0999	1.0286	0.0455	0.9422	0.0405	0.3000	0.0230
2008	0.8180	0.0326	1.2795	0.0529	0.3773	0.0182	0.5646	0.0433	1.5002	0.1073	1.0187	0.0458	0.8467	0.0381	0.2919	0.0243
2007	0.7518	0.0317	1.1831	0.0525	0.3407	0.0166	0.5268	0.0381	1.4504	0.0969	0.9608	0.0469	0.7314	0.0334	0.2585	0.0206
2006	0.7329	0.0266	1.1560	0.0436	0.3301	0.0154	0.5160	0.0352	1.3058	0.0785	0.9322	0.0393	0.7501	0.0349	0.2226	0.0199
Motor vehicle traffic																
2010	3.3713	0.1402	5.1239	0.2192	1.6992	0.0710	2.1694	0.1094	7.3929	0.3796	4.6256	0.1974	3.1097	0.1405	0.8037	0.0505
2009	3.4486	0.1490	5.2778	0.2326	1.7002	0.0759	2.2954	0.1206	8.3314	0.4410	4.7082	0.2139	3.0307	0.1307	0.7229	0.0416
2008	3.7307	0.1485	5.7705	0.2328	1.7712	0.0728	2.4975	0.1208	8.4222	0.4400	5.2579	0.2191	3.1901	0.1274	0.7820	0.0390
2007	3.6884	0.1465	5.7550	0.2356	1.7069	0.0685	2.7253	0.1294	9.0269	0.4323	5.0660	0.2138	2.9549	0.1177	0.7943	0.0445
2006	3.7013	0.1389	5.8304	0.2252	1.6711	0.0640	3.0201	0.1389	8.9883	0.4184	4.9493	0.1984	2.9680	0.1087	0.7339	0.0422
Cut or pierce																
2010	0.6659	0.0262	1.0233	0.0427	0.3248	0.0158	0.4799	0.0324	1.5526	0.0971	0.9406	0.0438	0.5508	0.0277	0.1440	0.0157
2009	0.6490	0.0309	1.0122	0.0510	0.3022	0.0158	0.4605	0.0344	1.6067	0.1220	0.9138	0.0477	0.5169	0.0288	0.1417	0.0144
2008	0.6582	0.0272	1.0321	0.0449	0.3016	0.0150	0.4762	0.0398	1.6120	0.1023	0.9371	0.0434	0.5210	0.0257	0.1121	0.0128
2007	0.6182	0.0348	0.9980	0.0604	0.2554	0.0162	0.4607	0.0357	1.4755	0.1123	0.8887	0.0589	0.4787	0.0271	0.0931	0.0117
2006	0.6113	0.0246	0.9667	0.0410	0.2726	0.0140	0.4718	0.0297	1.4896	0.0963	0.8334	0.0379	0.4902	0.0260	0.1112	0.0143
Poisoning																
2010	1.6938	0.0657	2.1433	0.0914	1.2651	0.0504	0.9332	0.0527	2.0802	0.1119	1.9755	0.0810	2.1761	0.1031	0.7135	0.0374
2009	1.7098	0.0716	2.1489	0.1036	1.2914	0.0502	1.0153	0.0624	2.0698	0.1253	2.0097	0.0920	2.1523	0.1017	0.7211	0.0401
2008	1.7304	0.0854	2.1821	0.1215	1.3000	0.0578	1.1146	0.0784	2.1529	0.1359	1.9933	0.0938	2.1776	0.1291	0.7017	0.0517
2007	1.4676	0.0581	1.8794	0.0830	1.0750	0.0411	1.0331	0.0703	1.8210	0.1128	1.7269	0.0771	1.7360	0.0785	0.6457	0.0343
2006	1.4606	0.0688	1.8866	0.1014	1.0551	0.0441	1.0350	0.0634	1.7625	0.1125	1.7793	0.0879	1.7301	0.1044	0.5151	0.0331
Intentional injuries																
2010	7.9547	0.2626	10.7363	0.3850	5.3010	0.1752	4.5137	0.1756	14.1354	0.5583	11.9542	0.4111	7.8143	0.2700	0.7993	0.0392
2009	7.9921	0.2780	10.8350	0.4169	5.2794	0.1752	4.7558	0.1960	14.7339	0.6124	12.0760	0.4332	7.5309	0.2773	0.7488	0.0401
2008	8.2842	0.3049	11.2203	0.4349	5.4724	0.2035	5.0394	0.2363	15.5924	0.6755	12.5092	0.4704	7.5862	0.2820	0.8097	0.0447
2007	7.4595	0.2369	10.0838	0.3518	4.9531	0.1541	4.4047	0.1721	13.4731	0.5008	11.4918	0.3818	6.7045	0.2265	0.6723	0.0342
2006	7.2898	0.2310	9.8527	0.3280	4.8478	0.1601	4.5374	0.1694	13.9383	0.5370	11.0796	0.3682	6.3577	0.2154	0.6210	0.0377

See footnotes at end of table.

Table C10. Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Alcoholic psychoses																	
Any injury-related diagnoses																	
2010	2.4268	0.0847	3.7783	0.1344	1.1381	0.0482	0.0851	0.0110	0.5983	0.0589	1.9991	0.0848	4.2949	0.1555	2.5443	0.1042	
2009	2.3728	0.0871	3.7235	0.1378	1.0856	0.0480	0.0897	0.0122	0.7079	0.0561	1.9978	0.0878	4.1795	0.1610	2.4543	0.0985	
2008	2.2816	0.0897	3.5720	0.1415	1.0520	0.0492	0.1160	0.0132	0.6377	0.0567	1.9893	0.0966	3.8867	0.1559	2.5461	0.1029	
2007	2.0512	0.0780	3.1989	0.1263	0.9580	0.0407	0.1047	0.0125	0.5391	0.0589	1.8550	0.0864	3.4593	0.1382	2.2883	0.0985	
2006	1.9719	0.0750	3.1089	0.1216	0.8889	0.0383	0.0962	0.0143	0.4956	0.0451	1.7956	0.0772	3.3950	0.1406	2.1097	0.0914	
Unintentional injuries																	
2010	1.7567	0.0652	2.7792	0.1057	0.7818	0.0359	0.0394	0.0071	0.3082	0.0370	1.2727	0.0598	3.1493	0.1220	2.1890	0.0972	
2009	1.6811	0.0636	2.6796	0.1034	0.7295	0.0329	0.0405	0.0069	0.3596	0.0362	1.1922	0.0549	3.0631	0.1229	2.0790	0.0882	
2008	1.6171	0.0619	2.5814	0.1018	0.6983	0.0314	0.0458	0.0084	0.3018	0.0326	1.2061	0.0584	2.8596	0.1143	2.1272	0.0887	
2007	1.3882	0.0536	2.1957	0.0885	0.6191	0.0277	0.0427	0.0070	0.2511	0.0306	1.0506	0.0480	2.4371	0.1032	1.8800	0.0872	
2006	1.3322	0.0519	2.1414	0.0856	0.5613	0.0260	0.0373	0.0071	0.1854	0.0251	1.0449	0.0454	2.3611	0.1040	1.7595	0.0798	
Falls																	
2010	1.0356	0.0386	1.5726	0.0601	0.5235	0.0256	—	—	0.0920	0.0163	0.5755	0.0309	1.8508	0.0739	1.7080	0.0794	
2009	0.9857	0.0387	1.5146	0.0607	0.4816	0.0239	—	—	0.1029	0.0168	0.5344	0.0295	1.8032	0.0758	1.6055	0.0728	
2008	0.9302	0.0353	1.4509	0.0582	0.4340	0.0209	—	—	0.1023	0.0194	0.5410	0.0275	1.6052	0.0672	1.6798	0.0745	
2007	0.8028	0.0330	1.2251	0.0534	0.4007	0.0197	—	—	0.0685	0.0136	0.4528	0.0242	1.4388	0.0659	1.4173	0.0691	
2006	0.7514	0.0321	1.1562	0.0509	0.3655	0.0195	—	—	0.0326	0.0096	0.4589	0.0248	1.3270	0.0653	1.3436	0.0666	
Struck by or against objects/persons																	
2010	0.0355	0.0033	0.0577	0.0057	0.0143	0.0024	—	—	—	—	0.0426	0.0053	0.0615	0.0073	0.0115	0.0035	
2009	0.0394	0.0031	0.0658	0.0058	0.0141	0.0024	—	—	—	—	0.0419	0.0053	0.0686	0.0073	0.0223	0.0050	
2008	0.0359	0.0031	0.0588	0.0055	0.0141	0.0024	—	—	—	—	0.0383	0.0047	0.0619	0.0069	0.0214	0.0048	
2007	0.0306	0.0029	0.0476	0.0050	0.0145	0.0022	—	—	—	—	0.0398	0.0054	0.0420	0.0056	0.0242	0.0056	
2006	0.0330	0.0029	0.0550	0.0053	0.0121	0.0023	—	—	—	—	0.0365	0.0056	0.0587	0.0062	0.0148	0.0045	
Motor vehicle traffic																	
2010	0.1246	0.0082	0.2225	0.0153	0.0313	0.0037	—	—	0.0390	0.0114	0.1263	0.0115	0.2180	0.0164	0.0822	0.0112	
2009	0.1092	0.0081	0.1866	0.0141	0.0353	0.0040	—	—	0.0510	0.0132	0.1000	0.0104	0.1952	0.0156	0.0819	0.0103	
2008	0.1248	0.0096	0.2131	0.0162	0.0407	0.0053	—	—	0.0694	0.0151	0.1196	0.0122	0.2317	0.0202	0.0558	0.0087	
2007	0.1066	0.0071	0.1879	0.0129	0.0291	0.0034	—	—	0.0532	0.0121	0.1114	0.0105	0.1712	0.0136	0.0897	0.0120	
2006	0.1094	0.0068	0.1907	0.0123	0.0320	0.0038	—	—	0.0479	0.0119	0.1160	0.0100	0.1901	0.0140	0.0681	0.0099	
Cut or pierce																	
2010	0.0192	0.0024	0.0300	0.0039	0.0089	0.0027	—	—	—	—	0.0246	0.0042	0.0292	0.0059	—	—	
2009	0.0179	0.0021	0.0311	0.0039	0.0054	0.0014	—	—	—	—	0.0220	0.0037	0.0304	0.0049	—	—	
2008	0.0157	0.0017	0.0274	0.0034	0.0046	0.0012	—	—	—	—	0.0180	0.0031	0.0252	0.0041	—	—	
2007	0.0151	0.0019	0.0245	0.0034	0.0061	0.0017	—	—	—	—	0.0200	0.0035	0.0205	0.0044	—	—	
2006	0.0187	0.0024	0.0305	0.0043	0.0074	0.0019	—	—	—	—	0.0226	0.0041	0.0330	0.0054	—	—	
Poisoning																	
2010	0.1400	0.0095	0.2115	0.0160	0.0718	0.0065	—	—	0.0509	0.0146	0.1499	0.0136	0.2443	0.0187	0.0745	0.0100	
2009	0.1421	0.0094	0.2103	0.0148	0.0771	0.0071	—	—	0.0590	0.0133	0.1542	0.0141	0.2475	0.0186	0.0694	0.0091	
2008	0.1372	0.0087	0.2033	0.0139	0.0741	0.0063	0.0127	0.0037	0.0385	0.0099	0.1354	0.0117	0.2512	0.0180	0.0779	0.0098	
2007	0.1081	0.0068	0.1629	0.0110	0.0559	0.0057	0.0139	0.0043	0.0310	0.0091	0.1166	0.0108	0.1794	0.0132	0.0753	0.0102	
2006	0.0975	0.0061	0.1477	0.0103	0.0497	0.0047	0.0126	0.0039	0.0320	0.0097	0.1163	0.0104	0.1587	0.0128	0.0501	0.0087	
Intentional injuries																	
2010	0.3688	0.0189	0.5230	0.0286	0.2218	0.0142	0.0383	0.0074	0.2102	0.0310	0.4716	0.0281	0.5940	0.0332	0.0895	0.0111	
2009	0.3753	0.0219	0.5415	0.0320	0.2169	0.0161	0.0421	0.0092	0.2482	0.0312	0.5268	0.0356	0.5602	0.0337	0.0691	0.0106	
2008	0.3728	0.0244	0.5333	0.0347	0.2198	0.0187	0.0448	0.0078	0.2611	0.0372	0.5220	0.0385	0.5470	0.0343	0.0816	0.0133	
2007	0.3246	0.0190	0.4570	0.0292	0.1984	0.0134	0.0436	0.0081	0.2186	0.0357	0.4670	0.0320	0.4673	0.0292	0.0596	0.0088	
2006	0.3202	0.0174	0.4508	0.0256	0.1958	0.0142	0.0332	0.0065	0.2110	0.0270	0.4455	0.0301	0.4826	0.0279	0.0616	0.0097	

See footnotes at end of table.

Table C10. Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcohol dependence syndrome																
Any injury-related diagnoses																
2010	7.8846	0.2589	11.5975	0.3896	4.3427	0.1528	1.0354	0.0712	4.2228	0.2721	7.5500	0.2834	12.9783	0.4398	6.4000	0.2208
2009	7.8884	0.2637	11.5217	0.4005	4.4227	0.1544	1.1034	0.0699	4.5310	0.2407	7.6447	0.2921	12.9126	0.4458	6.3408	0.2221
2008	7.2663	0.2458	10.6783	0.3602	4.0122	0.1533	1.0756	0.0894	4.2785	0.2593	7.2331	0.2984	11.5229	0.3728	6.2447	0.2022
2007	6.7373	0.2383	9.8984	0.3617	3.7255	0.1383	0.9801	0.0740	4.0343	0.2501	6.9630	0.2782	10.4214	0.3744	5.8730	0.2126
2006	6.4846	0.2308	9.5020	0.3520	3.6097	0.1317	1.0446	0.0720	3.9042	0.2266	6.7724	0.2689	10.1223	0.3769	5.3314	0.1912
Unintentional injuries																
2010	5.2291	0.1791	7.9028	0.2769	2.6785	0.0975	0.4949	0.0407	2.1145	0.1620	4.1340	0.1649	9.0935	0.3264	5.5115	0.1979
2009	5.1344	0.1782	7.7340	0.2783	2.6550	0.0964	0.5233	0.0394	2.2264	0.1334	4.0111	0.1622	8.9948	0.3260	5.4352	0.2000
2008	4.6805	0.1539	7.1258	0.2363	2.3487	0.0854	0.4978	0.0510	1.8605	0.1275	3.7939	0.1597	7.9737	0.2570	5.3300	0.1796
2007	4.1449	0.1441	6.2894	0.2259	2.1016	0.0781	0.4265	0.0411	1.9690	0.1430	3.4963	0.1416	6.8300	0.2470	4.8883	0.1849
2006	3.9874	0.1458	6.0641	0.2312	2.0079	0.0777	0.4902	0.0407	1.8077	0.1245	3.3909	0.1432	6.6983	0.2601	4.4650	0.1627
Falls																
2010	2.8830	0.0994	4.2485	0.1505	1.5806	0.0599	0.1432	0.0184	0.5956	0.0623	1.6324	0.0726	5.2129	0.1923	4.3169	0.1594
2009	2.8147	0.1008	4.1325	0.1553	1.5581	0.0608	0.1384	0.0156	0.6156	0.0544	1.5823	0.0714	5.1549	0.1953	4.2108	0.1645
2008	2.4906	0.0823	3.7047	0.1243	1.3332	0.0503	0.1176	0.0173	0.4839	0.0477	1.4401	0.0678	4.3822	0.1473	4.1525	0.1459
2007	2.1780	0.0798	3.2076	0.1239	1.1968	0.0468	0.1097	0.0168	0.5321	0.0572	1.2846	0.0594	3.7983	0.1500	3.6889	0.1513
2006	2.0745	0.0811	3.0468	0.1273	1.1473	0.0486	0.1183	0.0161	0.4536	0.0511	1.2589	0.0633	3.6634	0.1560	3.4480	0.1336
Struck by or against objects/persons																
2010	0.1817	0.0124	0.2783	0.0190	0.0897	0.0100	0.0448	0.0079	0.1654	0.0332	0.1923	0.0169	0.2922	0.0201	0.0755	0.0109
2009	0.1621	0.0096	0.2507	0.0149	0.0776	0.0075	0.0276	0.0058	0.1814	0.0268	0.1707	0.0130	0.2512	0.0172	0.0878	0.0131
2008	0.1419	0.0082	0.2265	0.0139	0.0613	0.0054	0.0438	0.0084	0.1066	0.0190	0.1688	0.0124	0.2016	0.0145	0.0782	0.0106
2007	0.1350	0.0078	0.2080	0.0136	0.0655	0.0056	0.0360	0.0078	0.1214	0.0201	0.1613	0.0120	0.1956	0.0147	0.0621	0.0090
2006	0.1380	0.0080	0.2227	0.0142	0.0573	0.0053	0.0307	0.0062	0.1080	0.0183	0.1716	0.0130	0.2011	0.0157	0.0612	0.0105
Motor vehicle traffic																
2010	0.4097	0.0210	0.6518	0.0347	0.1787	0.0127	0.1135	0.0152	0.4835	0.0533	0.5082	0.0313	0.5653	0.0307	0.1484	0.0173
2009	0.4046	0.0214	0.6406	0.0336	0.1793	0.0139	0.1173	0.0144	0.5331	0.0540	0.4755	0.0313	0.5595	0.0311	0.1715	0.0152
2008	0.4239	0.0237	0.6727	0.0381	0.1862	0.0132	0.1354	0.0219	0.4577	0.0514	0.5405	0.0366	0.5764	0.0302	0.1430	0.0169
2007	0.4003	0.0234	0.6352	0.0371	0.1766	0.0135	0.1225	0.0175	0.5774	0.0680	0.5059	0.0350	0.4905	0.0273	0.1936	0.0182
2006	0.4056	0.0227	0.6467	0.0363	0.1761	0.0132	0.1394	0.0181	0.5775	0.0598	0.4940	0.0353	0.5334	0.0286	0.1511	0.0168
Cut or pierce																
2010	0.1086	0.0074	0.1691	0.0115	0.0506	0.0062	0.0502	0.0118	0.1574	0.0317	0.1457	0.0125	0.1256	0.0102	0.0344	0.0094
2009	0.1061	0.0068	0.1696	0.0119	0.0455	0.0047	0.0295	0.0058	0.1327	0.0200	0.1327	0.0105	0.1451	0.0127	0.0358	0.0069
2008	0.0923	0.0063	0.1453	0.0110	0.0417	0.0040	0.0175	0.0048	0.1576	0.0299	0.1202	0.0112	0.1231	0.0099	0.0173	0.0046
2007	0.0908	0.0061	0.1481	0.0107	0.0362	0.0038	0.0168	0.0049	0.1348	0.0214	0.1323	0.0118	0.1079	0.0096	0.0221	0.0058
2006	0.0893	0.0061	0.1409	0.0107	0.0401	0.0044	0.0382	0.0073	0.1483	0.0250	0.1104	0.0103	0.1149	0.0104	0.0169	0.0051
Poisoning																
2010	0.4568	0.0221	0.6182	0.0338	0.3030	0.0164	0.0349	0.0066	0.2248	0.0308	0.5092	0.0278	0.7616	0.0418	0.2380	0.0175
2009	0.4972	0.0269	0.6764	0.0415	0.3265	0.0177	0.0836	0.0116	0.3149	0.0319	0.5720	0.0357	0.7934	0.0475	0.2278	0.0187
2008	0.4866	0.0308	0.6823	0.0492	0.3001	0.0176	0.0719	0.0102	0.2332	0.0308	0.5184	0.0312	0.8395	0.0622	0.2316	0.0208
2007	0.3994	0.0220	0.5587	0.0344	0.2473	0.0151	0.0602	0.0104	0.2561	0.0351	0.4504	0.0316	0.6315	0.0376	0.2284	0.0186
2006	0.3613	0.0188	0.5011	0.0279	0.2283	0.0136	0.0561	0.0087	0.2051	0.0255	0.4424	0.0248	0.5704	0.0368	0.1473	0.0163
Intentional injuries																
2010	1.7829	0.0744	2.3809	0.1035	1.2127	0.0574	0.4248	0.0353	1.7116	0.1178	2.5576	0.1193	2.4149	0.0975	0.2659	0.0187
2009	1.8573	0.0771	2.4417	0.1052	1.2996	0.0600	0.4672	0.0378	1.8642	0.1271	2.7207	0.1260	2.4409	0.0995	0.2501	0.0204
2008	1.7550	0.0807	2.3083	0.1064	1.2272	0.0667	0.4684	0.0424	1.9544	0.1474	2.5788	0.1307	2.2214	0.0945	0.2687	0.0209
2007	1.6083	0.0680	2.1252	0.0956	1.1161	0.0525	0.3885	0.0299	1.5344	0.1074	2.4282	0.1104	2.0428	0.0898	0.2244	0.0182
2006	1.5970	0.0715	2.0843	0.0973	1.1331	0.0548	0.4070	0.0356	1.6009	0.1147	2.4277	0.1170	1.9812	0.0911	0.2138	0.0190

See footnotes at end of table.

Table C10. Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Nondependent abuse of alcohol																
Any injury-related diagnoses																
2010	21.6261	0.6605	31.4257	1.0085	12.2783	0.3620	11.8894	0.4146	35.7022	1.2730	26.5042	0.8649	24.1977	0.7907	9.9134	0.3206
2009	20.6457	0.6580	30.0957	1.0305	11.6203	0.3365	11.9091	0.4300	35.7312	1.3983	25.7423	0.8743	22.1173	0.7480	9.2248	0.2827
2008	20.9571	0.6776	30.6386	1.0330	11.6937	0.3623	12.4306	0.5021	36.6091	1.5022	26.5899	0.9043	21.5722	0.7160	9.5195	0.3125
2007	19.8778	0.6341	29.2271	0.9821	10.9441	0.3284	12.1563	0.4474	35.1461	1.3123	25.3595	0.8739	19.9527	0.6396	8.9272	0.2946
2006	19.5497	0.5600	28.8217	0.8578	10.7138	0.3029	12.3883	0.4074	34.4340	1.1726	24.5317	0.7465	19.6269	0.6058	9.0737	0.2840
Unintentional injuries																
2010	14.0237	0.4467	20.7190	0.6834	7.6373	0.2400	6.9609	0.2596	20.9022	0.8075	15.3624	0.5313	17.1892	0.5880	8.7813	0.2962
2009	13.1365	0.4295	19.3996	0.6666	7.1526	0.2231	6.7869	0.2620	20.7738	0.8973	14.7018	0.5258	15.4735	0.5291	8.1331	0.2579
2008	13.0726	0.4128	19.4274	0.6330	6.9924	0.2153	6.9968	0.2858	21.0372	0.9042	14.9609	0.5038	14.7587	0.4856	8.2968	0.2766
2007	12.2809	0.4042	18.4816	0.6269	6.3523	0.2081	6.9890	0.2719	20.4457	0.8477	14.1665	0.5202	13.4241	0.4385	7.6563	0.2645
2006	12.1724	0.3644	18.3186	0.5647	6.3147	0.1910	7.2145	0.2710	19.3811	0.7355	13.8512	0.4391	13.4332	0.4354	7.8110	0.2583
Falls																
2010	6.3820	0.2029	9.0534	0.3052	3.8341	0.1208	2.0616	0.1051	6.3434	0.2736	5.2790	0.1910	9.2964	0.3215	6.9018	0.2402
2009	5.7871	0.1877	8.1728	0.2814	3.5075	0.1124	1.8468	0.1011	5.6473	0.3051	4.9446	0.1832	8.2930	0.2897	6.4003	0.2142
2008	5.4924	0.1728	7.7599	0.2568	3.3256	0.1042	1.8336	0.1023	5.7835	0.3248	4.6651	0.1658	7.6262	0.2551	6.4839	0.2226
2007	4.9645	0.1647	7.0552	0.2440	2.9683	0.1020	1.6767	0.0796	5.1379	0.2736	4.2794	0.1654	6.8470	0.2348	5.9330	0.2200
2006	4.9210	0.1602	6.9721	0.2378	2.9661	0.0987	1.6867	0.1006	4.6280	0.2131	4.1838	0.1532	6.8764	0.2455	6.1139	0.2103
Struck by or against objects/persons																
2010	0.6818	0.0285	1.0575	0.0449	0.3236	0.0169	0.5035	0.0330	1.4627	0.0829	0.8813	0.0434	0.6496	0.0313	0.1824	0.0204
2009	0.6360	0.0264	0.9832	0.0419	0.3048	0.0165	0.5074	0.0355	1.3510	0.0940	0.8209	0.0412	0.5967	0.0301	0.1523	0.0148
2008	0.6270	0.0283	0.9899	0.0459	0.2803	0.0157	0.5061	0.0412	1.3766	0.1050	0.8148	0.0409	0.5650	0.0297	0.1493	0.0158
2007	0.5772	0.0282	0.9224	0.0470	0.2482	0.0144	0.4767	0.0369	1.3078	0.0929	0.7608	0.0429	0.4773	0.0256	0.1589	0.0168
2006	0.5560	0.0219	0.8733	0.0357	0.2539	0.0131	0.4695	0.0332	1.1943	0.0740	0.7295	0.0348	0.4831	0.0248	0.1196	0.0134
Motor vehicle traffic																
2010	2.7818	0.1252	4.2353	0.1961	1.3950	0.0632	2.0155	0.1062	6.8205	0.3681	3.9530	0.1814	2.2541	0.1136	0.4954	0.0361
2009	2.8844	0.1339	4.4185	0.2094	1.4176	0.0678	2.1299	0.1175	7.6974	0.4243	4.0780	0.1951	2.2224	0.1068	0.4275	0.0287
2008	3.1529	0.1301	4.8903	0.2046	1.4827	0.0638	2.3279	0.1150	7.8283	0.4203	4.5776	0.1972	2.3604	0.0986	0.5283	0.0317
2007	3.1649	0.1300	4.9539	0.2092	1.4481	0.0604	2.5701	0.1226	8.3556	0.4089	4.4428	0.1912	2.2704	0.0961	0.5025	0.0342
2006	3.1944	0.1266	5.0399	0.2056	1.4341	0.0581	2.8421	0.1353	8.2799	0.3972	4.3670	0.1827	2.2843	0.0894	0.4995	0.0340
Cut or pierce																
2010	0.5309	0.0232	0.8204	0.0383	0.2548	0.0131	0.4239	0.0303	1.4022	0.0912	0.7717	0.0400	0.3793	0.0213	0.0819	0.0113
2009	0.5208	0.0282	0.8098	0.0463	0.2447	0.0141	0.4261	0.0335	1.4368	0.1196	0.7570	0.0439	0.3445	0.0231	0.0882	0.0117
2008	0.5403	0.0248	0.8500	0.0416	0.2449	0.0134	0.4509	0.0390	1.4465	0.0960	0.7992	0.0390	0.3519	0.0210	0.0680	0.0095
2007	0.5070	0.0326	0.8239	0.0570	0.2041	0.0146	0.4329	0.0351	1.3381	0.1087	0.7386	0.0549	0.3373	0.0230	0.0536	0.0094
2006	0.4996	0.0221	0.7929	0.0368	0.2202	0.0125	0.4267	0.0289	1.3306	0.0917	0.7020	0.0342	0.3392	0.0214	0.0753	0.0108
Poisoning																
2010	0.8512	0.0339	1.0782	0.0487	0.6348	0.0275	0.5831	0.0334	1.2965	0.0783	1.0778	0.0469	0.9547	0.0550	0.2507	0.0203
2009	0.8199	0.0377	1.0242	0.0534	0.6253	0.0287	0.5700	0.0430	1.2773	0.0893	1.0371	0.0527	0.8967	0.0512	0.2637	0.0209
2008	0.8345	0.0433	1.0369	0.0623	0.6416	0.0299	0.5912	0.0383	1.3036	0.0821	1.0595	0.0530	0.8999	0.0656	0.2646	0.0310
2007	0.7220	0.0283	0.9159	0.0386	0.5373	0.0244	0.5735	0.0444	1.1058	0.0715	0.9224	0.0404	0.7416	0.0365	0.2273	0.0176
2006	0.7194	0.0390	0.9418	0.0610	0.5077	0.0233	0.5445	0.0351	1.0318	0.0723	0.9464	0.0525	0.7567	0.0626	0.1810	0.0176
Intentional injuries																
2010	5.6635	0.1992	7.8831	0.3057	3.5458	0.1194	3.7782	0.1584	11.6812	0.4859	8.6938	0.3160	4.8395	0.1847	0.4348	0.0279
2009	5.6191	0.2132	7.8849	0.3345	3.4574	0.1190	3.9363	0.1770	12.2071	0.5341	8.6496	0.3329	4.5218	0.1959	0.3859	0.0271
2008	5.9654	0.2300	8.3643	0.3407	3.6675	0.1406	4.1693	0.2105	12.7395	0.5644	9.1491	0.3573	4.7881	0.1927	0.4481	0.0305
2007	5.3651	0.1791	7.4774	0.2764	3.3477	0.1067	3.6685	0.1578	11.2636	0.4365	8.3552	0.2908	4.1836	0.1529	0.3724	0.0233
2006	5.2173	0.1718	7.3148	0.2553	3.2184	0.1090	3.7706	0.1460	11.5328	0.4588	7.9751	0.2757	3.9357	0.1478	0.3375	0.0269

See footnotes at end of table.

Table C10. Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
All chronic liver disease and cirrhosis																	
Any injury-related diagnoses																	
2010	3.0299	0.0915	3.8386	0.1198	2.2587	0.0745	0.1369	0.0143	0.3931	0.0465	1.6623	0.0637	5.6032	0.1793	4.5044	0.1626	
2009	2.7884	0.0796	3.5437	0.1066	2.0680	0.0644	0.1311	0.0165	0.3272	0.0392	1.5508	0.0574	5.1243	0.1549	4.2982	0.1553	
2008	2.6118	0.0833	3.3016	0.1103	1.9538	0.0647	0.0857	0.0119	0.4264	0.0517	1.4902	0.0584	4.7489	0.1604	4.1589	0.1571	
2007	2.3236	0.0758	2.9706	0.1016	1.7070	0.0600	0.1023	0.0129	0.2727	0.0333	1.3223	0.0565	4.2719	0.1484	3.7392	0.1402	
2006	2.1617	0.0696	2.7900	0.0937	1.5636	0.0540	0.0643	0.0104	0.1971	0.0304	1.2461	0.0498	4.0268	0.1407	3.5018	0.1283	
Unintentional injuries																	
2010	2.3624	0.0750	2.9522	0.0968	1.7999	0.0625	0.0983	0.0121	0.2296	0.0323	1.1790	0.0494	4.3530	0.1460	3.8227	0.1439	
2009	2.1422	0.0645	2.6822	0.0861	1.6276	0.0536	0.0970	0.0131	0.2099	0.0315	1.0304	0.0403	3.9416	0.1285	3.6477	0.1385	
2008	1.9949	0.0649	2.4942	0.0855	1.5187	0.0523	0.0623	0.0097	0.2464	0.0359	0.9981	0.0420	3.6099	0.1260	3.5473	0.1367	
2007	1.7210	0.0555	2.1720	0.0746	1.2911	0.0455	0.0703	0.0100	0.1556	0.0251	0.8534	0.0372	3.1543	0.1094	3.0906	0.1189	
2006	1.6036	0.0517	2.0483	0.0703	1.1803	0.0419	0.0512	0.0089	0.1210	0.0232	0.8051	0.0343	2.9504	0.1029	2.9453	0.1151	
Falls																	
2010	1.2843	0.0418	1.5190	0.0514	1.0605	0.0406	0.0217	0.0059	0.0590	0.0145	0.4316	0.0213	2.2742	0.0799	2.7492	0.1097	
2009	1.1734	0.0377	1.3958	0.0495	0.9615	0.0353	0.0145	0.0042	—	—	0.3818	0.0194	2.0754	0.0717	2.6231	0.1083	
2008	1.0827	0.0361	1.2773	0.0452	0.8972	0.0328	—	—	0.0669	0.0155	0.3646	0.0178	1.8496	0.0663	2.5738	0.1057	
2007	0.9489	0.0326	1.1261	0.0421	0.7801	0.0296	—	—	—	—	0.3170	0.0194	1.6833	0.0636	2.2083	0.0924	
2006	0.8720	0.0284	1.0224	0.0371	0.7288	0.0277	—	—	—	—	0.2988	0.0175	1.5121	0.0556	2.1440	0.0872	
Struck by or against objects/persons																	
2010	0.0716	0.0052	0.0893	0.0075	0.0546	0.0056	—	—	—	—	0.0508	0.0059	0.1330	0.0116	0.0719	0.0114	
2009	0.0685	0.0048	0.0916	0.0078	0.0466	0.0043	—	—	—	—	0.0469	0.0059	0.1299	0.0109	0.0700	0.0100	
2008	0.0627	0.0040	0.0846	0.0063	0.0419	0.0047	—	—	—	—	0.0450	0.0054	0.1136	0.0092	0.0766	0.0131	
2007	0.0496	0.0033	0.0686	0.0055	0.0316	0.0033	—	—	—	—	0.0414	0.0052	0.0893	0.0075	0.0395	0.0067	
2006	0.0518	0.0036	0.0804	0.0065	0.0246	0.0032	—	—	—	—	0.0421	0.0053	0.0990	0.0087	0.0434	0.0075	
Motor vehicle traffic																	
2010	0.1865	0.0118	0.2461	0.0155	0.1297	0.0103	0.0293	0.0066	0.0576	0.0141	0.1572	0.0139	0.3392	0.0213	0.1435	0.0146	
2009	0.1540	0.0084	0.2160	0.0121	0.0950	0.0077	0.0299	0.0066	0.0435	0.0111	0.1333	0.0110	0.2818	0.0178	0.1078	0.0125	
2008	0.1617	0.0105	0.2242	0.0158	0.1021	0.0085	0.0178	0.0045	0.0822	0.0259	0.1407	0.0109	0.3002	0.0221	0.1050	0.0129	
2007	0.1268	0.0082	0.1750	0.0122	0.0809	0.0067	0.0218	0.0056	0.0385	0.0112	0.1074	0.0101	0.2311	0.0174	0.1043	0.0121	
2006	0.1209	0.0065	0.1765	0.0113	0.0679	0.0058	0.0149	0.0043	0.0373	0.0120	0.0899	0.0081	0.2494	0.0162	0.0780	0.0105	
Cut or pierce																	
2010	0.0333	0.0033	0.0475	0.0053	0.0198	0.0030	—	—	—	—	0.0269	0.0048	0.0614	0.0070	0.0321	0.0064	
2009	0.0309	0.0030	0.0472	0.0050	0.0153	0.0027	—	—	—	—	0.0227	0.0038	0.0582	0.0065	0.0247	0.0054	
2008	0.0274	0.0025	0.0398	0.0043	0.0156	0.0025	—	—	—	—	0.0148	0.0027	0.0603	0.0063	0.0227	0.0071	
2007	0.0242	0.0024	0.0348	0.0039	0.0142	0.0023	—	—	—	—	0.0175	0.0032	0.0494	0.0061	0.0205	0.0050	
2006	0.0241	0.0024	0.0358	0.0039	0.0129	0.0024	—	—	—	—	0.0220	0.0035	0.0434	0.0055	0.0219	0.0060	
Poisoning																	
2010	0.1815	0.0091	0.2311	0.0138	0.1341	0.0083	—	—	—	—	0.1221	0.0097	0.3827	0.0223	0.1333	0.0135	
2009	0.1742	0.0091	0.2109	0.0139	0.1392	0.0086	0.0176	0.0052	—	—	0.1188	0.0105	0.3543	0.0206	0.1435	0.0151	
2008	0.1603	0.0089	0.1954	0.0133	0.1269	0.0088	—	—	0.0349	0.0093	0.1132	0.0110	0.3354	0.0202	0.1170	0.0128	
2007	0.1324	0.0071	0.1717	0.0116	0.0947	0.0072	—	—	—	—	0.0873	0.0086	0.2784	0.0163	0.1156	0.0124	
2006	0.1265	0.0067	0.1562	0.0100	0.0982	0.0074	—	—	—	—	0.0947	0.0095	0.2612	0.0159	0.1075	0.0124	
Intentional injuries																	
2010	0.2481	0.0117	0.3446	0.0184	0.1560	0.0098	0.0206	0.0046	0.0903	0.0252	0.2604	0.0161	0.4716	0.0263	0.0565	0.0085	
2009	0.2490	0.0118	0.3437	0.0179	0.1587	0.0104	0.0250	0.0093	0.0773	0.0192	0.2740	0.0187	0.4621	0.0236	0.0594	0.0087	
2008	0.2468	0.0123	0.3303	0.0190	0.1669	0.0112	0.0200	0.0053	0.1351	0.0269	0.2766	0.0186	0.4441	0.0247	0.0606	0.0080	
2007	0.2000	0.0094	0.2734	0.0150	0.1301	0.0080	0.0197	0.0046	0.0561	0.0141	0.2188	0.0134	0.3840	0.0218	0.0336	0.0065	
2006	0.1937	0.0096	0.2590	0.0140	0.1316	0.0093	—	—	0.0325	0.0101	0.2158	0.0133	0.3715	0.0224	0.0477	0.0080	

See footnotes at end of table.

Table C10. Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcoholic liver disease																
Any injury-related diagnoses																
2010	1.3251	0.0439	1.9704	0.0678	0.7098	0.0281	0.0184	0.0044	0.0758	0.0154	0.8135	0.0375	2.7404	0.0982	1.2886	0.0584
2009	1.3216	0.0441	1.9606	0.0667	0.7123	0.0302	0.0290	0.0098	0.1164	0.0278	0.8314	0.0375	2.7216	0.0959	1.2931	0.0598
2008	1.2172	0.0423	1.8020	0.0658	0.6594	0.0263	—	—	0.1092	0.0200	0.8221	0.0379	2.4384	0.0881	1.2803	0.0601
2007	1.1307	0.0385	1.6577	0.0594	0.6284	0.0261	0.0153	0.0044	0.1050	0.0214	0.7443	0.0348	2.3088	0.0837	1.1789	0.0583
2006	1.1317	0.0394	1.6743	0.0607	0.6151	0.0267	—	—	0.0707	0.0156	0.7529	0.0331	2.3460	0.0864	1.1671	0.0581
Unintentional injuries																
2010	1.0118	0.0361	1.5040	0.0555	0.5424	0.0243	—	—	0.0430	0.0116	0.5534	0.0292	2.1065	0.0812	1.1043	0.0525
2009	0.9782	0.0354	1.4572	0.0538	0.5218	0.0238	0.0154	0.0049	0.0727	0.0230	0.5161	0.0253	2.0574	0.0800	1.0878	0.0532
2008	0.9084	0.0323	1.3541	0.0514	0.4832	0.0206	—	—	0.0581	0.0124	0.5322	0.0268	1.8439	0.0688	1.0912	0.0545
2007	0.8204	0.0295	1.2051	0.0460	0.4537	0.0204	—	—	0.0471	0.0114	0.4657	0.0232	1.6954	0.0666	0.9916	0.0509
2006	0.8088	0.0298	1.2009	0.0458	0.4354	0.0211	—	—	0.0350	0.0113	0.4725	0.0233	1.6837	0.0666	0.9725	0.0512
Falls																
2010	0.6049	0.0223	0.8676	0.0334	0.3543	0.0179	—	—	—	—	0.2587	0.0160	1.2422	0.0514	0.8457	0.0438
2009	0.5682	0.0214	0.8177	0.0332	0.3304	0.0165	—	—	—	—	0.2372	0.0143	1.1858	0.0483	0.8046	0.0425
2008	0.5135	0.0194	0.7391	0.0299	0.2985	0.0145	—	—	—	—	0.2267	0.0134	1.0251	0.0418	0.8162	0.0436
2007	0.4739	0.0182	0.6746	0.0274	0.2828	0.0149	—	—	—	—	0.1992	0.0131	1.0043	0.0426	0.6885	0.0398
2006	0.4547	0.0172	0.6371	0.0261	0.2810	0.0152	—	—	—	—	0.2058	0.0136	0.9324	0.0386	0.7182	0.0419
Struck by or against objects/persons																
2010	0.0239	0.0024	0.0369	0.0042	0.0114	0.0021	—	—	—	—	0.0165	0.0035	0.0528	0.0065	0.0134	0.0041
2009	0.0223	0.0023	0.0349	0.0041	0.0102	0.0019	—	—	—	—	0.0155	0.0035	0.0472	0.0056	0.0132	0.0039
2008	0.0228	0.0021	0.0365	0.0037	0.0098	0.0020	—	—	—	—	0.0167	0.0032	0.0482	0.0053	0.0173	0.0050
2007	0.0194	0.0020	0.0300	0.0035	0.0094	0.0019	—	—	—	—	0.0200	0.0038	0.0354	0.0046	—	—
2006	0.0207	0.0022	0.0348	0.0038	0.0072	0.0019	—	—	—	—	0.0210	0.0039	0.0414	0.0056	—	—
Motor vehicle traffic																
2010	0.0372	0.0028	0.0627	0.0051	0.0129	0.0022	—	—	—	—	0.0244	0.0039	0.0854	0.0074	—	—
2009	0.0380	0.0035	0.0643	0.0065	0.0129	0.0023	—	—	—	—	0.0269	0.0043	0.0839	0.0096	0.0163	0.0048
2008	0.0446	0.0038	0.0735	0.0067	0.0170	0.0028	—	—	—	—	0.0441	0.0055	0.0873	0.0096	0.0211	0.0054
2007	0.0380	0.0033	0.0643	0.0062	0.0130	0.0021	—	—	—	—	0.0311	0.0049	0.0770	0.0084	0.0254	0.0060
2006	0.0492	0.0037	0.0826	0.0065	0.0174	0.0032	—	—	—	—	0.0350	0.0043	0.1134	0.0104	0.0198	0.0059
Cut or pierce																
2010	0.0122	0.0017	0.0179	0.0026	0.0067	0.0019	—	—	—	—	0.0073	0.0023	0.0269	0.0042	—	—
2009	0.0134	0.0020	0.0231	0.0038	0.0042	0.0012	—	—	—	—	0.0089	0.0021	0.0261	0.0046	—	—
2008	0.0067	0.0011	0.0100	0.0020	—	—	—	—	—	—	—	—	0.0154	0.0031	—	—
2007	0.0078	0.0012	0.0126	0.0021	—	—	—	—	—	—	0.0059	0.0018	0.0156	0.0030	—	—
2006	0.0085	0.0013	0.0132	0.0022	0.0040	0.0012	—	—	—	—	0.0078	0.0022	0.0164	0.0033	—	—
Poisoning																
2010	0.0904	0.0060	0.1373	0.0106	0.0457	0.0044	—	—	—	—	0.0718	0.0078	0.1974	0.0145	0.0337	0.0062
2009	0.0993	0.0068	0.1398	0.0114	0.0606	0.0052	—	—	—	—	0.0823	0.0089	0.2000	0.0156	0.0511	0.0089
2008	0.0896	0.0063	0.1253	0.0103	0.0555	0.0053	—	—	—	—	0.0745	0.0088	0.1816	0.0139	0.0529	0.0088
2007	0.0744	0.0054	0.1070	0.0091	0.0430	0.0044	—	—	—	—	0.0590	0.0069	0.1510	0.0133	0.0557	0.0087
2006	0.0717	0.0048	0.1011	0.0073	0.0437	0.0049	—	—	—	—	0.0661	0.0080	0.1427	0.0117	0.0411	0.0082
Intentional injuries																
2010	0.1325	0.0071	0.1908	0.0113	0.0769	0.0061	—	—	—	—	0.1540	0.0112	0.2479	0.0156	0.0243	0.0060
2009	0.1520	0.0086	0.2165	0.0132	0.0906	0.0080	—	—	0.0341	0.0126	0.1718	0.0136	0.2845	0.0179	0.0305	0.0060
2008	0.1384	0.0082	0.1892	0.0123	0.0900	0.0071	—	—	0.0427	0.0139	0.1698	0.0138	0.2464	0.0161	0.0300	0.0059
2007	0.1127	0.0061	0.1534	0.0097	0.0739	0.0058	—	—	—	—	0.1291	0.0091	0.2184	0.0146	0.0121	0.0041
2006	0.1233	0.0071	0.1698	0.0104	0.0790	0.0070	—	—	—	—	0.1366	0.0102	0.2442	0.0165	0.0217	0.0056

See footnotes at end of table.

Table C10. Rate of emergency department visits with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Alcohol poisoning																	
Any injury-related diagnoses																	
2010	1.8457	0.0817	2.0524	0.1021	1.6486	0.0726	1.4057	0.0835	2.7265	0.1552	2.3816	0.1041	2.0006	0.1015	0.4932	0.0340	
2009	2.0373	0.1132	2.3467	0.1584	1.7424	0.0807	1.6625	0.1242	2.9142	0.1939	2.6238	0.1450	2.1745	0.1314	0.5356	0.0391	
2008	2.0834	0.1075	2.3505	0.1477	1.8272	0.0792	1.7430	0.1020	3.0285	0.1794	2.6906	0.1295	2.1791	0.1451	0.5310	0.0510	
2007	1.8484	0.0829	2.0836	0.1070	1.6221	0.0689	1.6337	0.0918	2.6193	0.1467	2.4689	0.1135	1.7997	0.0998	0.4726	0.0309	
2006	2.0052	0.1091	2.3266	0.1488	1.6987	0.0803	1.7802	0.1088	2.8825	0.1778	2.6357	0.1433	2.0196	0.1418	0.4126	0.0349	
Unintentional injuries																	
2010	0.7069	0.0447	0.8905	0.0614	0.5318	0.0344	0.5966	0.0464	1.1395	0.0905	0.8199	0.0545	0.7696	0.0566	0.2731	0.0240	
2009	0.7923	0.0580	1.0242	0.0885	0.5713	0.0343	0.7319	0.0599	1.1274	0.1028	0.9084	0.0713	0.8775	0.0718	0.2945	0.0269	
2008	0.8348	0.0720	1.0625	0.1065	0.6170	0.0438	0.7991	0.0716	1.2592	0.1095	0.9471	0.0747	0.8981	0.1079	0.3192	0.0433	
2007	0.6737	0.0463	0.8578	0.0656	0.4975	0.0324	0.7376	0.0665	1.0190	0.0909	0.7890	0.0559	0.6367	0.0571	0.2778	0.0234	
2006	0.7586	0.0580	1.0041	0.0872	0.5244	0.0345	0.7590	0.0554	1.0991	0.0952	0.8812	0.0683	0.8007	0.0881	0.2464	0.0269	
Falls																	
2010	0.0624	0.0075	0.0805	0.0105	0.0452	0.0063	0.0255	0.0072	0.0719	0.0200	0.0593	0.0079	0.0856	0.0111	0.0534	0.0111	
2009	0.0708	0.0091	0.0996	0.0147	0.0434	0.0061	0.0320	0.0071	0.0870	0.0193	0.0628	0.0118	0.1021	0.0139	0.0555	0.0095	
2008	0.0636	0.0067	0.0875	0.0100	0.0408	0.0050	0.0360	0.0068	0.0763	0.0148	0.0550	0.0070	0.0862	0.0103	0.0584	0.0104	
2007	0.0515	0.0061	0.0667	0.0083	0.0370	0.0053	0.0330	0.0072	0.0406	0.0113	0.0505	0.0082	0.0665	0.0087	0.0468	0.0105	
2006	0.0623	0.0072	0.0902	0.0122	0.0353	0.0049	0.0204	0.0051	0.0689	0.0143	0.0534	0.0078	0.0942	0.0140	0.0583	0.0106	
Struck by or against objects/persons																	
2010	0.0045	0.0009	0.0076	0.0018	—	—	—	—	—	—	0.0072	0.0020	—	—	—	—	
2009	0.0065	0.0015	0.0096	0.0023	—	—	—	—	—	—	—	—	0.0083	0.0023	—	—	
2008	0.0049	0.0011	0.0083	0.0021	—	—	—	—	—	—	—	—	—	—	—	—	
2007	0.0054	0.0013	0.0075	0.0022	—	—	—	—	—	—	0.0077	0.0026	—	—	—	—	
2006	0.0055	0.0012	0.0093	0.0022	—	—	—	—	—	—	0.0058	0.0019	—	—	—	—	
Motor vehicle traffic																	
2010	0.0218	0.0036	0.0316	0.0055	0.0124	0.0026	—	—	0.0561	0.0152	0.0309	0.0067	0.0197	0.0041	—	—	
2009	0.0359	0.0089	0.0534	0.0129	0.0192	0.0055	0.0353	0.0087	0.0692	0.0210	0.0503	0.0132	0.0273	0.0099	—	—	
2008	0.0263	0.0041	0.0345	0.0060	0.0179	0.0032	0.0178	0.0050	0.0714	0.0207	0.0434	0.0068	0.0146	0.0033	—	—	
2007	0.0242	0.0040	0.0363	0.0065	0.0123	0.0025	0.0189	0.0052	0.0633	0.0189	0.0354	0.0060	0.0169	0.0040	—	—	
2006	0.0314	0.0041	0.0496	0.0068	0.0141	0.0028	0.0270	0.0061	0.1068	0.0271	0.0407	0.0064	0.0187	0.0035	—	—	
Cut or pierce																	
2010	0.0025	0.0007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2009	0.0065	0.0013	0.0090	0.0023	0.0040	0.0012	—	—	—	—	0.0124	0.0033	—	—	—	—	
2008	0.0043	0.0010	0.0059	0.0017	—	—	—	—	—	—	0.0060	0.0019	—	—	—	—	
2007	0.0040	0.0010	0.0049	0.0017	—	—	—	—	—	—	—	—	—	—	—	—	
2006	0.0047	0.0010	0.0062	0.0015	—	—	—	—	—	—	—	—	—	—	—	—	
Poisoning																	
2010	0.6129	0.0394	0.7642	0.0556	0.4686	0.0301	0.5443	0.0440	0.9807	0.0762	0.7112	0.0487	0.6584	0.0512	0.2314	0.0213	
2009	0.6708	0.0502	0.8461	0.0763	0.5038	0.0306	0.6395	0.0541	0.9359	0.0894	0.7692	0.0626	0.7395	0.0629	0.2445	0.0232	
2008	0.7466	0.0690	0.9433	0.1024	0.5592	0.0417	0.7378	0.0690	1.1317	0.1042	0.8335	0.0700	0.8066	0.1056	0.2815	0.0418	
2007	0.5832	0.0432	0.7322	0.0617	0.4410	0.0301	0.6748	0.0649	0.8705	0.0841	0.6765	0.0518	0.5451	0.0534	0.2353	0.0205	
2006	0.6547	0.0547	0.8477	0.0821	0.4709	0.0324	0.6934	0.0535	0.8970	0.0858	0.7683	0.0640	0.6840	0.0848	0.1925	0.0227	
Intentional injuries																	
2010	0.7859	0.0345	0.7117	0.0351	0.8565	0.0385	0.4455	0.0327	1.1068	0.0821	1.1365	0.0537	0.8511	0.0419	0.1322	0.0146	
2009	0.8360	0.0487	0.7882	0.0572	0.8815	0.0457	0.5090	0.0621	1.2121	0.1012	1.2180	0.0659	0.8732	0.0529	0.1288	0.0151	
2008	0.8537	0.0363	0.7909	0.0401	0.9123	0.0389	0.5416	0.0352	1.2438	0.0873	1.2803	0.0577	0.8497	0.0411	0.0999	0.0119	
2007	0.7941	0.0326	0.7434	0.0327	0.8410	0.0378	0.4646	0.0302	1.0702	0.0702	1.2398	0.0546	0.7598	0.0382	0.1082	0.0122	
2006	0.8006	0.0351	0.7526	0.0365	0.8464	0.0391	0.5141	0.0339	1.1573	0.0760	1.2174	0.0585	0.7686	0.0395	0.0770	0.0104	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2006–2010.

Table D1-1. Median charge of emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2010.

First-listed alcohol-related diagnoses	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Median	S.E.	Median	S.E.	Median	S.E.	Median	S.E.	Median	S.E.	Median	S.E.	Median	S.E.	Median	S.E.
Any alcohol-related diagnoses	\$1,589	\$57	\$1,547	\$61	\$1,715	\$55	\$1,606	\$71	\$1,568	\$59	\$1,655	\$64	\$1,547	\$61	\$1,568	\$52
Alcoholic psychoses	\$1,494	\$84	\$1,485	\$86	\$1,500	\$83	\$1,546	\$232	\$1,494	\$130	\$1,504	\$99	\$1,479	\$78	\$1,391	\$68
Alcohol dependence syndrome	\$1,495	\$82	\$1,446	\$83	\$1,645	\$80	\$1,522	\$94	\$1,562	\$91	\$1,584	\$85	\$1,422	\$81	\$1,455	\$73
Nondependent abuse of alcohol	\$1,667	\$70	\$1,606	\$71	\$1,817	\$71	\$1,598	\$76	\$1,563	\$61	\$1,729	\$78	\$1,638	\$80	\$1,896	\$105
All chronic liver disease and cirrhosis ...	\$1,634	\$47	\$1,626	\$47	\$1,642	\$48	\$1,989	\$236	\$1,859	\$164	\$1,777	\$52	\$1,624	\$46	\$1,525	\$42
Alcoholic liver disease	\$1,590	\$47	\$1,585	\$49	\$1,608	\$51	—	—	\$1,310	\$249	\$1,708	\$60	\$1,591	\$50	\$1,463	\$48
Alcohol poisoning	\$2,080	\$98	\$2,016	\$113	\$2,226	\$104	\$2,305	\$176	\$2,218	\$210	\$2,207	\$115	\$1,937	\$93	\$1,856	\$151

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2010.

Table D1-2. Total charge (in millions) of emergency department visits with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2010.

First-listed alcohol-related diagnoses	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.
Any alcohol-related diagnoses	\$2,845.8	\$112.3	\$2,002.3	\$82.8	\$844.0	\$31.8	\$214.0	\$9.5	\$167.9	\$7.8	\$1,005.8	\$42.2	\$1,292.5	\$53.2	\$165.5	\$6.9
Alcoholic psychoses	\$377.2	\$17.0	\$285.0	\$13.0	\$92.3	\$4.5	\$2.6	\$0.4	\$8.5	\$0.8	\$141.9	\$6.7	\$202.8	\$9.5	\$21.4	\$1.4
Alcohol dependence syndrome	\$660.2	\$35.6	\$484.6	\$27.1	\$175.6	\$9.3	\$19.0	\$1.9	\$28.3	\$2.7	\$249.7	\$14.1	\$330.9	\$17.4	\$32.4	\$1.7
Nondependent abuse of alcohol	\$1,525.4	\$74.4	\$1,053.6	\$55.5	\$472.1	\$20.3	\$183.1	\$8.7	\$124.7	\$5.9	\$544.0	\$27.2	\$600.2	\$34.5	\$71.8	\$3.9
All chronic liver disease and cirrhosis ...	\$235.8	\$10.3	\$150.3	\$6.7	\$85.4	\$4.2	\$1.1	\$0.2	\$2.6	\$0.5	\$52.1	\$3.0	\$142.8	\$6.2	\$37.2	\$2.1
Alcoholic liver disease	\$137.5	\$6.6	\$98.5	\$4.9	\$39.0	\$2.2	—	—	\$1.0	\$0.4	\$34.7	\$2.3	\$90.0	\$4.2	\$11.6	\$0.9
Alcohol poisoning	\$44.6	\$4.2	\$27.2	\$2.8	\$17.4	\$1.6	\$8.2	\$1.0	\$4.0	\$0.5	\$16.3	\$1.7	\$14.1	\$1.6	\$2.0	\$0.3

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Emergency Department Sample, 2010.

Table D2-1. Median charge of emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2010.

All-listed alcohol-related diagnoses	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Median	S.E.	Median	S.E.	Median	S.E.	Median	S.E.	Median	S.E.	Median	S.E.	Median	S.E.	Median	S.E.
Any alcohol-related diagnoses	\$1,750	\$52	\$1,721	\$53	\$1,809	\$51	\$1,745	\$65	\$1,810	\$61	\$1,831	\$61	\$1,722	\$52	\$1,630	\$46
Alcoholic psychoses	\$1,522	\$65	\$1,516	\$68	\$1,541	\$62	\$1,464	\$150	\$1,391	\$131	\$1,541	\$85	\$1,527	\$63	\$1,497	\$48
Alcohol dependence syndrome	\$1,550	\$54	\$1,542	\$56	\$1,595	\$52	\$1,536	\$82	\$1,549	\$79	\$1,563	\$64	\$1,548	\$53	\$1,524	\$39
Nondependent abuse of alcohol	\$1,855	\$61	\$1,835	\$62	\$1,903	\$58	\$1,748	\$67	\$1,836	\$64	\$1,920	\$68	\$1,845	\$64	\$1,778	\$53
All chronic liver disease and cirrhosis ...	\$1,776	\$49	\$1,727	\$50	\$1,820	\$50	\$2,276	\$166	\$2,411	\$160	\$2,101	\$80	\$1,743	\$47	\$1,583	\$47
Alcoholic liver disease	\$1,583	\$49	\$1,569	\$49	\$1,613	\$48	\$1,434	\$187	\$1,614	\$129	\$1,677	\$61	\$1,588	\$49	\$1,501	\$40
Alcohol poisoning	\$2,138	\$77	\$2,100	\$85	\$2,200	\$82	\$2,313	\$123	\$2,190	\$118	\$2,202	\$87	\$2,051	\$83	\$1,922	\$97

SOURCE: Nationwide Emergency Department Sample, 2010.

Table D2-2. Total charge (in millions) of emergency department visits with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2010.

All-listed alcohol-related diagnoses	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.
Any alcohol-related diagnoses	\$11,190.8	\$425.0	\$7,587.1	\$289.6	\$3,600.1	\$140.3	\$500.4	\$20.5	\$592.1	\$25.7	\$3,615.2	\$146.5	\$5,285.8	\$200.1	\$1,189.5	\$49.0
Alcoholic psychoses	\$838.3	\$35.8	\$637.5	\$27.2	\$200.6	\$9.3	\$4.8	\$0.5	\$15.0	\$1.1	\$269.9	\$12.4	\$463.3	\$20.0	\$85.4	\$4.2
Alcohol dependence syndrome	\$3,002.7	\$120.4	\$2,203.2	\$88.1	\$797.9	\$33.7	\$41.6	\$3.1	\$83.6	\$5.8	\$925.0	\$41.0	\$1,651.5	\$64.9	\$300.5	\$12.3
Nondependent abuse of alcohol	\$6,097.6	\$253.9	\$4,336.5	\$184.3	\$1,758.9	\$72.9	\$421.8	\$18.1	\$462.8	\$20.6	\$2,188.4	\$97.4	\$2,572.7	\$109.4	\$447.2	\$19.0
All chronic liver disease and cirrhosis ...	\$2,745.2	\$130.9	\$1,532.6	\$70.4	\$1,210.5	\$61.9	\$27.4	\$2.5	\$43.0	\$3.4	\$637.5	\$35.2	\$1,528.0	\$70.2	\$503.2	\$26.6
Alcoholic liver disease	\$791.2	\$35.4	\$572.3	\$25.6	\$218.8	\$10.6	\$0.5	\$0.1	\$3.9	\$0.5	\$171.8	\$8.9	\$517.3	\$23.5	\$97.7	\$5.0
Alcohol poisoning	\$150.5	\$9.5	\$83.1	\$5.9	\$67.4	\$4.1	\$18.6	\$1.6	\$14.3	\$1.2	\$60.8	\$3.7	\$50.6	\$3.5	\$6.2	\$0.6

SOURCE: Nationwide Emergency Department Sample, 2010.

Table A1. Percent distribution of hospitalizations with first-listed alcohol-related diagnoses among total hospitalizations for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Any alcohol-related diagnoses																
2010	1.2282	0.0620	2.1590	0.1196	0.5913	0.0250	0.3217	0.0222	0.5351	0.0389	1.7403	0.1093	2.3400	0.1131	0.3152	0.0091
2009	1.1334	0.0568	2.0136	0.1112	0.5477	0.0232	0.2974	0.0175	0.4754	0.0355	1.6473	0.1045	2.1220	0.1008	0.3158	0.0118
2008	1.1291	0.0524	1.9781	0.0954	0.5724	0.0264	0.3624	0.0353	0.4684	0.0383	1.6235	0.0992	2.1605	0.0904	0.3152	0.0083
2007	1.1337	0.0566	2.0446	0.1118	0.5495	0.0234	0.3321	0.0203	0.4278	0.0342	1.6276	0.1137	2.1700	0.0969	0.3120	0.0084
2006	1.1078	0.0541	1.9916	0.1063	0.5327	0.0221	0.3547	0.0319	0.3973	0.0335	1.6431	0.1112	2.0983	0.0917	0.3056	0.0076
Alcoholic psychoses																
2010	0.4948	0.0368	0.9286	0.0689	0.1980	0.0156	0.0377	0.0058	0.1828	0.0196	0.7930	0.0673	0.9517	0.0681	0.0843	0.0044
2009	0.4484	0.0296	0.8562	0.0563	0.1771	0.0132	0.0394	0.0057	0.1684	0.0168	0.7322	0.0537	0.8455	0.0533	0.0872	0.0052
2008	0.4363	0.0303	0.8142	0.0537	0.1886	0.0158	0.0421	0.0065	0.1695	0.0199	0.7372	0.0584	0.8308	0.0544	0.0768	0.0042
2007	0.4040	0.0292	0.7797	0.0557	0.1634	0.0132	0.0316	0.0053	0.1367	0.0156	0.6742	0.0573	0.7662	0.0515	0.0732	0.0040
2006	0.3807	0.0277	0.7292	0.0523	0.1539	0.0130	0.0327	0.0046	0.1115	0.0131	0.6538	0.0533	0.7150	0.0502	0.0715	0.0042
Alcohol dependence syndrome																
2010	0.3406	0.0367	0.6160	0.0749	0.1519	0.0135	0.0604	0.0084	0.2004	0.0253	0.5717	0.0663	0.6179	0.0680	0.0586	0.0047
2009	0.3111	0.0406	0.5690	0.0806	0.1394	0.0152	0.0739	0.0097	0.1732	0.0224	0.5581	0.0752	0.5348	0.0742	0.0579	0.0068
2008	0.2920	0.0343	0.5222	0.0647	0.1409	0.0164	0.0976	0.0244	0.1789	0.0252	0.5205	0.0646	0.5164	0.0608	0.0487	0.0036
2007	0.3238	0.0410	0.5990	0.0844	0.1467	0.0158	0.0784	0.0113	0.1723	0.0227	0.5865	0.0860	0.5652	0.0689	0.0508	0.0038
2006	0.3168	0.0397	0.5909	0.0797	0.1380	0.0148	0.0854	0.0201	0.1733	0.0252	0.6032	0.0872	0.5394	0.0630	0.0467	0.0032
Nondependent abuse of alcohol																
2010	0.0593	0.0031	0.0984	0.0055	0.0322	0.0017	0.1330	0.0113	0.0805	0.0071	0.0934	0.0059	0.0806	0.0048	0.0134	0.0009
2009	0.0517	0.0034	0.0851	0.0062	0.0293	0.0018	0.1024	0.0075	0.0799	0.0083	0.0917	0.0073	0.0650	0.0053	0.0110	0.0008
2008	0.0499	0.0026	0.0827	0.0043	0.0281	0.0018	0.1350	0.0118	0.0628	0.0062	0.0794	0.0052	0.0656	0.0039	0.0121	0.0009
2007	0.0529	0.0029	0.0883	0.0049	0.0300	0.0018	0.1366	0.0102	0.0685	0.0075	0.0846	0.0062	0.0660	0.0040	0.0127	0.0009
2006	0.0526	0.0031	0.0894	0.0055	0.0286	0.0018	0.1372	0.0105	0.0649	0.0066	0.0857	0.0069	0.0658	0.0047	0.0130	0.0008
All chronic liver disease and cirrhosis																
2010	0.3077	0.0103	0.4755	0.0171	0.1932	0.0063	0.0352	0.0097	0.0418	0.0054	0.2421	0.0120	0.6501	0.0217	0.1553	0.0045
2009	0.3031	0.0089	0.4740	0.0139	0.1896	0.0062	0.0259	0.0042	0.0271	0.0030	0.2322	0.0093	0.6524	0.0193	0.1572	0.0050
2008	0.3314	0.0100	0.5272	0.0156	0.2033	0.0068	0.0372	0.0071	0.0299	0.0036	0.2548	0.0093	0.7200	0.0227	0.1747	0.0051
2007	0.3342	0.0113	0.5471	0.0200	0.1981	0.0063	0.0308	0.0067	0.0251	0.0033	0.2512	0.0118	0.7493	0.0265	0.1721	0.0056
2006	0.3385	0.0109	0.5512	0.0197	0.2005	0.0060	0.0277	0.0048	0.0220	0.0036	0.2683	0.0124	0.7548	0.0258	0.1722	0.0047
Alcoholic liver disease																
2010	0.1936	0.0072	0.3376	0.0135	0.0952	0.0036	—	—	0.0165	0.0028	0.1880	0.0104	0.4461	0.0150	0.0543	0.0021
2009	0.1897	0.0054	0.3385	0.0104	0.0907	0.0029	—	—	0.0087	0.0018	0.1804	0.0074	0.4465	0.0126	0.0543	0.0020
2008	0.1998	0.0052	0.3619	0.0098	0.0937	0.0028	—	—	0.0135	0.0022	0.1952	0.0068	0.4712	0.0125	0.0601	0.0020
2007	0.2016	0.0067	0.3762	0.0135	0.0900	0.0029	—	—	0.0103	0.0019	0.1922	0.0097	0.4831	0.0157	0.0613	0.0022
2006	0.2086	0.0077	0.3839	0.0157	0.0948	0.0033	—	—	0.0111	0.0024	0.2076	0.0108	0.5006	0.0181	0.0601	0.0022
Alcohol poisoning																
2010	0.0258	0.0032	0.0404	0.0053	0.0159	0.0018	0.0555	0.0087	0.0296	0.0036	0.0402	0.0040	0.0397	0.0069	0.0037	0.0006
2009	0.0191	0.0014	0.0294	0.0023	0.0122	0.0010	0.0558	0.0055	0.0269	0.0031	0.0331	0.0027	0.0243	0.0025	0.0024	0.0003
2008	0.0195	0.0015	0.0318	0.0031	0.0115	0.0008	0.0506	0.0051	0.0273	0.0033	0.0317	0.0023	0.0278	0.0033	0.0029	0.0006
2007	0.0188	0.0011	0.0305	0.0019	0.0112	0.0008	0.0547	0.0052	0.0252	0.0035	0.0310	0.0022	0.0234	0.0018	0.0031	0.0004
2006	0.0193	0.0016	0.0310	0.0031	0.0117	0.0008	0.0716	0.0123	0.0257	0.0043	0.0321	0.0025	0.0233	0.0019	0.0022	0.0003

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table A2. Percent distribution of hospitalizations with all-listed alcohol-related diagnoses among total hospitalizations for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	
Any alcohol-related diagnoses																	
2010	6.9561	0.1607	11.4817	0.2774	3.8629	0.0791	2.9282	0.1283	4.2031	0.1683	7.9633	0.2603	12.2971	0.2602	3.2710	0.0533	
2009	6.4936	0.1443	10.8899	0.2631	3.5699	0.0687	2.7167	0.1237	3.7862	0.1498	7.5631	0.2462	11.4837	0.2304	3.0934	0.0496	
2008	6.0755	0.1458	10.2252	0.2490	3.3587	0.0820	3.0266	0.2742	3.7845	0.1823	7.4261	0.2816	10.7502	0.2130	2.7480	0.0395	
2007	5.9062	0.1394	10.2034	0.2491	3.1563	0.0677	2.6722	0.1548	3.3332	0.1513	7.1258	0.2747	10.4545	0.2178	2.7614	0.0375	
2006	5.8115	0.1389	10.0622	0.2584	3.0510	0.0646	2.4803	0.1225	3.2472	0.1459	7.5047	0.2711	10.1075	0.2171	2.6402	0.0399	
Alcoholic psychoses																	
2010	1.1701	0.0533	2.1879	0.0973	0.4742	0.0235	0.0933	0.0091	0.3739	0.0341	1.5410	0.0948	2.2577	0.0966	0.3854	0.0109	
2009	1.0842	0.0435	2.0605	0.0821	0.4349	0.0193	0.1014	0.0105	0.3547	0.0275	1.4585	0.0759	2.0616	0.0802	0.3773	0.0105	
2008	1.0675	0.0485	2.0093	0.0856	0.4507	0.0252	0.1112	0.0146	0.3757	0.0404	1.5028	0.0958	2.0494	0.0827	0.3444	0.0094	
2007	1.0126	0.0489	1.9572	0.0919	0.4081	0.0217	0.0845	0.0103	0.3020	0.0326	1.4267	0.0990	1.9319	0.0821	0.3354	0.0090	
2006	0.9456	0.0447	1.8274	0.0847	0.3726	0.0204	0.0933	0.0108	0.2586	0.0284	1.3762	0.0911	1.7753	0.0755	0.3213	0.0093	
Alcohol dependence syndrome																	
2010	3.0268	0.1107	5.4376	0.2041	1.3788	0.0491	0.4590	0.0342	1.2884	0.0830	3.8448	0.1934	5.7962	0.1941	1.0454	0.0259	
2009	2.8687	0.1042	5.2387	0.2014	1.2921	0.0432	0.5214	0.0389	1.2276	0.0737	3.7439	0.1878	5.4204	0.1785	1.0247	0.0272	
2008	2.6887	0.1109	4.8783	0.2045	1.2543	0.0539	0.6265	0.1026	1.2602	0.0906	3.7668	0.2319	5.0365	0.1717	0.8893	0.0214	
2007	2.5879	0.0941	4.8135	0.1770	1.1627	0.0424	0.4552	0.0369	1.0461	0.0739	3.5475	0.1952	4.8730	0.1518	0.8966	0.0186	
2006	2.5521	0.1047	4.7370	0.2044	1.1323	0.0424	0.4382	0.0384	1.0218	0.0756	3.7289	0.2267	4.7097	0.1650	0.8532	0.0183	
Nondependent abuse of alcohol																	
2010	2.3118	0.0706	4.0661	0.1210	1.1112	0.0334	2.0203	0.1166	2.5049	0.1136	3.0763	0.1072	3.6965	0.1074	0.8842	0.0246	
2009	2.0782	0.0642	3.7060	0.1136	0.9939	0.0302	1.8192	0.1033	2.1935	0.1011	2.8356	0.1044	3.3232	0.0989	0.7898	0.0215	
2008	1.9320	0.0555	3.4549	0.0957	0.9338	0.0300	2.0471	0.1944	2.1989	0.1106	2.6987	0.0954	3.0763	0.0804	0.6918	0.0178	
2007	2.0525	0.0648	3.7428	0.1188	0.9700	0.0297	1.9360	0.1297	2.0253	0.0965	2.8232	0.1109	3.2853	0.1038	0.7630	0.0200	
2006	2.0900	0.0693	3.8336	0.1316	0.9570	0.0299	1.7430	0.0996	1.9991	0.0968	3.0387	0.1186	3.3039	0.1086	0.7783	0.0209	
All chronic liver disease and cirrhosis																	
2010	2.5452	0.0484	3.6588	0.0698	1.7864	0.0362	0.3931	0.0358	0.4627	0.0232	1.8995	0.0514	4.9502	0.0965	1.6309	0.0286	
2009	2.3594	0.0423	3.4496	0.0618	1.6365	0.0327	0.3154	0.0262	0.3741	0.0177	1.7449	0.0431	4.6366	0.0844	1.5405	0.0281	
2008	2.1413	0.0377	3.1644	0.0567	1.4734	0.0288	0.3060	0.0289	0.3413	0.0197	1.6594	0.0422	4.2714	0.0803	1.3571	0.0219	
2007	1.9754	0.0329	3.0082	0.0545	1.3165	0.0220	0.2325	0.0244	0.2702	0.0136	1.4349	0.0399	4.0015	0.0725	1.3216	0.0206	
2006	1.8905	0.0357	2.8564	0.0596	1.2651	0.0245	0.2351	0.0175	0.2420	0.0146	1.4576	0.0413	3.8030	0.0791	1.2401	0.0218	
Alcoholic liver disease																	
2010	1.0492	0.0247	1.8801	0.0431	0.4815	0.0129	0.0121	0.0026	0.0978	0.0090	0.9071	0.0321	2.3427	0.0528	0.4100	0.0093	
2009	0.9843	0.0216	1.7926	0.0397	0.4469	0.0112	0.0106	0.0018	0.0777	0.0072	0.8545	0.0266	2.2124	0.0477	0.3975	0.0093	
2008	0.9144	0.0190	1.6783	0.0344	0.4143	0.0105	0.0145	0.0025	0.0825	0.0077	0.8447	0.0264	2.0767	0.0427	0.3532	0.0075	
2007	0.8814	0.0191	1.6619	0.0362	0.3821	0.0091	0.0104	0.0020	0.0642	0.0060	0.7736	0.0278	2.0277	0.0428	0.3621	0.0076	
2006	0.8777	0.0214	1.6334	0.0422	0.3871	0.0099	0.0099	0.0018	0.0613	0.0058	0.8127	0.0278	2.0014	0.0490	0.3563	0.0085	
Alcohol poisoning																	
2010	0.0891	0.0048	0.1205	0.0077	0.0676	0.0032	0.1288	0.0117	0.1383	0.0092	0.1670	0.0086	0.1227	0.0091	0.0108	0.0010	
2009	0.0810	0.0032	0.1081	0.0047	0.0630	0.0027	0.1393	0.0095	0.1341	0.0084	0.1582	0.0073	0.1041	0.0049	0.0089	0.0007	
2008	0.0861	0.0038	0.1173	0.0057	0.0658	0.0031	0.1454	0.0098	0.1445	0.0100	0.1680	0.0083	0.1144	0.0062	0.0090	0.0008	
2007	0.0742	0.0033	0.1001	0.0043	0.0575	0.0030	0.1272	0.0089	0.1189	0.0077	0.1444	0.0077	0.0905	0.0046	0.0094	0.0007	
2006	0.0755	0.0035	0.1043	0.0055	0.0570	0.0027	0.1511	0.0145	0.1274	0.0096	0.1505	0.0076	0.0905	0.0044	0.0073	0.0006	

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table A3. Percent distribution of hospitalizations with first-listed alcohol-related diagnoses among total hospitalizations for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Any alcohol-related diagnoses																
 Northeast																
2010	1.7980	0.2430	3.1779	0.4703	0.7690	0.0792	0.4239	0.0889	0.8964	0.1520	2.7795	0.4333	3.3783	0.4337	0.3645	0.0259
2009	1.6879	0.2338	3.0012	0.4431	0.7018	0.0777	0.3712	0.0546	0.8939	0.1339	2.6870	0.4110	3.1349	0.4060	0.3570	0.0333
2008	1.5592	0.1906	2.7178	0.3592	0.7417	0.0787	0.5514	0.1345	0.8328	0.1573	2.4087	0.3540	2.9743	0.3328	0.3546	0.0260
2007	1.6899	0.2331	3.0987	0.4562	0.7118	0.0784	0.4959	0.0688	0.7525	0.1260	2.7234	0.4662	3.1135	0.3914	0.3512	0.0234
2006	1.7296	0.2262	3.1611	0.4315	0.7086	0.0788	0.6321	0.1500	0.8710	0.1615	2.9580	0.4809	3.1409	0.3656	0.3412	0.0198
 Midwest																
2010	1.0739	0.0788	1.8324	0.1350	0.5552	0.0416	0.3829	0.0404	0.5853	0.0666	1.6808	0.1540	1.9966	0.1425	0.2557	0.0150
2009	1.1573	0.0905	1.9721	0.1566	0.6075	0.0495	0.4312	0.0438	0.6793	0.0827	1.8929	0.1970	2.0524	0.1552	0.2885	0.0170
2008	1.1139	0.0979	1.9323	0.1607	0.5799	0.0589	0.4769	0.0851	0.6396	0.0783	1.8077	0.2064	2.0563	0.1618	0.2727	0.0139
2007	1.0430	0.0784	1.8247	0.1338	0.5449	0.0439	0.4080	0.0441	0.5554	0.0766	1.6765	0.1696	1.9547	0.1347	0.2678	0.0158
2006	1.0550	0.0832	1.8366	0.1515	0.5534	0.0424	0.4884	0.0475	0.5454	0.0676	1.7451	0.1702	1.9529	0.1521	0.2580	0.0140
 South																
2010	1.0225	0.0747	1.7953	0.1354	0.5057	0.0345	0.2236	0.0236	0.3928	0.0506	1.3837	0.1340	1.9609	0.1380	0.3030	0.0120
2009	0.8596	0.0451	1.5435	0.0826	0.4261	0.0236	0.1838	0.0190	0.2293	0.0258	1.1236	0.0814	1.6454	0.0816	0.3039	0.0214
2008	0.9409	0.0663	1.6647	0.1199	0.4644	0.0319	0.2155	0.0307	0.2848	0.0422	1.3131	0.1248	1.7858	0.1167	0.3046	0.0118
2007	0.8556	0.0621	1.5716	0.1207	0.4048	0.0240	0.2150	0.0259	0.2419	0.0387	1.0958	0.1120	1.6726	0.1127	0.2860	0.0120
2006	0.8555	0.0504	1.5212	0.0926	0.4243	0.0247	0.1890	0.0169	0.2052	0.0267	1.1546	0.0942	1.6406	0.0936	0.2920	0.0114
 West																
2010	1.2306	0.1152	2.1507	0.2000	0.6293	0.0610	0.3587	0.0489	0.4575	0.0681	1.4930	0.1629	2.4051	0.2053	0.3686	0.0281
2009	1.0707	0.0966	1.8617	0.1661	0.5708	0.0553	0.2924	0.0357	0.4202	0.0853	1.3659	0.1712	2.0805	0.1601	0.3309	0.0190
2008	1.0808	0.0893	1.8591	0.1297	0.6104	0.0630	0.3339	0.0410	0.3670	0.0632	1.2357	0.1437	2.2378	0.1623	0.3522	0.0188
2007	1.2256	0.0999	2.0988	0.1642	0.6897	0.0652	0.3461	0.0480	0.4119	0.0681	1.4882	0.1675	2.4792	0.1735	0.3848	0.0208
2006	1.0193	0.0724	1.8012	0.1226	0.5476	0.0462	0.2407	0.0272	0.2612	0.0417	1.1491	0.1074	2.1246	0.1358	0.3627	0.0189
Alcoholic psychoses																
 Northeast																
2010	0.7824	0.1261	1.4152	0.2341	0.3105	0.0480	0.0654	0.0215	0.3400	0.0657	1.2942	0.2333	1.4993	0.2283	0.1104	0.0127
2009	0.7291	0.0992	1.3534	0.1873	0.2604	0.0351	0.0503	0.0150	0.3280	0.0584	1.2083	0.1724	1.3902	0.1765	0.1206	0.0151
2008	0.6968	0.1002	1.2724	0.1814	0.2908	0.0461	0.0735	0.0243	0.3400	0.0748	1.1944	0.1913	1.3539	0.1840	0.1012	0.0118
2007	0.6822	0.1062	1.2863	0.1987	0.2629	0.0410	0.0669	0.0215	0.2976	0.0671	1.1782	0.2109	1.2659	0.1763	0.1042	0.0119
2006	0.5901	0.0910	1.1288	0.1765	0.2058	0.0327	0.0548	0.0153	0.2124	0.0509	1.0529	0.1864	1.1110	0.1597	0.0928	0.0097
 Midwest																
2010	0.4596	0.0554	0.8484	0.0931	0.1937	0.0305	0.0375	0.0093	0.2209	0.0407	0.8145	0.1069	0.8704	0.1045	0.0677	0.0068
2009	0.4914	0.0679	0.9014	0.1188	0.2147	0.0348	0.0729	0.0164	0.2449	0.0450	0.9233	0.1405	0.8732	0.1173	0.0757	0.0086
2008	0.4756	0.0625	0.8748	0.1072	0.2151	0.0341	0.0650	0.0150	0.2433	0.0490	0.9065	0.1306	0.8752	0.1101	0.0678	0.0076
2007	0.3744	0.0452	0.7140	0.0782	0.1580	0.0246	0.0377	0.0135	0.1600	0.0329	0.6963	0.0951	0.7080	0.0821	0.0613	0.0069
2006	0.3873	0.0444	0.7252	0.0821	0.1704	0.0215	0.0586	0.0134	0.1378	0.0246	0.7486	0.0906	0.7154	0.0825	0.0595	0.0070
 South																
2010	0.3587	0.0559	0.6862	0.1043	0.1397	0.0236	0.0212	0.0057	0.1101	0.0292	0.5686	0.1057	0.6890	0.1029	0.0704	0.0059
2009	0.2944	0.0293	0.5813	0.0556	0.1125	0.0140	0.0235	0.0075	0.0728	0.0128	0.4407	0.0490	0.5638	0.0552	0.0779	0.0086
2008	0.3024	0.0403	0.5774	0.0705	0.1214	0.0215	0.0238	0.0066	0.0960	0.0253	0.5002	0.0786	0.5681	0.0715	0.0655	0.0060
2007	0.2537	0.0353	0.5145	0.0695	0.0896	0.0139	0.0177	0.0044	0.0653	0.0153	0.4048	0.0673	0.4826	0.0663	0.0525	0.0038
2006	0.2731	0.0389	0.5245	0.0699	0.1103	0.0191	0.0140	0.0043	0.0655	0.0178	0.4646	0.0753	0.5025	0.0691	0.0593	0.0057
 West																
2010	0.5097	0.0576	0.9724	0.1069	0.2080	0.0258	0.0457	0.0154	0.1534	0.0292	0.7151	0.0872	0.9942	0.1063	0.1075	0.0128
2009	0.4096	0.0593	0.7723	0.1053	0.1807	0.0321	0.0244	0.0089	0.1521	0.0372	0.6139	0.1008	0.7928	0.1048	0.0839	0.0094
2008	0.3867	0.0521	0.7158	0.0828	0.1882	0.0339	0.0211	0.0076	0.1045	0.0197	0.5435	0.0839	0.7853	0.1010	0.0858	0.0113
2007	0.4535	0.0609	0.8348	0.1061	0.2214	0.0382	0.0226	0.0074	0.1278	0.0242	0.6593	0.0934	0.9022	0.1121	0.0975	0.0142
2006	0.3673	0.0564	0.6959	0.0927	0.1694	0.0377	0.0169	0.0055	0.0967	0.0222	0.5101	0.0800	0.7408	0.1148	0.0905	0.0144

See footnotes at end of table.

Table A3. Percent distribution of hospitalizations with first-listed alcohol-related diagnoses among total hospitalizations for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol dependence syndrome																
 Northeast																
2010	0.6375	0.1603	1.1868	0.3252	0.2279	0.0428	0.0854	0.0220	0.4361	0.1111	1.1568	0.2944	1.1419	0.2915	0.0771	0.0140
2009	0.6200	0.1881	1.1194	0.3538	0.2450	0.0656	0.1282	0.0320	0.4248	0.1095	1.1790	0.3436	1.0800	0.3411	0.0736	0.0196
2008	0.4755	0.1306	0.8534	0.2568	0.2088	0.0467	0.2137	0.1092	0.3519	0.1141	0.8637	0.2381	0.8500	0.2356	0.0635	0.0126
2007	0.6590	0.1819	1.2456	0.3713	0.2518	0.0565	0.1792	0.0477	0.3680	0.0894	1.2608	0.3795	1.1317	0.3035	0.0708	0.0129
2006	0.7630	0.1869	1.4269	0.3564	0.2894	0.0671	0.2284	0.1002	0.5253	0.1388	1.5777	0.4131	1.2604	0.2922	0.0757	0.0127
 Midwest																
2010	0.2678	0.0357	0.4616	0.0646	0.1353	0.0175	0.0731	0.0142	0.1675	0.0368	0.4809	0.0761	0.4730	0.0604	0.0506	0.0079
2009	0.3217	0.0421	0.5539	0.0713	0.1651	0.0245	0.1216	0.0259	0.2537	0.0479	0.6099	0.0916	0.5298	0.0699	0.0586	0.0083
2008	0.2874	0.0524	0.5014	0.0816	0.1479	0.0343	0.1275	0.0479	0.2049	0.0348	0.5320	0.1084	0.5090	0.0875	0.0470	0.0060
2007	0.2880	0.0454	0.4994	0.0758	0.1533	0.0269	0.0923	0.0244	0.1975	0.0414	0.5657	0.0972	0.4986	0.0795	0.0458	0.0059
2006	0.3202	0.0466	0.5629	0.0829	0.1644	0.0247	0.1033	0.0170	0.2131	0.0414	0.6268	0.0986	0.5647	0.0830	0.0455	0.0048
 South																
2010	0.2684	0.0362	0.4793	0.0650	0.1274	0.0184	0.0364	0.0110	0.1345	0.0280	0.4446	0.0659	0.4939	0.0651	0.0496	0.0056
2009	0.2001	0.0235	0.3676	0.0403	0.0939	0.0137	0.0268	0.0084	0.0599	0.0121	0.3398	0.0488	0.3450	0.0372	0.0555	0.0131
2008	0.2279	0.0406	0.4198	0.0760	0.1016	0.0181	0.0358	0.0101	0.1142	0.0265	0.4354	0.0853	0.3879	0.0687	0.0399	0.0042
2007	0.1988	0.0364	0.3825	0.0739	0.0832	0.0127	0.0287	0.0069	0.0843	0.0251	0.3411	0.0741	0.3525	0.0596	0.0385	0.0036
2006	0.1595	0.0167	0.2983	0.0319	0.0695	0.0074	0.0299	0.0069	0.0596	0.0115	0.2864	0.0363	0.2723	0.0272	0.0357	0.0031
 West																
2010	0.2598	0.0542	0.4339	0.0797	0.1447	0.0379	0.0716	0.0251	0.1639	0.0449	0.3600	0.0768	0.4695	0.0990	0.0675	0.0147
2009	0.1934	0.0310	0.3481	0.0531	0.0950	0.0176	0.0607	0.0194	0.1150	0.0305	0.3169	0.0636	0.3280	0.0455	0.0431	0.0057
2008	0.2357	0.0661	0.3873	0.0969	0.1432	0.0468	0.0707	0.0240	0.1445	0.0503	0.3360	0.0996	0.4472	0.1320	0.0529	0.0086
2007	0.2648	0.0633	0.4269	0.0852	0.1614	0.0472	0.0795	0.0269	0.1670	0.0523	0.3951	0.1041	0.4816	0.1155	0.0606	0.0110
2006	0.1503	0.0300	0.2481	0.0437	0.0881	0.0206	0.0282	0.0084	0.0876	0.0247	0.2107	0.0483	0.2866	0.0552	0.0370	0.0058
Nondependent abuse of alcohol																
 Northeast																
2010	0.0426	0.0034	0.0669	0.0055	0.0245	0.0028	0.1547	0.0336	0.0343	0.0090	0.0568	0.0070	0.0554	0.0052	0.0152	0.0017
2009	0.0410	0.0044	0.0630	0.0068	0.0245	0.0034	0.1211	0.0229	0.0741	0.0204	0.0677	0.0087	0.0487	0.0073	0.0107	0.0017
2008	0.0489	0.0072	0.0764	0.0109	0.0296	0.0050	0.1582	0.0289	0.0636	0.0157	0.0712	0.0119	0.0669	0.0108	0.0123	0.0024
2007	0.0446	0.0054	0.0711	0.0093	0.0261	0.0033	0.1593	0.0273	0.0457	0.0111	0.0606	0.0091	0.0590	0.0080	0.0139	0.0022
2006	0.0541	0.0065	0.0884	0.0116	0.0296	0.0037	0.2005	0.0364	0.0780	0.0176	0.0676	0.0107	0.0734	0.0108	0.0151	0.0019
 Midwest																
2010	0.0722	0.0068	0.1159	0.0126	0.0423	0.0038	0.1850	0.0304	0.1354	0.0211	0.1251	0.0144	0.0945	0.0104	0.0120	0.0019
2009	0.0663	0.0076	0.1081	0.0133	0.0382	0.0044	0.1529	0.0195	0.1273	0.0184	0.1308	0.0175	0.0767	0.0122	0.0107	0.0016
2008	0.0636	0.0068	0.1026	0.0105	0.0381	0.0050	0.2232	0.0351	0.1113	0.0198	0.1095	0.0149	0.0738	0.0098	0.0128	0.0017
2007	0.0755	0.0091	0.1259	0.0151	0.0434	0.0058	0.2026	0.0229	0.1519	0.0251	0.1358	0.0227	0.0882	0.0116	0.0139	0.0017
2006	0.0764	0.0110	0.1293	0.0191	0.0425	0.0062	0.2230	0.0277	0.1310	0.0234	0.1451	0.0266	0.0848	0.0158	0.0139	0.0019
 South																
2010	0.0600	0.0050	0.1054	0.0093	0.0295	0.0026	0.0819	0.0108	0.0763	0.0105	0.1034	0.0109	0.0854	0.0086	0.0126	0.0013
2009	0.0494	0.0066	0.0855	0.0128	0.0265	0.0028	0.0723	0.0090	0.0549	0.0093	0.0903	0.0134	0.0673	0.0104	0.0107	0.0014
2008	0.0460	0.0034	0.0799	0.0066	0.0237	0.0018	0.0824	0.0146	0.0339	0.0055	0.0803	0.0078	0.0632	0.0053	0.0129	0.0013
2007	0.0454	0.0033	0.0785	0.0061	0.0246	0.0020	0.0845	0.0127	0.0449	0.0096	0.0756	0.0074	0.0601	0.0051	0.0108	0.0013
2006	0.0481	0.0031	0.0826	0.0058	0.0258	0.0018	0.0756	0.0090	0.0432	0.0073	0.0836	0.0072	0.0656	0.0050	0.0130	0.0013
 West																
2010	0.0601	0.0088	0.0983	0.0156	0.0336	0.0047	0.1577	0.0240	0.0717	0.0148	0.0763	0.0120	0.0814	0.0126	0.0152	0.0024
2009	0.0497	0.0072	0.0804	0.0116	0.0291	0.0048	0.0873	0.0141	0.0850	0.0249	0.0740	0.0160	0.0636	0.0073	0.0127	0.0021
2008	0.0419	0.0044	0.0698	0.0073	0.0230	0.0030	0.1150	0.0173	0.0679	0.0129	0.0535	0.0078	0.0587	0.0071	0.0093	0.0015
2007	0.0488	0.0056	0.0800	0.0092	0.0285	0.0034	0.1468	0.0271	0.0485	0.0125	0.0714	0.0094	0.0579	0.0077	0.0138	0.0023
2006	0.0300	0.0022	0.0524	0.0042	0.0158	0.0017	0.0937	0.0158	0.0304	0.0064	0.0426	0.0043	0.0333	0.0040	0.0092	0.0014

See footnotes at end of table.

Table A3. Percent distribution of hospitalizations with first-listed alcohol-related diagnoses among total hospitalizations for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
All chronic liver disease and cirrhosis																
 Northeast																
2010	0.2992	0.0183	0.4543	0.0289	0.1836	0.0131	0.0316	0.0166	0.0440	0.0119	0.2259	0.0191	0.6181	0.0433	0.1560	0.0085
2009	0.2785	0.0145	0.4364	0.0242	0.1599	0.0091	0.0209	0.0094	0.0343	0.0066	0.2019	0.0131	0.5882	0.0350	0.1490	0.0088
2008	0.3105	0.0301	0.4710	0.0401	0.1973	0.0224	0.0416	0.0152	0.0413	0.0116	0.2455	0.0258	0.6550	0.0629	0.1721	0.0164
2007	0.2843	0.0138	0.4673	0.0244	0.1572	0.0089	0.0224	0.0083	—	—	0.1939	0.0138	0.6288	0.0371	0.1589	0.0116
2006	0.2984	0.0145	0.4802	0.0246	0.1687	0.0105	0.0217	0.0074	0.0343	0.0092	0.2211	0.0185	0.6682	0.0354	0.1554	0.0075
 Midwest																
2010	0.2441	0.0187	0.3575	0.0284	0.1667	0.0126	0.0161	0.0061	0.0310	0.0096	0.2093	0.0243	0.5110	0.0383	0.1222	0.0075
2009	0.2581	0.0197	0.3776	0.0266	0.1776	0.0155	—	—	0.0237	0.0056	0.1917	0.0176	0.5490	0.0401	0.1419	0.0115
2008	0.2670	0.0146	0.4183	0.0243	0.1682	0.0094	0.0174	0.0086	0.0289	0.0070	0.2226	0.0144	0.5716	0.0375	0.1427	0.0070
2007	0.2852	0.0218	0.4521	0.0346	0.1789	0.0142	0.0184	0.0079	—	—	0.2416	0.0166	0.6357	0.0504	0.1439	0.0113
2006	0.2504	0.0192	0.3839	0.0292	0.1649	0.0139	0.0264	0.0140	0.0225	0.0082	0.1893	0.0164	0.5619	0.0490	0.1377	0.0090
 South																
2010	0.3175	0.0143	0.4958	0.0220	0.1983	0.0100	0.0528	0.0221	0.0496	0.0105	0.2363	0.0130	0.6663	0.0313	0.1677	0.0080
2009	0.2986	0.0128	0.4826	0.0213	0.1819	0.0085	0.0130	0.0034	0.0198	0.0040	0.2224	0.0152	0.6471	0.0281	0.1574	0.0074
2008	0.3498	0.0153	0.5649	0.0263	0.2082	0.0093	0.0349	0.0108	0.0266	0.0054	0.2704	0.0151	0.7466	0.0364	0.1842	0.0070
2007	0.3419	0.0179	0.5701	0.0328	0.1982	0.0093	0.0468	0.0147	0.0246	0.0052	0.2485	0.0161	0.7580	0.0443	0.1813	0.0088
2006	0.3593	0.0173	0.5909	0.0327	0.2093	0.0092	0.0314	0.0070	0.0155	0.0041	0.2905	0.0177	0.7817	0.0431	0.1821	0.0081
 West																
2010	0.3756	0.0351	0.6086	0.0643	0.2252	0.0165	0.0249	0.0078	0.0360	0.0081	0.3007	0.0408	0.8289	0.0699	0.1742	0.0124
2009	0.3960	0.0278	0.6271	0.0452	0.2514	0.0187	0.0618	0.0137	0.0389	0.0096	0.3248	0.0276	0.8703	0.0600	0.1885	0.0144
2008	0.3965	0.0239	0.6543	0.0367	0.2430	0.0176	0.0594	0.0230	0.0285	0.0064	0.2706	0.0197	0.9223	0.0526	0.2018	0.0132
2007	0.4358	0.0373	0.7183	0.0678	0.2661	0.0194	0.0190	0.0056	0.0394	0.0087	0.3265	0.0445	1.0118	0.0791	0.2095	0.0152
2006	0.4515	0.0360	0.7735	0.0686	0.2607	0.0163	0.0282	0.0103	0.0245	0.0100	0.3592	0.0438	1.0386	0.0750	0.2221	0.0144
Alcoholic liver disease																
 Northeast																
2010	0.1877	0.0112	0.3162	0.0202	0.0918	0.0070	—	—	—	—	0.1761	0.0156	0.4236	0.0270	0.0571	0.0040
2009	0.1795	0.0100	0.3085	0.0184	0.0826	0.0053	—	—	—	—	0.1568	0.0102	0.4171	0.0260	0.0576	0.0051
2008	0.1848	0.0129	0.3166	0.0214	0.0917	0.0067	—	—	—	—	0.1868	0.0182	0.4308	0.0271	0.0577	0.0049
2007	0.1717	0.0093	0.3134	0.0169	0.0734	0.0058	—	—	—	—	0.1524	0.0119	0.4150	0.0282	0.0541	0.0044
2006	0.1829	0.0097	0.3240	0.0189	0.0823	0.0052	—	—	—	—	0.1746	0.0160	0.4421	0.0237	0.0543	0.0041
 Midwest																
2010	0.1586	0.0134	0.2639	0.0233	0.0867	0.0072	—	—	—	—	0.1665	0.0206	0.3687	0.0281	0.0404	0.0038
2009	0.1502	0.0091	0.2565	0.0156	0.0785	0.0054	—	—	—	—	0.1406	0.0114	0.3564	0.0222	0.0435	0.0037
2008	0.1649	0.0067	0.2945	0.0130	0.0803	0.0041	—	—	—	—	0.1814	0.0112	0.3881	0.0178	0.0448	0.0030
2007	0.1776	0.0105	0.3204	0.0184	0.0866	0.0065	—	—	—	—	0.1950	0.0129	0.4257	0.0238	0.0490	0.0041
2006	0.1578	0.0107	0.2785	0.0183	0.0804	0.0070	—	—	—	—	0.1608	0.0137	0.3944	0.0293	0.0423	0.0037
 South																
2010	0.1889	0.0086	0.3351	0.0149	0.0911	0.0056	—	—	0.0123	0.0039	0.1719	0.0097	0.4410	0.0203	0.0555	0.0038
2009	0.1868	0.0087	0.3486	0.0170	0.0843	0.0045	—	—	—	—	0.1734	0.0121	0.4472	0.0206	0.0509	0.0029
2008	0.2078	0.0094	0.3852	0.0187	0.0910	0.0047	—	—	0.0129	0.0033	0.1994	0.0114	0.4832	0.0236	0.0634	0.0033
2007	0.1983	0.0087	0.3797	0.0173	0.0842	0.0042	—	—	—	—	0.1784	0.0110	0.4729	0.0232	0.0646	0.0037
2006	0.2117	0.0118	0.3965	0.0236	0.0921	0.0054	—	—	—	—	0.2143	0.0147	0.4954	0.0291	0.0610	0.0033
 West																
2010	0.2531	0.0271	0.4620	0.0546	0.1175	0.0094	—	—	0.0265	0.0078	0.2495	0.0367	0.5813	0.0509	0.0682	0.0057
2009	0.2564	0.0171	0.4607	0.0342	0.1279	0.0086	—	—	—	—	0.2604	0.0238	0.5949	0.0351	0.0730	0.0059
2008	0.2430	0.0119	0.4524	0.0218	0.1176	0.0075	—	—	—	—	0.2102	0.0145	0.5956	0.0270	0.0775	0.0057
2007	0.2726	0.0266	0.5170	0.0571	0.1246	0.0078	—	—	0.0213	0.0055	0.2577	0.0388	0.6560	0.0538	0.0806	0.0064
2006	0.2954	0.0293	0.5699	0.0633	0.1317	0.0088	—	—	0.0177	0.0073	0.2784	0.0392	0.7138	0.0604	0.0921	0.0076

See footnotes at end of table.

Table A3. Percent distribution of hospitalizations with first-listed alcohol-related diagnoses among total hospitalizations for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	
Alcohol poisoning																	
Northeast																	
2010	0.0363	0.0128	0.0547	0.0202	0.0225	0.0073	0.0868	0.0429	0.0419	0.0113	0.0457	0.0120	0.0635	0.0284	0.0058	0.0024	
2009	0.0192	0.0028	0.0289	0.0034	0.0119	0.0027	0.0508	0.0111	0.0326	0.0086	0.0302	0.0054	0.0278	0.0058	0.0031	0.0007	
2008	0.0274	0.0070	0.0447	0.0132	0.0152	0.0030	0.0643	0.0141	0.0360	0.0090	0.0339	0.0069	0.0484	0.0156	0.0055	0.0025	
2007	0.0198	0.0038	0.0284	0.0058	0.0138	0.0028	0.0680	0.0122	—	—	0.0299	0.0069	0.0281	0.0067	0.0035	0.0011	
2006	0.0241	0.0058	0.0368	0.0106	0.0151	0.0027	0.1268	0.0578	—	—	0.0388	0.0085	0.0279	0.0052	0.0022	0.0008	
Midwest																	
2010	0.0302	0.0074	0.0492	0.0128	0.0172	0.0040	0.0712	0.0146	0.0304	0.0080	0.0509	0.0128	0.0477	0.0152	0.0032	0.0011	
2009	0.0197	0.0046	0.0312	0.0077	0.0120	0.0027	0.0702	0.0140	0.0296	0.0069	0.0372	0.0091	0.0237	0.0084	—	—	
2008	0.0203	0.0022	0.0352	0.0047	0.0105	0.0012	0.0438	0.0082	0.0511	0.0101	0.0370	0.0057	0.0266	0.0039	0.0023	0.0006	
2007	0.0199	0.0018	0.0333	0.0040	0.0114	0.0013	0.0570	0.0121	0.0304	0.0095	0.0372	0.0044	0.0242	0.0033	0.0029	0.0007	
2006	0.0207	0.0038	0.0354	0.0084	0.0112	0.0014	0.0770	0.0124	0.0409	0.0164	0.0353	0.0057	0.0261	0.0059	—	—	
South																	
2010	0.0180	0.0016	0.0286	0.0028	0.0109	0.0012	0.0314	0.0052	0.0223	0.0046	0.0308	0.0033	0.0264	0.0032	0.0026	0.0006	
2009	0.0172	0.0012	0.0265	0.0023	0.0113	0.0010	0.0482	0.0078	0.0219	0.0039	0.0304	0.0025	0.0221	0.0024	0.0024	0.0005	
2008	0.0148	0.0011	0.0228	0.0019	0.0096	0.0010	0.0387	0.0070	0.0140	0.0036	0.0270	0.0029	0.0199	0.0020	0.0021	0.0004	
2007	0.0157	0.0012	0.0260	0.0021	0.0093	0.0010	0.0373	0.0067	0.0228	0.0050	0.0257	0.0030	0.0194	0.0020	0.0030	0.0005	
2006	0.0155	0.0012	0.0249	0.0021	0.0094	0.0010	0.0380	0.0076	0.0214	0.0039	0.0297	0.0029	0.0185	0.0020	0.0019	0.0005	
West																	
2010	0.0255	0.0025	0.0374	0.0043	0.0179	0.0019	0.0587	0.0101	0.0325	0.0079	0.0409	0.0056	0.0311	0.0036	0.0042	0.0011	
2009	0.0219	0.0023	0.0338	0.0041	0.0145	0.0021	0.0582	0.0121	0.0292	0.0077	0.0364	0.0051	0.0258	0.0032	0.0028	0.0007	
2008	0.0200	0.0018	0.0319	0.0034	0.0130	0.0015	0.0676	0.0137	0.0216	0.0055	0.0322	0.0039	0.0243	0.0028	0.0024	0.0007	
2007	0.0228	0.0021	0.0388	0.0040	0.0124	0.0014	0.0782	0.0140	0.0292	0.0075	0.0360	0.0040	0.0258	0.0033	0.0033	0.0009	
2006	0.0202	0.0019	0.0313	0.0033	0.0136	0.0018	0.0736	0.0128	0.0220	0.0061	0.0265	0.0033	0.0253	0.0029	0.0039	0.0009	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table A4. Percent distribution of hospitalizations with all-listed alcohol-related diagnoses among total hospitalizations for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Any alcohol-related diagnoses																
 Northeast																
2010	7.8802	0.5514	12.9060	0.9858	4.1320	0.2249	3.6907	0.2941	5.9201	0.5148	10.0947	0.9011	13.6145	0.9004	3.1678	0.1435
2009	7.5691	0.5149	12.4853	0.9315	3.8768	0.1970	3.4423	0.2999	6.0017	0.3969	10.0183	0.8217	13.0111	0.8003	3.0351	0.1541
2008	7.0701	0.4899	11.7340	0.8805	3.7782	0.2259	3.7263	0.5267	5.7703	0.5073	9.5161	1.0183	12.2985	0.7146	2.8264	0.1121
2007	6.8597	0.4892	11.6963	0.8678	3.5018	0.2088	3.5119	0.2883	5.1125	0.4957	9.1150	0.9479	11.7113	0.7645	2.8186	0.1036
2006	7.0625	0.4456	12.0417	0.8175	3.5114	0.1756	3.2593	0.3274	5.3037	0.4599	10.4745	0.9749	11.7672	0.6475	2.7259	0.0956
 Midwest																
2010	6.4193	0.2193	10.3696	0.3344	3.7179	0.1320	3.4612	0.2914	4.8070	0.3156	7.8781	0.3868	11.1857	0.3418	2.8718	0.0788
2009	6.3807	0.2400	10.3403	0.3776	3.7084	0.1457	3.7574	0.3155	4.8386	0.3011	8.1013	0.4739	10.9747	0.3700	2.7718	0.0807
2008	5.9897	0.3039	9.8808	0.4468	3.4516	0.2095	4.7557	0.9970	5.0358	0.4465	8.1654	0.6016	10.1722	0.3813	2.4328	0.0715
2007	5.6715	0.2084	9.5765	0.3412	3.1829	0.1243	3.7231	0.4763	3.9704	0.2935	7.5979	0.4495	9.8812	0.3227	2.4237	0.0647
2006	5.5444	0.2663	9.3427	0.4549	3.1078	0.1470	3.6509	0.3826	4.1664	0.3247	7.8120	0.4702	9.4912	0.4232	2.2827	0.0815
 South																
2010	6.4283	0.2225	10.6855	0.3583	3.5811	0.1242	2.1148	0.1687	3.0646	0.2321	7.1984	0.3577	11.4820	0.3677	3.1938	0.0870
2009	5.6911	0.1488	9.7778	0.2542	3.1003	0.0853	1.6088	0.1400	2.2737	0.1833	6.2080	0.2561	10.3052	0.2498	2.9788	0.0692
2008	5.5283	0.1791	9.4194	0.3126	2.9668	0.0939	1.7060	0.1514	2.5587	0.2425	6.6705	0.3244	9.8612	0.2973	2.6365	0.0580
2007	5.3456	0.1847	9.3767	0.3100	2.8078	0.0979	1.7645	0.1853	2.2509	0.1969	6.1663	0.3687	9.5996	0.2940	2.6647	0.0565
2006	5.2230	0.1857	9.0914	0.3384	2.7173	0.0941	1.5372	0.1189	2.0986	0.1873	6.4779	0.3338	9.1763	0.3111	2.5484	0.0620
 West																
2010	7.7182	0.3449	12.9129	0.5494	4.3472	0.1781	3.2767	0.3433	4.3398	0.3812	7.4776	0.4945	13.9583	0.4858	4.1499	0.1235
2009	7.1365	0.3370	12.0045	0.5931	4.0707	0.1771	2.9166	0.2834	3.9314	0.3871	7.1691	0.5372	12.9243	0.5169	3.8760	0.1052
2008	6.2575	0.2720	10.6733	0.4091	3.6122	0.1789	2.9498	0.3601	3.3374	0.3108	6.0057	0.4187	11.7735	0.4029	3.3469	0.0902
2007	6.3437	0.3050	11.0352	0.5610	3.4940	0.1452	2.5729	0.2607	3.4443	0.3313	6.4432	0.4819	11.6566	0.4495	3.3913	0.0961
2006	6.0099	0.2800	10.7344	0.5318	3.1903	0.1263	2.1547	0.1672	2.9634	0.2630	6.1652	0.4355	11.0940	0.4408	3.2743	0.0923
Alcoholic psychoses																
 Northeast																
2010	1.5725	0.1789	2.8088	0.3248	0.6506	0.0737	0.1397	0.0279	0.6651	0.1099	2.2824	0.3211	2.9769	0.3181	0.4141	0.0322
2009	1.5294	0.1469	2.7939	0.2681	0.5799	0.0558	0.1421	0.0320	0.6494	0.1007	2.2420	0.2523	2.9183	0.2585	0.4034	0.0289
2008	1.4603	0.1524	2.6581	0.2737	0.6152	0.0721	0.1870	0.0489	0.7090	0.1414	2.2427	0.2989	2.7958	0.2690	0.3741	0.0251
2007	1.4793	0.1695	2.7552	0.3106	0.5934	0.0672	0.1458	0.0362	0.6082	0.1137	2.2848	0.3427	2.7596	0.2783	0.3763	0.0249
2006	1.2634	0.1359	2.3944	0.2675	0.4568	0.0456	0.1661	0.0402	0.4949	0.1051	2.0430	0.2866	2.3237	0.2268	0.3410	0.0223
 Midwest																
2010	1.0595	0.0712	1.9679	0.1191	0.4381	0.0385	0.1029	0.0192	0.3941	0.0503	1.5109	0.1302	2.0369	0.1331	0.3268	0.0168
2009	1.0871	0.0837	1.9990	0.1489	0.4716	0.0427	0.1709	0.0274	0.4899	0.0655	1.6624	0.1714	1.9894	0.1506	0.3279	0.0148
2008	1.0878	0.0953	2.0177	0.1550	0.4813	0.0570	0.1462	0.0347	0.4823	0.0814	1.7031	0.1983	2.0617	0.1619	0.3103	0.0176
2007	0.9220	0.0624	1.7686	0.1069	0.3825	0.0341	0.0839	0.0203	0.3029	0.0483	1.4072	0.1259	1.7812	0.1155	0.2932	0.0151
2006	0.9269	0.0631	1.7526	0.1131	0.3970	0.0323	0.1353	0.0237	0.2952	0.0440	1.4859	0.1219	1.7510	0.1174	0.2805	0.0170
 South																
2010	0.9710	0.0844	1.8603	0.1534	0.3763	0.0367	0.0614	0.0116	0.2551	0.0602	1.2235	0.1570	1.8671	0.1508	0.3663	0.0164
2009	0.8391	0.0464	1.6545	0.0874	0.3222	0.0226	0.0605	0.0133	0.1878	0.0284	1.0038	0.0763	1.6035	0.0864	0.3678	0.0179
2008	0.8534	0.0722	1.6572	0.1309	0.3243	0.0344	0.0630	0.0156	0.2318	0.0634	1.1413	0.1514	1.6210	0.1174	0.3198	0.0136
2007	0.7795	0.0745	1.5604	0.1410	0.2879	0.0317	0.0666	0.0154	0.1956	0.0536	1.0236	0.1549	1.4809	0.1206	0.2975	0.0119
2006	0.7659	0.0735	1.4963	0.1317	0.2928	0.0357	0.0482	0.0130	0.1716	0.0471	1.0723	0.1598	1.4174	0.1161	0.2915	0.0134
 West																
2010	1.2853	0.0901	2.4325	0.1572	0.5395	0.0430	0.1048	0.0219	0.3389	0.0461	1.4640	0.1309	2.5567	0.1672	0.4781	0.0255
2009	1.1072	0.1009	2.1052	0.1862	0.4775	0.0484	0.0682	0.0159	0.3116	0.0515	1.3392	0.1538	2.1612	0.1928	0.4368	0.0228
2008	1.0673	0.0832	2.0079	0.1338	0.5020	0.0516	0.0915	0.0268	0.2880	0.0428	1.2292	0.1294	2.1686	0.1578	0.4119	0.0234
2007	1.1080	0.0944	2.1108	0.1722	0.4989	0.0535	0.0695	0.0141	0.2691	0.0444	1.3545	0.1402	2.1856	0.1720	0.4291	0.0272
2006	0.9973	0.0887	1.9625	0.1610	0.4192	0.0514	0.0586	0.0135	0.2109	0.0347	1.1661	0.1303	1.9858	0.1666	0.4253	0.0276

See footnotes at end of table.

Table A4. Percent distribution of hospitalizations with all-listed alcohol-related diagnoses among total hospitalizations for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol dependence syndrome																
Northeast																
2010	3.9171	0.4313	6.8832	0.8012	1.7054	0.1617	0.7123	0.0976	2.1653	0.2877	5.8928	0.7673	7.1725	0.7333	1.0166	0.0767
2009	3.9876	0.4268	7.0383	0.7967	1.6971	0.1476	0.8463	0.1265	2.4156	0.2942	6.0808	0.7469	7.2568	0.6938	1.0637	0.0822
2008	3.5860	0.4394	6.3560	0.8420	1.6316	0.1623	0.9303	0.2106	2.2981	0.3331	5.7383	0.9439	6.5374	0.6777	0.9117	0.0611
2007	3.6115	0.3814	6.5671	0.7132	1.5595	0.1418	0.8428	0.1081	2.1341	0.2937	5.6161	0.7642	6.4973	0.6042	0.9443	0.0564
2006	3.8247	0.4267	6.9519	0.8104	1.5943	0.1458	0.7756	0.1558	2.3488	0.3546	6.7090	0.9619	6.5728	0.6234	0.9383	0.0474
Midwest																
2010	2.7903	0.1328	4.8922	0.2156	1.3525	0.0775	0.6156	0.0816	1.5018	0.1622	3.7851	0.2510	5.2948	0.2304	0.9229	0.0378
2009	2.8866	0.1493	5.0752	0.2505	1.4098	0.0853	0.8505	0.1027	1.7888	0.1630	4.1303	0.3113	5.2730	0.2575	0.9330	0.0403
2008	2.8192	0.2088	4.9676	0.3168	1.4177	0.1380	1.1628	0.3923	1.7960	0.2150	4.3532	0.4275	5.1250	0.3039	0.8400	0.0419
2007	2.5218	0.1353	4.5618	0.2189	1.2216	0.0820	0.6034	0.1082	1.2432	0.1537	3.8396	0.3036	4.7380	0.2193	0.8040	0.0304
2006	2.5269	0.1622	4.5427	0.2813	1.2336	0.0878	0.6650	0.0901	1.3120	0.1400	3.9785	0.2911	4.7076	0.2913	0.7584	0.0371
South																
2010	2.4956	0.1368	4.5726	0.2347	1.1066	0.0682	0.2654	0.0359	0.8493	0.1129	3.0484	0.2425	4.8487	0.2425	0.9207	0.0353
2009	2.1888	0.0869	4.1416	0.1554	0.9509	0.0459	0.2607	0.0399	0.6077	0.0703	2.5985	0.1566	4.2608	0.1551	0.8887	0.0391
2008	2.1357	0.1141	3.9878	0.1992	0.9164	0.0577	0.2712	0.0388	0.7784	0.1102	2.8781	0.2353	4.0344	0.1861	0.7688	0.0276
2007	2.0046	0.1105	3.8502	0.1969	0.8426	0.0520	0.2476	0.0369	0.5944	0.0872	2.5700	0.2314	3.8258	0.1757	0.7675	0.0232
2006	1.9251	0.1073	3.6234	0.1941	0.8252	0.0524	0.2331	0.0319	0.5197	0.0758	2.6119	0.2162	3.6099	0.1799	0.7226	0.0252
West																
2010	3.4596	0.1962	6.2638	0.3157	1.6378	0.1081	0.4528	0.0869	1.1854	0.1550	3.4645	0.2685	6.8984	0.3398	1.5418	0.0657
2009	3.0451	0.1845	5.5741	0.3265	1.4484	0.0994	0.3668	0.0673	0.9346	0.1201	3.2354	0.2787	6.0024	0.3324	1.4124	0.0630
2008	2.7135	0.1639	4.9752	0.2468	1.3538	0.1115	0.4149	0.0751	0.8415	0.1205	2.8520	0.2540	5.5045	0.3011	1.1978	0.0519
2007	2.7789	0.1447	5.1331	0.2361	1.3442	0.0960	0.3745	0.0644	0.8776	0.1162	3.0143	0.2352	5.5187	0.2560	1.2517	0.0514
2006	2.4986	0.1257	4.7368	0.2277	1.1583	0.0766	0.2344	0.0338	0.6966	0.0809	2.6077	0.1863	5.0610	0.2616	1.1868	0.0473
Nondependent abuse of alcohol																
Northeast																
2010	2.4504	0.1764	4.1101	0.2920	1.2125	0.0846	2.5191	0.2408	3.4111	0.3206	3.3274	0.2526	3.8165	0.2647	0.9029	0.0673
2009	2.2035	0.1443	3.6942	0.2384	1.0831	0.0694	2.3159	0.2281	3.1812	0.1956	3.0914	0.2120	3.3728	0.2146	0.8224	0.0611
2008	2.0397	0.1238	3.4896	0.2050	1.0153	0.0676	2.4316	0.3854	3.0719	0.2680	2.8339	0.2249	3.1815	0.1894	0.7403	0.0514
2007	2.0987	0.1479	3.6383	0.2434	1.0299	0.0783	2.4172	0.2327	2.7358	0.2555	2.8986	0.2521	3.2087	0.2208	0.7982	0.0531
2006	2.1586	0.1404	3.6858	0.2363	1.0695	0.0746	2.0999	0.2290	2.7000	0.2503	3.1208	0.2348	3.3373	0.2146	0.8233	0.0524
Midwest																
2010	2.2240	0.1152	3.8191	0.1977	1.1330	0.0571	2.5236	0.2495	2.9477	0.1971	3.1552	0.1964	3.5167	0.1781	0.7629	0.0353
2009	2.0353	0.1205	3.4988	0.2046	1.0476	0.0636	2.5583	0.2405	2.6848	0.1907	3.0338	0.2225	3.1007	0.1848	0.6691	0.0343
2008	1.9522	0.1309	3.3617	0.2098	1.0327	0.0814	3.3289	0.6695	2.9933	0.2687	3.0177	0.2466	2.8600	0.1612	0.5902	0.0328
2007	2.0556	0.1081	3.6489	0.1886	1.0401	0.0589	2.8595	0.4041	2.5068	0.1749	3.0956	0.2007	3.2320	0.1736	0.6372	0.0338
2006	2.0455	0.1275	3.6307	0.2274	1.0286	0.0644	2.7246	0.3247	2.6692	0.2129	3.2700	0.2412	3.0560	0.1753	0.6489	0.0373
South																
2010	2.2318	0.1100	4.0342	0.1894	1.0261	0.0525	1.3886	0.1630	1.7657	0.1478	3.0006	0.1569	3.7175	0.1854	0.8694	0.0387
2009	1.9527	0.0827	3.6443	0.1494	0.8802	0.0395	1.0546	0.1051	1.3436	0.1207	2.6031	0.1301	3.3292	0.1401	0.7839	0.0325
2008	1.9266	0.0814	3.5510	0.1477	0.8572	0.0391	1.1534	0.1138	1.4783	0.1461	2.7506	0.1342	3.2318	0.1319	0.7064	0.0271
2007	2.0246	0.0895	3.7948	0.1583	0.9103	0.0448	1.1978	0.1408	1.3901	0.1232	2.7589	0.1616	3.3895	0.1484	0.7801	0.0312
2006	2.0651	0.1014	3.8904	0.1937	0.8828	0.0451	1.0279	0.0934	1.3491	0.1245	3.0148	0.1728	3.4075	0.1651	0.7916	0.0347
West																
2010	2.4369	0.1923	4.3972	0.3320	1.1558	0.0868	2.2772	0.3061	2.7139	0.3084	2.9023	0.2892	3.7429	0.2372	1.0701	0.0652
2009	2.2568	0.2095	4.1182	0.3879	1.0748	0.0901	1.9406	0.2834	2.5790	0.3161	2.8099	0.3261	3.5420	0.3074	0.9345	0.0521
2008	1.8039	0.1304	3.3290	0.2377	0.8839	0.0651	1.9555	0.3394	2.1003	0.2291	2.1423	0.1994	2.8967	0.1732	0.7464	0.0358
2007	2.0565	0.2142	3.8794	0.4340	0.9428	0.0696	1.9485	0.2244	2.2546	0.2718	2.5744	0.3217	3.2119	0.3459	0.8666	0.0492
2006	2.1234	0.2217	4.1597	0.4608	0.9027	0.0685	1.6200	0.1587	2.0274	0.2251	2.7513	0.3423	3.3495	0.3597	0.8834	0.0469

See footnotes at end of table.

Table A4. Percent distribution of hospitalizations with all-listed alcohol-related diagnoses among total hospitalizations for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
All chronic liver disease and cirrhosis																
 Northeast																
2010	2.3421	0.0949	3.3741	0.1465	1.5726	0.0624	0.3684	0.0505	0.4093	0.0387	1.6455	0.0872	4.5071	0.2129	1.5068	0.0518
2009	2.1047	0.0820	3.0417	0.1238	1.4012	0.0561	0.2309	0.0392	0.3769	0.0384	1.5341	0.0887	4.0624	0.1709	1.3726	0.0522
2008	2.1006	0.1154	3.0625	0.1573	1.4221	0.0904	0.3319	0.0610	0.4045	0.0587	1.6196	0.1079	4.1489	0.2388	1.3538	0.0584
2007	1.8503	0.0667	2.7912	0.1058	1.1971	0.0448	0.2054	0.0383	0.2804	0.0277	1.2437	0.0805	3.6710	0.1582	1.3064	0.0442
2006	1.7707	0.0695	2.6725	0.1167	1.1276	0.0469	0.2722	0.0425	0.2771	0.0307	1.3072	0.0743	3.4897	0.1567	1.2110	0.0424
 Midwest																
2010	2.2098	0.0963	3.0787	0.1299	1.6160	0.0737	0.2719	0.0487	0.4376	0.0513	1.7570	0.0989	4.2449	0.1954	1.4092	0.0521
2009	2.1895	0.0990	3.0947	0.1237	1.5783	0.0826	0.2619	0.0382	0.3616	0.0364	1.6793	0.0980	4.3037	0.1884	1.3870	0.0592
2008	1.8405	0.0652	2.6753	0.0957	1.2960	0.0500	0.2300	0.0424	0.3120	0.0445	1.5425	0.0858	3.6397	0.1375	1.1506	0.0339
2007	1.7382	0.0546	2.5770	0.0937	1.2039	0.0347	0.1915	0.0309	0.2312	0.0281	1.3787	0.0539	3.4764	0.1198	1.1544	0.0357
2006	1.5767	0.0709	2.2819	0.1018	1.1244	0.0547	0.1910	0.0423	0.2037	0.0244	1.2478	0.0670	3.1938	0.1601	1.0411	0.0411
 South																
2010	2.5384	0.0786	3.6396	0.1085	1.8020	0.0636	0.4122	0.0745	0.4476	0.0387	1.8972	0.0850	4.8778	0.1492	1.6655	0.0538
2009	2.2606	0.0570	3.3633	0.0912	1.5615	0.0426	0.2471	0.0229	0.3091	0.0261	1.6339	0.0532	4.4130	0.1171	1.5308	0.0433
2008	2.0952	0.0496	3.0778	0.0859	1.4481	0.0358	0.2346	0.0349	0.3018	0.0273	1.6571	0.0618	4.0930	0.1154	1.3325	0.0334
2007	1.9391	0.0560	2.9654	0.0968	1.2928	0.0362	0.2680	0.0516	0.2479	0.0212	1.3913	0.0667	3.8963	0.1274	1.3165	0.0334
2006	1.9011	0.0577	2.8664	0.1003	1.2758	0.0386	0.2275	0.0238	0.2159	0.0225	1.5143	0.0700	3.7227	0.1292	1.2439	0.0355
 West																
2010	3.1960	0.1264	4.7735	0.1923	2.1849	0.0866	0.5009	0.0664	0.5593	0.0556	2.2800	0.1363	6.5097	0.2460	2.0250	0.0657
2009	3.0543	0.1212	4.5785	0.1851	2.1079	0.0949	0.5416	0.0879	0.5119	0.0512	2.2303	0.1294	6.1953	0.2406	1.9830	0.0784
2008	2.6575	0.0983	4.1138	0.1416	1.7960	0.0770	0.5031	0.0995	0.3995	0.0410	1.8249	0.0983	5.6100	0.1915	1.7074	0.0620
2007	2.4957	0.0915	3.9289	0.1400	1.6381	0.0668	0.2309	0.0320	0.3497	0.0345	1.7801	0.1110	5.2799	0.1745	1.5938	0.0630
2006	2.4020	0.0964	3.8240	0.1668	1.5644	0.0624	0.2617	0.0400	0.3018	0.0396	1.7279	0.1169	5.1154	0.1945	1.5639	0.0663
Alcoholic liver disease																
 Northeast																
2010	0.9975	0.0578	1.7230	0.1003	0.4564	0.0290	—	—	0.0864	0.0155	0.8373	0.0626	2.1666	0.1323	0.4144	0.0239
2009	0.9270	0.0514	1.6146	0.0866	0.4108	0.0263	—	—	0.0753	0.0157	0.8100	0.0558	2.0426	0.1137	0.3752	0.0209
2008	0.8858	0.0456	1.5656	0.0759	0.4061	0.0249	—	—	0.1000	0.0167	0.8199	0.0628	2.0023	0.0948	0.3530	0.0162
2007	0.8393	0.0465	1.5361	0.0819	0.3556	0.0235	—	—	0.0662	0.0141	0.6946	0.0608	1.9040	0.1113	0.3710	0.0199
2006	0.8286	0.0402	1.4975	0.0795	0.3515	0.0192	—	—	0.0790	0.0134	0.7459	0.0475	1.8555	0.0957	0.3663	0.0199
 Midwest																
2010	0.9340	0.0464	1.6373	0.0768	0.4530	0.0248	—	—	0.1313	0.0299	0.8926	0.0630	2.0908	0.0956	0.3324	0.0152
2009	0.9053	0.0400	1.6105	0.0701	0.4294	0.0212	0.0160	0.0047	0.0964	0.0194	0.8424	0.0598	2.0240	0.0857	0.3444	0.0170
2008	0.8396	0.0405	1.5153	0.0687	0.3989	0.0233	0.0188	0.0071	0.1236	0.0222	0.9039	0.0684	1.8769	0.0829	0.2961	0.0135
2007	0.7967	0.0315	1.4770	0.0576	0.3631	0.0174	—	—	0.0750	0.0153	0.8139	0.0449	1.8400	0.0704	0.2929	0.0125
2006	0.7602	0.0352	1.3751	0.0623	0.3658	0.0215	—	—	0.0661	0.0121	0.7793	0.0497	1.7509	0.0827	0.2926	0.0146
 South																
2010	0.9497	0.0340	1.7548	0.0585	0.4114	0.0188	—	—	0.0591	0.0095	0.7857	0.0429	2.1391	0.0757	0.3798	0.0145
2009	0.8742	0.0285	1.6616	0.0568	0.3750	0.0142	—	—	0.0371	0.0065	0.7126	0.0315	1.9980	0.0668	0.3591	0.0129
2008	0.8452	0.0285	1.5884	0.0569	0.3559	0.0137	—	—	0.0528	0.0106	0.7581	0.0368	1.9075	0.0689	0.3264	0.0114
2007	0.7934	0.0267	1.5379	0.0504	0.3246	0.0129	—	—	0.0446	0.0079	0.6505	0.0375	1.8250	0.0636	0.3426	0.0113
2006	0.8189	0.0328	1.5493	0.0655	0.3459	0.0149	0.0090	0.0027	0.0356	0.0068	0.7668	0.0404	1.8411	0.0776	0.3211	0.0122
 West																
2010	1.4543	0.0703	2.6376	0.1241	0.6874	0.0340	0.0277	0.0104	0.1466	0.0204	1.2011	0.0923	3.3029	0.1342	0.5852	0.0245
2009	1.3744	0.0641	2.5140	0.1211	0.6569	0.0349	0.0171	0.0054	0.1399	0.0212	1.1794	0.0806	3.1063	0.1364	0.5859	0.0276
2008	1.1814	0.0468	2.2183	0.0810	0.5597	0.0285	0.0269	0.0070	0.0837	0.0129	0.9560	0.0548	2.7879	0.1060	0.4930	0.0214
2007	1.2234	0.0579	2.3237	0.1159	0.5568	0.0240	0.0187	0.0054	0.0921	0.0144	1.0541	0.0834	2.8521	0.1102	0.4938	0.0222
2006	1.2061	0.0699	2.3296	0.1418	0.5368	0.0273	0.0160	0.0052	0.0908	0.0172	0.9983	0.0880	2.8459	0.1455	0.5191	0.0290

See footnotes at end of table.

Table A4. Percent distribution of hospitalizations with all-listed alcohol-related diagnoses among total hospitalizations for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	
Alcohol poisoning																	
Northeast																	
2010	0.0934	0.0152	0.1261	0.0233	0.0690	0.0097	0.1601	0.0494	0.1495	0.0210	0.1630	0.0196	0.1402	0.0319	0.0111	0.0026	
2009	0.0855	0.0074	0.1096	0.0093	0.0674	0.0068	0.1456	0.0231	0.1854	0.0240	0.1737	0.0175	0.1072	0.0104	0.0093	0.0014	
2008	0.0892	0.0109	0.1204	0.0185	0.0671	0.0068	0.1460	0.0233	0.1654	0.0219	0.1586	0.0178	0.1324	0.0226	0.0114	0.0028	
2007	0.0679	0.0083	0.0902	0.0114	0.0524	0.0065	0.1515	0.0284	0.1157	0.0184	0.1263	0.0161	0.0848	0.0119	0.0095	0.0018	
2006	0.0776	0.0089	0.1027	0.0142	0.0597	0.0063	0.2252	0.0609	0.1311	0.0192	0.1500	0.0168	0.0902	0.0108	0.0080	0.0014	
Midwest																	
2010	0.0982	0.0115	0.1365	0.0203	0.0721	0.0069	0.1594	0.0243	0.1824	0.0250	0.1908	0.0213	0.1390	0.0225	0.0092	0.0022	
2009	0.0893	0.0088	0.1162	0.0133	0.0711	0.0067	0.1780	0.0221	0.1806	0.0184	0.1858	0.0201	0.1086	0.0148	0.0078	0.0014	
2008	0.1017	0.0101	0.1420	0.0132	0.0754	0.0089	0.1985	0.0250	0.2064	0.0278	0.2129	0.0254	0.1284	0.0131	0.0086	0.0012	
2007	0.0846	0.0093	0.1115	0.0116	0.0673	0.0087	0.1605	0.0195	0.1539	0.0214	0.1811	0.0240	0.1024	0.0126	0.0080	0.0010	
2006	0.0831	0.0097	0.1145	0.0156	0.0630	0.0068	0.1860	0.0236	0.1706	0.0297	0.1741	0.0211	0.1004	0.0115	0.0051	0.0010	
South																	
2010	0.0770	0.0047	0.1041	0.0073	0.0588	0.0037	0.0946	0.0111	0.1200	0.0124	0.1562	0.0122	0.0991	0.0075	0.0099	0.0011	
2009	0.0689	0.0037	0.0948	0.0052	0.0524	0.0034	0.1125	0.0144	0.0942	0.0109	0.1382	0.0094	0.0892	0.0053	0.0082	0.0009	
2008	0.0717	0.0041	0.0968	0.0061	0.0551	0.0036	0.0981	0.0117	0.1043	0.0133	0.1514	0.0103	0.0935	0.0064	0.0072	0.0008	
2007	0.0689	0.0040	0.0967	0.0051	0.0515	0.0040	0.0896	0.0103	0.1065	0.0100	0.1372	0.0104	0.0822	0.0057	0.0091	0.0010	
2006	0.0670	0.0041	0.0955	0.0058	0.0486	0.0036	0.1015	0.0134	0.1062	0.0118	0.1469	0.0106	0.0760	0.0054	0.0064	0.0009	
West																	
2010	0.0980	0.0093	0.1282	0.0131	0.0790	0.0076	0.1358	0.0176	0.1199	0.0192	0.1652	0.0193	0.1329	0.0130	0.0146	0.0026	
2009	0.0906	0.0075	0.1231	0.0125	0.0708	0.0059	0.1398	0.0187	0.1244	0.0203	0.1507	0.0148	0.1265	0.0108	0.0119	0.0019	
2008	0.0929	0.0070	0.1253	0.0094	0.0742	0.0065	0.1762	0.0245	0.1419	0.0192	0.1580	0.0147	0.1230	0.0104	0.0108	0.0015	
2007	0.0790	0.0056	0.1041	0.0076	0.0635	0.0054	0.1459	0.0215	0.1104	0.0167	0.1370	0.0124	0.0996	0.0078	0.0116	0.0019	
2006	0.0816	0.0065	0.1119	0.0094	0.0640	0.0064	0.1313	0.0181	0.1215	0.0178	0.1318	0.0133	0.1107	0.0094	0.0114	0.0019	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table A5. Percent distribution that had co-occurring drug-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Any alcohol-related diagnoses																
Any drug-related diagnoses																
2010	22.7643	1.3399	23.7140	1.5521	20.4287	0.9449	36.6470	2.3595	44.9854	1.9962	31.6806	1.7666	19.9340	1.2314	4.9745	0.3513
2009	21.1126	1.3665	21.8062	1.5291	19.4308	1.0592	42.9960	2.1325	41.5776	1.7993	30.0466	1.7644	18.0113	1.2804	4.2260	0.4544
2008	19.2337	0.7050	19.7450	0.7146	18.1016	0.7581	41.5711	3.1633	42.0465	1.7531	27.9558	0.9670	15.8758	0.5587	3.7709	0.2841
2007	21.7262	1.3296	22.5436	1.5810	19.7779	0.9070	41.6122	2.2921	44.0100	2.1853	32.3496	1.8972	17.3328	1.0379	3.6614	0.2761
2006	20.9148	1.2770	21.4031	1.3507	19.7515	1.1775	34.1154	2.4600	45.7029	2.2690	31.3126	1.9299	16.6115	0.8983	3.1474	0.3070
Drug psychoses																
2010	2.8964	0.2887	2.9797	0.3078	2.6938	0.2666	3.6474	0.6130	5.4309	0.9501	4.2703	0.4611	2.3958	0.2283	0.8488	0.1165
2009	2.8506	0.2659	2.7500	0.2571	3.1010	0.3267	5.0541	1.0193	6.2227	0.8015	4.0604	0.4136	2.3749	0.2199	0.8128	0.1236
2008	3.3752	0.3563	3.3440	0.3506	3.4539	0.4010	4.3300	0.7515	8.4479	1.1071	5.0154	0.5872	2.7014	0.2598	0.9617	0.1365
2007	3.1795	0.3251	3.1424	0.3312	3.2806	0.3563	3.8456	0.6548	7.7069	1.4295	4.7548	0.5262	2.4776	0.2218	0.8433	0.1289
2006	2.4453	0.2469	2.3742	0.2478	2.6261	0.2826	2.7029	0.5783	4.1791	0.6919	3.6321	0.4090	1.9848	0.1975	0.6154	0.1024
Drug dependence																
2010	10.9595	1.2498	11.5505	1.4627	9.5019	0.8635	10.8566	1.6999	20.5772	2.1960	15.8464	1.7570	9.4922	1.1353	2.1973	0.2968
2009	10.4229	1.5625	10.7596	1.7735	9.6088	1.1338	14.3984	1.9772	19.3257	2.0065	15.6432	2.1718	8.6408	1.4372	1.8900	0.3904
2008	8.3651	0.6401	8.4875	0.6515	8.1012	0.6636	14.8057	2.6082	19.0475	1.7802	12.8732	0.9740	6.5895	0.4795	1.4033	0.2030
2007	10.1187	1.2536	10.5410	1.4997	9.0897	0.8474	13.4086	2.2314	23.0997	2.5389	16.2897	1.9967	7.4578	0.9108	1.2430	0.1883
2006	10.7617	1.4051	11.0841	1.5144	9.9883	1.2160	10.3421	1.7638	23.4927	2.9626	17.2586	2.3363	8.0774	0.9286	1.2694	0.2131
Nondependent abuse of drugs																
2010	11.6995	0.4534	12.2753	0.5057	10.2776	0.3908	23.7026	1.6158	24.6487	1.1537	16.1876	0.6304	10.2228	0.4305	2.0703	0.1785
2009	10.4023	0.3932	10.9908	0.4518	8.9699	0.3633	28.2479	1.7108	23.6813	1.4433	14.5218	0.6184	8.8508	0.3567	1.7020	0.1777
2008	10.4667	0.3596	11.0269	0.3817	9.2083	0.3842	26.7220	1.7500	22.5489	1.2860	14.9731	0.5623	8.7783	0.3255	1.5989	0.1462
2007	11.3781	0.5334	12.0211	0.6047	9.8779	0.4396	27.3271	1.5555	22.7664	1.3777	16.4206	0.7955	9.3305	0.4607	1.6200	0.1572
2006	9.8782	0.3469	10.2152	0.3823	9.0705	0.3611	22.6085	1.6956	21.8514	1.6164	14.1211	0.6073	8.1274	0.3086	1.2950	0.1448
Drug poisoning																
2010	1.0572	0.0750	0.8452	0.0697	1.5903	0.1192	4.6151	0.6417	3.3825	0.4631	1.3247	0.1154	0.8603	0.0785	0.4292	0.0764
2009	1.1030	0.0730	0.8624	0.0647	1.6909	0.1277	4.2887	0.7131	3.0209	0.5143	1.5331	0.1407	0.8503	0.0658	0.3939	0.0687
2008	1.0549	0.0663	0.8483	0.0624	1.5268	0.1117	4.3055	0.6975	4.1940	0.6385	1.3771	0.1047	0.8042	0.0586	0.3887	0.0709
2007	0.9517	0.0678	0.7583	0.0622	1.4012	0.1141	4.1519	0.5956	3.1185	0.4863	1.1951	0.1163	0.7282	0.0599	0.4858	0.0791
2006	0.9130	0.0638	0.7502	0.0585	1.3126	0.1026	4.5462	0.7437	3.0376	0.5450	1.2371	0.1150	0.6441	0.0535	0.3286	0.0654
Alcoholic psychoses																
Any drug-related diagnoses																
2010	21.9121	1.5683	21.5636	1.6137	23.0616	1.5165	53.8751	5.0280	43.0633	3.0292	27.9279	1.9368	19.2320	1.4265	5.9044	0.5206
2009	20.7563	0.9071	20.1246	0.9365	22.8015	1.0439	59.2670	4.6562	41.8574	2.4677	26.2467	1.1219	18.0884	0.8381	6.9862	0.7006
2008	22.2713	0.8989	21.8897	0.8991	23.3914	1.1054	65.4280	4.9103	44.3693	2.7083	28.7059	1.1387	18.7470	0.8234	6.5194	0.6994
2007	22.8066	1.2857	22.3393	1.3996	24.2900	1.2296	63.6106	4.9047	40.6539	3.1978	29.8954	1.5462	18.8812	1.1160	6.2774	0.6931
2006	20.7120	0.9399	20.0263	0.9197	22.8973	1.2044	52.4655	4.9095	45.7676	3.7032	26.8484	1.2028	17.1899	0.8297	5.9494	0.7704
Drug psychoses																
2010	4.0685	0.4871	3.8441	0.4707	4.7952	0.5866	13.6308	3.1095	10.2998	2.1382	5.3721	0.7700	3.3340	0.3373	1.3323	0.2466
2009	4.9356	0.5304	4.4044	0.4680	6.6513	0.7881	25.4147	5.2029	11.8695	1.7656	6.2857	0.7052	4.0856	0.4485	1.9312	0.3608
2008	5.6164	0.5905	5.2492	0.5692	6.6682	0.7444	14.6771	3.1226	12.8036	1.7719	7.2044	0.8319	4.6337	0.4650	2.2436	0.4260
2007	4.9405	0.4751	4.4820	0.4583	6.3567	0.6844	20.5008	3.4678	11.8132	2.2968	6.4103	0.6394	3.9255	0.3699	1.8636	0.4073
2006	4.3843	0.5671	3.9879	0.5367	5.6229	0.7492	13.9182	3.6218	9.3459	1.9817	5.7356	0.8069	3.5580	0.4606	1.4373	0.3155
Drug dependence																
2010	10.0982	1.4573	9.7079	1.5090	11.3665	1.3673	25.1595	4.8922	18.6642	3.0345	13.0769	1.9319	8.7885	1.2544	2.5325	0.4315
2009	9.4609	0.8159	8.7243	0.8276	11.8413	0.9706	26.2771	4.9874	19.6369	2.2241	12.5149	1.0394	7.9291	0.7339	2.7097	0.4555
2008	10.4652	0.9171	9.8776	0.9102	12.1507	1.0730	32.6885	5.0801	22.5812	2.7150	13.4520	1.2723	8.7672	0.7392	3.0292	0.5144
2007	10.6381	1.2239	10.1803	1.3393	12.0648	1.1401	36.5999	5.6696	21.9633	3.4115	14.5041	1.6133	8.3120	0.9643	2.4009	0.5067
2006	9.9526	0.9345	9.2599	0.9146	12.1240	1.1255	24.3010	4.7961	23.8929	3.4437	13.1083	1.2495	8.0548	0.7732	2.8622	0.6108

See footnotes at end of table.

Table A5. Percent distribution that had co-occurring drug-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcoholic psychoses																
Nondependent abuse of drugs																
2010	12.0327	0.5122	12.0480	0.5335	11.9996	0.5905	27.0633	4.1636	25.6898	2.0922	15.5665	0.7152	10.4387	0.4849	2.6984	0.3567
2009	11.2681	0.5441	11.4340	0.5594	10.7362	0.6947	33.9968	5.0399	25.6948	2.3689	14.2872	0.7873	9.7329	0.4875	3.4774	0.4293
2008	12.0405	0.5691	12.2157	0.5600	11.5631	0.7202	36.4100	4.3009	23.9522	2.3399	15.9497	0.8428	9.9096	0.5129	2.8720	0.3781
2007	12.1782	0.9267	12.2608	0.9918	11.9525	0.8801	30.2923	4.7377	21.1704	2.1738	15.9206	1.2859	10.2424	0.8046	2.7470	0.4061
2006	10.8169	0.5695	10.8568	0.5632	10.7294	0.7504	32.1104	4.8972	23.3901	2.8130	14.1906	0.7805	8.8986	0.5252	2.5852	0.4234
Drug poisoning																
2010	0.4407	0.0487	0.4028	0.0495	0.5634	0.0951	—	—	—	—	0.4188	0.0708	0.4419	0.0588	—	—
2009	0.6410	0.0680	0.5043	0.0534	1.0823	0.1855	—	—	—	—	0.6411	0.0979	0.6816	0.0871	—	—
2008	0.5202	0.0638	0.4454	0.0537	0.7336	0.1473	—	—	—	—	0.5479	0.0825	0.5042	0.0702	—	—
2007	0.4249	0.0603	0.3606	0.0587	0.6231	0.1112	—	—	—	—	0.5493	0.1096	0.3101	0.0516	—	—
2006	0.3738	0.0466	0.3641	0.0477	0.4050	0.0834	—	—	—	—	0.3364	0.0592	0.3642	0.0611	—	—
Alcohol dependence syndrome																
Any drug-related diagnoses																
2010	36.9360	2.4686	38.3627	2.8354	33.0940	1.6206	61.4509	4.2418	56.5719	2.7986	45.6485	2.9856	32.6636	2.4075	12.3259	1.0676
2009	33.9552	3.1037	34.9988	3.3074	31.1632	2.6134	62.9663	4.0686	51.1285	3.2419	42.1307	3.4658	29.5980	3.2197	8.7828	1.3452
2008	27.0672	1.4388	27.3869	1.4956	26.3177	1.5817	58.4822	8.4720	48.7913	2.6372	34.2506	1.9752	21.7395	1.1627	7.7919	0.8162
2007	33.9976	2.7792	35.0742	3.2537	31.2121	1.7805	64.6630	4.7807	56.0429	3.4654	43.7370	3.3615	26.9184	2.4077	6.8314	0.8845
2006	33.8141	2.8324	34.1973	2.8417	32.8437	3.0054	51.9846	9.2251	54.3838	3.3115	43.6627	3.5135	26.5018	2.1736	4.8404	0.7562
Drug psychoses																
2010	3.8393	0.5982	4.0117	0.6524	3.3728	0.4960	—	—	4.4055	1.0662	4.9657	0.7539	3.2738	0.5526	1.9139	0.4933
2009	2.5562	0.3110	2.5052	0.3338	2.6992	0.3852	—	—	3.7021	1.0233	3.0067	0.4291	2.3189	0.2894	0.9910	0.2667
2008	3.7267	0.8557	3.6441	0.8017	3.9401	1.0240	6.3139	2.2881	9.2669	2.0237	4.6640	1.2055	2.9057	0.6201	1.3837	0.3913
2007	4.1150	0.8089	4.1295	0.8331	4.1098	0.8135	5.4845	1.5944	8.6291	2.7669	5.1298	1.0921	3.3154	0.5544	1.1985	0.3465
2006	2.5589	0.3458	2.4826	0.3748	2.7883	0.3440	—	—	2.6743	0.6856	3.0851	0.4486	2.2562	0.3274	—	—
Drug dependence																
2010	22.5112	2.4914	23.6382	2.8723	19.4541	1.6698	35.2937	4.9182	35.0137	3.8026	28.2633	3.0803	19.6917	2.4513	6.8594	0.9706
2009	22.2438	3.9201	23.0477	4.2399	20.0872	3.1469	39.9382	5.1410	32.3669	3.8048	28.0839	4.4878	19.0858	4.0177	5.7240	1.4663
2008	14.4516	1.1653	14.6258	1.1691	14.0535	1.2536	36.4151	6.3615	27.0190	2.5243	19.2769	1.6613	10.7462	0.8812	3.0326	0.5743
2007	20.0811	2.6783	20.7927	3.1611	18.1555	1.7257	36.8036	5.5624	38.4453	3.7431	26.9870	3.5665	14.7084	2.1167	3.3726	0.7074
2006	22.9106	3.3924	23.4172	3.4680	21.5592	3.3622	30.4188	6.9217	35.9651	4.7815	30.9118	4.4545	16.9571	2.4318	2.6552	0.5925
Nondependent abuse of drugs																
2010	15.1817	1.0773	15.8151	1.1843	13.4721	0.9055	29.9155	3.6944	25.1107	2.6058	18.8585	1.3207	13.2867	1.0611	4.3297	0.5326
2009	12.3681	0.9518	12.8695	1.1370	11.0208	0.7134	29.2922	3.3971	22.6598	2.3375	15.4581	1.2424	10.4893	0.8679	2.2253	0.4403
2008	12.6812	0.7467	12.9372	0.8350	12.0611	0.7991	28.9591	4.1745	23.4187	1.8895	15.4964	0.9719	10.5800	0.7323	3.4358	0.4864
2007	14.7831	0.9635	15.3363	1.0393	13.4365	0.9119	33.9258	3.3643	23.6327	2.5547	18.4466	1.1715	12.1217	0.9284	2.8562	0.4806
2006	11.3166	0.8640	11.3059	0.9735	11.3854	0.8014	25.7190	5.1511	19.6433	2.6124	13.7025	1.2243	9.4351	0.7223	1.5028	0.3674
Drug poisoning																
2010	0.7736	0.0993	0.6406	0.1011	1.1460	0.1750	—	—	—	—	0.9276	0.1465	0.6533	0.1030	—	—
2009	0.8308	0.1318	0.6145	0.1098	1.4213	0.2430	—	—	—	—	1.0500	0.2054	0.6847	0.1239	—	—
2008	0.8131	0.1063	0.6622	0.0954	1.1834	0.1871	—	—	2.6092	0.8386	0.8627	0.1289	0.7258	0.1218	—	—
2007	0.5880	0.1001	0.5160	0.0982	0.7815	0.1569	—	—	—	—	0.6260	0.1374	0.5918	0.1110	—	—
2006	0.6181	0.1100	0.4600	0.0877	1.0633	0.2156	—	—	—	—	0.8819	0.1964	0.4094	0.0819	—	—
Nondependent abuse of alcohol																
Any drug-related diagnoses																
2010	24.1428	0.9013	23.7808	1.0687	25.1016	1.2685	31.5110	2.3534	38.3513	2.8412	28.4725	1.4240	20.4632	1.2092	5.2577	1.1858
2009	23.0164	0.9789	22.1922	1.1777	24.7559	1.3743	34.4011	2.7494	29.0942	2.9388	28.3973	1.4710	17.5460	1.1674	3.9477	1.2245
2008	22.6555	0.8686	22.4670	1.0624	23.3722	1.3493	33.2154	2.5531	31.1733	3.3721	27.3669	1.3414	18.2250	1.2052	4.0208	1.0793
2007	23.7306	0.9246	23.8391	1.0983	23.7602	1.4142	33.6339	2.1805	31.0605	3.3718	29.3339	1.4859	17.8082	1.1957	4.7487	1.2265
2006	22.7118	0.9921	22.2288	1.1202	23.7465	1.4667	25.0543	2.5298	34.0381	3.4808	31.0219	1.6099	16.2217	1.1570	3.9001	1.0159

See footnotes at end of table.

Table A5. Percent distribution that had co-occurring drug-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Nondependent abuse of alcohol																
Drug psychoses																
2010	1.3631	0.2341	1.4377	0.2573	1.2225	0.3350	2.5561	0.7239	—	—	1.4315	0.3996	1.1388	0.3156	—	—
2009	1.4998	0.3039	1.4458	0.3747	1.6186	0.3975	—	—	—	—	2.0785	0.4891	1.1194	0.3883	—	—
2008	1.2484	0.2282	1.3101	0.2841	1.1484	0.3269	—	—	—	—	1.5344	0.4019	1.0806	0.3562	—	—
2007	1.7585	0.3203	1.6742	0.3495	1.9350	0.4627	—	—	—	—	2.2913	0.4522	1.5756	0.3790	—	—
2006	1.3029	0.2215	1.0299	0.2263	1.8663	0.4098	—	—	—	—	1.5827	0.3978	1.1172	0.2889	—	—
Drug dependence																
2010	2.4209	0.2956	2.6136	0.3781	2.0454	0.4127	—	—	4.6594	1.3225	3.1441	0.5691	2.0101	0.3383	—	—
2009	2.2676	0.3614	2.0377	0.3982	2.7344	0.4968	—	—	—	—	2.6832	0.5687	2.3858	0.5051	—	—
2008	2.1599	0.3341	2.1784	0.3546	2.1576	0.5191	—	—	—	—	3.2242	0.5805	1.4932	0.4088	—	—
2007	1.8396	0.2482	2.1454	0.3278	1.2798	0.3217	—	—	—	—	2.3112	0.4560	1.8392	0.3809	—	—
2006	2.5483	0.4566	2.1520	0.4657	3.3698	0.6840	—	—	5.3209	1.8206	3.4724	0.7128	2.1678	0.5010	—	—
Nondependent abuse of drugs																
2010	19.5077	0.8168	19.5189	0.9588	19.6319	1.1969	28.0647	2.2737	30.2581	2.9133	22.7157	1.1858	16.3234	1.1492	3.6400	1.0427
2009	18.4210	0.8097	18.2250	1.0195	18.9753	1.1643	30.9018	2.7174	25.3726	2.9966	22.5836	1.2158	13.2947	0.9547	—	—
2008	18.3822	0.7642	18.9376	0.9335	17.5926	1.2235	29.7471	2.3477	25.0418	3.3696	21.3972	1.1756	14.8541	1.0593	—	—
2007	20.0702	0.8755	20.6988	1.0192	19.0807	1.2750	30.4049	2.2286	25.9025	3.4342	25.2346	1.3920	13.7207	1.0933	4.7487	1.2265
2006	18.9665	0.8318	19.1457	0.9643	18.6312	1.2386	22.3186	2.3911	26.3009	3.0492	26.5102	1.4409	12.7776	1.0294	3.0614	0.9004
Drug poisoning																
2010	2.9889	0.3307	2.1324	0.2892	4.8163	0.7375	—	—	5.9502	1.4530	3.7210	0.6849	2.6916	0.4253	—	—
2009	2.8915	0.3262	2.1802	0.3345	4.2217	0.6056	—	—	—	—	4.2002	0.6248	2.2622	0.4703	—	—
2008	2.5996	0.3114	1.6739	0.2917	4.4317	0.6783	—	—	—	—	3.6717	0.5943	1.9751	0.4007	—	—
2007	2.2187	0.2742	1.5199	0.2674	3.5612	0.5684	2.3760	0.7206	—	—	2.4561	0.4292	2.0823	0.4441	—	—
2006	1.8275	0.2703	1.5290	0.2691	2.4458	0.5102	2.4943	0.7943	—	—	2.3677	0.4531	1.3990	0.3613	—	—
All chronic liver disease and cirrhosis																
Any drug-related diagnoses																
2010	7.0215	0.3208	7.9648	0.4229	5.4313	0.3215	—	—	9.8771	2.6428	10.7108	0.6911	7.8061	0.4018	1.4519	0.2182
2009	6.8606	0.3208	7.8047	0.4056	5.2886	0.3324	—	—	—	—	11.1176	0.6752	7.7727	0.3986	0.7479	0.1480
2008	6.5437	0.2932	7.3655	0.3654	5.1461	0.3128	—	—	—	—	10.7111	0.6580	7.3171	0.3530	1.0623	0.1670
2007	7.1290	0.3185	8.0341	0.3913	5.5294	0.3221	—	—	—	—	11.8523	0.6592	7.7791	0.3823	1.1271	0.1596
2006	7.6580	0.3687	8.3078	0.4179	6.4973	0.4451	—	—	18.5928	4.8584	12.9001	0.7168	8.2791	0.4765	1.0571	0.1632
Drug psychoses																
2010	0.2780	0.0394	0.2986	0.0522	0.2432	0.0579	—	—	—	—	0.3948	0.1121	0.2783	0.0502	—	—
2009	0.2885	0.0384	0.2462	0.0447	0.3593	0.0673	—	—	—	—	0.5300	0.1256	0.2982	0.0475	—	—
2008	0.4270	0.0488	0.3990	0.0544	0.4749	0.0756	—	—	—	—	0.6654	0.1603	0.4260	0.0574	0.2192	0.0823
2007	0.3969	0.0501	0.4019	0.0528	0.3885	0.0835	—	—	—	—	0.4471	0.1014	0.4310	0.0652	0.2672	0.0754
2006	0.3413	0.0404	0.3137	0.0462	0.3908	0.0717	—	—	—	—	0.4193	0.1073	0.3603	0.0563	0.2269	0.0674
Drug dependence																
2010	1.6227	0.1753	1.8148	0.2302	1.2990	0.1468	—	—	—	—	2.0302	0.3218	1.8882	0.2292	0.4491	0.1266
2009	1.4360	0.1198	1.5868	0.1535	1.1850	0.1345	—	—	—	—	1.9990	0.2545	1.7369	0.1666	—	—
2008	1.3937	0.1384	1.4716	0.1682	1.2616	0.1452	—	—	—	—	2.1323	0.2975	1.5981	0.1822	0.2537	0.0753
2007	1.4747	0.1215	1.5072	0.1409	1.4183	0.1704	—	—	—	—	2.2104	0.2932	1.7025	0.1578	—	—
2006	1.9276	0.2680	2.0564	0.2535	1.6977	0.3540	—	—	—	—	2.4715	0.3590	2.3343	0.3815	0.2651	0.0775
Nondependent abuse of drugs																
2010	5.2447	0.2390	5.9857	0.3108	3.9955	0.2628	—	—	—	—	8.5507	0.5820	5.8137	0.2979	0.7151	0.1395
2009	5.1955	0.2867	6.0713	0.3756	3.7366	0.2692	—	—	—	—	8.7606	0.5896	5.8115	0.3526	0.4878	0.1181
2008	4.8705	0.2345	5.6751	0.2980	3.5012	0.2527	—	—	—	—	8.3205	0.5514	5.4589	0.2840	0.4682	0.1022
2007	5.3332	0.2769	6.2502	0.3419	3.7110	0.2650	—	—	—	—	9.3834	0.6095	5.7711	0.3138	0.5205	0.1049
2006	5.5114	0.2681	6.1274	0.3291	4.4103	0.2909	—	—	17.1771	4.7767	10.1400	0.6001	5.7612	0.3171	0.5444	0.1092

See footnotes at end of table.

Table A5. Percent distribution that had co-occurring drug-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
All chronic liver disease and cirrhosis																
Drug poisoning																
2010	0.1903	0.0304	0.1837	0.0386	0.2015	0.0488	—	—	—	—	0.3059	0.0936	0.1619	0.0363	—	—
2009	0.2160	0.0337	0.1746	0.0379	0.2851	0.0622	—	—	—	—	0.4037	0.1050	0.2075	0.0408	—	—
2008	0.1761	0.0282	0.1597	0.0326	0.2041	0.0506	—	—	—	—	—	—	0.1718	0.0360	—	—
2007	0.2364	0.0319	0.1810	0.0346	0.3349	0.0625	—	—	—	—	0.3109	0.0845	0.2335	0.0408	—	—
2006	0.1904	0.0288	0.1375	0.0324	0.2852	0.0584	—	—	—	—	0.3397	0.0837	0.1837	0.0393	—	—
Alcoholic liver disease																
Any drug-related diagnoses																
2010	8.5002	0.3925	8.5830	0.4694	8.3013	0.5095	—	—	—	—	11.1111	0.8168	8.5671	0.4538	2.6874	0.5014
2009	8.4915	0.3729	8.6474	0.4451	8.1030	0.5085	—	—	—	—	11.7827	0.7179	8.5999	0.4391	1.5452	0.3277
2008	8.2394	0.3505	8.2522	0.3990	8.2106	0.5081	—	—	—	—	11.6459	0.7475	8.2691	0.3754	1.7694	0.3529
2007	8.4221	0.3566	8.4613	0.4045	8.3231	0.5023	—	—	—	—	12.6030	0.6943	8.1526	0.3984	1.7240	0.3366
2006	9.1102	0.3807	9.0170	0.4065	9.3598	0.6021	—	—	—	—	13.6464	0.7931	8.7489	0.4229	1.6915	0.3145
Drug psychoses																
2010	0.2935	0.0524	0.3226	0.0632	—	—	—	—	—	—	0.3956	0.1286	0.2653	0.0577	—	—
2009	0.3127	0.0502	0.2453	0.0535	0.4806	0.1142	—	—	—	—	0.5349	0.1401	0.2972	0.0618	—	—
2008	0.4631	0.0618	0.4024	0.0668	0.6178	0.1262	—	—	—	—	0.7337	0.1797	0.4297	0.0680	—	—
2007	0.4056	0.0575	0.3953	0.0593	0.4336	0.1329	—	—	—	—	0.5223	0.1265	0.3745	0.0707	—	—
2006	0.3610	0.0525	0.3176	0.0560	0.4757	0.1193	—	—	—	—	0.4840	0.1334	0.3304	0.0643	—	—
Drug dependence																
2010	1.7923	0.1905	1.8650	0.2331	1.6159	0.2101	—	—	—	—	1.9756	0.3225	1.9002	0.2368	—	—
2009	1.5449	0.1375	1.4967	0.1627	1.6648	0.2213	—	—	—	—	1.9017	0.2708	1.6804	0.1761	—	—
2008	1.5498	0.1416	1.5048	0.1650	1.6651	0.2043	—	—	—	—	2.2089	0.2992	1.5650	0.1757	—	—
2007	1.4395	0.1269	1.3460	0.1356	1.6912	0.2386	—	—	—	—	2.0545	0.3002	1.4577	0.1510	—	—
2006	1.8899	0.2060	1.8326	0.1770	2.0421	0.3926	—	—	—	—	2.2623	0.3658	2.0290	0.2554	—	—
Nondependent abuse of drugs																
2010	6.5399	0.3095	6.5285	0.3592	6.5695	0.4442	—	—	—	—	8.9686	0.7109	6.5504	0.3546	1.6262	0.3530
2009	6.6697	0.3529	6.9550	0.4250	5.9591	0.4295	—	—	—	—	9.5619	0.6553	6.6332	0.4131	1.3490	0.3207
2008	6.3852	0.2930	6.4707	0.3373	6.1712	0.4432	—	—	—	—	9.1666	0.6568	6.4163	0.3217	1.0218	0.2668
2007	6.6107	0.3303	6.8306	0.3695	6.0255	0.4493	—	—	—	—	10.2444	0.6603	6.3520	0.3452	0.9490	0.2443
2006	6.9305	0.3313	6.9828	0.3656	6.7956	0.4540	—	—	—	—	11.0363	0.6622	6.4727	0.3583	0.9693	0.2300
Drug poisoning																
2010	0.2657	0.0460	0.2265	0.0528	0.3611	0.0930	—	—	—	—	0.3939	0.1205	0.2155	0.0493	—	—
2009	0.3104	0.0499	0.2445	0.0531	0.4747	0.1195	—	—	—	—	0.4472	0.1261	0.2850	0.0581	—	—
2008	0.2288	0.0407	0.1939	0.0445	0.3174	0.0874	—	—	—	—	—	—	0.1984	0.0467	—	—
2007	0.3413	0.0481	0.2543	0.0493	0.5749	0.1200	—	—	—	—	0.4064	0.1103	0.3286	0.0601	—	—
2006	0.2482	0.0407	0.1602	0.0385	0.4807	0.1104	—	—	—	—	0.3507	0.0951	0.2253	0.0509	—	—
Alcohol poisoning																
Any drug-related diagnoses																
2010	36.5805	1.8436	34.9849	2.1214	39.3579	2.2824	31.7806	4.9874	46.0593	5.8134	40.8167	2.3100	36.1621	2.4086	14.4283	4.4640
2009	41.3877	1.4562	40.0873	1.9779	43.4840	2.1064	40.1158	3.6215	48.4471	5.4676	47.7237	2.3366	36.4493	2.3181	23.1622	5.1100
2008	40.8325	1.8820	37.5291	2.2181	46.8255	2.4760	39.1426	3.4530	44.1156	5.7163	47.2532	2.4301	37.2754	2.7183	25.6357	5.1272
2007	40.9680	1.4810	38.2187	2.0390	45.4542	2.4329	38.0632	3.3422	47.3797	5.7033	44.6192	2.2242	39.6825	2.5694	26.1590	4.8148
2006	40.8138	2.3167	40.4088	2.7860	41.3901	2.5987	33.7927	3.4502	39.5509	5.6576	44.8254	2.7720	40.9364	2.7875	35.5521	6.4933
Drug psychoses																
2010	2.7265	0.4854	2.6877	0.5466	2.7940	0.7379	—	—	—	—	2.5842	0.6613	3.4643	0.8479	—	—
2009	3.0234	0.5222	3.4502	0.7130	2.3352	0.6926	—	—	—	—	2.8582	0.7555	3.1940	0.9513	—	—
2008	3.5171	0.5621	3.7530	0.7638	3.0890	0.7652	—	—	—	—	3.5594	0.9053	3.9104	0.8871	—	—
2007	2.6791	0.4741	2.9194	0.6471	—	—	—	—	—	—	3.2946	0.8027	2.9126	0.8537	—	—
2006	2.3474	0.4127	2.8658	0.5115	—	—	—	—	—	—	3.3910	0.8330	2.5025	0.7603	—	—

See footnotes at end of table.

Table A5. Percent distribution that had co-occurring drug-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol poisoning																
Drug dependence																
2010	5.9702	1.3521	5.9612	1.4452	5.9859	1.5282	—	—	—	—	6.6201	1.3371	7.3295	2.1354	—	—
2009	5.1794	1.2477	5.3580	1.2423	4.8913	1.5381	—	—	—	—	6.6676	1.8340	5.6351	1.4458	—	—
2008	4.5966	0.5670	4.8116	0.6839	4.2066	0.9176	—	—	—	—	4.7725	0.9393	5.5864	0.9171	—	—
2007	4.2956	0.6050	4.7694	0.8519	3.5199	0.8678	—	—	—	—	5.0000	0.9765	4.4849	1.2054	—	—
2006	4.6319	0.6396	5.1726	0.8348	3.7087	0.8324	—	—	—	—	5.6109	1.0201	5.9468	1.0643	—	—
Nondependent abuse of drugs																
2010	18.3585	1.1283	19.9076	1.3391	15.6620	1.8402	18.0614	3.6993	26.5060	4.8227	21.2806	1.9100	17.1704	1.7344	—	—
2009	19.0017	1.3306	20.1097	1.6675	17.2157	1.8031	30.3859	3.6759	29.0834	4.9309	22.0227	2.0145	11.8038	1.6845	—	—
2008	16.9191	1.0270	17.3948	1.2314	16.0563	1.6539	23.6850	3.1854	19.0970	4.1953	21.0546	1.8480	13.1386	1.3979	—	—
2007	18.5350	1.2108	19.1965	1.5508	17.4017	2.0162	22.6904	3.1905	30.4062	5.4231	21.9359	2.0079	13.6552	1.8961	—	—
2006	19.5799	1.4710	21.2928	1.9441	16.4583	1.8035	23.4534	2.6598	22.8329	4.6570	20.7683	2.0930	17.7082	2.2700	—	—
Drug poisoning																
2010	22.4838	1.7709	18.7809	1.7873	28.9291	2.3517	18.0230	3.1396	30.2226	4.4957	25.4080	2.3585	21.8230	2.3108	—	—
2009	25.6693	1.8630	23.3456	2.1652	29.4152	2.3598	17.2426	2.9178	33.8158	5.2590	29.9805	2.6579	23.8263	2.6584	18.6161	5.0303
2008	27.5901	1.6487	23.5111	1.8255	34.9904	2.2992	20.9150	3.1126	36.2461	5.2429	32.8432	2.2869	24.8515	2.4173	18.3861	3.9861
2007	27.6944	1.3992	23.8653	1.7274	33.9071	2.3335	17.3082	2.4954	31.7910	5.3040	29.7117	2.1193	29.7332	2.2739	24.0062	4.6979
2006	26.5883	2.2724	24.0387	2.5498	31.0423	2.6196	16.0921	3.5002	26.0122	5.2565	30.7482	2.7335	27.4569	2.6384	27.4833	6.4316

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table A6. Percent distribution that had co-occurring drug-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	
Any alcohol-related diagnoses																	
Any drug-related diagnoses																	
2010	24.2965	0.7385	24.4488	0.8438	24.0068	0.6030	56.5034	1.4609	52.0245	1.0657	39.2212	0.9859	21.5288	0.6854	4.3011	0.1621	
2009	24.0054	0.7395	24.0991	0.8475	23.8327	0.6103	58.5513	1.2955	51.0038	1.0171	38.9371	0.9733	21.1138	0.7037	4.1602	0.1789	
2008	24.2917	0.7799	24.0990	0.8639	24.6959	0.6866	60.5786	2.5945	52.8635	1.0312	39.8481	1.1267	20.1353	0.5881	3.5982	0.1195	
2007	25.7065	0.7126	25.4555	0.8027	26.2457	0.6254	60.6012	1.5188	54.1955	1.0402	42.3668	0.9663	21.2367	0.5892	3.5419	0.1098	
2006	26.4916	0.8794	26.2980	0.9910	26.9253	0.7122	56.7025	1.4171	54.2867	1.1165	43.9344	1.2229	21.5384	0.7293	3.4102	0.1255	
Drug psychoses																	
2010	2.8926	0.2150	2.9458	0.2341	2.7869	0.1899	5.0256	0.3781	6.6605	0.5807	5.0362	0.4267	2.2785	0.1638	0.9224	0.0447	
2009	3.0125	0.2081	3.0141	0.2186	3.0107	0.2027	6.3752	0.5772	7.0008	0.6846	5.0931	0.4015	2.3883	0.1605	0.9484	0.0467	
2008	3.2576	0.2779	3.2458	0.2905	3.2845	0.2629	5.9799	0.7889	7.9718	0.7524	5.5421	0.5383	2.4420	0.1907	1.0128	0.0551	
2007	3.6093	0.3420	3.6821	0.3659	3.4627	0.3103	5.4398	0.5455	7.9846	0.7878	6.3533	0.6871	2.7237	0.2360	0.8701	0.0482	
2006	3.3775	0.2955	3.4099	0.3167	3.3120	0.2688	5.4097	0.4632	6.8159	0.6088	5.9333	0.5942	2.4758	0.1938	0.8122	0.0438	
Drug dependence																	
2010	8.2959	0.6632	8.5008	0.7818	7.8865	0.4810	14.0690	0.9566	16.9008	1.0665	14.6186	1.1508	7.1145	0.5998	1.1606	0.0958	
2009	8.2495	0.7427	8.4276	0.8801	7.8943	0.5286	16.5301	1.1471	17.2179	1.1504	14.5520	1.2590	6.9207	0.6911	1.1332	0.1254	
2008	8.6015	0.8232	8.6718	0.9543	8.4688	0.6109	17.8296	3.4341	18.2266	1.2409	15.5616	1.5918	6.6615	0.5781	0.9032	0.0783	
2007	8.8769	0.6866	8.9594	0.7982	8.7071	0.5326	15.1436	1.5837	18.9867	1.3298	16.2728	1.2604	6.7980	0.5111	0.7744	0.0524	
2006	10.0722	1.0079	10.2220	1.1558	9.7523	0.7293	13.3888	0.9448	18.4959	1.4473	18.4491	1.7832	7.7354	0.7941	0.8522	0.0785	
Nondependent abuse of drugs																	
2010	14.4549	0.3857	15.0545	0.3987	13.2447	0.3762	40.7724	1.3006	32.6573	0.7962	22.7556	0.4986	12.9473	0.3780	1.9288	0.1031	
2009	14.0658	0.3974	14.6376	0.4227	12.9124	0.3766	40.5784	1.1874	31.4119	0.7764	22.2640	0.5884	12.5820	0.3814	1.7815	0.0880	
2008	13.9134	0.3763	14.3747	0.3865	12.9995	0.3871	42.4269	1.5021	31.6080	0.8009	22.0745	0.5918	11.7414	0.3332	1.4489	0.0711	
2007	15.2018	0.4059	15.5972	0.4193	14.3990	0.4047	43.1079	1.5857	32.8418	0.8433	24.2627	0.5721	12.8469	0.3952	1.5523	0.0812	
2006	14.9055	0.4128	15.1907	0.4248	14.3061	0.4232	40.4001	1.3980	33.0695	0.9412	23.9372	0.6896	12.2896	0.3822	1.4307	0.0816	
Drug poisoning																	
2010	3.8010	0.0981	3.0039	0.0847	5.4285	0.1436	9.9037	0.5173	9.6353	0.4145	6.4191	0.2213	3.0242	0.0849	0.9098	0.0380	
2009	3.9394	0.0976	3.1353	0.0820	5.5795	0.1508	11.0888	0.5719	10.6325	0.4805	6.6205	0.2219	3.1008	0.0828	0.8707	0.0370	
2008	4.1290	0.1084	3.2107	0.0850	5.9707	0.1739	10.5696	0.9413	11.0285	0.4927	6.9480	0.2365	3.1326	0.0848	0.7861	0.0334	
2007	3.9971	0.1216	3.0607	0.0987	5.9425	0.1829	10.9166	0.6077	10.6355	0.5078	6.7013	0.2621	2.9332	0.0892	0.8366	0.0374	
2006	3.8605	0.0964	3.0762	0.0806	5.5509	0.1475	11.2221	0.5354	10.5451	0.4762	6.2721	0.2237	2.8459	0.0774	0.7529	0.0326	
Alcoholic psychoses																	
Any drug-related diagnoses																	
2010	22.4613	1.2311	21.6070	1.2656	25.1777	1.2055	64.9937	3.1654	51.4227	2.7431	32.1724	1.8126	20.2065	1.0097	6.2478	0.3205	
2009	21.6673	0.8484	20.7410	0.8482	24.5918	0.9605	65.8098	3.2184	49.5878	2.3241	31.0706	1.2478	19.4493	0.6904	5.7987	0.3140	
2008	22.9018	1.1393	22.0324	1.1198	25.4662	1.2564	69.8164	3.5975	56.0722	2.5697	33.6456	1.6415	19.4848	0.8276	5.4916	0.3705	
2007	24.3619	1.5114	23.4872	1.5422	27.0814	1.5609	71.1292	3.0843	54.0679	2.8701	35.7568	2.1610	20.6235	1.1080	5.8167	0.3201	
2006	22.3221	1.2748	21.5243	1.2762	24.9083	1.4191	64.6284	3.1411	53.3578	2.8902	32.9648	1.9907	18.7917	0.8038	4.9141	0.2948	
Drug psychoses																	
2010	5.9538	0.7500	5.5668	0.7397	7.1820	0.8251	23.4445	2.9717	19.9015	3.2409	9.2092	1.3582	4.6408	0.5056	2.3634	0.1731	
2009	6.6253	0.6710	6.0646	0.6436	8.3943	0.8149	33.5844	4.0787	20.4652	2.3854	10.1036	1.1839	5.2290	0.4792	2.2924	0.1763	
2008	7.7697	1.0086	7.1627	0.9880	9.5545	1.0978	30.0298	3.9299	26.5909	2.9898	11.9852	1.7582	5.8038	0.6535	2.6429	0.2868	
2007	8.4238	1.3953	7.9283	1.3604	9.9605	1.5715	35.8681	4.4993	24.9015	4.4972	13.0342	2.3876	6.3298	0.9133	2.4760	0.2137	
2006	7.5072	1.2601	7.0271	1.2328	9.0540	1.4474	31.3568	3.6061	21.8825	3.9308	11.9692	2.3137	5.4517	0.7162	2.0131	0.1856	
Drug dependence																	
2010	9.6208	1.2568	9.0303	1.2820	11.4945	1.2447	28.0165	3.3347	25.5873	3.5202	14.9781	2.0501	8.1293	0.9951	1.8930	0.1976	
2009	9.4875	0.8275	8.7744	0.8190	11.7458	0.9644	36.0141	4.0056	26.3341	2.4445	14.8433	1.3075	7.8415	0.6616	1.7941	0.1785	
2008	10.9905	1.2298	10.2127	1.1969	13.2783	1.3615	41.2663	4.7103	33.3206	3.4352	17.4496	2.0276	8.5587	0.8349	1.6951	0.2971	
2007	11.7703	1.6110	11.1554	1.6090	13.6790	1.7460	37.2599	4.6012	34.8412	4.1483	18.9026	2.5630	8.9772	1.1284	1.5938	0.2067	
2006	10.2339	1.4384	9.6401	1.4203	12.1485	1.6160	28.4569	4.1439	28.6904	4.1433	16.3808	2.5009	7.8860	0.8796	1.4987	0.1981	

See footnotes at end of table.

Table A6. Percent distribution that had co-occurring drug-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcoholic psychoses																
Nondependent abuse of drugs																
2010	11.6656	0.3242	11.5896	0.3339	11.9130	0.3953	37.0475	3.1959	26.3381	1.5396	16.6424	0.5145	10.7191	0.3182	2.3682	0.1835
2009	10.8663	0.3633	10.8819	0.3669	10.8146	0.4588	30.8928	3.2926	26.1591	1.7551	15.5137	0.6007	9.9992	0.3412	2.0332	0.1608
2008	10.8802	0.3838	10.8880	0.3803	10.8647	0.4770	31.5897	3.0162	23.8993	1.9122	15.9608	0.6281	9.5844	0.3441	1.7201	0.1558
2007	11.6205	0.5287	11.5941	0.5568	11.7164	0.5475	35.1023	4.2570	21.9533	2.0820	16.5942	0.8923	10.3684	0.4629	2.2068	0.1740
2006	10.9348	0.3932	10.9308	0.3870	10.9652	0.5144	34.0600	3.2142	24.8097	2.6288	16.0015	0.7095	9.5097	0.3517	1.6738	0.1664
Drug poisoning																
2010	2.1665	0.1013	1.8392	0.0933	3.2032	0.1855	8.9323	1.8559	4.8826	0.7483	2.7779	0.1956	2.0088	0.1003	0.9959	0.1026
2009	2.3486	0.1060	2.0068	0.0930	3.4305	0.2170	5.2994	1.3298	3.7677	0.6584	3.1375	0.2080	2.2221	0.1048	0.9063	0.1006
2008	2.1642	0.1007	1.9015	0.0904	2.9358	0.1889	4.7031	1.2845	4.7439	0.8357	2.8594	0.1722	1.9923	0.1022	0.8052	0.0906
2007	2.0427	0.1132	1.7298	0.1055	3.0034	0.2065	8.3849	1.9087	3.6180	0.7438	2.7230	0.2117	1.7935	0.1076	0.9486	0.1065
2006	1.9468	0.0970	1.7076	0.0922	2.7145	0.1916	7.1901	1.4996	4.6683	0.8122	2.6555	0.1729	1.6943	0.1018	0.7062	0.0948
Alcohol dependence syndrome																
Any drug-related diagnoses																
2010	27.5476	1.1263	26.6038	1.2648	30.1184	0.9027	72.9094	1.6636	61.5246	1.4766	41.4924	1.5589	24.1011	0.9562	6.0520	0.2597
2009	26.8324	1.1799	25.8286	1.3309	29.5645	0.9593	73.5583	1.6266	58.1677	1.4142	40.1646	1.5871	23.3418	1.0500	5.9689	0.3222
2008	27.4426	1.2937	26.2906	1.4389	30.4071	1.0416	70.7145	3.2692	60.6244	1.3795	41.5627	1.9038	22.5187	0.9061	5.1962	0.2387
2007	28.3641	1.0993	27.2410	1.2414	31.3690	0.9245	74.1001	1.7551	63.2242	1.3898	43.6111	1.4601	22.9962	0.8308	4.9554	0.1840
2006	29.9101	1.6227	28.8415	1.7800	32.8410	1.3045	68.6632	2.7654	64.1872	1.6573	46.2700	2.1122	23.7576	1.2520	4.5867	0.2266
Drug psychoses																
2010	4.2712	0.3992	4.1602	0.4081	4.5748	0.3989	11.0701	1.0710	12.1054	1.3759	7.0596	0.7235	3.2447	0.2835	1.3265	0.0822
2009	4.3576	0.3630	4.0832	0.3562	5.0993	0.4156	13.4460	1.5362	12.4175	1.3157	6.9432	0.6638	3.3332	0.2612	1.3514	0.0835
2008	5.0200	0.5113	4.7431	0.5046	5.7334	0.5499	11.5410	1.5118	14.7331	1.4388	7.9383	0.8866	3.6619	0.3453	1.4890	0.1295
2007	5.4992	0.6580	5.3508	0.6622	5.9013	0.6837	11.9422	1.4969	14.4607	1.8068	8.9438	1.1693	3.9968	0.4363	1.3909	0.1037
2006	5.0114	0.5641	4.8907	0.5691	5.3484	0.5933	11.3170	1.4270	11.4810	1.4251	8.1623	1.0170	3.5718	0.3465	1.1734	0.0927
Drug dependence																
2010	13.8373	1.1795	13.3729	1.3130	15.1033	0.9567	45.1776	2.1394	36.3465	1.9069	22.7559	1.8388	11.0357	0.9931	2.2914	0.1916
2009	13.7530	1.3884	13.2582	1.5491	15.1022	1.1229	47.5469	2.3029	35.6128	1.8629	22.3304	2.0667	10.8626	1.2356	2.3073	0.2874
2008	14.6094	1.5238	13.9316	1.6971	16.3558	1.1807	46.4389	4.2539	37.6047	1.9714	24.0571	2.5759	10.6586	1.0334	1.9040	0.2003
2007	15.0796	1.2007	14.4776	1.3409	16.6799	1.0206	47.8417	2.3580	41.5545	2.0872	25.3039	1.8617	10.7417	0.8690	1.5809	0.1258
2006	17.7412	1.8853	17.2550	2.0456	19.0696	1.5357	43.5645	2.4667	41.3153	2.5470	29.9244	2.7607	12.5305	1.4336	1.6870	0.1947
Nondependent abuse of drugs																
2010	12.7205	0.3079	12.6859	0.3293	12.8237	0.3110	30.9220	1.4059	24.9077	0.8929	18.3180	0.4735	11.8267	0.2996	2.2968	0.1257
2009	11.8913	0.3417	11.8760	0.3635	11.9412	0.3470	28.8733	1.5203	23.6864	1.0103	16.9174	0.5744	11.0781	0.3396	2.1751	0.1170
2008	11.7391	0.3172	11.6958	0.3296	11.8542	0.3346	29.0142	1.6677	23.4020	1.0384	16.8283	0.5814	10.4265	0.3013	1.8509	0.1091
2007	12.2314	0.3758	12.1918	0.4029	12.3580	0.3686	29.2509	1.5753	22.6616	1.1536	17.8264	0.6139	10.8241	0.3352	1.8503	0.1050
2006	11.2698	0.3511	11.1371	0.3551	11.6448	0.3968	26.7950	1.8302	22.6156	1.2273	16.1556	0.6168	9.9001	0.3289	1.5650	0.0945
Drug poisoning																
2010	3.1067	0.1102	2.4094	0.0909	4.9926	0.1897	8.1379	0.8666	6.9730	0.5604	4.4670	0.2224	2.7098	0.0984	1.1483	0.0645
2009	3.2319	0.1113	2.5187	0.0865	5.1648	0.2029	8.3844	0.8559	7.5585	0.5851	4.6771	0.2372	2.8048	0.0932	1.0243	0.0632
2008	3.3356	0.1309	2.6028	0.1014	5.2133	0.2268	6.8583	1.0092	7.6763	0.6319	4.8362	0.2622	2.8134	0.1054	0.9277	0.0642
2007	3.2057	0.1335	2.4947	0.1073	5.0993	0.2319	8.3110	0.8730	7.4125	0.6200	4.6406	0.2693	2.6612	0.1060	0.9679	0.0660
2006	3.1033	0.1333	2.4596	0.1107	4.8630	0.2141	7.7182	0.8346	7.8795	0.7022	4.4076	0.2735	2.5575	0.1113	0.9105	0.0629
Nondependent abuse of alcohol																
Any drug-related diagnoses																
2010	32.4593	0.6293	29.9080	0.6680	38.9209	0.6557	62.5830	1.3685	53.0590	1.1451	45.4224	0.6918	28.0125	0.6853	6.1980	0.2757
2009	32.8052	0.6054	30.2174	0.6508	39.3087	0.5942	62.7383	1.3637	51.6448	1.1827	46.0938	0.6789	28.2810	0.6411	6.0061	0.2596
2008	33.0240	0.6615	29.9516	0.6560	40.5436	0.7103	64.9155	2.3357	52.8239	1.1488	46.5806	0.7022	26.9311	0.5827	5.0662	0.1918
2007	33.9304	0.6466	30.9553	0.6626	41.3576	0.6886	63.8802	1.5252	53.1390	1.1987	48.1448	0.8073	27.8985	0.6583	5.0313	0.2141
2006	33.1733	0.5955	30.3516	0.6057	40.5855	0.6372	59.7691	1.4694	52.7812	1.2330	48.0389	0.7710	26.9275	0.5840	4.6873	0.2192

See footnotes at end of table.

Table A6. Percent distribution that had co-occurring drug-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Nondependent abuse of alcohol																
Drug psychoses																
2010	2.5471	0.1465	2.3229	0.1415	3.1149	0.1902	4.6457	0.3943	4.9000	0.3933	3.8375	0.2427	1.8244	0.1347	0.9488	0.0797
2009	2.6737	0.2046	2.5063	0.2048	3.0964	0.2244	5.3002	0.5035	4.7316	0.5816	3.8770	0.3214	1.9769	0.1961	1.0195	0.0777
2008	2.4631	0.1566	2.2684	0.1526	2.9412	0.1956	5.1288	0.8587	4.8807	0.5144	3.5566	0.2509	1.6174	0.0877	0.9662	0.0816
2007	2.8424	0.1954	2.6604	0.1876	3.3002	0.2434	4.5518	0.5155	5.5838	0.4939	4.2774	0.3189	1.9875	0.1486	0.8147	0.0758
2006	2.7563	0.1684	2.4974	0.1608	3.4366	0.2099	4.5446	0.4432	5.0428	0.4648	4.1512	0.2944	1.9528	0.1348	0.7632	0.0648
Drug dependence																
2010	5.4929	0.2572	5.0360	0.2632	6.6510	0.2934	10.0545	0.9598	9.4092	0.5700	8.3369	0.3964	4.3751	0.2488	0.9307	0.1019
2009	5.3505	0.2820	4.8418	0.2833	6.6261	0.3144	10.7249	0.9278	9.3033	0.7944	8.1056	0.4447	4.0976	0.2552	0.9441	0.1096
2008	5.2979	0.3449	4.7504	0.3164	6.6394	0.4262	11.9972	3.2023	9.3892	0.7249	8.0001	0.4178	3.7307	0.1753	0.6288	0.0620
2007	5.3421	0.3042	4.8188	0.2970	6.6472	0.3560	9.5764	1.4730	9.3605	0.8097	8.2796	0.5087	3.8741	0.2190	0.6337	0.0572
2006	5.1721	0.2547	4.5441	0.2379	6.8177	0.3312	7.8647	0.6722	8.6184	0.6624	7.9396	0.4454	3.9595	0.2177	0.6823	0.0702
Nondependent abuse of drugs																
2010	24.9808	0.5980	23.9202	0.6112	27.6865	0.6614	51.2864	1.2388	41.0927	1.0289	34.3567	0.6653	21.9076	0.6506	3.9030	0.2334
2009	25.3033	0.6082	24.2376	0.6336	28.0058	0.6355	51.1537	1.3076	39.4688	1.0524	35.0260	0.7090	22.3093	0.6349	3.5741	0.2115
2008	25.3637	0.6034	24.0925	0.5921	28.4905	0.6949	53.1167	1.5659	39.9995	0.9938	35.3174	0.6722	21.0281	0.5796	2.9323	0.1619
2007	26.5486	0.6122	25.2130	0.6188	29.9021	0.6839	52.1143	1.6902	41.1897	1.0614	37.3258	0.6990	22.2184	0.6641	2.9822	0.1904
2006	26.1087	0.5857	24.7929	0.5869	29.5809	0.6649	49.4999	1.4711	41.4846	1.0773	37.8955	0.7247	21.2028	0.5750	2.8200	0.1984
Drug poisoning																
2010	5.8626	0.1679	4.3058	0.1359	9.7810	0.2965	10.2023	0.6086	10.5855	0.5301	9.0713	0.3264	4.4523	0.1495	1.3020	0.0834
2009	6.1654	0.1669	4.5523	0.1401	10.1899	0.2903	11.4986	0.6778	11.6227	0.6148	9.4130	0.3227	4.5863	0.1548	1.2984	0.0816
2008	6.4740	0.1547	4.6024	0.1177	11.0358	0.3198	10.9400	1.0073	11.8758	0.5767	9.9450	0.2915	4.6670	0.1271	1.1875	0.0759
2007	6.0448	0.1906	4.2691	0.1477	10.4529	0.3166	11.0481	0.6557	11.1454	0.5944	9.2109	0.3321	4.2400	0.1504	1.2435	0.0768
2006	5.6400	0.1548	4.2417	0.1266	9.2995	0.2643	11.1558	0.6057	11.0937	0.5916	8.4236	0.2866	4.0076	0.1277	0.9531	0.0728
All chronic liver disease and cirrhosis																
Any drug-related diagnoses																
2010	8.8479	0.2780	10.1352	0.3295	7.0417	0.2405	4.3639	0.8596	11.4857	1.0386	13.6569	0.4247	10.5536	0.3413	1.9857	0.1004
2009	8.5741	0.2751	9.8959	0.3364	6.7134	0.2250	6.0524	0.8892	11.3556	0.9956	13.7388	0.4345	10.2397	0.3426	1.7475	0.0854
2008	8.0661	0.2538	9.3544	0.3137	6.2495	0.2065	6.2842	1.0088	12.5174	1.3935	13.3261	0.4511	9.4687	0.2974	1.4698	0.0846
2007	8.5114	0.2644	9.8312	0.3018	6.5791	0.2480	4.9250	0.9916	14.9757	1.3609	14.7312	0.4797	9.9796	0.3147	1.3639	0.0775
2006	8.7479	0.3108	9.9511	0.3709	6.9784	0.2639	6.1066	1.1322	13.7274	1.5003	15.2842	0.5460	10.1047	0.3918	1.4744	0.0851
Drug psychoses																
2010	0.8307	0.0427	0.8816	0.0508	0.7594	0.0478	—	—	—	—	1.1019	0.0890	0.9311	0.0509	0.4562	0.0374
2009	0.8459	0.0416	0.8732	0.0508	0.8061	0.0435	—	—	1.2493	0.3442	1.2120	0.0962	0.9031	0.0479	0.4813	0.0372
2008	0.9005	0.0498	0.9055	0.0570	0.8937	0.0549	—	—	1.6361	0.4251	1.3570	0.1260	0.9344	0.0538	0.5103	0.0411
2007	0.8600	0.0511	0.9207	0.0590	0.7712	0.0590	—	—	—	—	1.2280	0.1165	0.9608	0.0590	0.4246	0.0398
2006	0.8275	0.0527	0.8518	0.0609	0.7922	0.0564	—	—	—	—	1.3651	0.1303	0.8230	0.0566	0.4779	0.0423
Drug dependence																
2010	2.6165	0.1822	2.8939	0.2327	2.2273	0.1305	—	—	2.9736	0.5583	3.9513	0.2633	3.1705	0.2373	0.5708	0.0655
2009	2.3684	0.1406	2.6218	0.1733	2.0123	0.1137	1.4749	0.4171	2.9289	0.5485	3.7619	0.2271	2.8958	0.1895	0.3697	0.0410
2008	2.3625	0.1519	2.6705	0.1879	1.9284	0.1204	1.6543	0.4807	3.8062	0.8500	3.8860	0.2832	2.8327	0.1838	0.3156	0.0442
2007	2.3578	0.1398	2.5532	0.1548	2.0723	0.1424	—	—	4.2246	0.7953	3.9033	0.2794	2.8604	0.1670	0.2933	0.0402
2006	2.6326	0.2249	2.8889	0.2697	2.2564	0.1821	1.7579	0.5271	3.6267	0.8506	4.1084	0.3428	3.2594	0.3130	0.3365	0.0439
Nondependent abuse of drugs																
2010	5.4982	0.1809	6.5825	0.2119	3.9765	0.1627	3.0336	0.7796	7.6459	0.7739	8.9823	0.2950	6.6312	0.2240	0.7252	0.0550
2009	5.4359	0.2072	6.6489	0.2660	3.7289	0.1531	3.6373	0.6601	7.4269	0.8190	9.1629	0.3524	6.5561	0.2523	0.6843	0.0535
2008	4.9319	0.1784	6.0270	0.2245	3.3870	0.1405	4.1201	0.8686	7.1902	0.9519	8.6365	0.3183	5.8269	0.2181	0.4977	0.0458
2007	5.3884	0.1941	6.5753	0.2363	3.6494	0.1645	2.6881	0.6728	9.3124	1.1375	10.0000	0.3783	6.2947	0.2295	0.4925	0.0456
2006	5.4899	0.2160	6.5415	0.2550	3.9424	0.1881	3.7455	0.8795	9.4494	1.2655	10.5377	0.4119	6.2499	0.2573	0.4592	0.0467

See footnotes at end of table.

Table A6. Percent distribution that had co-occurring drug-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
All chronic liver disease and cirrhosis																
Drug poisoning																
2010	1.0024	0.0309	0.9756	0.0367	1.0401	0.0437	1.0415	0.2895	2.0176	0.3538	1.5325	0.0862	1.1096	0.0405	0.3875	0.0300
2009	0.9479	0.0366	0.8857	0.0393	1.0357	0.0518	—	—	1.5220	0.3731	1.5039	0.0887	1.0559	0.0484	0.3529	0.0346
2008	0.9192	0.0348	0.8693	0.0396	0.9902	0.0511	1.1277	0.3342	2.5557	0.4947	1.4566	0.0870	1.0242	0.0452	0.2854	0.0291
2007	0.8979	0.0360	0.8587	0.0413	0.9558	0.0498	1.3978	0.4472	2.7075	0.5487	1.5170	0.0909	0.9796	0.0455	0.2731	0.0300
2006	0.7855	0.0298	0.7445	0.0353	0.8462	0.0458	—	—	1.7909	0.5361	1.3217	0.0759	0.8301	0.0404	0.3037	0.0317
Alcoholic liver disease																
Any drug-related diagnoses																
2010	12.3502	0.3600	12.1569	0.3750	12.8691	0.4361	42.8009	11.1297	28.7162	2.8027	17.8528	0.6484	12.7326	0.3833	3.4478	0.2265
2009	11.8073	0.3358	11.6934	0.3561	12.1085	0.3955	38.5651	8.0009	27.7180	2.9998	17.8176	0.5501	12.1573	0.3727	2.8199	0.1954
2008	11.3076	0.3346	11.1804	0.3500	11.6496	0.4059	41.2064	8.2388	29.1453	2.9732	16.9752	0.5911	11.5046	0.3486	2.5211	0.1845
2007	11.6802	0.3441	11.5309	0.3401	12.1059	0.4778	50.5656	8.4253	32.1965	3.4374	18.4605	0.6215	11.7471	0.3576	2.2662	0.1801
2006	11.5556	0.3670	11.3946	0.3848	12.0009	0.4331	56.3003	8.6856	30.4160	3.4378	18.5257	0.6310	11.5037	0.3828	2.0943	0.1611
Drug psychoses																
2010	1.0768	0.0772	1.0475	0.0783	1.1555	0.1124	—	—	—	—	1.5104	0.1509	1.0744	0.0795	0.5205	0.0753
2009	1.0428	0.0718	0.9541	0.0725	1.2746	0.1113	—	—	—	—	1.6434	0.1688	0.9791	0.0709	0.5289	0.0736
2008	1.1627	0.0900	1.0677	0.0851	1.4162	0.1371	—	—	—	—	1.7262	0.1948	1.0825	0.0871	0.6698	0.0819
2007	1.0907	0.0787	1.0569	0.0804	1.1857	0.1262	—	—	—	—	1.5752	0.1753	1.0602	0.0793	0.5711	0.0848
2006	1.0547	0.0893	1.0083	0.0891	1.1827	0.1234	—	—	—	—	1.6753	0.1984	0.9515	0.0841	0.5908	0.0771
Drug dependence																
2010	3.3252	0.2462	3.2211	0.2633	3.6042	0.2656	—	—	9.1483	1.7994	4.6966	0.4158	3.4294	0.2627	1.0186	0.1467
2009	2.8866	0.1707	2.7826	0.1696	3.1654	0.2243	—	—	5.9384	1.7011	4.3224	0.3188	3.0150	0.1836	0.5784	0.0899
2008	2.9952	0.2157	2.9227	0.2227	3.1890	0.2524	—	—	9.5645	1.9552	4.4725	0.3905	3.0902	0.2203	0.5203	0.0842
2007	2.8094	0.1862	2.6511	0.1689	3.2536	0.2980	—	—	7.0423	1.8415	4.4319	0.3771	2.8563	0.1831	0.4447	0.0780
2006	2.9965	0.2266	2.8586	0.2288	3.3763	0.2763	—	—	7.3817	2.0131	4.3395	0.4223	3.1573	0.2379	0.4688	0.0766
Nondependent abuse of drugs																
2010	8.1807	0.2393	8.1740	0.2447	8.1996	0.3200	—	—	19.2031	2.2919	12.2869	0.4358	8.4765	0.2656	1.5437	0.1319
2009	8.0073	0.2687	8.1600	0.2925	7.5998	0.3101	—	—	18.2525	2.6731	12.3948	0.4481	8.2745	0.3028	1.4245	0.1359
2008	7.3776	0.2371	7.5009	0.2526	7.0511	0.2936	36.4619	8.2752	16.8069	2.3955	11.4785	0.4428	7.5016	0.2608	1.1476	0.1258
2007	7.8958	0.2649	8.0079	0.2749	7.5884	0.3491	—	—	21.6749	3.0097	12.9766	0.4923	7.9036	0.2792	1.0819	0.1201
2006	7.8174	0.2829	7.8930	0.2927	7.6110	0.3498	35.0332	8.3336	21.4001	3.1969	13.3050	0.4844	7.6644	0.3010	0.8459	0.0985
Drug poisoning																
2010	1.2404	0.0490	1.0926	0.0515	1.6364	0.1014	—	—	—	—	1.8052	0.1337	1.2010	0.0577	0.6409	0.0749
2009	1.2430	0.0518	1.0569	0.0540	1.7418	0.1006	—	—	4.8131	1.5539	1.9898	0.1412	1.1762	0.0610	0.5339	0.0777
2008	1.2014	0.0517	0.9969	0.0518	1.7466	0.1141	—	—	6.6140	1.7016	1.7669	0.1239	1.1534	0.0603	0.5121	0.0730
2007	1.1692	0.0536	1.0143	0.0557	1.6026	0.1040	—	—	6.0902	1.7319	1.6541	0.1263	1.1744	0.0612	0.3716	0.0646
2006	0.9579	0.0460	0.8450	0.0487	1.2686	0.0919	—	—	—	—	1.5909	0.1126	0.8750	0.0583	0.3506	0.0642
Alcohol poisoning																
Any drug-related diagnoses																
2010	72.0752	1.9737	65.5237	2.2653	80.0798	1.6108	64.4762	4.2344	81.0764	2.3684	79.8190	1.4215	67.0218	2.7226	46.0328	4.0436
2009	75.5273	1.1533	69.3921	1.5199	82.5769	0.9601	68.9407	2.2562	84.3043	1.8453	80.7416	1.2250	71.4620	1.6691	55.2224	3.4348
2008	76.6378	1.2505	69.7114	1.7156	84.7512	0.8734	72.1861	2.1789	83.5359	1.9392	83.0291	1.0534	71.6621	1.8683	50.6807	3.9373
2007	75.4239	1.0062	68.1935	1.4033	83.5317	0.8465	65.7195	2.4622	82.0373	2.1531	81.1753	1.1083	71.9756	1.3484	52.2524	3.2249
2006	75.9028	1.2740	70.3884	1.6816	82.4680	1.0290	65.3375	3.7774	82.1468	2.2113	81.9168	1.0987	71.6156	1.6315	54.1178	3.9045
Drug psychoses																
2010	3.4615	0.3115	3.3690	0.3708	3.5746	0.4188	2.6661	0.7897	3.5069	0.9209	3.9692	0.4535	3.1018	0.4302	—	—
2009	4.3592	0.3478	4.9317	0.4648	3.7055	0.4186	2.9488	0.8464	2.5505	0.7948	4.6653	0.4801	4.6388	0.5436	4.6159	1.3489
2008	4.5912	0.4487	4.8394	0.5172	4.3004	0.5018	3.4515	0.8628	5.6450	1.2868	4.4397	0.5422	4.7262	0.5454	5.2117	1.4042
2007	3.8838	0.3135	4.6937	0.4056	2.9922	0.3961	3.2329	0.9393	—	—	4.2170	0.4661	3.9037	0.4894	—	—
2006	4.7707	0.3415	5.4187	0.4605	3.9999	0.4647	2.6277	0.7997	4.2052	0.9978	5.9106	0.5642	3.6706	0.4571	6.9816	1.8833

See footnotes at end of table.

Table A6. Percent distribution that had co-occurring drug-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol poisoning																
Drug dependence																
2010	6.9727	0.6418	7.5757	0.7653	6.2360	0.7021	4.8619	1.0939	6.8737	1.2496	7.7889	0.6766	7.1097	1.0548	—	—
2009	7.6128	0.5892	7.8833	0.6440	7.3058	0.7146	6.1250	1.2839	7.6995	1.3727	8.8634	0.7576	7.1998	0.8133	—	—
2008	7.0924	0.4525	7.7579	0.6145	6.3128	0.5509	5.7973	1.1455	5.7011	1.2080	7.6701	0.6274	7.5668	0.6253	—	—
2007	6.4024	0.4383	6.9426	0.6049	5.7858	0.5606	4.3568	1.0609	8.5923	1.4769	7.1393	0.6357	5.8221	0.6077	—	—
2006	6.9242	0.5571	7.4556	0.6814	6.2934	0.6481	3.2334	0.8006	6.1040	1.3975	8.7872	0.8016	6.2371	0.6697	—	—
Nondependent abuse of drugs																
2010	21.1316	0.7918	23.1938	1.0252	18.6120	0.9063	23.9534	2.7384	30.8300	2.4941	23.3536	1.1093	18.5206	1.0098	5.8778	1.4292
2009	21.4379	0.7476	23.0069	1.0085	19.6496	0.9077	29.2300	2.3319	30.0474	2.3181	23.7408	1.0089	16.8897	1.0783	7.9661	1.8237
2008	20.4463	0.6719	22.8417	0.8998	17.6403	0.7916	27.4496	2.0282	26.0312	2.2699	23.3864	0.9984	16.3016	0.8700	—	—
2007	21.8644	0.8162	24.4474	0.9996	19.0151	1.0587	25.1045	2.2271	29.1055	2.6276	25.3688	1.1158	17.0859	1.1001	5.0911	1.6722
2006	20.6564	0.8933	23.4679	1.1332	17.2703	1.0131	26.3470	1.9807	27.2409	2.5434	22.8148	1.1740	15.9154	1.0727	7.1194	2.3005
Drug poisoning																
2010	66.0453	2.2912	57.5102	2.5565	76.4735	1.8717	57.0565	3.9423	76.4890	2.5263	74.0883	1.7377	60.1365	3.1282	44.5598	4.0131
2009	70.0785	1.5473	62.6495	1.8892	78.6072	1.2919	57.6626	2.6487	79.3413	2.1126	75.2172	1.6291	66.8730	2.0786	53.1413	3.5917
2008	72.1281	1.3792	64.0379	1.8360	81.6048	0.9610	64.3933	2.5525	80.9566	2.1187	78.9941	1.1693	66.6892	2.0489	47.9687	3.8946
2007	70.2135	1.1564	61.2937	1.4994	80.1907	0.9928	54.4157	2.6325	76.2310	2.5902	76.2231	1.2957	67.6656	1.4776	49.9575	3.2560
2006	70.8300	1.4706	63.3871	1.9151	79.7350	1.1517	56.1041	4.7042	78.2116	2.3840	77.7695	1.2312	66.2052	1.8416	48.9638	3.9834

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table A7. Percent distribution that had co-occurring mental health-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	
Any alcohol-related diagnoses																	
Any mental health-related diagnoses																	
2010	41.3797	1.1252	37.8791	1.1276	50.1815	1.1105	42.3407	2.2736	52.1958	1.7423	48.3306	1.5227	39.8497	1.0779	26.2829	0.8542	
2009	40.4662	1.1460	36.8886	1.1403	49.2865	1.2191	45.9473	2.2466	53.6860	2.0999	48.0445	1.5319	38.4039	1.0714	25.5535	1.2183	
2008	39.4703	1.1782	35.9521	1.1287	47.5181	1.3584	41.7664	3.4607	54.0742	2.2052	48.1706	1.4311	37.3044	1.1222	22.4375	0.7781	
2007	35.5513	1.0962	32.2134	1.0256	43.6238	1.3144	40.3028	1.7776	47.9706	2.1814	43.1713	1.4402	33.3004	1.0548	20.1304	0.8100	
2006	34.1343	1.1968	30.7162	1.1526	42.5374	1.3690	35.3441	2.4565	47.2483	2.7959	41.3632	1.5698	32.0033	1.1261	19.5316	0.7266	
Adjustment disorder																	
2010	0.7754	0.0673	0.6768	0.0682	1.0237	0.0919	1.4086	0.4560	1.7373	0.4544	0.9367	0.1022	0.6550	0.0616	0.6773	0.1027	
2009	0.9552	0.1071	0.8924	0.1045	1.1105	0.1332	3.3612	0.6326	2.3249	0.4235	1.2152	0.1862	0.7754	0.0874	0.5681	0.0906	
2008	0.9227	0.0952	0.8808	0.0932	1.0199	0.1266	2.2633	0.4602	1.3009	0.3184	1.0591	0.1292	0.8356	0.1022	0.7101	0.1116	
2007	0.9146	0.0984	0.8648	0.1088	1.0331	0.1022	2.9891	0.5589	1.6149	0.4652	1.1312	0.1538	0.7635	0.0776	0.5787	0.1043	
2006	0.8662	0.0842	0.7663	0.0816	1.1124	0.1214	2.3900	0.5030	1.5095	0.4108	0.9654	0.1133	0.7689	0.0868	0.7005	0.1049	
Anxiety disorder																	
2010	9.7617	0.4497	8.3687	0.3973	13.2691	0.5786	9.2240	1.1441	16.6882	1.2880	13.0107	0.7028	8.5479	0.3797	5.1939	0.3113	
2009	10.1319	0.6038	8.7184	0.5831	13.6094	0.7174	10.2459	1.2287	17.4739	1.5806	13.4347	0.8506	8.9310	0.5531	5.0601	0.3472	
2008	9.1690	0.4806	7.9678	0.4567	11.9154	0.6092	7.7712	1.6216	15.0412	1.1876	12.8514	0.6834	7.9118	0.4315	3.9072	0.2819	
2007	7.8113	0.3966	6.6374	0.3607	10.6428	0.5263	6.7237	0.8339	12.0603	0.9964	10.4743	0.6577	6.8688	0.3399	3.5517	0.2527	
2006	7.1132	0.4389	6.1615	0.3724	9.4496	0.6499	6.4185	1.0222	11.1494	1.3848	9.2613	0.7132	6.4005	0.3531	3.2682	0.2453	
Bipolar disorder																	
2010	8.6186	0.3525	7.9659	0.3602	10.2616	0.4131	9.6435	0.9647	11.9425	0.8630	11.5884	0.5359	8.0255	0.3309	2.0064	0.1780	
2009	8.2584	0.4266	7.6215	0.4571	9.8267	0.4559	12.5032	1.3298	12.6807	1.1153	11.6640	0.6015	7.1737	0.3901	2.3711	0.3156	
2008	8.1544	0.4115	7.4994	0.4171	9.6573	0.4712	9.8642	1.3780	14.4871	1.1864	11.5639	0.5726	7.1841	0.3746	1.8430	0.1823	
2007	6.9505	0.3790	6.3067	0.3425	8.5121	0.5406	7.6201	0.9375	10.9865	1.3100	10.0983	0.5435	5.9369	0.3232	1.3371	0.1671	
2006	6.5922	0.4031	6.0036	0.3781	8.0426	0.5272	7.3747	1.2197	11.6567	1.6382	9.6622	0.6093	5.5039	0.3075	1.2792	0.1548	
Depressive disorder																	
2010	24.4096	0.8497	21.6717	0.8306	31.2799	0.8689	17.7508	1.4139	25.8763	1.3512	26.2311	1.0791	24.4555	0.8614	19.1352	0.7545	
2009	24.1386	0.7840	21.2838	0.7543	31.1744	0.8736	20.7355	1.6516	26.2245	1.5414	26.0876	1.0574	24.1933	0.7760	18.2559	0.8927	
2008	23.7632	0.8457	21.0091	0.7948	30.0554	1.0213	18.6343	2.0559	25.9461	1.5931	27.0129	1.0677	23.4735	0.8327	16.2846	0.6846	
2007	21.2207	0.7585	18.6056	0.6970	27.5305	0.9255	19.1068	1.3136	24.2595	1.4799	23.4548	0.9344	21.0633	0.7922	14.8536	0.6853	
2006	20.3577	0.7748	17.6374	0.7193	27.0264	0.9320	16.3401	1.5897	23.3489	1.7160	22.6313	0.9943	20.2074	0.7922	14.1416	0.5820	
Personality disorder																	
2010	2.8094	0.4986	2.6186	0.4854	3.2928	0.5649	5.8550	1.1305	7.0399	1.1505	4.1354	0.7523	2.2354	0.4066	0.7015	0.2472	
2009	2.5790	0.3214	2.4237	0.3276	2.9632	0.3437	3.9286	0.7858	5.4270	0.8140	3.8894	0.5010	2.0506	0.2788	0.6829	0.1517	
2008	2.2691	0.3336	2.1201	0.3199	2.6086	0.3937	3.9616	0.7828	6.1159	1.2073	3.5543	0.5184	1.6720	0.2447	0.5980	0.1663	
2007	2.4230	0.3066	2.2784	0.3225	2.7780	0.3003	3.1450	0.5846	7.0442	1.1687	3.6377	0.4595	1.8378	0.2553	0.6168	0.1122	
2006	2.3635	0.3221	2.1180	0.3220	2.9690	0.3703	4.4353	0.9235	5.7822	0.9694	3.4863	0.5039	1.8179	0.2672	0.6166	0.1278	
Schizophrenia and other psychotic disorders																	
2010	2.9723	0.1622	3.2787	0.1780	2.2114	0.1732	—	—	2.7429	0.4316	3.3683	0.1874	3.0704	0.1879	1.5487	0.1657	
2009	2.8261	0.2257	3.1005	0.2410	2.1560	0.2073	1.8045	0.5335	3.4028	0.6151	3.2370	0.3064	2.8768	0.2155	1.4092	0.1711	
2008	2.5149	0.1405	2.7940	0.1667	1.8823	0.1164	0.9376	0.2695	2.7226	0.3999	2.8975	0.2161	2.5479	0.1505	1.4559	0.1526	
2007	2.5098	0.1351	2.7714	0.1488	1.8905	0.1452	1.1543	0.2939	2.0878	0.4221	2.9892	0.1615	2.5102	0.1581	1.2789	0.1436	
2006	2.8416	0.2917	3.0607	0.3233	2.3168	0.2405	1.1558	0.3071	3.3330	0.8410	3.5837	0.4688	2.7205	0.2378	1.2729	0.1331	
All other mental disorders																	
2010	1.7037	0.1631	1.3942	0.1427	2.4775	0.2351	13.7754	1.1279	8.5816	1.0040	2.8174	0.2991	0.8102	0.0958	0.3618	0.0812	
2009	1.7897	0.1862	1.4919	0.1805	2.5228	0.2351	13.3365	1.5665	7.4624	1.0560	2.9563	0.3194	0.9095	0.1129	0.4001	0.0848	
2008	1.5297	0.1288	1.2242	0.1034	2.2275	0.2138	14.9904	2.5192	7.6047	0.8758	2.2462	0.1819	0.7455	0.0690	0.4421	0.0767	
2007	1.4119	0.1025	1.1486	0.0941	2.0423	0.1558	14.1966	1.1560	7.1112	0.8452	1.9615	0.1631	0.7162	0.0677	0.4028	0.0830	
2006	1.1579	0.0933	0.9545	0.0909	1.6570	0.1386	10.7165	1.0792	6.0714	0.8506	1.6035	0.1663	0.5919	0.0539	0.3231	0.0686	

See footnotes at end of table.

Table A7. Percent distribution that had co-occurring mental health-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcoholic psychoses																
Any mental health-related diagnoses																
2010	46.4438	1.5308	41.9257	1.5134	61.0321	1.4619	52.9961	5.4675	51.4380	2.5824	48.9759	1.8495	45.8515	1.4998	36.5810	1.4190
2009	46.4844	1.5925	41.7214	1.6030	61.8720	1.4403	61.5592	4.3939	55.8559	2.9647	49.6058	1.8975	45.2585	1.5362	37.5751	1.6560
2008	48.4717	1.4618	43.7126	1.4531	62.0498	1.5366	57.0219	5.2408	60.2563	3.4973	51.4652	1.6728	47.3717	1.4335	37.5226	1.4944
2007	44.0141	1.4036	39.1948	1.3893	58.8529	1.3893	60.0225	5.4396	50.3701	3.4795	47.0176	1.6700	42.7957	1.3069	34.1371	1.5123
2006	41.7872	1.6411	36.7978	1.5247	57.3118	1.7802	55.2988	5.3867	49.9669	3.6017	43.8841	1.9568	41.0100	1.5897	33.7875	1.6164
Adjustment disorder																
2010	0.6155	0.0655	0.5418	0.0635	0.8534	0.1206	—	—	—	—	0.5739	0.0839	0.6227	0.0770	0.7231	0.1978
2009	0.7091	0.0694	0.6397	0.0737	0.9333	0.1222	—	—	—	—	0.7933	0.0928	0.6522	0.0805	0.5842	0.1473
2008	0.8655	0.1418	0.8468	0.1397	0.9201	0.1851	—	—	—	—	0.7810	0.1652	0.8892	0.1451	1.1614	0.2957
2007	0.8969	0.1307	0.8768	0.1383	0.9605	0.1593	—	—	—	—	1.0467	0.1949	0.8251	0.1160	0.5952	0.1781
2006	0.9045	0.1696	0.7561	0.1365	1.3658	0.3156	—	—	—	—	0.8712	0.1734	0.8823	0.1921	1.0221	0.2510
Anxiety disorder																
2010	11.2417	0.6214	9.5928	0.5296	16.5582	0.9581	19.6998	4.1059	17.8454	2.0988	13.7632	0.8926	9.9241	0.5273	6.9623	0.6067
2009	12.3786	1.0945	10.5822	1.0514	18.1808	1.3280	18.2680	4.4611	19.4297	2.4579	14.6373	1.2965	11.2615	1.0518	7.7235	0.8207
2008	11.9444	0.7736	10.5215	0.7518	16.0034	1.0286	15.5824	3.6930	17.0527	1.9499	14.3436	0.9480	10.6838	0.7401	7.1983	0.7593
2007	9.8086	0.4857	8.3923	0.4456	14.1704	0.7579	15.2515	4.0781	13.0213	1.7734	11.4399	0.6766	9.0169	0.4761	5.6142	0.6416
2006	8.7745	0.4805	7.5846	0.4304	12.4771	0.7694	14.3159	3.3981	12.7406	1.8953	10.0744	0.6354	8.2225	0.4743	4.6463	0.5890
Bipolar disorder																
2010	9.7825	0.5684	8.9344	0.5536	12.5226	0.7327	11.4194	2.6679	10.0558	1.4540	11.5129	0.8468	9.4708	0.5128	3.1866	0.4105
2009	9.1882	0.7562	8.2875	0.8254	12.0980	0.6654	17.6318	4.3871	13.6464	1.9980	11.0762	0.8364	8.5253	0.7638	3.5532	0.5687
2008	10.1093	0.7406	9.2124	0.7474	12.6723	0.8577	16.0420	3.8858	14.0800	2.3820	12.1113	0.9049	9.4480	0.6967	3.1630	0.4698
2007	8.5386	0.5895	7.5085	0.5529	11.7142	0.8111	13.1104	3.0539	10.0069	2.6870	10.7662	0.7536	7.6264	0.5069	2.4063	0.4115
2006	7.9381	0.4420	7.1220	0.4439	10.4837	0.6392	—	—	9.4036	1.8671	9.7217	0.5794	7.2563	0.4330	2.8804	0.4670
Depressive disorder																
2010	27.4438	1.1769	23.9869	1.0881	38.5952	1.3994	22.5990	4.4886	24.5610	2.2130	26.7056	1.3671	28.1028	1.1827	26.7883	1.2587
2009	28.1843	1.0823	24.6830	0.9986	39.4938	1.3225	27.7722	4.0025	28.1044	2.2925	27.6744	1.2648	28.7186	1.0979	26.9174	1.3800
2008	29.6078	0.9992	25.8825	0.9387	40.2198	1.2224	26.2062	4.0684	30.9614	2.7658	29.5027	1.1386	29.8832	1.0312	28.0172	1.3277
2007	26.5197	0.9628	23.0223	0.8978	37.2824	1.2058	25.8656	4.1752	27.5813	2.2556	25.5269	1.0591	27.4356	0.9800	25.1055	1.4003
2006	25.8974	1.2851	21.9736	1.1255	38.0795	1.5973	21.8536	4.8230	26.3481	2.8796	25.3753	1.4744	26.4881	1.2875	24.7923	1.3391
Personality disorder																
2010	3.0846	0.7828	2.7795	0.7355	4.0698	0.9664	10.6141	3.0127	6.6628	1.9094	3.8812	0.9691	2.6696	0.7202	1.0958	0.3499
2009	2.8141	0.6023	2.5371	0.5439	3.7091	0.8234	—	—	5.4800	1.1206	3.6328	0.8540	2.4126	0.5125	1.0321	0.2745
2008	2.6183	0.5279	2.3884	0.4876	3.2752	0.6757	—	—	5.5661	2.0207	3.3151	0.6845	2.1925	0.4245	1.2725	0.4395
2007	2.6057	0.4557	2.4023	0.4549	3.2349	0.5181	—	—	5.4218	1.8790	3.3425	0.5779	2.0880	0.3980	1.5463	0.3364
2006	2.4225	0.3184	2.1138	0.3183	3.3836	0.4114	14.3501	3.7967	5.0661	1.4044	2.8889	0.4449	2.0020	0.2649	1.6729	0.3278
Schizophrenia and other psychotic disorders																
2010	3.0289	0.1928	3.2331	0.2078	2.3764	0.2648	—	—	2.4537	0.6869	3.0633	0.2483	3.1420	0.2108	2.1785	0.3270
2009	2.9978	0.1695	3.2339	0.1839	2.2366	0.2180	—	—	2.9167	0.7331	2.9854	0.2057	3.0995	0.2189	2.4520	0.3606
2008	2.7389	0.2050	3.0109	0.2386	1.9710	0.1920	—	—	3.4548	0.7346	2.8194	0.2460	2.8338	0.2462	1.5150	0.2743
2007	2.9339	0.1819	3.1293	0.1934	2.3419	0.2433	—	—	—	—	3.0745	0.2589	2.9448	0.2026	2.5172	0.3926
2006	2.8428	0.1829	2.9610	0.1976	2.4876	0.2459	—	—	2.9652	0.8773	2.9624	0.2473	2.9205	0.2119	1.6691	0.3300
All other mental disorders																
2010	1.5530	0.1234	1.2575	0.1019	2.5052	0.2670	11.6564	2.8106	6.7768	1.1888	2.3717	0.2229	0.9176	0.1032	0.7399	0.2575
2009	1.6279	0.1303	1.2238	0.1110	2.9328	0.2870	—	—	6.7221	1.4887	2.4563	0.2179	0.9954	0.0882	0.6738	0.1687
2008	1.5825	0.1535	1.2240	0.1429	2.6031	0.2435	11.5493	2.9513	8.6236	1.3445	2.2433	0.2932	0.8905	0.0972	0.9097	0.2260
2007	1.3753	0.1252	1.0560	0.0983	2.3433	0.2828	11.3004	3.1713	5.2043	1.2829	1.8278	0.1796	0.9099	0.1104	0.8679	0.2352
2006	1.1130	0.1120	0.9513	0.0912	1.6158	0.2500	11.0386	2.9690	5.1099	1.2836	1.4593	0.1931	0.7086	0.0884	0.7485	0.2103

See footnotes at end of table.

Table A7. Percent distribution that had co-occurring mental health-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol dependence syndrome																
Any mental health-related diagnoses																
2010	53.0754	2.1192	47.9839	2.1727	67.2477	1.4591	64.0550	4.6113	59.7838	2.7724	56.6534	2.7459	51.1395	1.9684	44.7779	1.7883
2009	53.5416	2.5446	48.1604	2.6314	68.2651	1.7414	62.4132	4.3085	60.1024	3.6495	56.9197	2.8483	51.5712	2.6904	44.8970	2.4298
2008	52.3939	2.6645	46.8002	2.6842	66.1095	2.1939	59.7836	8.3309	57.9311	3.8882	56.5416	2.8535	50.0549	2.6799	41.1739	2.1412
2007	47.2760	2.4166	42.2633	2.2875	60.7451	2.8429	48.6799	3.9782	54.5972	3.3335	49.2387	2.9496	46.2450	2.3121	38.4990	2.2937
2006	47.4006	2.4980	42.2235	2.5127	62.0682	2.2681	46.7601	8.3518	51.6333	4.4084	49.4527	2.9722	46.5928	2.3100	36.7780	1.7027
Adjustment disorder																
2010	1.1815	0.1788	1.0246	0.1767	1.6217	0.2366	—	—	2.1456	0.7340	1.2473	0.2196	1.0472	0.1795	1.4363	0.3771
2009	1.6395	0.3411	1.5854	0.3296	1.7893	0.4132	—	—	2.4386	0.7417	1.8527	0.4762	1.4690	0.2996	1.1342	0.2579
2008	1.4561	0.2364	1.3988	0.2009	1.6004	0.3897	—	—	—	—	1.4530	0.2600	1.4151	0.2814	1.7494	0.4804
2007	1.3412	0.2125	1.2613	0.2409	1.5616	0.2209	—	—	2.2493	0.8540	1.4487	0.2730	1.1851	0.1787	1.2144	0.3924
2006	1.2456	0.1796	1.1540	0.1898	1.5090	0.2215	—	—	—	—	1.0560	0.2003	1.2878	0.1909	1.7600	0.3712
Anxiety disorder																
2010	12.2247	0.9554	10.1853	0.8499	17.9363	1.0917	17.0097	3.7342	18.3850	2.1940	14.7572	1.2731	10.5595	0.8178	8.4762	0.8960
2009	12.8059	1.0919	10.6016	1.0405	18.8140	1.1397	14.6750	2.5272	20.3912	2.9551	15.1113	1.3393	11.2715	1.0409	7.7379	0.7941
2008	11.8235	1.0158	9.5846	0.9304	17.3178	1.1160	10.3835	2.8314	17.2377	2.2763	14.5142	1.3121	10.1665	0.9433	6.2412	0.7353
2007	10.4860	0.9866	8.5233	0.9144	15.7011	1.1294	9.5307	1.8181	14.0910	1.5894	12.0627	1.3992	9.3979	0.8353	6.7720	0.8388
2006	10.1859	1.1358	8.5001	0.8806	14.9560	1.8757	9.6041	2.7448	11.3302	2.4618	11.2133	1.5746	9.5856	0.8876	6.8755	0.8188
Bipolar disorder																
2010	12.2331	0.4785	11.0737	0.4859	15.4652	0.7326	18.8907	3.1403	15.8115	1.4656	14.6365	0.7238	11.3322	0.4906	4.0056	0.5295
2009	12.5052	0.8088	11.2164	0.8273	16.0346	0.9114	18.1606	2.9189	16.4930	1.9101	15.5806	1.0764	10.7852	0.7519	5.1717	0.8849
2008	11.9921	0.6820	10.7264	0.7065	15.1151	0.7641	17.8189	3.9803	18.8294	1.7376	14.7860	0.8705	10.2474	0.6526	4.2228	0.6012
2007	10.3397	0.7822	9.2545	0.6839	13.2679	1.2257	11.2520	2.3336	13.3721	1.9443	12.4916	1.0093	9.1790	0.7191	3.1286	0.6241
2006	10.4681	0.9246	9.1731	0.8177	14.1331	1.2710	15.2049	4.6489	15.2106	2.9761	12.7674	1.2041	8.9225	0.6824	2.3605	0.4658
Depressive disorder																
2010	31.1925	1.8007	27.3761	1.8212	41.7782	1.3383	27.9977	4.2928	31.1527	2.2785	30.5271	2.0380	31.3253	1.8374	34.1819	1.7198
2009	30.8202	1.8224	26.6807	1.8089	42.1428	1.4695	28.2599	3.7068	28.1525	2.6209	29.6136	2.0155	31.6496	1.9915	33.0998	1.7087
2008	30.7083	2.0805	26.6366	2.0116	40.6792	2.0170	26.1615	4.3278	24.4049	2.4239	30.5066	2.2008	31.3951	2.1808	30.4730	1.8928
2007	27.6342	1.7839	23.9191	1.6340	37.5585	2.1156	24.2085	2.9115	26.4647	2.3708	26.1485	1.9170	28.8051	1.8613	29.9344	1.9912
2006	26.7998	1.6539	23.0922	1.6129	37.2506	1.6809	19.7796	4.2412	24.9771	2.4562	25.2997	1.8081	28.4845	1.6711	27.1288	1.5177
Personality disorder																
2010	4.6336	0.8973	4.2299	0.8714	5.7716	1.1076	13.6416	3.9051	9.9033	1.9404	5.9737	1.2325	3.6478	0.6796	1.8783	0.8907
2009	4.5112	0.6431	4.1162	0.6796	5.5939	0.6425	8.4425	2.1656	6.4408	1.3389	5.5955	0.8021	3.7971	0.6441	2.1702	0.4966
2008	4.1527	0.6178	3.8316	0.6081	4.9318	0.7915	7.2173	2.0256	9.8696	1.9439	5.4352	0.8247	3.0484	0.4683	1.6608	0.5825
2007	4.4311	0.6372	3.9950	0.6680	5.6101	0.6702	6.5391	1.6155	10.1817	1.9732	5.2388	0.7756	3.7843	0.5820	1.1051	0.3523
2006	4.4824	0.8701	3.9462	0.8086	6.0075	1.1439	8.5837	2.9142	6.4238	1.4869	5.3104	1.0966	3.9031	0.7986	1.1098	0.5131
Schizophrenia and other psychotic disorders																
2010	3.6731	0.2812	4.1112	0.3057	2.4674	0.2777	—	—	2.2121	0.6396	3.8574	0.3090	3.9280	0.3509	1.6531	0.3836
2009	3.9818	0.6153	4.3184	0.6159	3.0707	0.6183	—	—	4.6901	1.4086	4.2478	0.7531	4.1064	0.5596	1.8804	0.5280
2008	3.4373	0.3500	3.8314	0.3869	2.4708	0.3000	—	—	2.0487	0.6197	3.7893	0.4550	3.4262	0.3593	2.5858	0.5238
2007	3.0882	0.2923	3.4250	0.2895	2.2301	0.3501	—	—	2.8724	0.7600	3.3678	0.2398	3.0792	0.3799	1.6218	0.5357
2006	4.4232	0.8293	4.8070	0.8946	3.3801	0.7394	—	—	4.1266	1.4784	5.2015	1.0667	4.1134	0.7107	1.8540	0.3955
All other mental disorders																
2010	2.6494	0.5062	2.0497	0.4369	4.3257	0.7004	15.2476	3.0165	9.9437	2.0382	4.1232	0.7716	1.3427	0.3067	—	—
2009	3.1293	0.6274	2.5377	0.5978	4.7457	0.7528	19.1107	3.7196	9.8701	2.3013	4.5928	0.8497	1.5925	0.4297	0.7710	0.2551
2008	2.3604	0.2735	1.8236	0.2254	3.6760	0.4381	23.3661	4.9958	8.8322	1.5937	2.8747	0.3113	1.1276	0.1746	0.9124	0.2852
2007	2.1291	0.2488	1.7302	0.2411	3.1920	0.3025	13.2165	2.0880	9.1876	1.2561	2.6428	0.3642	1.2066	0.1605	—	—
2006	1.6946	0.2294	1.2791	0.2357	2.8649	0.3092	10.9231	2.3586	6.5689	1.3393	2.1123	0.3280	0.9231	0.1257	—	—

See footnotes at end of table.

Table A7. Percent distribution that had co-occurring mental health-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Nondependent abuse of alcohol																
Any mental health-related diagnoses																
2010	45.5112	1.6157	41.7755	1.7706	53.7764	1.7817	39.1607	2.6945	50.1110	3.4948	50.8808	1.9725	45.0833	2.0390	31.2915	2.8994
2009	44.0334	1.6933	38.1164	1.8556	55.8299	1.7660	40.3926	3.1709	47.5334	3.7926	47.5065	2.2775	44.6432	1.8590	26.5772	2.6979
2008	42.2684	1.4430	36.1958	1.4207	54.4245	1.9890	34.3567	3.6929	40.6355	3.8669	46.7069	1.9623	43.4864	1.7054	32.7911	2.7645
2007	40.9635	1.5245	35.4241	1.5924	51.6893	1.9782	37.3322	2.3981	39.6976	3.9271	47.8610	2.1672	37.8482	1.7478	30.6612	2.6184
2006	39.9323	1.4930	35.1642	1.6046	49.7855	1.9544	31.4682	2.5391	43.9128	3.7870	44.1234	2.3482	40.8171	1.7240	29.5119	2.4661
Adjustment disorder																
2010	1.6289	0.2619	1.5874	0.3088	1.7344	0.3859	—	—	—	—	2.5041	0.4683	0.7822	0.2456	—	—
2009	2.6996	0.4107	2.3916	0.4691	3.3218	0.6174	4.7419	1.2219	6.3624	1.7370	2.9468	0.5886	1.0315	0.3095	—	—
2008	1.9067	0.2689	1.5011	0.2849	2.7213	0.5126	3.5360	0.9541	—	—	1.9249	0.4459	1.3478	0.3116	—	—
2007	2.2112	0.3167	1.7730	0.3401	2.9890	0.5020	3.4470	0.8800	—	—	1.9801	0.4886	1.6356	0.3967	3.8299	1.0812
2006	2.1863	0.2891	1.6147	0.3006	3.3627	0.5556	2.4499	0.7661	—	—	2.8618	0.5469	1.3627	0.3217	—	—
Anxiety disorder																
2010	10.4487	0.6328	8.7905	0.7009	14.0402	1.1236	5.9830	1.0639	17.0552	2.5676	12.4531	1.0510	9.8006	0.8659	6.5571	1.4328
2009	10.5718	0.7555	8.7987	0.7090	14.1079	1.3494	8.3162	1.6612	11.1314	2.2877	12.4774	1.1621	10.4487	0.8642	4.2856	1.0979
2008	8.8171	0.6828	6.3834	0.5480	13.5806	1.3752	7.1720	2.2264	9.0483	2.0963	11.6958	1.0503	7.3927	0.8728	5.7073	1.2521
2007	8.7823	0.9431	6.9460	0.8146	12.3391	1.4179	4.5867	0.9562	10.3329	2.0042	11.5039	1.4369	7.9165	1.0726	5.7890	1.3693
2006	8.0012	0.7090	6.4503	0.6028	11.1208	1.3224	4.8304	1.4162	9.1857	2.1328	9.6728	1.2235	8.1857	0.8255	4.3932	1.1285
Bipolar disorder																
2010	9.0111	0.5486	8.1997	0.6607	10.8135	0.9185	8.2559	1.3403	10.5122	1.9345	11.5290	0.9416	8.2394	0.7971	—	—
2009	9.4882	0.5742	7.8053	0.6377	12.7527	1.0226	7.7944	1.6559	8.1434	1.7680	12.2036	0.9492	8.8231	0.8580	—	—
2008	7.9594	0.5542	6.4229	0.5956	10.9707	1.0117	5.5353	1.1523	7.4723	2.1337	11.0016	0.9302	7.4200	0.8412	—	—
2007	7.7720	0.5752	6.8541	0.6444	9.5834	0.9448	5.8319	1.1544	9.3643	2.3807	10.2075	1.0100	6.7628	0.8035	3.3585	1.0009
2006	7.1251	0.5464	6.3173	0.5819	8.8107	0.8907	4.0101	0.9942	10.8217	1.9920	9.5229	0.9692	6.8389	0.7555	—	—
Depressive disorder																
2010	24.9482	1.1788	21.6757	1.2964	32.0861	1.6073	15.2648	1.6866	20.9111	3.0288	26.6463	1.5580	27.5245	1.5420	21.4460	2.5932
2009	24.0066	1.1668	19.7985	1.2297	32.3885	1.5276	18.4894	2.3978	22.0129	3.0905	23.6537	1.5919	27.7552	1.4721	17.4954	2.2332
2008	24.1986	1.1079	20.3769	1.1152	31.8878	1.6500	13.5829	2.2665	22.4389	3.0151	25.0897	1.5479	27.5928	1.4927	22.8752	2.5299
2007	22.4703	1.1564	17.8919	1.1898	31.3438	1.6727	17.1842	1.9952	16.8477	3.0270	25.7126	1.4089	23.0720	1.7524	18.3309	2.0760
2006	22.0720	0.9749	18.7704	1.0296	28.9216	1.5104	16.2390	2.0027	16.4239	2.8196	22.4679	1.5640	24.6455	1.5143	22.4856	2.1771
Personality disorder																
2010	3.5746	0.5149	3.1808	0.5015	4.4401	0.7270	3.7996	0.9467	—	—	5.1546	0.8242	2.7661	0.5384	—	—
2009	2.9790	0.3946	2.7473	0.4448	3.4561	0.6649	—	—	6.4075	1.4848	3.8597	0.5931	2.2784	0.5254	—	—
2008	2.2123	0.3508	1.8849	0.3186	2.8803	0.6313	3.0751	1.0437	—	—	3.4828	0.6474	1.4645	0.3506	—	—
2007	3.1699	0.5245	3.1405	0.5318	3.2566	0.7108	—	—	7.5661	1.8402	4.6999	0.9811	1.9624	0.4447	—	—
2006	3.3064	0.6595	2.3283	0.6485	5.3173	0.8989	—	—	7.7001	2.1023	4.8008	0.9951	2.2052	0.7345	—	—
Schizophrenia and other psychotic disorders																
2010	4.4069	0.3717	5.0313	0.5180	3.1504	0.4935	—	—	4.5336	1.2927	5.5088	0.6722	4.8019	0.6205	—	—
2009	3.1854	0.3023	3.2626	0.4012	3.0660	0.5007	—	—	—	—	3.7238	0.4876	3.3884	0.4922	—	—
2008	3.3674	0.3703	3.8617	0.4719	2.4628	0.4545	—	—	—	—	3.6622	0.5464	4.2206	0.7207	—	—
2007	3.4336	0.3303	4.0086	0.4190	2.3068	0.4591	—	—	—	—	4.4195	0.6187	4.2737	0.6085	—	—
2006	3.2489	0.4908	3.7240	0.5685	2.2995	0.5123	—	—	—	—	4.0978	0.7270	3.3152	0.6405	—	—
All other mental disorders																
2010	3.8171	0.3431	3.3751	0.4028	4.7072	0.6094	16.0322	1.6855	9.3168	1.8974	3.5064	0.5415	0.7009	0.2049	—	—
2009	3.1657	0.3534	3.4480	0.4645	2.6487	0.4651	12.2662	1.8504	6.2595	1.6046	3.0232	0.5611	1.0576	0.2876	—	—
2008	3.4371	0.5454	2.9786	0.4413	4.3778	1.0585	15.5970	3.1346	—	—	2.2053	0.5021	1.3022	0.3057	—	—
2007	4.0712	0.3847	3.5584	0.4204	5.0806	0.6256	17.1706	1.8876	7.1809	1.8041	2.9039	0.4362	—	—	—	—
2006	3.3534	0.3857	3.0748	0.4314	3.9400	0.6446	12.3679	1.6453	8.5867	1.8635	2.3393	0.5309	0.9423	0.2808	—	—

See footnotes at end of table.

Table A7. Percent distribution that had co-occurring mental health-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
All chronic liver disease and cirrhosis																
Any mental health-related diagnoses																
2010	18.6372	0.5893	15.4173	0.5936	24.0763	0.7580	17.8818	4.3022	25.9129	5.1391	23.8939	1.0804	18.9613	0.6787	12.9003	0.6265
2009	16.9173	0.4264	14.0206	0.4292	21.7600	0.6473	—	—	24.2255	5.0100	20.9263	0.8920	17.6308	0.5143	11.5410	0.5865
2008	15.1657	0.4238	12.6825	0.4557	19.4086	0.5588	14.1352	2.9883	29.9038	5.1812	20.7796	0.8059	15.4637	0.5107	9.6055	0.4531
2007	12.3659	0.4105	10.3332	0.3841	15.9699	0.6127	10.5449	2.3828	14.3808	4.4064	16.1090	0.7570	12.8216	0.4933	7.7679	0.4758
2006	11.6531	0.3777	9.2827	0.3491	15.9042	0.5521	—	—	—	—	15.3615	0.8318	11.7976	0.4268	7.9897	0.4746
Adjustment disorder																
2010	0.3273	0.0459	0.2333	0.0508	0.4860	0.0889	—	—	—	—	0.4796	0.1216	0.3006	0.0513	0.2968	0.0909
2009	0.3037	0.0449	0.2223	0.0435	0.4398	0.0821	—	—	—	—	0.4294	0.1159	0.3121	0.0523	—	—
2008	0.3099	0.0463	0.2613	0.0494	0.3928	0.0691	—	—	—	—	0.6237	0.1412	0.2866	0.0527	—	—
2007	0.2298	0.0356	0.2280	0.0414	0.2332	0.0548	—	—	—	—	—	—	0.2464	0.0424	—	—
2006	0.1838	0.0326	0.1615	0.0351	0.2240	0.0553	—	—	—	—	—	—	0.1760	0.0379	—	—
Anxiety disorder																
2010	4.5077	0.2236	3.5122	0.2169	6.1889	0.3498	—	—	—	—	6.7633	0.5268	4.4008	0.2655	2.8228	0.2616
2009	3.9379	0.1719	3.0885	0.1794	5.3575	0.2820	—	—	—	—	5.8459	0.4660	3.8385	0.2098	2.6261	0.2534
2008	3.1935	0.1627	2.6508	0.1641	4.1206	0.2478	—	—	—	—	5.3324	0.4148	3.1037	0.1884	1.6684	0.2005
2007	2.6213	0.1416	2.0558	0.1505	3.6265	0.2478	—	—	—	—	3.9014	0.3970	2.6212	0.1617	1.5443	0.1928
2006	2.2814	0.1273	1.8115	0.1343	3.1242	0.2099	—	—	—	—	3.2119	0.3319	2.2262	0.1500	1.5388	0.1846
Bipolar disorder																
2010	2.4498	0.1350	1.8993	0.1331	3.3795	0.2522	—	—	—	—	4.2673	0.4117	2.5098	0.1612	0.5820	0.1208
2009	2.0082	0.1246	1.8231	0.1406	2.3181	0.2115	—	—	—	—	3.3263	0.3396	2.1259	0.1600	0.5884	0.1379
2008	2.0846	0.1334	1.7761	0.1501	2.6116	0.1985	—	—	—	—	3.4292	0.3513	2.2181	0.1682	0.5707	0.1400
2007	1.4486	0.1098	1.2196	0.1143	1.8561	0.1996	—	—	—	—	2.5827	0.2921	1.5305	0.1619	—	—
2006	1.2955	0.0938	1.0573	0.1016	1.7227	0.1684	—	—	—	—	2.4711	0.2903	1.2692	0.1108	0.3433	0.0848
Depressive disorder																
2010	11.4535	0.4497	9.3147	0.4500	15.0661	0.6084	—	—	14.9371	4.5133	13.1639	0.7598	11.8319	0.5279	8.8285	0.5499
2009	10.8734	0.3159	8.6445	0.3188	14.5985	0.5135	—	—	14.4367	4.4102	12.3905	0.6297	11.4753	0.3919	7.9409	0.4759
2008	9.3862	0.3090	7.5498	0.3175	12.5228	0.4796	—	—	15.3771	4.1161	12.2397	0.6331	9.5901	0.3682	6.5153	0.3901
2007	7.8706	0.3192	6.3098	0.2964	10.6342	0.4961	—	—	—	—	9.6968	0.6388	8.1246	0.3701	5.6328	0.3971
2006	7.3804	0.2835	5.6046	0.2661	10.5648	0.4426	—	—	—	—	9.1277	0.6236	7.5580	0.3284	5.3539	0.3889
Personality disorder																
2010	0.1995	0.0344	0.1560	0.0375	0.2729	0.0691	—	—	—	—	—	—	0.1954	0.0428	—	—
2009	0.1912	0.0344	0.1769	0.0426	0.2152	0.0535	—	—	—	—	0.4497	0.1317	0.1867	0.0403	—	—
2008	0.1416	0.0243	0.0898	0.0250	0.2299	0.0519	—	—	—	—	0.3240	0.0950	0.1219	0.0291	—	—
2007	0.1580	0.0275	0.1272	0.0319	0.2128	0.0552	—	—	—	—	0.3975	0.1071	0.1140	0.0292	—	—
2006	0.1227	0.0261	0.0986	0.0286	0.1660	0.0444	—	—	—	—	0.3503	0.0911	0.0902	0.0274	—	—
Schizophrenia and other psychotic disorders																
2010	1.5304	0.1041	1.6688	0.1309	1.2971	0.1419	—	—	—	—	1.8129	0.2438	1.6387	0.1301	0.9710	0.1658
2009	1.2765	0.1040	1.3252	0.1332	1.1959	0.1564	—	—	—	—	1.1948	0.2482	1.5102	0.1391	0.7032	0.1331
2008	1.1985	0.0885	1.1851	0.1097	1.2220	0.1372	—	—	—	—	1.0630	0.1849	1.3135	0.1151	1.0136	0.1607
2007	1.2343	0.0946	1.2848	0.1105	1.1456	0.1597	—	—	—	—	1.2793	0.1642	1.4513	0.1394	0.5177	0.1042
2006	1.2823	0.0899	1.1778	0.1010	1.4700	0.1462	—	—	—	—	1.3085	0.1969	1.4289	0.1251	0.8489	0.1510
All other mental disorders																
2010	0.3167	0.0491	0.2274	0.0484	0.4675	0.0948	—	—	—	—	0.6711	0.1527	0.1953	0.0456	—	—
2009	0.2671	0.0369	0.2428	0.0476	0.3077	0.0677	—	—	—	—	0.4334	0.1226	0.2412	0.0452	—	—
2008	0.3690	0.0446	0.3123	0.0495	0.4659	0.0801	—	—	—	—	0.8273	0.1539	0.2591	0.0468	—	—
2007	0.2098	0.0345	0.1333	0.0320	0.3455	0.0693	—	—	—	—	0.3747	0.1105	0.1496	0.0334	—	—
2006	0.2468	0.0378	0.1917	0.0407	0.3457	0.0622	—	—	—	—	0.5809	0.1484	0.1962	0.0401	—	—

See footnotes at end of table.

Table A7. Percent distribution that had co-occurring mental health-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcoholic liver disease																
Any mental health-related diagnoses																
2010	19.9365	0.6883	16.2936	0.6592	28.8007	1.0113	—	—	40.3911	8.3290	25.0934	1.2300	19.1745	0.7475	13.7896	0.9222
2009	17.8424	0.5316	14.6235	0.5178	25.8614	0.9013	—	—	—	—	21.6279	1.0217	17.6768	0.5974	11.3769	0.8874
2008	16.5644	0.4930	13.4788	0.5015	24.4094	0.7330	—	—	38.3520	7.1493	21.8259	0.8929	15.9545	0.5418	9.9593	0.7605
2007	13.4878	0.4845	11.0545	0.4461	20.0015	0.8220	—	—	—	—	17.0812	0.8787	13.0636	0.5392	8.8729	0.7815
2006	12.6672	0.4859	9.9688	0.4475	19.7952	0.7888	—	—	—	—	16.2489	1.0102	12.1358	0.4865	8.6549	0.7924
Adjustment disorder																
2010	0.3336	0.0559	0.2224	0.0634	0.6040	0.1226	—	—	—	—	0.5425	0.1407	0.2888	0.0630	—	—
2009	0.2759	0.0531	0.2307	0.0536	0.3887	0.1088	—	—	—	—	0.4419	0.1387	0.2591	0.0563	—	—
2008	0.3778	0.0676	0.3210	0.0657	0.5223	0.1137	—	—	—	—	0.6866	0.1710	0.3370	0.0708	—	—
2007	0.2421	0.0475	0.2231	0.0503	—	—	—	—	—	—	—	—	0.2343	0.0515	—	—
2006	0.2035	0.0413	0.1835	0.0428	—	—	—	—	—	—	—	—	0.1963	0.0475	—	—
Anxiety disorder																
2010	4.9504	0.2846	3.8451	0.2605	7.6397	0.5345	—	—	—	—	7.3580	0.6201	4.4217	0.3054	3.1381	0.4848
2009	4.3985	0.2218	3.3291	0.2143	7.0624	0.4577	—	—	—	—	6.2442	0.5593	4.0539	0.2493	2.7346	0.4594
2008	3.6209	0.2028	2.9402	0.1972	5.3517	0.4061	—	—	—	—	5.9205	0.4908	3.2978	0.2192	1.0865	0.2416
2007	2.9583	0.1856	2.3338	0.1849	4.6360	0.4039	—	—	—	—	4.1887	0.4366	2.7552	0.2036	1.6919	0.3413
2006	2.5182	0.1728	2.0376	0.1774	3.7877	0.3216	—	—	—	—	3.5104	0.4031	2.3645	0.1855	1.3440	0.2850
Bipolar disorder																
2010	2.8693	0.1771	2.1553	0.1724	4.6065	0.3920	—	—	—	—	4.4935	0.4583	2.6316	0.1973	0.8508	0.2429
2009	2.2384	0.1651	1.7877	0.1670	3.3613	0.3259	—	—	—	—	3.2517	0.3728	2.2282	0.1969	—	—
2008	2.3525	0.1535	1.8322	0.1644	3.6751	0.3171	—	—	—	—	3.3031	0.4078	2.2686	0.1751	0.8868	0.2409
2007	1.4340	0.1264	1.1978	0.1276	2.0687	0.2757	—	—	—	—	2.4679	0.3238	1.3204	0.1566	—	—
2006	1.5551	0.1327	1.1795	0.1226	2.5471	0.3090	—	—	—	—	2.7648	0.3603	1.3009	0.1294	—	—
Depressive disorder																
2010	12.1451	0.5121	9.8334	0.5017	17.7699	0.8094	—	—	—	—	13.8633	0.8657	12.0967	0.5755	8.9334	0.7729
2009	11.3928	0.3830	9.2501	0.3889	16.7307	0.6977	—	—	—	—	13.0445	0.7228	11.4662	0.4434	7.8261	0.7591
2008	10.2634	0.3830	8.1934	0.3886	15.5263	0.6518	—	—	—	—	12.8157	0.6887	10.0009	0.4366	7.0022	0.6682
2007	8.7580	0.3947	6.8315	0.3606	13.9084	0.7034	—	—	—	—	10.3467	0.7141	8.5825	0.4365	6.5980	0.6818
2006	7.9788	0.3675	6.0844	0.3418	12.9826	0.6242	—	—	—	—	9.6507	0.7488	7.7647	0.3801	5.9229	0.6600
Personality disorder																
2010	0.2488	0.0448	0.1766	0.0451	0.4242	0.1120	—	—	—	—	—	—	0.2307	0.0544	—	—
2009	0.2523	0.0506	0.2072	0.0545	0.3646	0.1007	—	—	—	—	0.5442	0.1679	0.2042	0.0519	—	—
2008	0.1939	0.0377	0.1207	0.0347	0.3798	0.1031	—	—	—	—	—	—	0.1639	0.0414	—	—
2007	0.2052	0.0401	0.1692	0.0450	0.3019	0.0905	—	—	—	—	0.4473	0.1208	—	—	—	—
2006	0.1462	0.0379	0.1147	0.0382	—	—	—	—	—	—	0.3351	0.1008	—	—	—	—
Schizophrenia and other psychotic disorders																
2010	1.6448	0.1323	1.6952	0.1526	1.5227	0.2076	—	—	—	—	1.8873	0.2860	1.6026	0.1523	1.2920	0.3092
2009	1.2272	0.1258	1.1885	0.1394	1.3237	0.2387	—	—	—	—	1.0616	0.2175	1.3595	0.1535	0.7852	0.2201
2008	1.1849	0.1072	1.1549	0.1201	1.2616	0.2038	—	—	—	—	1.1266	0.2132	1.2246	0.1300	1.1089	0.2739
2007	1.2837	0.1175	1.3624	0.1473	1.0733	0.1728	—	—	—	—	1.2895	0.1944	1.3954	0.1582	—	—
2006	1.2700	0.1082	1.0891	0.1169	1.7481	0.2196	—	—	—	—	1.2701	0.2310	1.3393	0.1335	0.9108	0.2249
All other mental disorders																
2010	0.2664	0.0509	0.1762	0.0430	0.4859	0.1370	—	—	—	—	0.5058	0.1446	0.1554	0.0473	—	—
2009	0.2823	0.0510	0.2410	0.0619	0.3851	0.1007	—	—	—	—	0.4032	0.1409	0.2326	0.0561	—	—
2008	0.3537	0.0533	0.2314	0.0487	0.6643	0.1414	—	—	—	—	0.8530	0.1802	0.2007	0.0495	—	—
2007	0.1629	0.0413	—	—	0.4087	0.1059	—	—	—	—	—	—	—	—	—	—
2006	0.2939	0.0537	0.1971	0.0504	0.5496	0.1145	—	—	—	—	0.6902	0.1834	0.1855	0.0475	—	—

See footnotes at end of table.

Table A7. Percent distribution that had co-occurring mental health-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol poisoning																
Any mental health-related diagnoses																
2010	51.5788	2.2247	45.6680	2.3127	61.8672	2.8826	34.6296	5.0875	48.3071	5.2171	58.4916	2.2167	51.6878	3.3616	42.9301	5.0168
2009	50.3343	1.5888	43.1733	1.8799	61.8776	2.6893	40.5263	4.4577	46.6959	5.4605	55.5920	2.2594	51.1293	2.4390	35.4691	5.9103
2008	50.4041	2.7783	44.2858	2.9585	61.5041	3.0670	34.3981	3.6966	47.7924	5.6961	57.9466	2.8554	50.6558	4.2296	37.9401	7.0913
2007	48.6214	1.5844	39.5663	1.8777	64.5960	2.6976	41.0895	3.6249	45.6499	5.6705	51.2551	2.3464	52.6458	2.7229	31.6399	5.3181
2006	43.9373	2.2520	36.6381	2.5391	56.6221	2.5527	31.2410	3.1610	43.6015	5.2520	47.9386	3.0247	47.5444	2.9997	34.8254	6.5402
Adjustment disorder																
2010	1.8589	0.3700	1.4771	0.4121	2.5235	0.6217	—	—	—	—	2.7867	0.6959	—	—	—	—
2009	1.2055	0.2983	1.3074	0.4255	—	—	—	—	—	—	—	—	—	—	—	—
2008	2.1078	0.4122	1.9061	0.4821	2.4736	0.7631	—	—	—	—	2.3885	0.6700	—	—	—	—
2007	2.4730	0.4455	1.5713	0.4302	4.0753	0.9374	—	—	—	—	—	—	2.6604	0.7897	—	—
2006	2.2549	0.5007	1.9232	0.5837	2.8320	0.8614	—	—	—	—	2.4036	0.6719	2.8066	0.8563	—	—
Anxiety disorder																
2010	9.9463	1.2031	8.6645	1.2468	12.1775	1.6238	—	—	—	—	12.2531	1.4536	9.6196	1.7951	—	—
2009	10.9544	1.1642	8.5395	1.0191	14.8470	2.4274	—	—	16.7693	4.3555	14.4534	1.8600	8.9924	1.3743	—	—
2008	9.7704	0.9893	8.3058	1.0959	12.4276	1.5715	—	—	—	—	14.1802	1.7035	8.9378	1.5584	—	—
2007	8.3333	0.8272	6.0281	0.8606	12.4533	1.6326	6.3375	1.7202	—	—	9.8852	1.3937	8.5010	1.3690	—	—
2006	6.2344	0.7438	4.6280	0.7675	9.0189	1.3824	—	—	—	—	5.4780	1.1767	6.9379	1.2137	—	—
Bipolar disorder																
2010	11.2422	1.1759	9.1516	1.2599	14.8810	1.6360	6.0955	1.5872	—	—	13.9620	1.6261	11.8011	1.7726	—	—
2009	13.1398	0.9582	11.6125	1.1371	15.6017	1.5778	15.2862	2.7512	—	—	15.6284	1.7172	11.7657	1.7728	—	—
2008	10.5945	0.9604	8.3344	0.9683	14.6948	1.7944	7.0592	1.9733	13.5227	3.8691	12.7245	1.5517	10.6798	1.4481	—	—
2007	9.9302	1.0334	7.3582	1.2758	14.3358	1.5589	7.4409	1.9454	—	—	10.9043	1.4123	11.0786	1.7272	—	—
2006	7.8770	0.8385	6.3363	0.9537	10.5517	1.5095	6.8616	1.6140	—	—	10.5708	1.5574	6.0035	1.2505	—	—
Depressive disorder																
2010	29.9434	2.3915	26.9089	2.4205	35.2253	2.9161	16.0531	3.4659	27.2407	4.9115	33.5126	2.3383	30.5907	3.3735	31.1959	6.4377
2009	31.2497	1.3372	25.9370	1.5071	39.8136	2.3898	18.2535	2.9699	26.4137	4.8145	34.3691	2.1212	34.5557	2.2069	24.7579	5.3395
2008	32.1978	2.2174	28.6204	2.4797	38.6878	2.5175	20.7583	2.9655	24.5428	4.8114	35.3111	2.5180	34.6187	3.6147	28.1971	6.8084
2007	30.6553	1.4655	23.9735	1.5708	42.4757	2.5518	21.3228	3.2917	28.3074	5.2258	32.7601	2.2731	34.0621	2.6616	23.3617	5.1214
2006	28.2910	1.6819	22.3720	1.7674	38.5620	2.4284	14.9612	2.4073	29.5284	4.7246	29.8910	2.4589	33.1076	2.4582	31.0653	6.3395
Personality disorder																
2010	2.8165	0.4755	1.9651	0.5332	4.2985	0.7969	—	—	—	—	3.8475	0.7892	2.1718	0.5866	—	—
2009	2.4041	0.4489	1.6600	0.4931	3.6035	0.8556	—	—	—	—	5.0100	1.0195	—	—	—	—
2008	2.5500	0.5716	1.4201	0.4666	4.5999	1.1097	—	—	—	—	4.3813	1.2048	—	—	—	—
2007	2.0664	0.4612	1.4903	0.4328	3.0960	1.0678	—	—	—	—	3.1239	1.0177	—	—	—	—
2006	3.1510	0.6600	2.6709	0.7783	3.9858	1.0316	—	—	—	—	4.0746	1.0305	2.7753	0.8541	—	—
Schizophrenia and other psychotic disorders																
2010	6.5290	1.8950	6.3106	1.6512	6.9093	2.5360	—	—	—	—	6.8247	1.3949	7.9381	2.5426	—	—
2009	3.5974	0.5223	3.8004	0.6833	3.2700	0.8692	—	—	—	—	4.7417	1.0241	3.3896	0.7742	—	—
2008	3.8808	0.5441	4.1058	0.6951	3.4724	0.8578	—	—	—	—	2.9000	0.7357	5.7141	0.9790	—	—
2007	3.5087	0.5122	3.8735	0.6721	2.9137	0.7945	—	—	—	—	3.9216	0.8866	3.4754	0.8867	—	—
2006	3.0962	0.6446	3.6853	0.9352	—	—	—	—	—	—	3.4784	0.9317	4.4948	1.4673	—	—
All other mental disorders																
2010	3.7857	0.6063	3.4492	0.6942	4.3714	0.8740	13.9744	2.7499	13.3800	3.8637	4.3659	0.9023	—	—	—	—
2009	4.2138	0.8098	3.5401	1.0343	5.2997	1.0353	16.2556	4.4730	—	—	3.9368	0.9518	—	—	—	—
2008	2.7493	0.4983	1.9434	0.4722	4.2114	0.9700	6.6950	2.1219	—	—	3.5023	0.8124	—	—	—	—
2007	3.7300	0.5745	3.3367	0.6234	4.4602	1.1599	15.6496	2.6166	—	—	2.2664	0.7101	—	—	—	—
2006	3.2321	0.5149	2.2978	0.5581	4.8509	1.0930	10.9422	2.3731	—	—	—	—	—	—	—	—

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table A8. Percent distribution that had co-occurring mental health-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Any alcohol-related diagnoses																
Any mental health-related diagnoses																
2010	39.4557	0.6943	35.1781	0.6913	48.1708	0.7120	62.4961	1.7570	57.9717	1.3371	51.8868	0.9911	37.5363	0.6562	22.8056	0.3665
2009	39.2418	0.7128	34.9620	0.7103	47.9667	0.7455	63.4277	1.5124	59.7576	1.2673	52.3956	1.0114	36.9419	0.6685	22.1904	0.4074
2008	38.4707	0.8381	34.0625	0.8026	47.3111	0.9058	64.7847	3.1390	59.1507	1.4292	51.7450	1.1503	35.6736	0.7035	19.9494	0.3746
2007	35.6739	0.7113	31.3083	0.6908	44.7692	0.7566	62.3152	2.0911	55.7993	1.5085	48.6918	1.0238	32.5083	0.6491	17.8891	0.3596
2006	34.2714	0.7836	30.3386	0.7690	42.7431	0.8163	56.9377	2.1940	54.1545	1.5542	46.9209	1.2142	31.0518	0.6988	16.5243	0.3287
Adjustment disorder																
2010	1.1310	0.0792	1.0300	0.0753	1.3374	0.0987	4.8408	0.6517	3.4811	0.2998	1.6600	0.1351	0.8256	0.0548	0.5183	0.0431
2009	1.1804	0.0835	1.0914	0.0779	1.3608	0.1038	4.9111	0.4934	3.7157	0.3472	1.8355	0.1487	0.8337	0.0603	0.4794	0.0365
2008	1.1703	0.0779	1.0509	0.0737	1.4104	0.0964	4.6012	0.6205	3.1897	0.2446	1.7791	0.1391	0.8206	0.0575	0.4730	0.0419
2007	1.3173	0.0953	1.1662	0.0881	1.6316	0.1213	5.5349	0.6110	3.6199	0.3142	2.1042	0.1777	0.8617	0.0624	0.4580	0.0353
2006	1.2322	0.0951	1.0909	0.0864	1.5368	0.1212	4.6462	0.4432	3.6794	0.3490	1.8429	0.1587	0.8652	0.0692	0.4463	0.0350
Anxiety disorder																
2010	9.2960	0.2712	7.6254	0.2299	12.7091	0.3471	14.1726	0.9300	13.8879	0.6592	12.8944	0.4709	8.4940	0.2482	5.4633	0.1381
2009	9.0641	0.2739	7.4030	0.2341	12.4549	0.3642	14.2939	0.7720	14.3898	0.7108	12.7079	0.4705	8.2883	0.2451	4.9056	0.1346
2008	8.3288	0.2967	6.8387	0.2473	11.3188	0.3986	13.6128	1.4661	12.8355	0.6380	11.7743	0.4887	7.4838	0.2419	4.1600	0.1187
2007	7.4184	0.2585	5.9634	0.2172	10.4505	0.3505	12.3159	0.9791	11.9325	0.6415	10.3198	0.4436	6.6381	0.2191	3.7717	0.1169
2006	6.6070	0.2223	5.3906	0.1844	9.2279	0.3097	10.5266	0.7580	10.3721	0.5546	9.0200	0.3945	6.0062	0.1883	3.2368	0.1001
Bipolar disorder																
2010	9.5950	0.3008	8.3693	0.2864	12.0927	0.3552	21.9999	1.0940	19.4837	0.7337	15.8135	0.4887	8.2805	0.2490	2.0594	0.0772
2009	9.5628	0.3115	8.2480	0.2872	12.2366	0.3924	22.4638	1.2463	19.3810	0.7996	16.0734	0.4974	8.0098	0.2524	2.1680	0.1269
2008	9.7305	0.3432	8.4097	0.3094	12.3824	0.4285	23.1621	1.5726	20.0299	0.8288	15.9787	0.5039	7.9520	0.2669	2.0282	0.1044
2007	8.4092	0.2891	7.1067	0.2619	11.1198	0.3624	19.4833	1.7426	16.9146	0.7694	14.0380	0.4619	6.6861	0.2206	1.7281	0.0991
2006	7.9625	0.2972	6.8138	0.2663	10.4344	0.3784	18.5377	1.5751	16.1463	0.7480	13.3125	0.4887	6.1919	0.2154	1.4339	0.0710
Depressive disorder																
2010	20.5787	0.4330	17.5933	0.4104	26.6616	0.4576	25.9342	1.1010	23.2333	0.8072	23.9515	0.6336	20.7128	0.4505	14.6895	0.2875
2009	20.5023	0.4081	17.5115	0.3970	26.6037	0.4257	27.3367	0.8784	25.1575	0.8702	24.3428	0.6151	20.4021	0.4171	14.2210	0.2736
2008	20.2392	0.5064	17.2187	0.4670	26.2935	0.5802	27.9722	2.3341	25.7001	0.8739	24.6625	0.7319	19.9175	0.4527	12.7842	0.2740
2007	18.7012	0.4442	15.7820	0.4155	24.7790	0.4949	27.9016	1.2079	24.1009	0.8623	23.1983	0.6377	18.1881	0.4508	11.2683	0.2638
2006	17.8106	0.4463	15.0828	0.4193	23.6843	0.4859	25.4592	1.2870	23.4809	0.9221	22.1380	0.6963	17.2485	0.4332	10.5200	0.2266
Personality disorder																
2010	3.1453	0.2480	2.6791	0.2319	4.0982	0.2947	7.6449	0.6880	8.9478	0.6893	6.1336	0.4916	2.1909	0.1788	0.4247	0.0483
2009	3.2367	0.2238	2.7048	0.2036	4.3232	0.2773	8.6208	0.6182	9.6104	0.6336	6.1869	0.4234	2.2292	0.1681	0.4721	0.0432
2008	3.3224	0.2369	2.7762	0.2121	4.4163	0.3020	8.0971	0.7253	9.1808	0.6151	6.2319	0.4406	2.2476	0.1644	0.4181	0.0395
2007	3.3504	0.2434	2.7505	0.2223	4.6015	0.3029	7.6783	0.6548	9.6119	0.6806	6.2989	0.4661	2.2033	0.1670	0.4032	0.0400
2006	3.3984	0.2538	2.7765	0.2266	4.7390	0.3311	9.0733	0.8374	9.5803	0.7461	6.2304	0.4713	2.1686	0.1720	0.4239	0.0403
Schizophrenia and other psychotic disorders																
2010	5.3175	0.2614	5.8548	0.2975	4.2193	0.1997	5.1348	0.3669	8.1846	0.5484	7.4493	0.4091	5.2242	0.2498	2.3066	0.0886
2009	5.6468	0.2830	6.1983	0.3167	4.5237	0.2292	5.6063	0.4097	8.1303	0.5810	7.7963	0.4136	5.5880	0.2837	2.5497	0.1176
2008	5.0296	0.2138	5.5017	0.2408	4.0839	0.1708	4.4891	0.2954	7.2312	0.4349	6.9311	0.2956	4.9111	0.2204	2.2754	0.1457
2007	5.1254	0.2239	5.5490	0.2484	4.2498	0.1871	4.6804	0.3613	7.5619	0.4925	7.0934	0.2997	4.9922	0.2364	2.1646	0.1137
2006	5.5900	0.2769	6.0431	0.3117	4.6192	0.2252	4.2534	0.3837	8.7200	0.6212	8.1195	0.4345	5.2128	0.2610	2.1376	0.1005
All other mental disorders																
2010	2.3754	0.1042	1.7909	0.0868	3.5682	0.1531	21.5232	1.2515	10.2940	0.5006	4.1139	0.1940	1.0224	0.0524	0.5387	0.0346
2009	2.2451	0.1006	1.7047	0.0864	3.3478	0.1465	19.0091	1.1694	10.0171	0.4711	3.9591	0.1792	0.9752	0.0515	0.4981	0.0308
2008	2.4077	0.1935	1.8013	0.1561	3.6220	0.2781	23.7537	3.4879	9.7171	0.4939	3.6715	0.1921	0.9860	0.0559	0.5751	0.0399
2007	2.2614	0.1231	1.5776	0.1045	3.6843	0.1917	22.8524	2.0757	9.1251	0.5319	3.4225	0.1840	0.8947	0.0505	0.5607	0.0413
2006	1.9204	0.0912	1.3557	0.0758	3.1356	0.1389	17.0698	1.2028	8.0563	0.4096	3.0329	0.1544	0.7852	0.0410	0.4429	0.0354

See footnotes at end of table.

Table A8. Percent distribution that had co-occurring mental health-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcoholic psychoses																
Any mental health-related diagnoses																
2010	43.8043	1.0002	39.2290	0.9484	58.2988	1.0437	62.2221	3.4610	60.5084	2.0380	50.8780	1.4137	42.7553	0.9645	30.2859	0.6821
2009	43.4122	0.9812	38.8113	0.9576	57.9703	1.0012	65.5858	3.4845	60.9331	2.3005	50.9439	1.3503	42.0336	0.9594	30.0758	0.7695
2008	43.3099	1.1792	38.5770	1.1037	57.2089	1.2889	67.1164	3.9230	61.6923	2.6508	51.4114	1.5179	41.7946	1.0753	27.0891	0.7314
2007	39.7010	0.9778	35.0222	0.9374	54.1509	1.0134	62.9032	3.7210	54.2840	3.0094	46.9763	1.3142	38.1945	0.9379	25.0486	0.7284
2006	37.3271	1.0703	32.8743	1.0011	51.6130	1.1592	61.0931	3.8475	52.0791	2.8684	44.1451	1.5343	36.0154	1.0060	23.2301	0.7157
Adjustment disorder																
2010	0.8201	0.0702	0.7460	0.0654	1.0549	0.1105	—	—	2.2921	0.5707	0.9934	0.1081	0.7141	0.0686	0.6855	0.0896
2009	0.8950	0.0710	0.8289	0.0689	1.1041	0.1156	5.8813	1.4063	1.7289	0.3852	1.0530	0.1108	0.8190	0.0737	0.6079	0.0851
2008	0.9530	0.0969	0.8774	0.0942	1.1753	0.1294	3.3703	1.3762	1.9440	0.4978	1.1173	0.1356	0.8640	0.0978	0.7163	0.1051
2007	0.9797	0.0963	0.8961	0.1006	1.2383	0.1313	—	—	1.6643	0.4904	1.2189	0.1533	0.8870	0.0914	0.6064	0.0798
2006	1.0224	0.1203	0.8937	0.1128	1.4355	0.1859	—	—	3.6377	0.7336	1.2499	0.1602	0.9068	0.1299	0.5658	0.0942
Anxiety disorder																
2010	10.7517	0.4011	9.1175	0.3351	15.9276	0.6108	19.5774	2.6414	19.3266	1.4346	14.1175	0.6887	9.6734	0.3555	6.7433	0.2850
2009	11.0114	0.5693	9.3375	0.5202	16.3089	0.8212	19.7581	2.9120	18.6584	1.5761	14.3988	0.8274	10.0951	0.5382	6.2270	0.3294
2008	10.1409	0.4827	8.6823	0.4184	14.4240	0.7523	15.7918	3.0939	16.7326	1.7996	13.3843	0.7138	9.2882	0.4381	4.8772	0.2785
2007	8.9068	0.4078	7.4805	0.3609	13.3111	0.6227	14.6893	2.4667	13.2969	1.4065	11.5095	0.6878	8.1815	0.3763	4.5761	0.2690
2006	7.7548	0.3426	6.6021	0.3020	11.4518	0.5550	13.9241	2.3953	13.3322	1.3082	9.8185	0.5479	7.1588	0.3255	4.1616	0.2749
Bipolar disorder																
2010	9.5922	0.4534	8.5289	0.4167	12.9616	0.6213	16.6241	2.5947	15.1359	1.4041	13.2281	0.7310	9.1369	0.3907	2.6835	0.1973
2009	9.1471	0.4412	8.0534	0.4453	12.6088	0.5331	24.0208	2.9811	16.1236	1.5774	12.9810	0.6310	8.2948	0.4175	3.0345	0.2403
2008	9.6393	0.5709	8.5449	0.5237	12.8540	0.7561	23.6653	3.5730	18.2133	1.8135	13.5904	0.8667	8.6671	0.4547	2.6316	0.2110
2007	8.3141	0.4302	7.1185	0.3858	12.0070	0.6106	15.8194	2.6617	12.9693	1.9405	11.9414	0.6158	7.3784	0.3597	2.1574	0.2144
2006	7.3228	0.3574	6.5084	0.3458	9.9378	0.4653	15.0434	2.4107	13.5156	1.4038	10.4401	0.5328	6.4972	0.3157	1.8821	0.1724
Depressive disorder																
2010	25.2126	0.7195	22.0007	0.6628	35.3825	0.8592	27.4376	2.8809	29.7465	1.8146	26.7607	0.9754	25.5454	0.7351	19.7908	0.5937
2009	25.2919	0.6722	22.0260	0.6352	35.6227	0.7999	28.0449	2.8964	30.7589	1.6596	27.3509	0.8938	25.5067	0.7045	19.3799	0.6137
2008	25.2866	0.7932	21.8124	0.7182	35.4833	0.9722	29.6878	3.7461	29.3420	2.1914	28.0259	1.0179	25.2802	0.7651	18.1413	0.6373
2007	23.0662	0.6940	19.8518	0.6452	32.9900	0.8217	26.5122	2.6581	28.5661	1.8922	24.9850	0.8800	23.2749	0.7204	16.6944	0.6310
2006	22.2345	0.7736	18.7889	0.6871	33.2768	0.9584	28.2984	3.4440	25.7986	2.1592	24.6085	1.0651	22.3252	0.7672	15.5094	0.5568
Personality disorder																
2010	2.9209	0.4021	2.5950	0.3761	3.9535	0.5173	10.7531	2.1146	8.0527	1.3116	4.6373	0.6401	2.3685	0.3565	0.7068	0.1377
2009	2.8456	0.3449	2.5051	0.3162	3.9233	0.4665	9.1792	1.8682	7.2550	1.2225	4.4290	0.5893	2.3118	0.2732	0.8612	0.1165
2008	2.5237	0.3362	2.2126	0.2916	3.4375	0.4827	8.1856	1.8174	7.4556	1.4105	3.7651	0.5378	2.0705	0.2550	0.6094	0.1226
2007	2.7748	0.3498	2.3975	0.3254	3.9404	0.4598	9.1778	1.7694	7.0326	1.4814	4.2058	0.5540	2.1932	0.2806	0.8175	0.1233
2006	2.6952	0.2922	2.3525	0.2775	3.7948	0.3925	13.1343	2.5181	6.7516	1.1788	3.9548	0.4726	2.1480	0.2464	0.8912	0.1423
Schizophrenia and other psychotic disorders																
2010	3.7473	0.1431	3.9428	0.1521	3.1311	0.2010	—	—	4.4390	0.6868	4.1065	0.2184	3.7188	0.1580	3.0155	0.1957
2009	3.8126	0.1468	4.0272	0.1553	3.1347	0.1775	3.4405	1.0855	3.7800	0.5663	3.9090	0.2109	3.9069	0.1799	3.2542	0.2201
2008	3.5031	0.1579	3.7339	0.1703	2.8290	0.1789	—	—	4.1195	0.5866	3.8086	0.1975	3.5316	0.1885	2.6087	0.2366
2007	3.6287	0.1521	3.7732	0.1550	3.1885	0.2015	5.9476	1.4426	3.6787	0.7257	3.9252	0.2109	3.6850	0.1797	2.5798	0.2126
2006	3.6030	0.1889	3.7235	0.2001	3.2236	0.2227	3.8430	1.0010	3.6460	0.7225	3.8117	0.2965	3.7230	0.1883	2.6296	0.2350
All other mental disorders																
2010	1.5890	0.0831	1.2213	0.0666	2.7531	0.1796	13.8620	1.9848	8.1295	0.8987	2.6398	0.1776	0.9787	0.0650	0.8162	0.1127
2009	1.5877	0.0827	1.2122	0.0755	2.7756	0.1647	12.9856	1.9482	7.9794	1.0561	2.7299	0.1728	0.8927	0.0586	0.8105	0.0924
2008	1.6007	0.1237	1.2344	0.0993	2.6756	0.2190	15.8679	3.0312	9.0711	1.0862	2.3670	0.2138	0.9249	0.0770	1.1058	0.1471
2007	1.3790	0.0844	1.0321	0.0665	2.4440	0.1822	13.5866	2.4227	6.5480	1.1237	2.0298	0.1501	0.8468	0.0694	0.9072	0.1202
2006	1.1491	0.0754	0.8993	0.0636	1.9493	0.1593	11.1994	1.8157	4.7147	0.8869	1.8009	0.1570	0.6580	0.0551	0.6907	0.0995

See footnotes at end of table.

Table A8. Percent distribution that had co-occurring mental health-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol dependence syndrome																
Any mental health-related diagnoses																
2010	46.6544	0.8947	41.5631	0.8652	60.4148	0.8622	76.5323	1.8345	70.1467	1.4920	57.4728	1.3078	44.0726	0.8403	30.2825	0.5499
2009	46.3867	0.9253	41.1334	0.9010	60.6138	0.8710	78.1653	1.6375	69.9899	1.5250	57.5612	1.3409	43.3881	0.8765	29.9660	0.6880
2008	46.5773	1.1603	41.2822	1.1281	60.1322	1.0919	76.6879	3.7598	70.1111	1.8942	57.7280	1.7491	43.3026	0.9906	27.3774	0.6019
2007	42.5940	0.8667	37.4338	0.8256	56.3621	0.9034	70.5527	2.0653	65.4149	1.8886	53.7583	1.2712	39.1478	0.7965	24.3713	0.5897
2006	41.3193	1.0071	36.4255	0.9643	54.6981	1.0109	69.2028	3.8620	63.5999	2.4322	51.9667	1.6630	37.7975	0.8813	22.8805	0.5391
Adjustment disorder																
2010	1.1752	0.1035	1.0501	0.0897	1.5145	0.1557	4.1641	0.6219	3.2096	0.4505	1.5938	0.1687	0.9641	0.0809	0.7418	0.0783
2009	1.2236	0.1084	1.1258	0.0970	1.4891	0.1532	5.1581	0.8551	3.6429	0.5102	1.6868	0.1790	0.9758	0.0853	0.6599	0.0592
2008	1.2448	0.1028	1.1207	0.0979	1.5633	0.1352	4.5539	0.5746	2.7509	0.3499	1.6654	0.1604	0.9897	0.0878	0.7595	0.0816
2007	1.3800	0.1223	1.2593	0.1187	1.7040	0.1522	5.7060	1.1399	3.6098	0.4865	1.9489	0.2052	1.0642	0.0889	0.6415	0.0632
2006	1.3163	0.1274	1.1512	0.1107	1.7685	0.1866	3.7526	0.6581	3.3315	0.5102	1.7433	0.1915	1.0703	0.1092	0.7292	0.0727
Anxiety disorder																
2010	10.9845	0.4003	9.0305	0.3348	16.2743	0.5439	19.9898	1.7296	19.2029	1.1044	14.7861	0.6850	9.7483	0.3388	6.6567	0.2201
2009	10.8263	0.4141	8.7645	0.3597	16.4127	0.5570	19.8112	1.2669	19.2072	1.0708	14.5376	0.6886	9.6445	0.3693	6.0922	0.2167
2008	10.0776	0.4454	8.2431	0.3773	14.7799	0.5990	18.1130	2.6521	15.9708	0.9890	13.4444	0.7573	8.9248	0.3537	5.1843	0.1960
2007	8.8600	0.3386	7.1467	0.2851	13.4314	0.4843	14.2143	1.1353	14.5666	0.9003	11.7913	0.5912	7.8700	0.2858	4.5620	0.1848
2006	7.9802	0.3401	6.5430	0.2798	11.9108	0.5075	14.3188	1.5281	12.9878	1.0512	10.2570	0.6045	7.1854	0.2659	4.1353	0.1699
Bipolar disorder																
2010	11.9737	0.3868	10.2646	0.3542	16.5990	0.4984	29.7124	1.6020	23.8541	1.0752	18.0348	0.6290	10.4250	0.3242	3.3406	0.1673
2009	11.7499	0.3970	9.9549	0.3676	16.6055	0.5077	30.0020	1.6145	23.1670	1.0999	17.8066	0.6333	9.9512	0.3339	3.6248	0.2614
2008	12.1950	0.4536	10.3757	0.4112	16.8605	0.5751	26.6496	2.1861	25.4173	1.1763	18.0871	0.6658	10.1500	0.3728	3.2578	0.1967
2007	10.3381	0.3776	8.6006	0.3343	14.9687	0.5122	22.8809	1.4931	20.2022	1.3127	15.6752	0.5811	8.4810	0.3030	2.6140	0.1798
2006	9.9648	0.3822	8.4513	0.3413	14.0985	0.4992	24.1833	2.2457	21.0468	1.2737	15.0338	0.6414	7.9486	0.2937	2.3272	0.1533
Depressive disorder																
2010	25.2395	0.6450	22.0132	0.6173	33.9460	0.6538	30.6207	1.6072	30.4942	1.2443	27.8638	0.9400	24.9606	0.6399	20.0137	0.4385
2009	25.1998	0.6209	21.8199	0.6014	34.3562	0.6007	33.3877	1.6772	31.1806	1.3404	28.2294	0.9145	24.7599	0.6171	19.4261	0.4711
2008	25.2779	0.7726	21.8725	0.7210	33.9925	0.8402	34.9729	4.5474	30.8748	1.3749	28.6660	1.1580	24.7295	0.6640	17.9176	0.4792
2007	23.4403	0.5695	20.1554	0.5302	32.1994	0.6417	31.0016	1.5191	30.8436	1.1867	26.9081	0.8069	22.8395	0.5626	16.0444	0.4574
2006	22.3070	0.6762	19.0272	0.6238	31.2664	0.7349	31.1152	2.6259	28.2146	1.5384	25.6223	1.0853	21.6446	0.6148	15.0836	0.3968
Personality disorder																
2010	4.3365	0.4067	3.6495	0.3741	6.1975	0.5226	14.1657	1.6003	13.3948	1.4060	7.4743	0.7237	3.1920	0.2983	0.8295	0.1202
2009	4.3133	0.3383	3.5787	0.3041	6.3048	0.4500	13.6180	1.2913	12.8978	0.9815	7.2353	0.5890	3.1705	0.2588	0.9875	0.1027
2008	4.4188	0.3636	3.6477	0.3244	6.3899	0.4743	11.5737	1.2360	12.1453	1.0111	7.1505	0.6172	3.2485	0.2674	0.8506	0.1016
2007	4.3838	0.3476	3.5307	0.3185	6.6617	0.4565	12.1301	1.2992	12.6371	1.1184	7.2262	0.5941	3.1210	0.2574	0.8039	0.0835
2006	4.4751	0.3595	3.6756	0.3219	6.6618	0.4940	13.4518	1.6506	12.0376	1.1224	7.3952	0.6464	3.0474	0.2620	0.8539	0.0939
Schizophrenia and other psychotic disorders																
2010	5.4648	0.2315	5.7495	0.2482	4.6990	0.2204	5.5661	0.6601	7.5860	0.6862	6.7659	0.3363	5.3657	0.2286	2.9181	0.1359
2009	5.8213	0.2675	6.1265	0.2832	4.9977	0.2545	5.5327	0.6980	8.0649	0.7222	7.0736	0.3605	5.7253	0.2708	3.3601	0.1682
2008	5.4270	0.2257	5.7423	0.2483	4.6133	0.2038	5.3870	0.6773	6.8869	0.5391	6.5807	0.2757	5.2888	0.2421	3.0687	0.2408
2007	5.1276	0.2285	5.3520	0.2399	4.5367	0.2282	5.0675	0.6413	6.7856	0.6570	6.4513	0.3006	4.8768	0.2392	2.7378	0.1733
2006	6.0398	0.3318	6.2992	0.3528	5.3397	0.3163	6.0436	0.9041	9.4144	0.9078	7.7768	0.4799	5.6374	0.3054	2.7074	0.1731
All other mental disorders																
2010	2.2780	0.1430	1.7323	0.1143	3.7552	0.2410	22.4562	1.4796	11.3936	0.9026	4.0265	0.2904	1.2092	0.0787	0.7323	0.0610
2009	2.2623	0.1379	1.7414	0.1201	3.6738	0.2065	21.8940	1.5753	10.8210	0.8333	3.9307	0.2587	1.1628	0.0790	0.7087	0.0590
2008	2.2594	0.2047	1.6866	0.1481	3.7250	0.3548	25.5542	5.1066	10.5914	0.7565	3.4161	0.2665	1.1259	0.0793	0.8147	0.0721
2007	1.9733	0.1082	1.4632	0.0917	3.3318	0.1893	19.1233	1.8687	9.4011	0.7655	3.0316	0.2024	1.0587	0.0689	0.7840	0.0800
2006	1.7735	0.1051	1.2997	0.0871	3.0679	0.1761	15.6708	1.4081	8.4921	0.7450	2.7947	0.2068	0.9194	0.0588	0.5938	0.0639

See footnotes at end of table.

Table A8. Percent distribution that had co-occurring mental health-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Nondependent abuse of alcohol																
Any mental health-related diagnoses																
2010	41.7210	0.9142	35.1360	0.9076	58.2424	0.9236	67.2506	1.8151	56.1030	1.6441	52.2181	1.2581	37.0315	0.8038	24.2104	0.5050
2009	42.4250	0.9305	35.5181	0.9441	59.6345	0.8598	66.3630	1.6868	58.3423	1.5882	53.6813	1.2394	37.4408	0.8733	23.5617	0.5307
2008	41.4929	0.9557	34.1201	0.8809	59.4628	0.9933	67.4899	3.1497	57.2715	1.7513	51.7099	1.2018	35.9164	0.7366	22.4518	0.5155
2007	38.4253	0.9559	31.3233	0.8980	56.0802	0.9656	65.7264	2.3887	54.4266	1.8464	48.6067	1.2999	32.4057	0.7962	20.1964	0.4678
2006	36.2019	1.0522	29.8708	1.0086	52.7505	1.0653	59.4951	2.4603	52.4586	1.8648	46.3862	1.5114	30.6377	0.8931	18.1542	0.4481
Adjustment disorder																
2010	1.5785	0.1198	1.3277	0.1108	2.2090	0.1767	5.6451	0.8307	3.9651	0.3732	2.1044	0.1737	0.9366	0.0649	0.6475	0.0704
2009	1.6890	0.1190	1.4184	0.1045	2.3590	0.1794	5.3861	0.5328	4.1701	0.4167	2.4192	0.1876	0.9804	0.0764	0.5954	0.0734
2008	1.6826	0.1218	1.3730	0.1025	2.4388	0.1908	5.0710	0.8076	3.7525	0.3120	2.3385	0.2059	0.9743	0.0726	0.5808	0.0691
2007	1.8166	0.1391	1.4303	0.1112	2.7727	0.2257	5.8871	0.6691	3.8023	0.3515	2.6583	0.2350	0.9572	0.0827	0.5956	0.0642
2006	1.6579	0.1261	1.3521	0.1083	2.4565	0.1847	5.2581	0.5419	4.1479	0.4033	2.2724	0.1952	0.9650	0.0717	0.5480	0.0587
Anxiety disorder																
2010	9.6999	0.3160	7.4412	0.2422	15.3877	0.5004	14.9509	1.0579	12.3002	0.6721	12.1173	0.4825	8.5676	0.2851	6.2288	0.2315
2009	9.5157	0.3041	7.2994	0.2335	15.0514	0.4790	14.3536	0.9102	12.7476	0.7692	11.9495	0.4677	8.4477	0.2602	5.5637	0.1988
2008	8.9669	0.3320	6.8314	0.2507	14.1726	0.5225	13.6490	1.3194	11.9782	0.7083	11.2068	0.4676	7.8208	0.2602	5.0562	0.1896
2007	7.8469	0.3319	5.8669	0.2497	12.7720	0.5359	12.8166	1.1459	11.4033	0.7116	9.4503	0.4618	6.8259	0.2699	4.6457	0.1976
2006	6.8614	0.2554	5.1767	0.1935	11.2681	0.4269	10.6678	0.8121	9.6254	0.5990	8.4710	0.3784	6.0586	0.2253	3.6974	0.1563
Bipolar disorder																
2010	10.9857	0.3860	8.6886	0.3539	16.7447	0.5004	23.8694	1.2544	19.3961	0.8842	16.2368	0.5666	8.4750	0.3004	2.3164	0.1238
2009	11.3067	0.4104	8.7975	0.3631	17.5452	0.5572	23.5332	1.4155	19.3137	0.9267	17.1376	0.5826	8.4497	0.3392	2.4789	0.1658
2008	11.4616	0.4327	8.8866	0.3673	17.7395	0.5744	25.2086	1.9119	18.9487	0.9521	16.6343	0.5774	8.3876	0.3154	2.5574	0.1698
2007	9.7512	0.3926	7.4919	0.3291	15.3661	0.5462	21.0326	2.1231	16.4997	0.8282	14.3989	0.5514	6.8931	0.2731	2.3122	0.1747
2006	8.9161	0.3957	6.8353	0.3262	14.3532	0.5755	19.5926	1.8094	14.9513	0.8170	13.4707	0.5955	6.2585	0.2631	1.6302	0.1008
Depressive disorder																
2010	19.1815	0.4444	15.3997	0.3802	28.6839	0.5764	27.6327	1.3038	20.5504	0.8699	21.4220	0.6094	18.3768	0.4282	14.5415	0.3926
2009	19.5225	0.4272	15.5462	0.3906	29.4413	0.5132	28.3628	1.0217	22.9449	0.9658	22.1039	0.6143	18.3971	0.4072	14.3173	0.3564
2008	19.4828	0.4973	15.3629	0.4186	29.5223	0.6437	28.1213	1.9837	24.0259	0.9369	21.9801	0.6578	18.1861	0.4159	13.6259	0.3780
2007	18.0107	0.5211	13.9120	0.4542	28.1946	0.6321	29.1200	1.4004	21.7467	1.0152	21.0696	0.7252	16.2234	0.4789	11.8940	0.3274
2006	17.0375	0.5104	13.4479	0.4556	26.4224	0.6107	26.1781	1.3783	21.8797	1.0334	19.8921	0.7048	15.5434	0.4698	11.0010	0.3178
Personality disorder																
2010	3.5028	0.2417	2.5438	0.1907	5.9162	0.3907	7.5194	0.7336	7.7837	0.5667	6.1909	0.4494	1.9964	0.1507	0.4718	0.0595
2009	3.8125	0.2546	2.7117	0.2001	6.5611	0.4051	8.5901	0.6313	8.9327	0.6749	6.4771	0.4345	2.2139	0.1830	0.4191	0.0559
2008	4.0105	0.2784	2.9043	0.2192	6.7064	0.4500	8.1047	0.8350	8.6496	0.6844	6.7893	0.4843	2.2607	0.1625	0.4144	0.0540
2007	3.8839	0.2996	2.8152	0.2434	6.5414	0.4544	7.6713	0.7254	9.0362	0.6908	6.5034	0.5162	2.1522	0.1955	0.4312	0.0731
2006	3.8073	0.3181	2.6570	0.2501	6.8166	0.5043	9.3845	0.8416	9.3166	0.8466	6.1116	0.5145	2.0926	0.1952	0.3975	0.0591
Schizophrenia and other psychotic disorders																
2010	7.4052	0.4898	7.7421	0.5349	6.5459	0.4148	5.8080	0.4607	9.5679	0.7058	10.1199	0.7297	7.0629	0.4779	2.9816	0.1651
2009	8.0543	0.5113	8.3340	0.5503	7.3585	0.4606	6.4778	0.5092	9.1540	0.7417	10.7392	0.7010	7.8716	0.5390	3.3319	0.2202
2008	6.9088	0.3702	7.1159	0.3947	6.4095	0.3433	4.9288	0.3257	8.2752	0.5998	9.1518	0.5223	6.7105	0.3949	2.9199	0.2275
2007	7.0165	0.3785	7.2313	0.4135	6.4914	0.3366	5.1843	0.4394	8.6551	0.6627	9.1475	0.4864	6.8723	0.4147	2.8319	0.1869
2006	7.0958	0.4217	7.2481	0.4657	6.7022	0.3616	4.4518	0.4233	9.1059	0.7288	9.8994	0.6299	6.5274	0.4050	2.5487	0.1481
All other mental disorders																
2010	3.5941	0.1583	2.3911	0.1211	6.6176	0.2795	24.3589	1.5388	10.6164	0.5496	4.9792	0.2092	1.0759	0.0635	0.6456	0.0583
2009	3.3492	0.1506	2.1934	0.1161	6.2340	0.2641	20.3959	1.4551	10.4620	0.5395	4.7810	0.1923	1.0548	0.0606	0.5917	0.0655
2008	3.8434	0.3441	2.5693	0.2787	6.9448	0.5191	26.0970	3.5318	10.0951	0.5635	4.7228	0.2088	1.1109	0.0739	0.6350	0.0661
2007	3.6230	0.2474	2.1897	0.1954	7.1834	0.4386	26.1398	2.4612	9.6894	0.6384	4.4229	0.2581	0.9724	0.0688	0.6452	0.0705
2006	2.8738	0.1476	1.7621	0.1135	5.7783	0.2714	19.3112	1.4292	8.4616	0.4758	3.7706	0.1851	0.8345	0.0535	0.5977	0.0626

See footnotes at end of table.

Table A8. Percent distribution that had co-occurring mental health-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
All chronic liver disease and cirrhosis																
Any mental health-related diagnoses																
2010	24.9479	0.4457	21.3538	0.4323	29.9986	0.5089	21.7602	1.6791	30.5777	1.5282	32.0653	0.7272	26.4657	0.5085	16.8812	0.3409
2009	23.4142	0.3794	20.1062	0.3759	28.0743	0.4491	22.0731	1.8812	28.9813	1.6770	30.2678	0.6472	25.0047	0.4402	15.5830	0.3239
2008	21.4085	0.4543	18.3596	0.4677	25.7194	0.4984	23.0992	1.7456	29.5334	1.9098	29.5287	0.7584	22.5690	0.4924	13.2310	0.2965
2007	18.6461	0.4129	16.0290	0.4040	22.4897	0.4874	17.8736	1.7597	24.9981	1.7945	25.9763	0.7155	19.8556	0.4717	11.2669	0.3140
2006	17.2451	0.4360	15.0464	0.4582	20.4845	0.4663	15.3554	1.8218	20.4621	1.8981	24.5535	0.8429	18.2118	0.4752	10.2811	0.2825
Adjustment disorder																
2010	0.4179	0.0235	0.3930	0.0262	0.4529	0.0316	1.4215	0.3556	—	—	0.5532	0.0487	0.4193	0.0303	0.2949	0.0303
2009	0.3880	0.0276	0.3605	0.0309	0.4269	0.0347	1.1411	0.3582	—	—	0.5333	0.0479	0.3850	0.0353	0.2786	0.0351
2008	0.3519	0.0279	0.3060	0.0306	0.4169	0.0350	1.5634	0.5837	1.0301	0.3253	0.4845	0.0518	0.3550	0.0340	0.2073	0.0276
2007	0.3300	0.0234	0.3022	0.0269	0.3711	0.0317	1.5612	0.5578	—	—	0.4910	0.0564	0.3237	0.0266	0.1995	0.0323
2006	0.3075	0.0243	0.2934	0.0287	0.3284	0.0328	—	—	—	—	0.4685	0.0508	0.2959	0.0289	0.1886	0.0255
Anxiety disorder																
2010	6.0966	0.1632	5.0046	0.1625	7.6309	0.1884	4.5169	0.6949	9.1764	0.8344	8.9018	0.3052	6.1546	0.1891	4.1045	0.1369
2009	5.5246	0.1425	4.5068	0.1307	6.9583	0.1945	5.2603	0.8763	7.6927	0.8670	8.3069	0.2817	5.6138	0.1600	3.5318	0.1369
2008	4.6644	0.1447	3.8695	0.1415	5.7867	0.1814	5.2333	0.7568	7.0998	0.9709	7.5705	0.3027	4.5848	0.1550	2.8125	0.1227
2007	4.0630	0.1281	3.3187	0.1260	5.1559	0.1686	4.0997	0.8466	6.3143	0.8933	6.5938	0.3036	4.0074	0.1402	2.4964	0.1084
2006	3.4542	0.1094	2.7963	0.1067	4.4219	0.1496	2.6115	0.5811	3.3833	0.6409	5.4102	0.2467	3.4954	0.1235	2.0698	0.1006
Bipolar disorder																
2010	3.8658	0.1140	3.4028	0.1220	4.5165	0.1409	5.0216	1.0099	6.5778	0.7307	6.7633	0.2612	4.2611	0.1367	0.9929	0.0573
2009	3.6040	0.1103	3.1585	0.1175	4.2320	0.1483	4.6865	1.1022	6.1700	0.8085	6.3518	0.2679	3.9796	0.1320	0.9774	0.0672
2008	3.4786	0.1291	3.1348	0.1437	3.9653	0.1449	4.3123	0.8782	6.2247	1.0255	6.1491	0.2701	3.7986	0.1507	0.9124	0.0700
2007	2.7057	0.0970	2.4247	0.1075	3.1176	0.1241	2.7461	0.6314	6.0409	0.8986	5.2268	0.2500	2.9031	0.1129	0.5894	0.0490
2006	2.3988	0.1121	2.2269	0.1194	2.6509	0.1325	2.1124	0.5505	3.0930	0.6754	4.7387	0.3021	2.4968	0.1126	0.6073	0.0540
Depressive disorder																
2010	15.0408	0.3305	12.2754	0.3048	18.9263	0.4002	9.6675	0.9976	15.6668	1.2831	17.6296	0.4928	16.0455	0.3841	11.2658	0.2714
2009	14.1772	0.2647	11.6599	0.2567	17.7220	0.3274	10.2346	1.2008	14.9094	1.2649	16.8073	0.4343	15.2050	0.3064	10.3982	0.2520
2008	12.9789	0.3056	10.5465	0.2898	16.4182	0.3693	10.8800	1.0898	15.2175	1.2369	16.7484	0.5285	13.7633	0.3334	8.7717	0.2281
2007	11.1622	0.3000	9.1283	0.2847	14.1478	0.3728	8.1773	1.2366	13.3093	1.2095	14.2068	0.4938	12.0805	0.3507	7.2984	0.2368
2006	10.4377	0.2750	8.5836	0.2678	13.1694	0.3326	7.6992	1.3833	12.5214	1.5641	13.6943	0.4849	11.2025	0.3240	6.6714	0.2156
Personality disorder																
2010	0.6820	0.0845	0.6498	0.0988	0.7273	0.0787	1.5673	0.6550	2.3678	0.4450	1.4846	0.2033	0.6719	0.0879	0.1068	0.0205
2009	0.6016	0.0592	0.5854	0.0715	0.6245	0.0567	—	—	1.9171	0.4914	1.4177	0.1905	0.5700	0.0555	0.1157	0.0169
2008	0.5491	0.0560	0.5194	0.0618	0.5912	0.0578	1.2233	0.3599	2.2386	0.7024	1.1999	0.1600	0.5244	0.0537	0.1038	0.0181
2007	0.5515	0.0435	0.5421	0.0517	0.5655	0.0484	—	—	—	—	1.3897	0.1288	0.5166	0.0469	0.0821	0.0167
2006	0.4807	0.0431	0.4541	0.0483	0.5199	0.0496	—	—	—	—	1.1901	0.1292	0.4459	0.0446	0.0782	0.0169
Schizophrenia and other psychotic disorders																
2010	2.2721	0.0797	2.4838	0.0996	1.9753	0.0860	1.3659	0.3497	2.0536	0.4228	2.4282	0.1251	2.6201	0.1048	1.4287	0.0743
2009	2.2201	0.0973	2.4288	0.1218	1.9272	0.0946	1.2761	0.3323	1.4543	0.3915	2.2799	0.1611	2.6209	0.1202	1.3684	0.0836
2008	2.0291	0.1019	2.2013	0.1279	1.7867	0.0898	—	—	2.6983	0.6345	2.4393	0.1971	2.2405	0.1162	1.3175	0.0996
2007	2.1407	0.0923	2.2990	0.1168	1.9095	0.1015	—	—	2.5671	0.8450	2.5531	0.1724	2.4377	0.1141	1.2795	0.0975
2006	2.1558	0.1333	2.3863	0.1837	1.8156	0.0927	—	—	1.9420	0.6029	2.7560	0.2917	2.4018	0.1521	1.2810	0.0885
All other mental disorders																
2010	0.6918	0.0312	0.5675	0.0336	0.8664	0.0437	6.1891	0.7919	5.0040	0.7554	1.5135	0.0929	0.5081	0.0295	0.2726	0.0297
2009	0.6415	0.0335	0.5467	0.0315	0.7751	0.0547	6.9195	1.1066	3.5777	0.5519	1.3952	0.0928	0.4916	0.0377	0.2594	0.0264
2008	0.6529	0.0517	0.5371	0.0410	0.8168	0.0799	7.7001	0.9810	3.6526	0.6815	1.3617	0.1411	0.4877	0.0448	0.2718	0.0294
2007	0.5219	0.0275	0.4159	0.0304	0.6777	0.0405	4.6048	1.0153	3.1650	0.5754	1.0842	0.0776	0.4148	0.0295	0.2289	0.0288
2006	0.4793	0.0292	0.4065	0.0301	0.5865	0.0457	4.6894	0.9079	1.9395	0.5211	1.0833	0.0998	0.3703	0.0274	0.1679	0.0238

See footnotes at end of table.

Table A8. Percent distribution that had co-occurring mental health-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcoholic liver disease																
Any mental health-related diagnoses																
2010	26.8985	0.6169	23.6192	0.6006	35.6812	0.7379	43.9637	7.7411	44.6434	3.2986	34.3269	1.0482	26.5984	0.6386	18.5116	0.5290
2009	25.4011	0.5142	22.2133	0.4999	33.9363	0.6705	33.8557	7.8805	40.6107	3.8649	32.8602	0.8958	25.2431	0.5338	16.7669	0.4932
2008	23.8658	0.6074	20.6598	0.5966	32.4120	0.7360	43.8042	8.8190	53.1114	3.8690	31.8036	0.9857	23.4258	0.6009	14.4200	0.4917
2007	20.6069	0.5373	17.9510	0.5222	28.0224	0.6931	43.9670	7.7980	37.9216	3.6846	28.3778	0.9315	20.1393	0.5439	12.1314	0.4648
2006	19.1067	0.6402	16.6940	0.6329	25.7451	0.7647	40.5041	9.0650	29.1934	3.8131	26.1760	1.1398	18.5944	0.6160	11.5154	0.4918
Adjustment disorder																
2010	0.4390	0.0327	0.4055	0.0346	0.5286	0.0592	—	—	—	—	0.5746	0.0718	0.4236	0.0392	0.3402	0.0598
2009	0.4180	0.0434	0.3770	0.0447	0.5279	0.0657	—	—	—	—	0.5154	0.0714	0.4186	0.0528	0.2929	0.0575
2008	0.4132	0.0447	0.3552	0.0454	0.5677	0.0659	—	—	—	—	0.5280	0.0733	0.4128	0.0527	0.1966	0.0512
2007	0.3791	0.0378	0.3410	0.0376	0.4856	0.0668	—	—	—	—	0.5635	0.0869	0.3548	0.0387	0.2493	0.0558
2006	0.3982	0.0390	0.3595	0.0414	0.5046	0.0735	—	—	—	—	0.5153	0.0727	0.3863	0.0454	0.2773	0.0578
Anxiety disorder																
2010	6.2861	0.2144	5.2643	0.1990	9.0226	0.3235	—	—	15.9742	2.4306	9.1477	0.4307	5.9276	0.2188	3.9628	0.2205
2009	5.6813	0.1862	4.8095	0.1695	8.0169	0.3271	—	—	12.6672	2.5366	8.5768	0.3770	5.3884	0.1932	3.2183	0.1969
2008	5.0676	0.2014	4.3031	0.1963	7.1054	0.2949	—	—	12.1165	2.2367	8.1680	0.4084	4.5938	0.1917	2.6653	0.1813
2007	4.2836	0.1632	3.6474	0.1600	6.0577	0.2631	—	—	10.0489	2.3008	6.8706	0.3930	3.9524	0.1607	2.1699	0.1640
2006	3.5759	0.1511	2.9560	0.1344	5.2812	0.2763	—	—	—	—	5.6122	0.3350	3.3229	0.1481	1.8084	0.1511
Bipolar disorder																
2010	4.5679	0.1707	3.9201	0.1642	6.3029	0.2826	—	—	8.5187	1.9397	7.2467	0.3847	4.5422	0.1808	1.2733	0.1260
2009	4.2711	0.1591	3.6505	0.1619	5.9337	0.2668	—	—	8.5851	1.9481	6.8915	0.3761	4.1747	0.1726	1.4347	0.1588
2008	4.3595	0.1970	3.6314	0.1971	6.3001	0.2919	—	—	12.2867	2.6653	6.8169	0.3816	4.2469	0.2076	1.3580	0.1579
2007	3.2779	0.1491	2.7850	0.1474	4.6571	0.2606	—	—	9.3208	2.3654	5.7490	0.3581	3.0960	0.1494	0.6900	0.1127
2006	3.0054	0.1806	2.6320	0.1692	4.0327	0.2774	—	—	—	—	5.4578	0.4313	2.7335	0.1534	0.7638	0.1046
Depressive disorder																
2010	16.2794	0.4511	14.0381	0.4328	22.2817	0.5854	—	—	24.9465	2.9581	19.1732	0.7036	16.2651	0.4768	12.5784	0.4432
2009	15.5446	0.3700	13.3014	0.3539	21.5485	0.5334	—	—	20.6926	3.0463	18.6458	0.6308	15.6185	0.3819	11.4117	0.4262
2008	14.3449	0.4034	12.1329	0.3748	20.2405	0.5803	—	—	24.9048	2.8467	17.9617	0.6853	14.2226	0.4037	9.8342	0.3974
2007	12.5436	0.3906	10.6536	0.3708	17.8144	0.5516	—	—	19.9576	2.6202	16.0436	0.6367	12.4808	0.4121	8.1966	0.3830
2006	11.5977	0.3959	9.7431	0.3704	16.7001	0.5611	—	—	18.4692	3.1762	14.5796	0.6655	11.5570	0.4089	7.6661	0.3785
Personality disorder																
2010	0.9655	0.1800	0.8782	0.1798	1.1992	0.2041	—	—	—	—	1.8775	0.3884	0.8668	0.1560	0.1928	0.0591
2009	0.8469	0.1154	0.8015	0.1201	0.9686	0.1285	—	—	—	—	1.7271	0.3204	0.7250	0.0913	0.2426	0.0499
2008	0.7797	0.1003	0.7128	0.1006	0.9581	0.1256	—	—	4.9791	1.6168	1.4438	0.2269	0.6902	0.0882	0.1586	0.0418
2007	0.7582	0.0712	0.6785	0.0749	0.9812	0.1042	—	—	—	—	1.6522	0.1801	0.6074	0.0705	0.1984	0.0496
2006	0.6292	0.0681	0.5469	0.0667	0.8556	0.1039	—	—	—	—	1.3677	0.1724	0.5022	0.0608	0.1477	0.0421
Schizophrenia and other psychotic disorders																
2010	2.3551	0.1000	2.4297	0.1161	2.1556	0.1382	—	—	4.3314	1.3080	2.5143	0.1727	2.4588	0.1195	1.6728	0.1449
2009	2.3312	0.1221	2.3872	0.1393	2.1819	0.1521	—	—	—	—	2.4376	0.2336	2.4964	0.1343	1.5491	0.1439
2008	2.2156	0.1458	2.2642	0.1628	2.0866	0.1530	—	—	5.3976	1.9359	2.6723	0.2734	2.2800	0.1497	1.2708	0.1395
2007	2.1500	0.1182	2.1746	0.1350	2.0827	0.1461	—	—	—	—	2.4520	0.2504	2.1878	0.1251	1.5627	0.1485
2006	2.3671	0.1930	2.4715	0.2408	2.0805	0.1473	—	—	—	—	2.8376	0.3423	2.4399	0.1996	1.4898	0.1727
All other mental disorders																
2010	0.5592	0.0386	0.4282	0.0347	0.9100	0.0872	—	—	7.8659	2.2093	1.1658	0.1133	0.3977	0.0361	0.2816	0.0511
2009	0.5355	0.0375	0.4140	0.0365	0.8609	0.0824	—	—	—	—	1.2046	0.1139	0.3797	0.0378	0.2814	0.0554
2008	0.5560	0.0439	0.4344	0.0390	0.8803	0.0961	—	—	6.4891	2.0178	1.1102	0.1179	0.3932	0.0363	0.2634	0.0547
2007	0.4732	0.0376	0.3635	0.0377	0.7798	0.0830	—	—	—	—	0.9605	0.0999	0.3667	0.0395	0.1833	0.0466
2006	0.4605	0.0477	0.3640	0.0369	0.7259	0.1175	—	—	—	—	1.0833	0.1546	0.3068	0.0349	0.1611	0.0425

See footnotes at end of table.

Table A8. Percent distribution that had co-occurring mental health-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol poisoning																
Any mental health-related diagnoses																
2010	65.4475	1.3860	57.1159	1.6513	75.6271	1.2358	55.5222	3.6519	65.8015	2.5511	72.2226	1.1431	62.4745	2.0461	46.1000	3.0110
2009	66.8204	1.1028	56.6070	1.3714	78.5350	1.0500	60.2003	2.6968	64.5276	2.4920	71.5123	1.2809	65.3205	1.3599	48.9775	3.2346
2008	64.6035	1.3638	55.3883	1.6780	75.3980	1.1247	55.6400	2.5492	62.5784	2.8360	70.7801	1.2444	62.3330	1.9297	41.2282	3.6078
2007	63.1435	1.2318	52.0690	1.4798	75.6548	1.1821	54.3965	2.7795	62.6819	2.9160	66.4878	1.4042	64.2672	1.5592	40.7156	3.2439
2006	59.9970	1.2179	50.9877	1.4980	70.7653	1.1483	49.8686	3.0105	63.8566	2.4957	63.1683	1.3151	60.0477	1.5529	39.3471	3.2368
Adjustment disorder																
2010	3.4980	0.3295	2.7256	0.3450	4.4418	0.4595	4.2773	1.0910	6.0238	1.2469	4.5933	0.4770	2.1361	0.3334	—	—
2009	3.5660	0.3499	2.9825	0.4062	4.2351	0.4897	5.1739	1.1196	3.8058	1.0127	3.7479	0.4746	3.2486	0.4058	—	—
2008	3.7948	0.3400	3.4998	0.3909	4.1402	0.4719	5.0509	1.0424	4.8168	1.0217	3.8421	0.4569	3.4348	0.4462	—	—
2007	4.1368	0.3460	3.2948	0.4335	5.0916	0.4566	5.8282	1.1342	4.7382	1.0953	4.2468	0.5259	3.6986	0.4590	—	—
2006	4.4728	0.3990	3.8377	0.4439	5.2321	0.5575	5.6860	1.1208	5.3774	1.2488	4.7647	0.5333	3.9034	0.5469	—	—
Anxiety disorder																
2010	13.1720	0.6767	10.6097	0.7198	16.3026	0.8830	9.6304	1.6046	15.5491	1.9138	15.4081	0.8712	11.4610	0.9353	10.0468	1.8612
2009	13.2526	0.6729	9.7796	0.6375	17.2326	1.0024	10.5864	1.6237	14.0419	1.8078	15.1864	0.8905	11.8499	0.8546	9.3763	1.8890
2008	12.5845	0.6930	9.8050	0.7207	15.8403	0.9391	9.3111	1.3864	9.9977	1.4371	15.4027	1.1096	10.9987	0.8100	8.0703	1.7280
2007	11.8630	0.7817	8.4464	0.7584	15.7208	1.0122	8.7545	1.6054	10.7662	1.8663	13.3660	1.0176	11.3992	0.9191	8.2231	1.8969
2006	9.6761	0.5524	7.2809	0.5852	12.5363	0.8470	7.5572	1.5223	12.8786	1.7206	9.7699	0.7592	9.6861	0.8516	7.2276	1.7333
Bipolar disorder																
2010	16.6884	0.7545	14.1695	0.8593	19.7659	0.9096	13.0943	1.6776	18.0630	2.1097	20.3391	0.9316	14.8571	0.9973	3.9246	1.1624
2009	16.3724	0.6152	13.1273	0.6965	20.0927	0.8844	16.6915	1.9310	15.8147	1.8277	20.0608	1.0097	13.2973	0.8466	5.9541	1.5535
2008	15.4392	0.6043	12.3720	0.6887	19.0320	0.8420	11.7940	1.7149	16.5427	1.7372	18.8584	0.9584	13.6047	0.7902	—	—
2007	14.1865	0.5969	10.9945	0.6759	17.7625	0.9220	9.9591	1.4405	15.4161	2.0891	17.2850	0.9532	12.4680	0.8662	—	—
2006	12.1741	0.6379	9.9238	0.7386	14.8625	0.8351	11.4345	1.5994	13.9064	1.7065	14.4727	0.9210	9.8639	0.7568	—	—
Depressive disorder																
2010	39.7432	1.2852	33.7414	1.4021	47.0763	1.3607	29.2888	2.9762	36.1590	2.4013	41.9374	1.2501	40.4180	1.9660	35.6381	3.3112
2009	42.1151	1.0042	34.9285	1.2008	50.3561	1.1507	32.9098	2.4068	37.2703	2.4970	42.4326	1.2527	45.2820	1.4342	37.5541	3.3164
2008	40.8853	1.1487	34.2719	1.3577	48.6321	1.1805	33.3132	2.4693	36.5714	2.5894	43.5742	1.0900	41.2284	1.8082	31.8767	3.5117
2007	40.8573	1.1074	33.0261	1.3724	49.7077	1.2405	33.5662	2.8907	38.5777	2.6775	41.1692	1.3299	44.3742	1.5068	30.4597	3.1237
2006	38.5762	0.9558	31.1653	1.0963	47.4295	1.1651	26.8393	2.3604	39.3741	2.3487	39.1846	1.1686	41.8900	1.4696	31.2581	3.0781
Personality disorder																
2010	4.7418	0.4184	3.1403	0.3882	6.6984	0.6304	4.7198	0.9833	8.9066	1.7022	5.5891	0.5534	3.6135	0.4873	—	—
2009	5.3758	0.5152	3.3813	0.4599	7.6606	0.6990	5.1536	1.0525	7.7361	1.4059	6.8050	0.7375	3.8545	0.5342	—	—
2008	4.0709	0.3815	2.7708	0.3785	5.5938	0.5571	5.8682	1.0309	4.0722	1.0680	5.6524	0.5899	2.1260	0.3278	—	—
2007	4.8474	0.5518	3.4591	0.4787	6.4151	0.7697	3.9165	0.9773	4.7078	1.1422	5.9522	0.7238	4.2238	0.6935	—	—
2006	4.4186	0.4511	3.3511	0.4896	5.6933	0.6062	2.5051	0.8303	6.6867	1.1957	5.4237	0.6519	3.2935	0.5399	—	—
Schizophrenia and other psychotic disorders																
2010	4.9378	0.6744	5.6684	0.6622	4.0451	0.8152	—	—	2.9878	0.9048	4.9617	0.5157	5.8674	1.0326	—	—
2009	4.3043	0.3086	5.1565	0.4567	3.3305	0.3855	—	—	4.3936	1.0839	5.1815	0.4757	4.0460	0.4785	—	—
2008	3.4008	0.2442	4.1435	0.3519	2.5307	0.3074	—	—	3.4798	0.8921	3.1780	0.3516	4.3687	0.4310	—	—
2007	3.1297	0.2538	3.4722	0.3737	2.7578	0.3417	—	—	4.4856	1.0390	3.2278	0.3907	3.2238	0.4563	—	—
2006	3.6568	0.2962	4.6837	0.4577	2.4338	0.3252	—	—	4.0609	1.0588	4.1044	0.4638	3.9697	0.5377	—	—
All other mental disorders																
2010	4.4566	0.3249	3.5055	0.3826	5.6186	0.4424	16.5284	2.0916	10.9934	1.5793	5.0172	0.4390	1.0648	0.2179	—	—
2009	4.4746	0.3606	3.8148	0.4450	5.2313	0.4805	15.6027	2.3987	8.0022	1.4400	4.6562	0.5106	1.5969	0.2976	—	—
2008	3.8675	0.3536	3.2302	0.4027	4.6141	0.4599	13.3401	1.9254	7.7797	1.4332	4.0664	0.4254	1.1557	0.2410	—	—
2007	4.0455	0.4087	3.2998	0.3984	4.8925	0.5686	14.2905	2.0320	6.5941	1.3525	3.9151	0.4461	1.4060	0.3587	—	—
2006	3.4047	0.3195	2.9785	0.3545	3.9143	0.4642	11.8314	1.5397	6.8676	1.3159	3.0454	0.5206	0.9070	0.2408	—	—

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table A9. Percent distribution that had co-occurring injury-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Any alcohol-related diagnoses																
Any injury-related diagnoses																
2010	10.3496	0.4560	10.4674	0.5136	10.0668	0.4253	28.9988	2.2598	15.1818	1.2476	9.7880	0.5043	9.9092	0.4702	11.2318	0.4835
2009	10.3016	0.4207	10.3201	0.4652	10.2596	0.4020	29.0951	1.9666	17.7597	1.4474	10.2380	0.5429	9.5902	0.3959	10.5753	0.4579
2008	9.6760	0.3339	9.9108	0.3557	9.1446	0.3712	26.4845	2.0166	16.6886	1.4392	9.4518	0.4174	9.0197	0.3219	10.0517	0.4176
2007	8.5661	0.3312	8.6456	0.3654	8.3815	0.3431	27.4859	1.7553	14.6480	1.2811	8.4895	0.4617	7.6948	0.2867	9.4533	0.3981
2006	8.6318	0.3488	8.6835	0.4049	8.5283	0.3098	29.6669	2.8222	16.2146	1.5625	8.9371	0.5045	7.6261	0.3002	8.2586	0.3247
Unintentional injuries																
2010	6.9251	0.3511	7.1343	0.3933	6.4114	0.3369	18.2596	2.1248	7.9057	0.8736	5.8195	0.3561	6.9342	0.3686	8.6619	0.4415
2009	6.8968	0.3025	7.1874	0.3432	6.1914	0.2855	17.9185	1.6930	9.3672	0.9364	5.9261	0.3297	6.8117	0.3106	8.4928	0.4066
2008	6.5705	0.2463	6.8920	0.2679	5.8439	0.2713	15.0266	1.3953	8.9338	0.9232	5.7646	0.2810	6.3672	0.2515	8.3058	0.3888
2007	5.2933	0.2259	5.5551	0.2580	4.6723	0.2241	14.6293	1.3550	7.3284	0.8598	4.6646	0.2661	4.9908	0.2131	7.1050	0.3660
2006	5.4126	0.2591	5.6231	0.3027	4.9169	0.2311	17.7065	2.6554	7.9745	1.0995	4.8240	0.3090	5.1183	0.2351	6.4865	0.3107
Falls																
2010	3.4918	0.1782	3.6567	0.2077	3.0860	0.1706	3.6174	0.7060	1.7758	0.3563	2.2871	0.1691	3.7166	0.1882	6.2621	0.3709
2009	3.5551	0.1695	3.6987	0.1919	3.2066	0.1730	2.3967	0.5295	2.5741	0.4518	2.3349	0.1542	3.7381	0.1897	6.5055	0.3405
2008	3.3278	0.1269	3.4932	0.1352	2.9515	0.1590	2.5443	0.6117	2.2086	0.4382	2.2524	0.1209	3.4347	0.1407	6.1378	0.3204
2007	2.6262	0.1279	2.7457	0.1446	2.3469	0.1423	1.9270	0.4143	1.4972	0.3569	1.6957	0.1236	2.7633	0.1393	5.1224	0.3013
2006	2.5366	0.1228	2.5781	0.1430	2.4436	0.1377	2.5699	0.4747	1.4910	0.3693	1.8290	0.1370	2.6031	0.1335	4.5674	0.2624
Struck by or against objects/persons																
2010	0.1528	0.0148	0.1480	0.0155	0.1652	0.0288	—	—	—	—	0.1873	0.0265	0.1226	0.0174	0.1697	0.0466
2009	0.1539	0.0192	0.1717	0.0226	0.1106	0.0259	—	—	—	—	0.1919	0.0334	0.1307	0.0208	—	—
2008	0.1351	0.0156	0.1420	0.0178	0.1200	0.0253	—	—	—	—	0.1870	0.0324	0.1166	0.0181	—	—
2007	0.1126	0.0157	0.1207	0.0187	0.0938	0.0223	—	—	—	—	0.1342	0.0262	0.0946	0.0163	—	—
2006	0.1365	0.0145	0.1398	0.0176	0.1290	0.0233	—	—	—	—	0.1465	0.0254	0.1393	0.0200	—	—
Motor vehicle traffic																
2010	0.2011	0.0215	0.2127	0.0260	0.1679	0.0304	—	—	0.9923	0.2647	0.2053	0.0346	0.1853	0.0237	—	—
2009	0.1904	0.0201	0.1978	0.0245	0.1726	0.0285	—	—	—	—	0.2097	0.0336	0.1616	0.0216	0.1681	0.0451
2008	0.2191	0.0274	0.2513	0.0330	0.1433	0.0296	—	—	—	—	0.2582	0.0390	0.1754	0.0257	0.1990	0.0477
2007	0.1833	0.0177	0.1924	0.0218	0.1622	0.0276	—	—	—	—	0.2091	0.0299	0.1557	0.0208	—	—
2006	0.1795	0.0176	0.2033	0.0228	0.1220	0.0230	—	—	—	—	0.2267	0.0346	0.1454	0.0208	0.1350	0.0416
Cut or pierce																
2010	0.0756	0.0103	0.0764	0.0121	0.0740	0.0191	—	—	—	—	0.0895	0.0192	0.0637	0.0132	—	—
2009	0.0857	0.0111	0.0851	0.0129	0.0872	0.0194	—	—	—	—	0.1254	0.0233	0.0472	0.0108	—	—
2008	0.0867	0.0109	0.0938	0.0137	0.0706	0.0168	—	—	—	—	0.0987	0.0198	0.0555	0.0115	—	—
2007	0.0692	0.0100	0.0682	0.0122	0.0720	0.0194	—	—	—	—	0.1177	0.0222	0.0440	0.0102	—	—
2006	0.0952	0.0115	0.1199	0.0157	—	—	—	—	—	—	0.1262	0.0232	0.0784	0.0132	—	—
Poisoning																
2010	1.4526	0.2004	1.3393	0.2011	1.7392	0.2207	11.1294	2.1250	3.4428	0.5551	1.4588	0.1788	1.2739	0.2336	0.8251	0.1366
2009	1.2157	0.1088	1.1123	0.1080	1.4707	0.1356	12.0813	1.4697	3.3566	0.5368	1.2954	0.1316	0.9710	0.1118	0.6046	0.0976
2008	1.1621	0.1163	1.1043	0.1321	1.2961	0.1105	8.0739	1.2656	3.7285	0.5804	1.2496	0.1190	0.9410	0.1291	0.6344	0.1396
2007	0.9885	0.0741	0.9367	0.0798	1.1038	0.0919	8.9329	1.0906	3.5308	0.5836	1.1485	0.1107	0.6372	0.0585	0.6988	0.0987
2006	1.0765	0.1245	1.0084	0.1366	1.2460	0.1262	12.7991	2.6132	3.5287	0.8502	1.0351	0.1287	0.7637	0.0799	0.6433	0.0950
Intentional injuries																
2010	1.3962	0.0777	1.2657	0.0784	1.7211	0.1210	5.1133	0.7380	4.4961	0.6299	2.0607	0.1431	1.0218	0.0661	0.3540	0.0675
2009	1.5522	0.0900	1.3713	0.0866	1.9933	0.1392	6.5698	0.8250	5.7256	0.7985	2.2934	0.1777	1.0930	0.0681	0.3498	0.0628
2008	1.5332	0.0831	1.3754	0.0780	1.8913	0.1350	7.1845	0.9592	5.0185	0.7287	2.1158	0.1370	1.1518	0.0744	0.3760	0.0656
2007	1.3634	0.0854	1.1492	0.0721	1.8724	0.1485	6.7699	0.8242	4.4315	0.7277	1.8150	0.1377	1.0179	0.0756	0.3963	0.0770
2006	1.3734	0.0827	1.1805	0.0843	1.8431	0.1194	4.6569	0.7625	4.0148	0.6331	2.0994	0.1598	0.9353	0.0662	0.3026	0.0681

See footnotes at end of table.

Table A9. Percent distribution that had co-occurring injury-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcoholic psychoses																
Any injury-related diagnoses																
2010	10.1879	0.5264	10.5511	0.5595	9.0337	0.5492	9.2207	2.6633	9.0349	1.3439	8.3344	0.5362	10.9291	0.5580	14.0375	0.9177
2009	10.8006	0.4709	10.9711	0.5000	10.2538	0.5899	—	—	12.0351	1.6400	9.3752	0.5012	11.2419	0.5287	14.3253	0.8500
2008	9.7129	0.4511	10.0534	0.4646	8.7621	0.5268	13.4311	3.5016	9.3780	1.4390	8.3076	0.4697	10.1519	0.4986	13.6982	0.8183
2007	8.9558	0.3977	9.3216	0.4160	7.8549	0.5058	10.1764	2.6836	6.4157	1.1055	7.9891	0.4402	9.1980	0.4396	12.9855	0.8220
2006	9.3114	0.4644	9.5687	0.4891	8.5480	0.5597	10.2900	3.1648	11.2179	2.0712	8.4307	0.5400	9.5028	0.4796	12.2433	0.7574
Unintentional injuries																
2010	7.4239	0.4422	7.7253	0.4641	6.4645	0.4794	—	—	4.9092	1.0443	5.6721	0.4329	8.1629	0.4714	11.3115	0.8567
2009	7.8646	0.3938	8.2179	0.4356	6.7266	0.4373	—	—	5.0316	1.0491	6.2492	0.3938	8.4603	0.4555	12.1774	0.7839
2008	7.2967	0.3620	7.6386	0.3813	6.3382	0.4131	—	—	5.8825	1.0586	5.7997	0.3729	7.8237	0.4036	11.7248	0.7713
2007	6.1510	0.3202	6.5875	0.3394	4.8273	0.3737	—	—	3.7969	0.9109	4.9650	0.3176	6.6220	0.3807	9.7210	0.7388
2006	6.5138	0.3699	6.8273	0.3937	5.5673	0.4281	—	—	5.2612	1.3082	5.2795	0.3927	7.0162	0.4007	9.9911	0.7067
Falls																
2010	4.4819	0.3065	4.5830	0.3156	4.1626	0.3713	—	—	—	—	2.9595	0.2940	5.0268	0.3283	8.6752	0.7459
2009	4.7332	0.2544	4.8337	0.2747	4.4100	0.3343	—	—	2.2785	0.6605	3.1712	0.2495	5.2258	0.2920	9.3492	0.6798
2008	4.1223	0.2229	4.2631	0.2392	3.7293	0.2838	—	—	2.1131	0.7277	2.7933	0.2018	4.5267	0.2666	8.7987	0.6444
2007	3.5570	0.2278	3.7300	0.2369	3.0352	0.3044	—	—	—	—	2.3960	0.2085	4.0822	0.2811	6.7180	0.6013
2006	3.6903	0.2459	3.7832	0.2574	3.4156	0.3195	—	—	—	—	2.7363	0.2610	3.9788	0.2739	7.2785	0.5834
Struck by or against objects/persons																
2010	0.1960	0.0251	0.1801	0.0261	0.2474	0.0565	—	—	—	—	0.2454	0.0457	0.1732	0.0314	—	—
2009	0.1870	0.0307	0.1979	0.0358	0.1520	0.0469	—	—	—	—	0.1797	0.0424	0.1946	0.0439	—	—
2008	0.1948	0.0294	0.1924	0.0311	0.2020	0.0556	—	—	—	—	0.2737	0.0554	0.1664	0.0299	—	—
2007	0.1560	0.0306	0.1751	0.0331	—	—	—	—	—	—	0.1626	0.0448	0.1410	0.0329	—	—
2006	0.1645	0.0252	0.1560	0.0299	0.1911	0.0517	—	—	—	—	0.1241	0.0344	0.2261	0.0398	—	—
Motor vehicle traffic																
2010	0.2176	0.0308	0.2438	0.0380	0.1338	0.0401	—	—	—	—	0.1490	0.0399	0.2614	0.0428	—	—
2009	0.1964	0.0307	0.2079	0.0357	0.1595	0.0487	—	—	—	—	0.1935	0.0523	0.1759	0.0361	—	—
2008	0.1906	0.0269	0.2175	0.0333	—	—	—	—	—	—	0.1767	0.0441	0.1745	0.0316	—	—
2007	0.2001	0.0271	0.2066	0.0323	0.1809	0.0571	—	—	—	—	0.2240	0.0447	0.1737	0.0367	—	—
2006	0.1987	0.0300	0.2161	0.0361	—	—	—	—	—	—	0.1950	0.0478	0.2381	0.0481	—	—
Cut or pierce																
2010	0.0794	0.0156	0.0760	0.0184	—	—	—	—	—	—	—	—	0.0861	0.0223	—	—
2009	0.0900	0.0171	0.0884	0.0191	—	—	—	—	—	—	0.1382	0.0364	—	—	—	—
2008	0.0765	0.0155	0.0724	0.0179	—	—	—	—	—	—	—	—	0.0832	0.0232	—	—
2007	0.0782	0.0177	0.0887	0.0222	—	—	—	—	—	—	0.1296	0.0351	—	—	—	—
2006	0.1195	0.0231	0.1378	0.0291	—	—	—	—	—	—	0.1263	0.0361	0.1203	0.0305	—	—
Poisoning																
2010	0.3861	0.0461	0.3980	0.0508	0.3483	0.0739	—	—	—	—	0.2662	0.0521	0.4588	0.0650	—	—
2009	0.3968	0.0460	0.3802	0.0506	0.4502	0.0920	—	—	—	—	0.3503	0.0671	0.4355	0.0593	—	—
2008	0.3704	0.0461	0.3407	0.0483	0.4554	0.0788	—	—	—	—	0.3581	0.0661	0.4068	0.0572	—	—
2007	0.2814	0.0367	0.2670	0.0430	0.3262	0.0686	—	—	—	—	0.3574	0.0624	0.1861	0.0400	—	—
2006	0.3207	0.0594	0.3126	0.0574	0.3469	0.0953	—	—	—	—	0.2369	0.0533	0.3355	0.0714	0.5889	0.1899
Intentional injuries																
2010	0.8496	0.0749	0.8357	0.0868	0.8954	0.1119	—	—	2.3879	0.6619	1.1170	0.1292	0.6612	0.0712	—	—
2009	1.1540	0.0951	1.0062	0.0882	1.6312	0.2070	—	—	4.3202	0.8868	1.4587	0.1511	0.9468	0.0940	—	—
2008	1.0949	0.0896	1.0174	0.0880	1.3168	0.1609	—	—	2.7581	0.8011	1.4112	0.1373	0.8818	0.0928	—	—
2007	0.9650	0.0943	0.8491	0.0954	1.3223	0.1719	—	—	—	—	1.2470	0.1444	0.8221	0.0967	—	—
2006	0.9254	0.0850	0.8196	0.0856	1.2549	0.1780	—	—	—	—	1.2698	0.1471	0.7099	0.0815	—	—

See footnotes at end of table.

Table A9. Percent distribution that had co-occurring injury-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol dependence syndrome																
Any injury-related diagnoses																
2010	7.9594	0.7126	7.6554	0.8038	8.8318	0.6571	14.0286	2.5464	7.5083	1.3210	6.5991	0.6281	7.8866	0.7771	15.2957	1.4065
2009	8.8803	0.9803	8.6524	1.0438	9.4962	0.9099	12.2167	2.2701	10.4929	1.5964	7.1191	0.8522	8.9970	1.0715	16.5081	1.7567
2008	8.6165	0.6019	8.6097	0.5818	8.6478	0.7842	13.1134	1.8409	10.1404	1.6444	6.7857	0.5383	8.6989	0.6486	17.0879	1.2128
2007	6.8034	0.6664	6.6116	0.7254	7.3461	0.6980	7.8231	1.8649	5.4669	1.2600	5.3167	0.5842	6.9987	0.6940	15.8116	1.3649
2006	6.7313	0.6200	6.3470	0.6767	7.8469	0.5960	7.2017	1.5808	6.2547	1.1607	6.1355	0.6709	6.5375	0.6086	12.7677	1.0194
Unintentional injuries																
2010	5.1541	0.4997	5.0184	0.5549	5.5491	0.5248	7.3202	1.9835	3.0700	0.7624	3.5689	0.3873	5.3440	0.5622	12.7856	1.2488
2009	5.7370	0.6325	5.7962	0.6918	5.5842	0.5834	5.9685	1.5912	5.1888	1.0591	3.8432	0.4715	6.1223	0.7279	13.4918	1.5659
2008	5.7051	0.4220	5.9193	0.4385	5.1887	0.5165	5.7781	1.9548	4.0558	1.0692	3.8390	0.3259	6.0268	0.4808	14.9250	1.1890
2007	4.1760	0.4071	4.1559	0.4611	4.2475	0.4157	—	—	2.5421	0.8549	2.7162	0.2845	4.4110	0.4392	13.3724	1.2637
2006	4.0884	0.3494	3.9654	0.4089	4.4576	0.3462	—	—	2.7011	0.6841	3.0377	0.3146	4.3506	0.4005	10.5440	0.9359
Falls																
2010	3.0513	0.3232	3.0191	0.3658	3.1513	0.3552	—	—	—	—	1.6741	0.2095	3.2058	0.3673	10.2874	1.1146
2009	3.2350	0.4113	3.2361	0.4522	3.2368	0.3929	—	—	—	—	1.4606	0.2109	3.5324	0.5139	11.7034	1.4093
2008	3.4569	0.2768	3.5157	0.2762	3.3248	0.3812	—	—	—	—	1.7319	0.1774	3.7840	0.3220	12.4816	1.0805
2007	2.4723	0.2835	2.3875	0.3127	2.6995	0.3117	—	—	—	—	1.0675	0.1573	2.7497	0.3146	11.1250	1.1444
2006	2.1669	0.2222	1.9186	0.2288	2.8740	0.3087	—	—	—	—	1.1187	0.1590	2.4524	0.2650	8.7402	0.8654
Struck by or against objects/persons																
2010	0.1447	0.0275	0.1141	0.0278	0.2304	0.0638	—	—	—	—	0.1484	0.0423	0.1275	0.0342	—	—
2009	0.2120	0.0536	0.2151	0.0568	0.2040	0.0716	—	—	—	—	0.2552	0.0769	0.1308	0.0391	—	—
2008	0.1323	0.0281	0.1414	0.0344	—	—	—	—	—	—	—	—	0.1687	0.0439	—	—
2007	0.1037	0.0285	0.0877	0.0325	—	—	—	—	—	—	—	—	—	—	—	—
2006	0.1472	0.0262	0.1546	0.0334	—	—	—	—	—	—	0.1744	0.0448	—	—	—	—
Motor vehicle traffic																
2010	0.1193	0.0277	0.1265	0.0322	—	—	—	—	—	—	0.1557	0.0455	0.0915	0.0309	—	—
2009	0.1525	0.0332	0.1392	0.0360	—	—	—	—	—	—	—	—	0.1702	0.0482	—	—
2008	0.2596	0.0509	0.2808	0.0576	0.1958	0.0712	—	—	—	—	0.1577	0.0435	0.2551	0.0632	—	—
2007	0.1419	0.0321	0.1576	0.0400	—	—	—	—	—	—	0.1564	0.0505	0.1383	0.0407	—	—
2006	0.1718	0.0336	0.1944	0.0410	—	—	—	—	—	—	0.1765	0.0478	0.1450	0.0437	—	—
Cut or pierce																
2010	0.0677	0.0173	0.0738	0.0208	—	—	—	—	—	—	—	—	—	—	—	—
2009	0.0870	0.0224	0.0903	0.0266	—	—	—	—	—	—	—	—	—	—	—	—
2008	0.1274	0.0295	0.1306	0.0329	—	—	—	—	—	—	0.1364	0.0451	—	—	—	—
2007	0.0849	0.0227	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	0.1089	0.0213	0.1249	0.0256	—	—	—	—	—	—	0.1360	0.0345	—	—	—	—
Poisoning																
2010	0.2964	0.0465	0.2386	0.0508	0.4583	0.0923	—	—	—	—	0.2897	0.0685	0.2739	0.0539	—	—
2009	0.3629	0.0650	0.2810	0.0627	0.5866	0.1232	—	—	—	—	0.4484	0.0968	0.3175	0.0708	—	—
2008	0.3390	0.0520	0.3756	0.0619	0.2509	0.0702	—	—	—	—	0.3382	0.0668	0.3597	0.0739	—	—
2007	0.2012	0.0389	0.2112	0.0464	—	—	—	—	—	—	0.2144	0.0550	0.1615	0.0447	—	—
2006	0.1946	0.0389	0.1865	0.0427	0.2186	0.0642	—	—	—	—	0.1656	0.0452	0.2326	0.0592	—	—
Intentional injuries																
2010	1.3016	0.1487	1.1910	0.1517	1.6135	0.2207	—	—	2.9535	0.9447	1.6450	0.2046	1.0710	0.1545	—	—
2009	1.4935	0.2022	1.3678	0.2014	1.8199	0.2683	—	—	3.9358	1.0662	1.8285	0.2874	1.2070	0.1747	—	—
2008	1.4665	0.1333	1.2479	0.1202	2.0037	0.2651	4.9705	1.6195	3.9976	0.9278	1.6382	0.1957	1.2136	0.1279	—	—
2007	1.2254	0.1628	1.0536	0.1374	1.6854	0.2825	4.4325	1.3606	—	—	1.3270	0.2049	1.1109	0.1756	—	—
2006	1.3004	0.1735	1.1370	0.1671	1.7649	0.2728	—	—	2.6170	0.7063	1.6746	0.2679	0.9841	0.1369	—	—

See footnotes at end of table.

Table A9. Percent distribution that had co-occurring injury-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Nondependent abuse of alcohol																
Any injury-related diagnoses																
2010	20.6362	0.7845	21.6195	0.9937	18.6523	1.1894	19.2289	2.0787	22.9588	2.5539	19.1798	1.2090	19.9761	1.0460	29.3139	2.4690
2009	20.0174	0.8864	20.1298	1.1403	19.9135	1.2497	18.0699	2.2738	23.5510	2.9871	20.3711	1.3134	17.2124	1.1705	29.3778	2.7748
2008	20.7210	0.9999	21.5226	1.2714	19.1455	1.1847	19.7541	2.2136	25.2178	3.2576	22.4455	1.5172	16.7128	1.2243	28.0010	2.7270
2007	19.0912	0.9835	19.1832	1.1242	19.1060	1.2987	19.7302	1.9280	27.2979	3.2399	17.3120	1.3909	17.0351	1.2675	27.2366	2.4690
2006	16.6388	1.0305	18.1039	1.1742	13.7491	1.2319	17.7968	1.9700	22.7300	2.8317	16.3193	1.4883	13.7391	1.3378	22.7196	2.2450
Unintentional injuries																
2010	13.9796	0.7264	15.2448	0.8987	11.4129	0.9725	13.4118	1.7063	12.0861	2.1310	10.7885	0.9632	14.4271	0.9602	26.2678	2.3972
2009	13.0557	0.6907	13.7062	0.8493	11.9187	1.0246	11.1279	1.9289	14.3402	2.3582	10.2887	0.9375	13.2267	1.1209	26.1322	2.6295
2008	14.1854	0.8676	15.1211	1.0797	12.4342	0.9808	12.7435	1.7507	14.3509	2.5126	13.8881	1.1488	11.7392	1.1172	25.9815	2.6311
2007	11.3761	0.7463	11.9364	0.8977	10.4298	0.9590	11.0560	1.5944	13.4363	2.3766	9.1213	0.9672	10.4113	0.9792	22.8013	2.4644
2006	9.5346	0.7191	10.6267	0.8538	7.3643	0.8773	9.5298	1.4937	13.0291	2.1836	7.4442	0.9143	8.6432	1.0466	18.4416	2.0526
Falls																
2010	7.8613	0.5032	8.8475	0.6395	5.8874	0.6763	5.2078	1.2187	—	—	3.8940	0.5490	9.5277	0.7728	21.7763	2.2460
2009	7.5132	0.5278	7.8955	0.6426	6.8434	0.7625	3.3847	0.9898	7.0876	1.7491	4.4888	0.6485	8.1658	0.9613	23.5103	2.5216
2008	7.8139	0.6567	8.5524	0.7932	6.3457	0.7210	3.8994	1.0816	5.6220	1.7073	5.2822	0.7114	7.9117	0.9413	22.6758	2.4165
2007	6.2142	0.4857	6.5021	0.5965	5.7317	0.7008	3.9686	0.9174	—	—	3.4521	0.5307	6.5057	0.7153	20.9931	2.3884
2006	5.1233	0.4685	5.5205	0.5662	4.3434	0.6400	5.2705	1.0309	—	—	2.6946	0.4957	5.3612	0.8266	13.7028	1.7806
Struck by or against objects/persons																
2010	0.2975	0.0893	0.4041	0.1274	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	1.3692	0.1944	1.2553	0.2110	1.5442	0.3581	—	—	4.3561	1.2610	1.3944	0.3378	1.1027	0.2554	—	—
2009	1.3263	0.2040	1.3543	0.2487	1.2846	0.3259	—	—	—	—	1.5626	0.3387	1.0265	0.2692	—	—
2008	1.4826	0.2713	1.7901	0.3611	—	—	—	—	—	—	2.5210	0.4831	0.9339	0.2673	—	—
2007	1.2263	0.1929	1.3780	0.2574	0.9518	0.2711	—	—	—	—	0.9977	0.3009	1.3619	0.3222	—	—
2006	0.9493	0.1952	1.0690	0.2611	—	—	—	—	—	—	1.1840	0.3176	—	—	—	—
Cut or pierce																
2010	0.3350	0.0975	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	0.3427	0.1040	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	0.3204	0.0923	0.4786	0.1385	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	1.2446	0.1870	1.0587	0.1993	1.6480	0.3868	—	—	—	—	1.6329	0.3662	1.1483	0.2833	—	—
2009	1.0876	0.1779	0.9608	0.2042	1.3436	0.3269	—	—	—	—	1.0760	0.2807	1.1348	0.3346	—	—
2008	1.1960	0.2068	1.0726	0.2331	1.4534	0.3712	—	—	—	—	1.6868	0.4203	—	—	—	—
2007	0.7891	0.1593	0.6800	0.1879	1.0032	0.2973	—	—	—	—	0.9387	0.2622	—	—	—	—
2006	0.5415	0.1426	0.6386	0.1889	—	—	—	—	—	—	—	—	—	—	—	—
Intentional injuries																
2010	3.9523	0.3659	3.4801	0.3547	4.9025	0.8019	2.7543	0.7508	8.6425	1.7501	5.8272	0.7161	2.7754	0.3892	—	—
2009	3.8159	0.4400	3.5712	0.5074	4.3262	0.6362	3.8652	1.1049	7.0790	1.7413	5.7608	0.7657	1.6278	0.4104	—	—
2008	4.0678	0.3696	3.8580	0.4387	4.4530	0.6457	4.5310	1.0653	7.9378	2.0318	5.6379	0.7331	2.7450	0.4276	—	—
2007	3.4811	0.3893	2.6945	0.3743	5.0019	0.7209	3.5526	0.9129	10.2044	2.4862	3.8311	0.5981	2.7318	0.5048	—	—
2006	3.2088	0.3380	3.3326	0.4121	2.9748	0.4800	2.4795	0.7727	—	—	5.0128	0.6351	2.0687	0.4094	—	—

See footnotes at end of table.

Table A9. Percent distribution that had co-occurring injury-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
All chronic liver disease and cirrhosis																
Any injury-related diagnoses																
2010	3.7414	0.1571	4.0304	0.2018	3.2546	0.2077	—	—	—	—	3.4770	0.3175	3.5859	0.1814	4.5257	0.3370
2009	3.7251	0.1643	3.8200	0.1974	3.5686	0.2345	—	—	—	—	3.6763	0.3608	3.8052	0.1829	3.6252	0.3170
2008	3.5765	0.1281	3.7301	0.1578	3.3165	0.2196	—	—	—	—	2.8997	0.2471	3.7314	0.1591	3.7526	0.3019
2007	2.9991	0.1207	3.1221	0.1484	2.7833	0.1832	—	—	—	—	2.9685	0.2830	2.9771	0.1501	3.1472	0.2633
2006	3.2002	0.1517	3.3599	0.1883	2.9155	0.2077	—	—	—	—	3.2200	0.2895	3.2426	0.1817	3.1236	0.2792
Unintentional injuries																
2010	2.6569	0.1301	2.8304	0.1712	2.3647	0.1660	—	—	—	—	2.3599	0.2650	2.6810	0.1516	2.9489	0.2715
2009	2.6594	0.1344	2.7200	0.1731	2.5597	0.1783	—	—	—	—	2.4335	0.2964	2.7586	0.1557	2.6538	0.2583
2008	2.6256	0.1160	2.7448	0.1421	2.4236	0.1906	—	—	—	—	1.9535	0.2063	2.7154	0.1436	2.9613	0.2730
2007	2.0057	0.1118	2.0984	0.1318	1.8429	0.1645	—	—	—	—	1.6960	0.2040	2.0344	0.1366	2.2276	0.2329
2006	2.2573	0.1357	2.3871	0.1659	2.0259	0.1742	—	—	—	—	2.1909	0.2570	2.2868	0.1610	2.2848	0.2488
Falls																
2010	1.5645	0.0996	1.6372	0.1336	1.4423	0.1369	—	—	—	—	1.0535	0.2121	1.5850	0.1139	2.0090	0.2276
2009	1.4640	0.0905	1.4426	0.1174	1.5004	0.1331	—	—	—	—	0.9984	0.1654	1.5069	0.1160	1.7749	0.2098
2008	1.5271	0.0888	1.5285	0.1101	1.5257	0.1438	—	—	—	—	0.9153	0.1447	1.5549	0.1117	1.9809	0.2049
2007	1.0950	0.0800	1.1561	0.0951	0.9874	0.1162	—	—	—	—	0.6834	0.1296	1.1105	0.0998	1.4254	0.1909
2006	1.2242	0.0878	1.2495	0.1031	1.1795	0.1303	—	—	—	—	0.9410	0.1559	1.1756	0.1014	1.6411	0.2050
Struck by or against objects/persons																
2010	0.0722	0.0203	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	0.0487	0.0159	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	0.0607	0.0173	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	0.0643	0.0190	0.0728	0.0222	—	—	—	—	—	—	—	—	0.0991	0.0306	—	—
Motor vehicle traffic																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	0.1943	0.0318	0.2119	0.0406	0.1646	0.0452	—	—	—	—	0.3083	0.0935	0.1902	0.0403	—	—
2009	0.2119	0.0323	0.1786	0.0368	0.2675	0.0569	—	—	—	—	0.4081	0.1063	0.2246	0.0405	—	—
2008	0.1710	0.0282	0.1582	0.0323	0.1928	0.0524	—	—	—	—	—	—	0.1909	0.0401	—	—
2007	0.1940	0.0292	0.1830	0.0352	0.2137	0.0495	—	—	—	—	—	—	0.1933	0.0392	—	—
2006	0.1961	0.0294	0.1594	0.0330	0.2620	0.0554	—	—	—	—	0.2760	0.0799	0.2180	0.0415	—	—
Intentional injuries																
2010	0.1397	0.0271	0.1490	0.0336	—	—	—	—	—	—	0.3270	0.0968	0.1109	0.0278	—	—
2009	0.1366	0.0245	0.1405	0.0323	—	—	—	—	—	—	—	—	0.1341	0.0313	—	—
2008	0.1442	0.0264	0.1808	0.0389	—	—	—	—	—	—	—	—	0.1550	0.0338	—	—
2007	0.1101	0.0236	0.1083	0.0288	—	—	—	—	—	—	0.3090	0.0902	0.0767	0.0250	—	—
2006	0.1470	0.0280	0.1164	0.0309	0.2018	0.0478	—	—	—	—	0.3461	0.0930	0.1104	0.0316	—	—

See footnotes at end of table.

Table A9. Percent distribution that had co-occurring injury-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcoholic liver disease																
Any injury-related diagnoses																
2010	4.3105	0.2007	4.5470	0.2494	3.7366	0.3150	—	—	—	—	4.0303	0.4013	4.2053	0.2339	5.3811	0.5873
2009	4.3997	0.2115	4.3525	0.2485	4.5171	0.3440	—	—	—	—	4.2598	0.4255	4.4007	0.2384	4.6812	0.5835
2008	4.1465	0.1613	4.2184	0.1921	3.9659	0.3195	—	—	—	—	3.1420	0.2982	4.3921	0.2035	4.6074	0.5284
2007	3.6691	0.1624	3.6499	0.1883	3.7234	0.2958	—	—	—	—	3.3662	0.3262	3.6978	0.1994	4.0384	0.5005
2006	3.7738	0.1893	3.7855	0.2226	3.7447	0.3257	—	—	—	—	3.5901	0.3497	3.7808	0.2159	4.0647	0.4985
Unintentional injuries																
2010	3.1475	0.1758	3.2439	0.2143	2.9142	0.2754	—	—	—	—	2.8873	0.3463	3.1379	0.1995	3.7619	0.4871
2009	3.1413	0.1773	3.0431	0.2143	3.3859	0.2905	—	—	—	—	2.7401	0.3540	3.2234	0.2020	3.4685	0.5084
2008	3.0427	0.1452	3.0384	0.1701	3.0550	0.2808	—	—	—	—	2.1674	0.2579	3.2487	0.1800	3.5177	0.4640
2007	2.4737	0.1499	2.5004	0.1619	2.4037	0.2656	—	—	—	—	1.9629	0.2447	2.5748	0.1840	2.8777	0.4265
2006	2.7172	0.1698	2.7186	0.1998	2.7146	0.2714	—	—	—	—	2.5011	0.3106	2.7240	0.1947	3.1084	0.4516
Falls																
2010	1.8906	0.1347	1.8876	0.1699	1.8983	0.2297	—	—	—	—	1.3192	0.2727	1.9595	0.1517	2.6394	0.4056
2009	1.7710	0.1294	1.6822	0.1512	1.9921	0.2297	—	—	—	—	1.1423	0.2007	1.8700	0.1629	2.3894	0.4101
2008	1.7517	0.1075	1.7215	0.1265	1.8293	0.2217	—	—	—	—	1.0017	0.1786	1.8834	0.1354	2.3659	0.4034
2007	1.3520	0.1096	1.3712	0.1219	1.3014	0.1869	—	—	—	—	0.8258	0.1619	1.4624	0.1359	1.7584	0.3284
2006	1.4436	0.1122	1.4213	0.1289	1.5032	0.1974	—	—	—	—	1.1266	0.1938	1.4398	0.1315	2.0641	0.3735
Struck by or against objects/persons																
2010	0.0898	0.0290	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	0.0797	0.0258	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	0.2864	0.0466	0.2986	0.0571	—	—	—	—	—	—	0.3971	0.1202	0.2681	0.0564	—	—
2009	0.2968	0.0476	0.2501	0.0514	0.4130	0.1036	—	—	—	—	0.4190	0.1225	0.3100	0.0577	—	—
2008	0.2278	0.0429	0.1918	0.0448	0.3195	0.1011	—	—	—	—	—	—	0.2390	0.0544	—	—
2007	0.2779	0.0440	0.2572	0.0502	0.3338	0.0907	—	—	—	—	—	—	0.2769	0.0587	—	—
2006	0.2565	0.0414	0.1812	0.0405	0.4555	0.1063	—	—	—	—	—	—	0.2549	0.0523	—	—
Intentional injuries																
2010	0.2063	0.0415	0.1980	0.0456	—	—	—	—	—	—	—	—	0.1617	0.0406	—	—
2009	0.1871	0.0365	0.1731	0.0420	—	—	—	—	—	—	—	—	0.1708	0.0423	—	—
2008	0.1907	0.0401	0.2151	0.0514	—	—	—	—	—	—	—	—	0.1739	0.0467	—	—
2007	0.1481	0.0360	0.1182	0.0371	—	—	—	—	—	—	—	—	—	—	—	—
2006	0.1773	0.0399	0.1186	0.0358	0.3324	0.0904	—	—	—	—	0.3875	0.1134	0.1242	0.0391	—	—

See footnotes at end of table.

Table A9. Percent distribution that had co-occurring injury-related diagnoses among hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol poisoning																
Any injury-related diagnoses																
2010	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000
2009	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000
2008	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000
2007	99.9283	0.0718	100.0000	0.0000	99.8024	0.1978	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000	98.9034	1.0929
2006	99.9166	0.0836	100.0000	0.0000	99.7725	0.2275	99.5363	0.4685	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000	100.0000	0.0000
Unintentional injuries																
2010	55.3371	3.0278	56.6999	3.4210	52.9651	3.1516	64.1533	5.4691	56.8676	5.1589	50.0230	2.8325	56.6385	4.3714	59.6223	5.3774
2009	53.7425	2.2195	57.2364	2.5801	48.1103	2.8640	65.3441	4.0254	58.1266	5.5500	46.3708	2.8221	56.2235	3.3979	55.3871	6.1627
2008	50.7786	2.7744	51.1621	3.3277	50.0827	2.9116	57.4799	4.0131	54.7874	5.1555	46.8699	2.7696	51.0896	4.4289	54.7765	7.0425
2007	47.4468	1.6499	50.2379	2.0140	42.5488	2.4907	53.5195	3.9272	48.9663	5.4369	46.8575	2.7086	44.9595	2.4800	48.9961	5.9295
2006	49.5619	3.4547	52.0583	4.1466	45.3572	3.0833	63.4522	5.1595	48.0951	7.5812	44.1389	3.5563	46.4336	3.7288	64.9793	6.7207
Falls																
2010	3.2571	0.4412	3.2078	0.6013	3.3430	0.7328	—	—	—	—	—	—	3.3638	0.6907	—	—
2009	3.5829	0.6453	3.8331	0.7744	3.1798	0.8061	—	—	—	—	—	—	4.5514	1.0345	—	—
2008	2.7321	0.4653	2.8366	0.5911	2.5426	0.7323	—	—	—	—	—	—	2.4309	0.7066	—	—
2007	2.3971	0.4054	2.2618	0.4964	2.6615	0.7750	—	—	—	—	—	—	—	—	—	—
2006	1.8193	0.3554	1.9462	0.4683	—	—	—	—	—	—	—	—	—	—	—	—
Struck by or against objects/persons																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	52.5594	3.1966	53.7037	3.6296	50.5676	3.1985	59.4754	5.9107	55.6433	5.1720	48.1348	2.9756	54.3532	4.5602	49.6071	5.5380
2009	50.7134	2.1564	53.9778	2.3630	45.4514	2.9747	61.6010	4.3850	55.6835	5.5810	43.3725	2.6657	53.5308	3.4610	50.9007	6.0716
2008	47.9085	2.7967	48.4374	3.4248	46.9490	2.8290	53.5280	3.9426	53.6002	5.1712	44.9019	2.8436	47.9004	4.5240	49.0075	6.8872
2007	44.4405	1.6428	46.6255	2.0109	40.5644	2.4462	51.0193	3.9284	46.4797	5.4303	44.1200	2.5754	42.0897	2.5750	42.0658	5.6912
2006	47.3866	3.3640	49.2516	4.0243	44.2668	3.0837	62.1572	5.3243	45.6222	6.8667	41.3332	3.4730	44.4647	3.5744	63.5675	6.7559
Intentional injuries																
2010	22.1980	2.4585	20.0364	2.6399	25.9605	2.7234	16.4402	3.5887	20.6946	3.8367	28.2793	2.7767	20.2497	3.2765	12.7113	4.1902
2009	28.2513	1.9431	25.5365	2.1531	32.6274	2.6497	19.3753	3.1011	26.6570	5.2648	33.4437	2.4478	27.9620	3.1354	16.6275	4.6860
2008	29.4235	2.3466	26.0068	2.6444	35.6222	2.6429	23.6930	3.2554	23.2556	4.8259	32.5884	2.4900	30.1421	3.8549	23.4319	5.8905
2007	28.6285	1.5157	24.9230	1.7830	35.0343	2.3463	24.4609	3.0192	26.2567	5.1939	30.0822	2.3640	30.4864	2.4846	21.8891	5.0805
2006	27.9328	2.3750	23.2413	2.5695	35.8784	2.6664	14.0170	3.3548	22.4506	5.1995	33.8665	2.7256	30.2489	2.7855	23.6909	5.6735

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table A10. Percent distribution that had co-occurring injury-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Any alcohol-related diagnoses																
Any injury-related diagnoses																
2010	17.0236	0.3909	17.5018	0.4666	16.0472	0.3000	32.6846	1.2251	34.0159	1.2148	20.7866	0.6723	14.6886	0.3304	14.2476	0.2318
2009	16.3104	0.3794	16.5586	0.4384	15.7910	0.3137	33.6575	1.2866	33.5462	1.2603	19.7734	0.6300	13.9264	0.3113	13.7794	0.2328
2008	16.5603	0.4077	16.7465	0.4734	16.1764	0.3425	33.3302	2.1993	34.8650	1.4369	20.2104	0.7142	13.8534	0.3007	13.5534	0.2145
2007	16.1870	0.3705	16.2625	0.4229	16.0148	0.3274	34.9735	1.6255	34.6867	1.2861	20.0169	0.6484	13.2761	0.2718	12.9583	0.2036
2006	16.1360	0.4350	16.4228	0.5088	15.5161	0.3255	37.6013	1.6986	36.7443	1.4156	19.7340	0.7691	13.0508	0.3124	12.8474	0.2129
Unintentional injuries																
2010	10.3654	0.2878	11.0447	0.3316	8.9804	0.2274	15.3173	0.8608	17.0991	0.8546	10.3393	0.4326	9.4957	0.2517	11.2969	0.2453
2009	9.8864	0.2734	10.4613	0.3112	8.7081	0.2227	15.8086	0.9490	16.2627	0.8834	9.5725	0.3837	9.0233	0.2420	11.1159	0.2281
2008	9.9750	0.2742	10.5318	0.3148	8.8493	0.2206	15.0330	1.1880	15.6702	0.8982	9.8688	0.4379	9.0144	0.2211	11.2084	0.2150
2007	8.9340	0.2693	9.3871	0.3100	7.9817	0.2127	15.2559	0.9818	15.3157	0.9018	8.8857	0.3928	7.9563	0.2194	9.8617	0.2242
2006	9.1197	0.3176	9.6842	0.3636	7.9037	0.2411	17.5859	1.1020	17.0187	0.9903	9.2492	0.4491	7.9392	0.2633	9.8666	0.2515
Falls																
2010	4.8040	0.1302	4.8626	0.1461	4.6856	0.1254	2.6013	0.2332	3.2673	0.2742	2.8516	0.1370	4.6864	0.1292	8.2252	0.1925
2009	4.6781	0.1211	4.7268	0.1325	4.5782	0.1215	2.8056	0.2312	3.2307	0.2340	2.6616	0.1107	4.4880	0.1196	8.3054	0.1840
2008	4.4874	0.1085	4.4727	0.1149	4.5136	0.1200	2.3113	0.2543	2.5398	0.2179	2.5711	0.1029	4.3227	0.1057	8.3183	0.1697
2007	3.9766	0.1088	3.9199	0.1185	4.0924	0.1119	2.3451	0.2579	2.6281	0.2181	2.2569	0.1089	3.8655	0.1050	7.2887	0.1724
2006	3.7933	0.1236	3.7434	0.1348	3.9000	0.1216	2.3522	0.2136	2.4512	0.2156	2.1390	0.1140	3.6714	0.1246	7.1641	0.1890
Struck by or against objects/persons																
2010	0.1959	0.0082	0.2226	0.0102	0.1411	0.0096	0.4046	0.0767	0.2966	0.0491	0.2367	0.0167	0.1826	0.0094	0.1401	0.0128
2009	0.1896	0.0086	0.2168	0.0105	0.1338	0.0110	0.3778	0.0755	0.4195	0.0629	0.2180	0.0167	0.1781	0.0101	0.1309	0.0132
2008	0.1921	0.0093	0.2218	0.0115	0.1329	0.0114	0.6173	0.0948	0.2830	0.0526	0.2334	0.0156	0.1614	0.0105	0.1463	0.0137
2007	0.1707	0.0094	0.1961	0.0119	0.1167	0.0099	0.3227	0.0931	0.2346	0.0596	0.2122	0.0159	0.1622	0.0105	0.1015	0.0121
2006	0.1654	0.0084	0.1908	0.0105	0.1101	0.0110	0.2849	0.0651	0.3035	0.0578	0.2072	0.0164	0.1550	0.0100	0.0907	0.0112
Motor vehicle traffic																
2010	1.7492	0.1126	2.0557	0.1322	1.1202	0.0792	6.2669	0.5020	7.8530	0.5494	2.9713	0.2219	1.1160	0.0719	0.4798	0.0347
2009	1.5265	0.1142	1.7780	0.1345	1.0065	0.0771	6.4289	0.6420	6.7789	0.6285	2.5222	0.2038	0.9856	0.0717	0.3856	0.0324
2008	1.6695	0.1375	1.9382	0.1582	1.1223	0.1001	5.8887	0.7542	7.1480	0.6652	2.7528	0.2742	1.0453	0.0760	0.3872	0.0321
2007	1.5828	0.1160	1.8360	0.1355	1.0507	0.0793	6.6852	0.6405	7.3576	0.6487	2.5192	0.2038	0.9405	0.0645	0.3668	0.0338
2006	1.7857	0.1377	2.0966	0.1610	1.1127	0.0908	7.6297	0.6859	8.3906	0.7169	2.8047	0.2425	1.0289	0.0755	0.4685	0.0422
Cut or pierce																
2010	0.1380	0.0084	0.1607	0.0101	0.0919	0.0088	0.4019	0.0695	0.4070	0.0532	0.2358	0.0216	0.0986	0.0071	0.0476	0.0075
2009	0.1370	0.0083	0.1588	0.0099	0.0923	0.0093	0.4283	0.0832	0.6013	0.0803	0.2186	0.0178	0.0948	0.0073	0.0444	0.0075
2008	0.1439	0.0084	0.1744	0.0113	0.0816	0.0078	0.4395	0.0750	0.4257	0.0665	0.2196	0.0181	0.1053	0.0082	0.0559	0.0104
2007	0.1390	0.0104	0.1631	0.0134	0.0879	0.0089	0.5123	0.0866	0.5210	0.0788	0.2333	0.0214	0.0849	0.0089	0.0355	0.0070
2006	0.1605	0.0123	0.1905	0.0147	0.0961	0.0116	0.4214	0.0758	0.6802	0.0842	0.2521	0.0243	0.1126	0.0115	0.0304	0.0062
Poisoning																
2010	1.2972	0.0602	1.2167	0.0636	1.4625	0.0628	3.1645	0.3788	2.5331	0.1806	1.6869	0.0832	1.2122	0.0676	0.6246	0.0354
2009	1.2849	0.0482	1.2167	0.0510	1.4250	0.0561	3.4982	0.3404	2.7975	0.2103	1.6919	0.0790	1.1845	0.0511	0.5653	0.0298
2008	1.2874	0.0461	1.2142	0.0502	1.4350	0.0506	3.1258	0.3446	2.6699	0.1958	1.7094	0.0700	1.1818	0.0525	0.5096	0.0310
2007	1.1264	0.0458	1.0511	0.0467	1.2819	0.0547	3.1348	0.2720	2.3444	0.1886	1.5669	0.0822	0.9550	0.0455	0.4799	0.0302
2006	1.1921	0.0550	1.1624	0.0608	1.2573	0.0541	4.3460	0.5679	2.5609	0.2017	1.5703	0.0815	1.0158	0.0514	0.4768	0.0290
Intentional injuries																
2010	4.1183	0.1259	3.8355	0.1424	4.6914	0.1512	14.0150	0.6108	13.5827	0.5609	7.7412	0.2640	2.7720	0.0892	0.5087	0.0303
2009	4.1928	0.1283	3.8211	0.1400	4.9440	0.1437	14.9383	0.6142	14.2215	0.5522	7.7963	0.2672	2.8091	0.0877	0.4884	0.0303
2008	4.4793	0.1477	4.0297	0.1583	5.3802	0.1815	14.7313	0.8903	15.9341	0.6792	7.9747	0.2888	2.9153	0.0947	0.4933	0.0276
2007	4.1995	0.1505	3.6918	0.1414	5.2523	0.2110	13.9937	0.7724	13.6515	0.5889	7.5714	0.3028	2.6672	0.0930	0.4826	0.0307
2006	4.1003	0.1485	3.7231	0.1652	4.9088	0.1542	13.5546	0.7215	14.1817	0.6056	7.1523	0.3138	2.6198	0.0886	0.4269	0.0289

See footnotes at end of table.

Table A10. Percent distribution that had co-occurring injury-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcoholic psychoses																
Any injury-related diagnoses																
2010	16.9791	0.6000	17.2402	0.6305	16.1635	0.6172	22.1791	2.7022	15.6733	1.5057	14.2256	0.7189	17.1065	0.5840	22.5226	0.5398
2009	16.7297	0.4793	16.8410	0.5062	16.3770	0.5551	19.0139	2.4310	16.8657	1.4398	14.2513	0.5945	16.8746	0.4746	21.4001	0.5343
2008	15.6368	0.5067	15.9636	0.5061	14.6894	0.6067	18.8987	2.3493	15.6697	1.5198	13.1574	0.5781	15.8379	0.4991	20.6092	0.5068
2007	14.6383	0.4987	14.8123	0.5138	14.1050	0.5772	19.7649	2.7455	12.2651	1.4716	12.7683	0.6628	14.6692	0.4451	19.3220	0.4818
2006	14.7815	0.5317	14.9330	0.5495	14.3213	0.5928	19.7209	2.4964	17.1480	1.9386	13.4542	0.7303	14.6135	0.4947	18.2782	0.4744
Unintentional injuries																
2010	11.6300	0.4756	12.0037	0.4989	10.4549	0.4893	7.6902	1.5980	8.5262	1.1123	8.3737	0.4955	11.9368	0.4676	17.9808	0.5415
2009	11.4997	0.3786	11.8161	0.4006	10.5022	0.4128	7.2647	1.5736	7.0511	0.8686	8.2012	0.3877	11.9401	0.3910	17.4663	0.5097
2008	10.9174	0.3809	11.3419	0.3879	9.6805	0.4383	7.6098	1.4570	7.3461	0.8508	7.6583	0.3624	11.3924	0.3912	17.3055	0.4919
2007	9.5268	0.3723	9.8779	0.3921	8.4467	0.4015	7.2575	1.7502	5.4997	0.8466	6.9130	0.3927	9.9621	0.3608	14.8886	0.4814
2006	9.7161	0.4059	9.9948	0.4255	8.8408	0.4290	6.2391	1.5275	7.0211	1.0587	7.5100	0.4695	9.9611	0.3946	14.6036	0.4853
Falls																
2010	6.7243	0.2857	6.7141	0.2880	6.7604	0.3527	—	—	2.6500	0.5270	3.5725	0.2511	6.8762	0.2806	13.6694	0.4579
2009	6.8069	0.2285	6.7949	0.2303	6.8467	0.3063	—	—	2.4428	0.4699	3.5596	0.1890	7.0024	0.2328	13.5986	0.4303
2008	6.1288	0.2421	6.1448	0.2368	6.0862	0.3343	—	—	1.9817	0.4901	3.1714	0.1830	6.3236	0.2466	13.0833	0.4154
2007	5.4156	0.2339	5.4159	0.2365	5.4160	0.3068	—	—	1.6591	0.4166	2.7561	0.1934	5.8119	0.2330	11.1062	0.4014
2006	5.4328	0.2449	5.3456	0.2509	5.7201	0.3097	—	—	1.9288	0.5742	3.1052	0.2391	5.5532	0.2459	11.1832	0.4067
Struck by or against objects/persons																
2010	0.1995	0.0187	0.2013	0.0209	0.1941	0.0315	—	—	—	—	0.2963	0.0396	0.1658	0.0221	0.1409	0.0379
2009	0.2251	0.0197	0.2388	0.0233	0.1816	0.0330	—	—	—	—	0.2366	0.0345	0.2354	0.0256	0.1698	0.0406
2008	0.2207	0.0214	0.2342	0.0233	0.1812	0.0345	—	—	—	—	0.2729	0.0363	0.1975	0.0272	0.1527	0.0387
2007	0.1831	0.0202	0.1959	0.0232	0.1440	0.0300	—	—	—	—	0.1875	0.0296	0.2038	0.0269	—	—
2006	0.1826	0.0169	0.1882	0.0207	0.1651	0.0344	—	—	—	—	0.1699	0.0299	0.2187	0.0251	—	—
Motor vehicle traffic																
2010	0.8938	0.0721	1.0244	0.0854	0.4810	0.0613	—	—	1.8759	0.4449	0.9360	0.1141	0.9138	0.0763	0.5834	0.0863
2009	0.8040	0.0677	0.9231	0.0807	0.4273	0.0584	—	—	1.0941	0.3241	0.8318	0.0923	0.8423	0.0722	0.5687	0.0828
2008	0.7683	0.0662	0.8915	0.0760	0.4076	0.0571	—	—	1.0931	0.2843	0.7544	0.0968	0.7841	0.0719	0.6775	0.0894
2007	0.6743	0.0579	0.7623	0.0682	0.4043	0.0533	—	—	1.1494	0.3841	0.7317	0.0792	0.6399	0.0652	0.6145	0.0858
2006	0.7608	0.0628	0.8709	0.0727	0.4100	0.0549	—	—	1.4429	0.4282	0.8834	0.0955	0.7492	0.0647	0.4407	0.0777
Cut or pierce																
2010	0.0900	0.0111	0.0979	0.0129	0.0651	0.0192	—	—	—	—	0.1254	0.0227	0.0818	0.0141	—	—
2009	0.0906	0.0118	0.0907	0.0130	0.0905	0.0241	—	—	—	—	0.1308	0.0258	0.0745	0.0141	—	—
2008	0.1159	0.0135	0.1221	0.0161	0.0980	0.0218	—	—	—	—	0.1238	0.0228	0.1080	0.0176	—	—
2007	0.1063	0.0143	0.1209	0.0169	—	—	—	—	—	—	0.1541	0.0286	0.0822	0.0149	—	—
2006	0.1013	0.0138	0.1191	0.0173	—	—	—	—	—	—	0.1277	0.0247	0.1022	0.0190	—	—
Poisoning																
2010	1.0771	0.0886	1.0598	0.0930	1.1324	0.1092	—	—	1.8185	0.4567	1.1038	0.1141	1.1100	0.1012	0.7800	0.0944
2009	1.0729	0.0825	1.0225	0.0841	1.2326	0.1161	—	—	1.2002	0.3661	1.2243	0.1177	1.1005	0.0926	0.6235	0.0815
2008	0.9893	0.0584	0.9645	0.0627	1.0628	0.0878	—	—	1.2227	0.3468	1.0737	0.0927	1.0116	0.0677	0.6353	0.0784
2007	0.8374	0.0603	0.7910	0.0611	0.9762	0.1037	—	—	—	—	1.0286	0.1058	0.7459	0.0636	0.6544	0.0940
2006	0.8947	0.0722	0.9045	0.0773	0.8646	0.0918	—	—	1.3795	0.4091	1.0489	0.1037	0.8450	0.0767	0.5949	0.0941
Intentional injuries																
2010	2.3580	0.1119	2.1514	0.1118	3.0129	0.1884	8.7950	1.8662	4.9645	0.7096	3.3532	0.2156	2.1084	0.1114	0.7541	0.0926
2009	2.6373	0.1195	2.4148	0.1144	3.3366	0.2127	9.0008	1.7226	7.2304	0.9088	3.8627	0.2366	2.3179	0.1138	0.5681	0.0750
2008	2.5419	0.1169	2.3877	0.1130	2.9956	0.2002	9.2876	1.5744	6.3156	0.9496	3.7316	0.2146	2.1709	0.1111	0.5151	0.0793
2007	2.2540	0.1182	1.9915	0.1111	3.0655	0.2046	8.5564	1.7794	4.7297	0.8514	3.3494	0.2371	1.8791	0.1065	0.5176	0.0854
2006	2.2572	0.1153	2.0315	0.1111	2.9822	0.1986	8.3403	2.0417	6.7294	1.0999	3.2740	0.2128	1.9078	0.1098	0.4264	0.0698

See footnotes at end of table.

Table A10. Percent distribution that had co-occurring injury-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol dependence syndrome																
Any injury-related diagnoses																
2010	15.0184	0.4148	14.6361	0.4472	16.0597	0.3995	21.6789	1.2404	18.8519	1.0385	14.3788	0.5787	14.4544	0.3965	17.7363	0.3232
2009	14.8191	0.3966	14.3875	0.4177	15.9902	0.4099	21.7893	1.3580	20.9934	1.0417	14.3764	0.5591	14.1327	0.3645	17.0615	0.3278
2008	14.3428	0.3853	13.9575	0.3906	15.3360	0.4520	21.2464	1.5547	19.8072	1.1382	13.9631	0.5661	13.6323	0.3331	16.5703	0.3153
2007	13.7545	0.3841	13.2883	0.3964	15.0135	0.4332	21.5982	1.6243	17.9138	1.0695	13.5340	0.5914	12.9857	0.3263	16.0681	0.2920
2006	13.4050	0.4899	12.9582	0.5215	14.6400	0.4507	22.6981	1.5282	19.0321	1.2537	13.2810	0.7473	12.5412	0.4112	15.5732	0.3023
Unintentional injuries																
2010	9.3144	0.2950	9.4200	0.3189	9.0361	0.2878	7.5881	0.8045	7.8339	0.6136	6.9079	0.3232	9.4070	0.2863	14.1406	0.3383
2009	9.2070	0.2737	9.3465	0.2994	8.8341	0.2591	8.5556	0.8604	8.3345	0.5715	6.7912	0.2900	9.3056	0.2676	13.8911	0.3172
2008	8.8017	0.2439	8.9386	0.2610	8.4536	0.2597	7.4649	0.8255	6.5735	0.5575	6.4712	0.2445	8.9920	0.2350	13.9107	0.3161
2007	7.8160	0.2531	7.9177	0.2742	7.5576	0.2592	7.9839	0.9457	5.4704	0.4965	5.7907	0.2674	7.9463	0.2422	12.3916	0.3111
2006	7.6954	0.3179	7.7671	0.3507	7.5082	0.2758	8.6864	0.8378	6.6300	0.5947	6.0112	0.3662	7.6703	0.3015	12.1034	0.3327
Falls																
2010	5.0444	0.1707	4.9321	0.1759	5.3519	0.2021	1.2753	0.3047	1.9318	0.2697	2.4817	0.1364	5.1354	0.1691	10.5298	0.2845
2009	5.0138	0.1639	4.9498	0.1750	5.1887	0.1790	1.6753	0.3179	1.8755	0.2180	2.4464	0.1244	5.0706	0.1595	10.6238	0.2662
2008	4.6571	0.1433	4.5997	0.1417	4.8071	0.1868	1.4149	0.3630	1.3822	0.2038	2.2418	0.1011	4.7492	0.1340	10.6546	0.2659
2007	4.0896	0.1409	3.9944	0.1452	4.3463	0.1704	0.9299	0.2484	1.2369	0.2239	1.8957	0.1002	4.2187	0.1386	9.3482	0.2585
2006	3.8608	0.1664	3.7034	0.1751	4.2936	0.1751	0.9769	0.3156	0.9449	0.1778	1.8177	0.1226	3.9789	0.1631	9.1338	0.2697
Struck by or against objects/persons																
2010	0.1915	0.0113	0.1996	0.0135	0.1697	0.0176	—	—	—	—	0.1986	0.0211	0.1883	0.0141	0.1798	0.0242
2009	0.2017	0.0148	0.2136	0.0166	0.1696	0.0215	—	—	0.2946	0.0930	0.2244	0.0276	0.1931	0.0154	0.1575	0.0239
2008	0.1782	0.0126	0.1872	0.0147	0.1553	0.0182	0.7564	0.2039	—	—	0.1935	0.0208	0.1521	0.0148	0.1848	0.0257
2007	0.1516	0.0117	0.1658	0.0140	0.1143	0.0156	—	—	—	—	0.1637	0.0194	0.1568	0.0145	0.1094	0.0221
2006	0.1584	0.0118	0.1620	0.0136	0.1490	0.0188	—	—	—	—	0.1793	0.0215	0.1557	0.0143	0.0971	0.0200
Motor vehicle traffic																
2010	0.6665	0.0445	0.7444	0.0512	0.4564	0.0447	2.2216	0.4213	1.7717	0.2698	0.8371	0.0786	0.5855	0.0401	0.4132	0.0417
2009	0.6698	0.0452	0.7490	0.0536	0.4559	0.0382	1.9233	0.5224	1.8090	0.2877	0.7884	0.0640	0.6216	0.0453	0.3841	0.0473
2008	0.6151	0.0430	0.6758	0.0481	0.4554	0.0431	1.1409	0.3316	1.5645	0.2871	0.7052	0.0662	0.5796	0.0414	0.3556	0.0393
2007	0.6038	0.0408	0.6695	0.0467	0.4303	0.0407	2.4575	0.5612	1.3440	0.2219	0.7487	0.0663	0.5334	0.0366	0.3057	0.0387
2006	0.6056	0.0469	0.6790	0.0552	0.4066	0.0379	2.6375	0.5228	1.3930	0.2419	0.7263	0.0745	0.5327	0.0400	0.3386	0.0432
Cut or pierce																
2010	0.1091	0.0087	0.1170	0.0102	0.0879	0.0137	—	—	—	—	0.1452	0.0182	0.0936	0.0095	0.0751	0.0168
2009	0.1102	0.0083	0.1167	0.0096	0.0925	0.0140	—	—	0.3983	0.1141	0.1519	0.0171	0.0900	0.0096	0.0550	0.0137
2008	0.1152	0.0090	0.1251	0.0109	0.0900	0.0124	—	—	0.2827	0.0843	0.1270	0.0149	0.1104	0.0118	0.0662	0.0185
2007	0.1008	0.0089	0.1040	0.0109	0.0927	0.0142	—	—	—	—	0.1509	0.0174	0.0756	0.0098	0.0469	0.0140
2006	0.1065	0.0109	0.1151	0.0112	0.0831	0.0176	—	—	0.4335	0.1104	0.1365	0.0212	0.0928	0.0116	—	—
Poisoning																
2010	1.1135	0.0644	1.0177	0.0679	1.3732	0.0755	1.5191	0.3316	1.6398	0.2133	1.2368	0.0854	1.1237	0.0704	0.7263	0.0611
2009	1.1082	0.0586	1.0206	0.0578	1.3460	0.0789	1.8301	0.3511	2.1010	0.2835	1.2950	0.0876	1.0845	0.0603	0.6431	0.0539
2008	1.0705	0.0502	0.9832	0.0510	1.2949	0.0715	1.5036	0.2720	1.3358	0.2040	1.1981	0.0733	1.1091	0.0576	0.5511	0.0522
2007	0.9630	0.0468	0.8792	0.0474	1.1878	0.0687	2.4298	0.4353	1.1544	0.2156	1.1284	0.0777	0.9267	0.0494	0.5913	0.0510
2006	1.0089	0.0724	0.9680	0.0781	1.1220	0.0745	2.5202	0.4754	1.8788	0.2952	1.1903	0.1065	0.9466	0.0701	0.5711	0.0541
Intentional injuries																
2010	3.2837	0.1287	2.8122	0.1157	4.5576	0.2011	10.9636	0.9049	8.5962	0.6930	5.2517	0.2619	2.6507	0.1103	0.7082	0.0557
2009	3.4758	0.1288	2.9151	0.1129	4.9919	0.2010	11.3874	1.0021	10.3755	0.6880	5.5140	0.2719	2.7539	0.1024	0.6668	0.0527
2008	3.6090	0.1463	3.0288	0.1174	5.0966	0.2511	11.8525	1.2515	10.5723	0.7724	5.5844	0.3000	2.7424	0.1060	0.6507	0.0568
2007	3.3341	0.1603	2.7584	0.1312	4.8685	0.2634	11.2262	1.0596	9.2901	0.7228	5.2605	0.3233	2.4994	0.1126	0.6097	0.0578
2006	3.2239	0.1563	2.6943	0.1439	4.6728	0.2087	9.7060	0.9824	9.0376	0.7608	4.8698	0.3286	2.4934	0.1138	0.6015	0.0541

See footnotes at end of table.

Table A10. Percent distribution that had co-occurring injury-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Nondependent abuse of alcohol																
Any injury-related diagnoses																
2010	25.6077	0.6426	25.4413	0.7298	26.0215	0.5803	38.2142	1.5982	44.4518	1.5584	32.2933	1.0003	20.4899	0.5135	18.9617	0.4266
2009	23.9133	0.6480	23.4294	0.7300	25.0796	0.5522	39.4041	1.6347	42.4191	1.6566	29.9624	0.9508	18.5765	0.5010	17.9439	0.4290
2008	25.2225	0.7587	24.6088	0.8654	26.6726	0.6448	38.9161	2.7840	44.8911	1.7890	31.8366	1.1022	19.1760	0.5133	18.0596	0.4033
2007	24.1304	0.5920	23.5091	0.6585	25.6111	0.5577	39.5840	1.9362	44.2639	1.4861	30.3109	0.8317	18.1263	0.4165	17.0450	0.3576
2006	24.0185	0.6661	23.9661	0.7469	24.1325	0.5600	43.0367	2.1484	46.9313	1.6282	29.6575	0.9739	17.9218	0.4306	16.8444	0.3882
Unintentional injuries																
2010	15.3255	0.4899	15.8237	0.5266	14.0723	0.4547	18.4166	1.1328	23.4666	1.1874	16.6556	0.7148	13.3036	0.4052	15.5362	0.4199
2009	13.9999	0.4796	14.3581	0.5186	13.0835	0.4276	19.4734	1.2825	22.0106	1.2288	14.8739	0.6554	11.8452	0.3984	14.7578	0.3852
2008	14.6983	0.5345	15.0871	0.5792	13.7149	0.4766	18.6029	1.6091	21.7068	1.2283	16.2030	0.8411	12.2286	0.3830	15.2431	0.3872
2007	12.8914	0.4495	13.1725	0.4865	12.1485	0.4100	17.8659	1.2408	21.2475	1.2112	13.8746	0.6431	10.6026	0.3371	13.2682	0.3574
2006	13.3256	0.5143	13.8958	0.5549	11.8219	0.4440	20.9419	1.3769	23.2753	1.3031	14.4402	0.6962	10.8213	0.3849	12.9647	0.4118
Falls																
2010	6.0336	0.1916	5.8820	0.2059	6.4159	0.2168	3.3310	0.3194	4.3411	0.3925	3.9645	0.2120	5.9851	0.1849	11.4633	0.3480
2009	5.5247	0.1799	5.3788	0.1863	5.8824	0.2143	3.5528	0.3143	4.4510	0.3526	3.4740	0.1748	5.3149	0.1862	11.1001	0.3371
2008	5.4140	0.1676	5.2037	0.1763	5.9121	0.2094	2.8594	0.3398	3.3944	0.3212	3.4832	0.1801	5.2911	0.1750	11.4542	0.3252
2007	4.7796	0.1481	4.5424	0.1543	5.3570	0.1905	2.9054	0.3341	3.6132	0.2976	3.0179	0.1832	4.6992	0.1461	9.8477	0.2961
2006	4.5318	0.1644	4.4041	0.1707	4.8582	0.1933	3.1145	0.2959	3.4191	0.3081	2.8183	0.1601	4.4643	0.1770	9.2831	0.3214
Struck by or against objects/persons																
2010	0.2707	0.0152	0.3047	0.0184	0.1837	0.0217	0.4964	0.1045	0.3921	0.0743	0.3305	0.0309	0.2374	0.0188	0.1560	0.0264
2009	0.2443	0.0129	0.2784	0.0163	0.1576	0.0193	0.4000	0.0924	0.5283	0.0880	0.2559	0.0223	0.2155	0.0195	0.1780	0.0304
2008	0.2898	0.0176	0.3355	0.0208	0.1791	0.0247	0.6536	0.1232	0.3548	0.0715	0.3293	0.0282	0.2415	0.0209	0.2074	0.0327
2007	0.2369	0.0171	0.2619	0.0200	0.1709	0.0204	0.3837	0.1197	0.3072	0.0809	0.2905	0.0281	0.2104	0.0188	0.1293	0.0258
2006	0.2234	0.0137	0.2634	0.0175	0.1170	0.0206	0.2881	0.0811	0.3497	0.0705	0.2759	0.0243	0.1986	0.0194	0.1215	0.0246
Motor vehicle traffic																
2010	4.0872	0.2537	4.5181	0.2785	2.9942	0.2139	8.4088	0.7129	12.0504	0.7929	6.4158	0.4413	2.4434	0.1614	0.9227	0.0914
2009	3.5575	0.2728	3.8669	0.2969	2.7659	0.2269	8.8572	0.8757	10.4731	0.9227	5.4761	0.4292	2.0478	0.1636	0.6898	0.0733
2008	4.0672	0.3455	4.4448	0.3703	3.1255	0.2971	8.1600	1.0165	11.2105	0.9746	6.3319	0.6027	2.3301	0.1867	0.6637	0.0799
2007	3.5751	0.2578	3.9012	0.2795	2.7452	0.2156	8.5410	0.8330	11.2174	0.9228	5.2273	0.3985	1.9549	0.1407	0.7317	0.0799
2006	4.0573	0.3070	4.5036	0.3346	2.8789	0.2430	10.1294	0.9204	12.7525	1.0148	5.9176	0.4738	2.1687	0.1663	1.0527	0.1112
Cut or pierce																
2010	0.2502	0.0187	0.2833	0.0214	0.1675	0.0218	0.5194	0.0960	0.5426	0.0770	0.4132	0.0462	0.1578	0.0150	0.0520	0.0146
2009	0.2509	0.0187	0.2806	0.0215	0.1760	0.0230	0.5306	0.1089	0.8149	0.1205	0.3686	0.0367	0.1481	0.0172	0.0743	0.0213
2008	0.2620	0.0199	0.3066	0.0256	0.1492	0.0194	0.4982	0.0956	0.5855	0.0995	0.4025	0.0392	0.1645	0.0194	0.0670	0.0197
2007	0.2556	0.0219	0.2921	0.0254	0.1611	0.0233	0.5954	0.1079	0.7958	0.1218	0.3933	0.0397	0.1315	0.0202	—	—
2006	0.2867	0.0243	0.3310	0.0286	0.1716	0.0248	0.4941	0.1003	0.8832	0.1202	0.4354	0.0438	0.1687	0.0238	0.0570	0.0163
Poisoning																
2010	1.8258	0.1185	1.6276	0.1168	2.3270	0.1449	2.7330	0.3029	2.6522	0.2296	2.3168	0.1378	1.6526	0.1540	0.8965	0.0788
2009	1.7956	0.0753	1.6270	0.0787	2.2193	0.1063	3.5056	0.3843	2.7565	0.2633	2.1635	0.1109	1.6223	0.0892	0.8250	0.0618
2008	1.8716	0.0738	1.6647	0.0776	2.3782	0.1053	3.3379	0.4162	2.9322	0.2553	2.3907	0.1095	1.5857	0.0899	0.7738	0.0658
2007	1.5399	0.0742	1.3878	0.0733	1.9158	0.1057	2.7678	0.2617	2.5609	0.2314	2.0552	0.1203	1.2127	0.0781	0.6648	0.0596
2006	1.6109	0.0702	1.4935	0.0719	1.9199	0.0960	3.8288	0.4266	2.6358	0.2391	2.0371	0.1027	1.3371	0.0714	0.5344	0.0506
Intentional injuries																
2010	7.1750	0.2075	6.5061	0.2516	8.8484	0.2886	16.2532	0.7331	16.9847	0.7260	12.0713	0.3648	4.3452	0.1490	0.7908	0.0646
2009	7.2399	0.2167	6.3933	0.2529	9.3351	0.2546	16.8308	0.7162	16.8553	0.6932	12.0041	0.3671	4.3644	0.1527	0.8007	0.0721
2008	7.8078	0.2568	6.8573	0.3132	10.1206	0.2873	16.1546	1.0202	19.5317	0.8197	12.3437	0.3626	4.6772	0.1708	0.7771	0.0646
2007	6.9525	0.2214	5.9574	0.2222	9.4143	0.3486	14.9899	0.8468	15.8807	0.6870	11.1749	0.3621	4.0889	0.1445	0.7875	0.0643
2006	6.5992	0.2264	5.9396	0.2636	8.3120	0.2510	14.8063	0.8472	16.7303	0.6882	10.4631	0.3742	3.8399	0.1376	0.5913	0.0631

See footnotes at end of table.

Table A10. Percent distribution that had co-occurring injury-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
All chronic liver disease and cirrhosis																
Any injury-related diagnoses																
2010	8.1884	0.1463	8.8376	0.1793	7.2770	0.1442	3.9793	0.5905	6.4782	0.6747	7.4719	0.2291	8.2300	0.1665	8.7365	0.1802
2009	8.0360	0.1623	8.4692	0.1802	7.4257	0.1737	3.6207	0.5993	5.6690	0.7288	7.3118	0.2318	8.0696	0.1884	8.5885	0.1870
2008	7.6015	0.1491	7.9185	0.1784	7.1549	0.1651	3.9405	0.6899	7.7334	0.8653	7.0460	0.2283	7.5447	0.1678	8.1842	0.1861
2007	7.2620	0.1356	7.5418	0.1695	6.8519	0.1531	4.3458	0.8322	7.6149	0.9074	7.1995	0.2287	7.1964	0.1612	7.4947	0.1762
2006	7.0645	0.1513	7.3771	0.1757	6.6035	0.1627	3.3512	0.6510	7.4792	0.9568	6.8301	0.2379	6.9200	0.1693	7.5972	0.1956
Unintentional injuries																
2010	5.7571	0.1306	6.1979	0.1549	5.1379	0.1310	2.4148	0.4800	3.0633	0.4483	4.5298	0.1690	5.7758	0.1446	6.6916	0.1776
2009	5.7760	0.1433	6.0822	0.1603	5.3439	0.1505	1.6416	0.3733	3.3704	0.5704	4.6070	0.1753	5.7156	0.1658	6.8038	0.1823
2008	5.5984	0.1281	5.7793	0.1523	5.3432	0.1395	2.3040	0.5335	4.3490	0.6431	4.4521	0.1724	5.5287	0.1455	6.6318	0.1707
2007	4.8954	0.1329	5.0166	0.1560	4.7186	0.1422	3.1220	0.6785	3.4730	0.6941	4.1326	0.1759	4.8324	0.1509	5.5916	0.1737
2006	4.8619	0.1511	5.0611	0.1707	4.5685	0.1573	2.1009	0.5496	4.4904	0.7812	4.0793	0.1966	4.7148	0.1652	5.7658	0.1920
Falls																
2010	3.2071	0.0806	3.2554	0.0939	3.1387	0.0936	—	—	0.9724	0.2598	1.7669	0.0894	3.0266	0.0899	4.6920	0.1333
2009	3.3108	0.0849	3.2970	0.0929	3.3296	0.1068	—	—	—	—	1.7871	0.0947	3.0636	0.0953	4.9471	0.1458
2008	3.1182	0.0801	3.0121	0.0908	3.2676	0.1024	—	—	1.5570	0.4136	1.6091	0.0894	2.8712	0.0897	4.7659	0.1305
2007	2.7281	0.0791	2.5798	0.0853	2.9456	0.1005	—	—	—	—	1.5749	0.0956	2.5177	0.0861	4.0082	0.1039
2006	2.6906	0.0852	2.6302	0.0965	2.7804	0.1028	—	—	—	—	1.4341	0.0959	2.4654	0.0921	4.1033	0.1427
Struck by or against objects/persons																
2010	0.1262	0.0093	0.1506	0.0126	0.0919	0.0117	—	—	—	—	0.1521	0.0236	0.1326	0.0117	0.1010	0.0146
2009	0.1061	0.0095	0.1273	0.0136	0.0762	0.0113	—	—	—	—	0.1461	0.0234	0.1034	0.0107	0.0870	0.0149
2008	0.0966	0.0080	0.1079	0.0114	0.0805	0.0113	—	—	—	—	0.1163	0.0207	0.0944	0.0108	0.0880	0.0157
2007	0.1155	0.0112	0.1449	0.0158	0.0725	0.0121	—	—	—	—	0.1435	0.0268	0.1289	0.0155	0.0632	0.0139
2006	0.0972	0.0090	0.1088	0.0125	0.0800	0.0121	—	—	—	—	0.1073	0.0225	0.1057	0.0127	0.0621	0.0143
Motor vehicle traffic																
2010	0.3424	0.0239	0.4203	0.0311	0.2330	0.0229	—	—	—	—	0.4151	0.0473	0.3740	0.0275	0.2185	0.0247
2009	0.3132	0.0235	0.3928	0.0311	0.1999	0.0204	—	—	—	—	0.4206	0.0499	0.3342	0.0268	0.1820	0.0225
2008	0.3084	0.0218	0.3786	0.0303	0.2080	0.0211	—	—	—	—	0.4176	0.0456	0.3251	0.0243	0.1843	0.0233
2007	0.2966	0.0230	0.3769	0.0319	0.1789	0.0204	—	—	—	—	0.4393	0.0563	0.3187	0.0278	0.1423	0.0222
2006	0.2813	0.0231	0.3431	0.0306	0.1886	0.0220	—	—	—	—	0.4407	0.0504	0.2870	0.0293	0.1512	0.0240
Cut or pierce																
2010	0.0491	0.0060	0.0581	0.0083	0.0366	0.0074	—	—	—	—	0.0617	0.0152	0.0497	0.0075	0.0405	0.0102
2009	0.0445	0.0056	0.0572	0.0081	0.0267	0.0064	—	—	—	—	0.0523	0.0142	0.0492	0.0082	—	—
2008	0.0455	0.0060	0.0561	0.0091	0.0305	0.0076	—	—	—	—	0.0756	0.0166	0.0424	0.0075	—	—
2007	0.0426	0.0059	0.0567	0.0087	0.0220	0.0063	—	—	—	—	0.0698	0.0182	0.0462	0.0083	—	—
2006	0.0513	0.0076	0.0574	0.0111	0.0422	0.0085	—	—	—	—	0.0667	0.0181	0.0610	0.0111	—	—
Poisoning																
2010	0.5908	0.0290	0.5910	0.0373	0.5908	0.0333	—	—	—	—	0.7395	0.0611	0.6864	0.0396	0.2906	0.0265
2009	0.5704	0.0294	0.5653	0.0375	0.5778	0.0340	—	—	—	—	0.8341	0.0708	0.6256	0.0359	0.2882	0.0309
2008	0.5481	0.0266	0.5393	0.0319	0.5607	0.0362	—	—	—	—	0.7073	0.0598	0.6444	0.0361	0.2296	0.0266
2007	0.4814	0.0255	0.4676	0.0292	0.5017	0.0353	—	—	—	—	0.6709	0.0640	0.5445	0.0324	0.2165	0.0252
2006	0.4489	0.0264	0.4534	0.0311	0.4425	0.0350	—	—	—	—	0.5974	0.0551	0.4985	0.0349	0.2272	0.0262
Intentional injuries																
2010	0.6357	0.0281	0.7268	0.0379	0.5078	0.0318	1.0060	0.3036	1.8282	0.3500	1.3398	0.0770	0.6451	0.0341	0.1112	0.0177
2009	0.6160	0.0287	0.6847	0.0365	0.5197	0.0324	—	—	1.2438	0.3547	1.2375	0.0771	0.6723	0.0367	0.0796	0.0141
2008	0.6506	0.0309	0.7197	0.0381	0.5533	0.0369	1.4436	0.3894	2.1251	0.5094	1.3412	0.0866	0.6592	0.0358	0.1105	0.0194
2007	0.5886	0.0323	0.6487	0.0410	0.5007	0.0348	—	—	1.8000	0.4531	1.3652	0.0932	0.5824	0.0387	0.0681	0.0144
2006	0.5740	0.0297	0.6216	0.0380	0.5041	0.0350	—	—	1.6050	0.4310	1.2146	0.0834	0.5816	0.0360	0.0926	0.0176

See footnotes at end of table.

Table A10. Percent distribution that had co-occurring injury-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcoholic liver disease																
Any injury-related diagnoses																
2010	10.3476	0.2092	10.4325	0.2316	10.1215	0.2719	—	—	11.4654	1.9464	9.9057	0.3458	10.1705	0.2261	11.5949	0.3496
2009	10.2331	0.2094	10.0585	0.2209	10.6974	0.2991	—	—	12.9141	2.3246	9.9014	0.3451	10.0670	0.2348	11.2138	0.3555
2008	9.4968	0.1893	9.3734	0.2041	9.8283	0.2832	—	—	15.0028	2.4797	8.8356	0.3077	9.3739	0.2060	10.6686	0.3568
2007	8.9137	0.1828	8.7435	0.2068	9.3903	0.2788	30.9359	7.4754	12.8800	2.3449	8.8419	0.3399	8.8393	0.2105	9.1270	0.3341
2006	8.5910	0.1849	8.5307	0.2047	8.7586	0.2476	—	—	15.3001	2.5668	8.8076	0.3135	8.3041	0.2044	9.2370	0.3271
Unintentional injuries																
2010	7.3232	0.1830	7.3854	0.2006	7.1575	0.2298	—	—	5.6395	1.4070	6.1383	0.2551	7.2700	0.1946	9.0429	0.3367
2009	7.3232	0.1864	7.2146	0.1963	7.6102	0.2563	—	—	7.3861	1.8358	6.3398	0.2730	7.1803	0.2117	9.0543	0.3308
2008	6.9266	0.1638	6.8306	0.1781	7.1842	0.2372	—	—	6.9315	1.6303	5.5139	0.2401	6.9283	0.1840	8.7622	0.3213
2007	6.0106	0.1744	5.8429	0.1903	6.4781	0.2520	—	—	4.9308	1.3805	5.2035	0.2453	6.0050	0.1979	7.0186	0.3117
2006	5.8841	0.1883	5.8767	0.2049	5.9058	0.2297	—	—	9.1182	2.0731	5.3885	0.2600	5.7118	0.2000	7.1205	0.3149
Falls																
2010	4.2235	0.1242	4.0937	0.1323	4.5713	0.1849	—	—	—	—	2.7228	0.1536	4.1565	0.1360	6.4163	0.2703
2009	4.3477	0.1233	4.1493	0.1273	4.8747	0.2035	—	—	—	—	2.8109	0.1623	4.2167	0.1401	6.7817	0.2868
2008	3.9203	0.1115	3.7310	0.1167	4.4258	0.1840	—	—	—	—	2.2286	0.1337	3.8627	0.1284	6.3825	0.2761
2007	3.3408	0.1101	3.1243	0.1142	3.9427	0.1856	—	—	—	—	2.1197	0.1423	3.3239	0.1218	5.0339	0.2629
2006	3.2755	0.1094	3.1286	0.1198	3.6801	0.1616	—	—	—	—	2.0949	0.1400	3.2157	0.1272	5.0941	0.2534
Struck by or against objects/persons																
2010	0.1479	0.0147	0.1585	0.0172	0.1194	0.0257	—	—	—	—	0.2039	0.0385	0.1470	0.0182	—	—
2009	0.1212	0.0147	0.1410	0.0186	0.0682	0.0194	—	—	—	—	0.2004	0.0404	0.1068	0.0158	—	—
2008	0.1094	0.0137	0.1209	0.0167	0.0786	0.0218	—	—	—	—	0.1365	0.0321	0.1010	0.0159	—	—
2007	0.1379	0.0165	0.1545	0.0203	0.0917	0.0262	—	—	—	—	0.1307	0.0349	0.1660	0.0233	—	—
2006	0.1206	0.0148	0.1255	0.0172	0.1069	0.0254	—	—	—	—	0.1489	0.0334	0.1261	0.0193	—	—
Motor vehicle traffic																
2010	0.2757	0.0242	0.3224	0.0294	0.1507	0.0286	—	—	—	—	0.2757	0.0517	0.2958	0.0300	0.1918	0.0434
2009	0.2886	0.0248	0.3098	0.0279	0.2318	0.0390	—	—	—	—	0.3462	0.0587	0.2941	0.0283	0.1586	0.0375
2008	0.2740	0.0240	0.2899	0.0288	0.2317	0.0398	—	—	—	—	0.3176	0.0511	0.2730	0.0264	0.1885	0.0440
2007	0.3295	0.0284	0.3533	0.0333	0.2633	0.0418	—	—	—	—	0.4441	0.0678	0.3329	0.0337	0.1405	0.0376
2006	0.2823	0.0282	0.3141	0.0345	0.1949	0.0403	—	—	—	—	0.4210	0.0618	0.2519	0.0328	0.2126	0.0512
Cut or pierce																
2010	0.0667	0.0102	0.0726	0.0128	—	—	—	—	—	—	—	—	0.0650	0.0119	—	—
2009	0.0613	0.0096	0.0670	0.0118	—	—	—	—	—	—	0.0909	0.0271	0.0494	0.0110	—	—
2008	0.0658	0.0095	0.0672	0.0114	0.0620	0.0186	—	—	—	—	0.0865	0.0243	0.0633	0.0122	—	—
2007	0.0590	0.0104	0.0682	0.0133	—	—	—	—	—	—	0.1065	0.0299	0.0535	0.0123	—	—
2006	0.0497	0.0089	0.0505	0.0110	—	—	—	—	—	—	—	—	0.0570	0.0126	—	—
Poisoning																
2010	0.8162	0.0570	0.7643	0.0619	0.9553	0.0835	—	—	—	—	1.0834	0.1097	0.8211	0.0667	0.4577	0.0661
2009	0.7657	0.0506	0.7107	0.0593	0.9131	0.0685	—	—	—	—	1.2329	0.1301	0.6981	0.0543	0.4252	0.0689
2008	0.7366	0.0433	0.6523	0.0431	0.9615	0.0856	—	—	—	—	0.9073	0.0894	0.7560	0.0516	0.4147	0.0671
2007	0.6476	0.0414	0.5841	0.0418	0.8256	0.0807	—	—	—	—	0.8349	0.0928	0.6615	0.0473	0.3026	0.0576
2006	0.6149	0.0441	0.5770	0.0442	0.7194	0.0788	—	—	—	—	0.8290	0.0887	0.6085	0.0505	0.2875	0.0614
Intentional injuries																
2010	0.8972	0.0425	0.8666	0.0476	0.9792	0.0808	—	—	—	—	1.6740	0.1242	0.8052	0.0477	0.2660	0.0514
2009	0.9836	0.0471	0.9010	0.0517	1.2050	0.0848	—	—	—	—	1.7385	0.1253	0.9420	0.0570	0.1891	0.0414
2008	1.0022	0.0504	0.9375	0.0522	1.1749	0.0928	—	—	6.0661	1.8336	1.8212	0.1360	0.8878	0.0540	0.2229	0.0524
2007	0.8823	0.0522	0.8280	0.0569	1.0343	0.0908	—	—	—	—	1.6948	0.1419	0.7936	0.0563	0.1045	0.0312
2006	0.8323	0.0483	0.7696	0.0512	1.0050	0.0891	—	—	—	—	1.4819	0.1161	0.7619	0.0549	0.1856	0.0444

See footnotes at end of table.

Table A10. Percent distribution that had co-occurring injury-related diagnoses among hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.	Percent	S.E.
Alcohol poisoning																
Any injury-related diagnoses																
2010	99.5083	0.1355	99.5072	0.1645	99.5096	0.1436	99.7428	0.2580	100.0000	0.0000	99.6937	0.1200	99.3025	0.2318	98.5909	0.8354
2009	99.3547	0.1796	99.2197	0.2352	99.5090	0.1544	99.5079	0.3475	99.5008	0.3540	99.4246	0.2622	99.3913	0.1731	97.8448	0.9320
2008	99.5305	0.0922	99.5033	0.1310	99.5623	0.1341	99.5511	0.3161	99.7916	0.2086	99.6130	0.1214	99.5055	0.1496	98.4155	0.7889
2007	99.0051	0.2709	98.7908	0.3604	99.2411	0.2133	99.7516	0.2487	99.2108	0.4580	99.4934	0.2354	98.6575	0.4410	95.2819	1.5583
2006	99.3403	0.1483	99.2744	0.1775	99.4186	0.2002	99.5887	0.2937	99.4987	0.3536	99.5534	0.1847	99.0342	0.2547	98.4324	0.8808
Unintentional injuries																
2010	37.4806	1.7770	43.1496	2.0236	30.5543	1.5980	48.3539	3.9232	39.0498	2.6282	30.1996	1.4497	40.3845	2.5931	57.6158	2.9151
2009	35.1016	1.2481	41.6545	1.4967	27.5777	1.2039	44.2019	2.7347	35.8455	2.3723	30.1744	1.3718	37.1655	1.7405	48.6891	3.4479
2008	32.9600	1.2021	39.2618	1.4441	25.5781	1.0917	39.8538	2.5601	32.2973	2.1923	28.2744	1.1749	34.9887	1.8396	51.7014	3.3284
2007	29.9481	1.0394	35.1391	1.2851	24.1364	1.1334	37.2774	2.5886	29.4775	2.5325	28.5351	1.2951	28.2169	1.3485	42.6546	3.3368
2006	32.5149	1.5433	38.5556	1.9641	25.3258	1.2780	45.6069	4.1409	28.3760	3.0312	28.0666	1.4338	33.6241	1.8224	51.7576	3.9626
Falls																
2010	2.8665	0.3811	3.3069	0.5580	2.3285	0.3095	2.9548	0.8155	—	—	1.1768	0.2815	3.7317	0.5339	11.3582	2.1658
2009	2.4251	0.2496	3.0524	0.3476	1.7080	0.2873	—	—	—	—	1.6455	0.2647	3.0078	0.4129	7.6101	1.7664
2008	2.5083	0.2194	3.0905	0.3134	1.8262	0.2538	2.5452	0.7999	2.4302	0.7662	1.3319	0.2287	2.8494	0.3640	11.6005	2.0336
2007	1.8606	0.1939	2.1184	0.2847	1.5790	0.2698	—	—	—	—	1.3388	0.2378	2.1739	0.3554	6.7971	1.6047
2006	1.4534	0.1689	1.7864	0.2497	1.0569	0.2028	—	—	—	—	1.0192	0.2126	2.1096	0.3577	—	—
Struck by or against objects/persons																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	0.1718	0.0498	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	0.9306	0.2055	1.2670	0.2874	0.5197	0.1610	—	—	3.3398	1.1637	0.8186	0.2089	0.5625	0.1527	—	—
2009	1.0868	0.2999	1.5705	0.4300	0.4976	0.1836	—	—	—	—	0.8196	0.2868	1.0510	0.2915	—	—
2008	0.9878	0.1991	1.3792	0.2938	0.5293	0.1592	2.6013	0.8753	—	—	0.7525	0.2037	0.7767	0.2087	—	—
2007	0.8232	0.2082	1.3450	0.3603	—	—	—	—	—	—	0.9650	0.2759	—	—	—	—
2006	0.5809	0.1038	0.7878	0.1638	—	—	—	—	—	—	0.6304	0.1619	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	33.9531	1.8145	39.0738	2.1278	27.6966	1.5848	43.4390	4.2123	34.0282	2.5853	27.6938	1.4864	36.9197	2.6075	48.9479	3.0911
2009	31.1845	1.1789	36.7881	1.4012	24.7818	1.1678	38.7604	2.9462	32.1328	2.4451	27.0683	1.2549	32.8088	1.7323	42.8642	3.2404
2008	28.9644	1.1949	34.5843	1.4979	22.3813	1.0570	33.5594	2.4686	27.8637	2.1372	25.0836	1.1414	31.0733	1.8034	43.7791	3.5418
2007	26.9108	1.0479	31.1944	1.2715	22.1027	1.1562	35.0368	2.5780	26.1158	2.2927	25.6301	1.2998	25.2459	1.3685	37.1154	3.2552
2006	30.0390	1.5417	35.5855	1.9304	23.4381	1.2920	44.1828	4.2288	24.8662	2.8882	25.8225	1.4253	30.8564	1.7843	48.4610	3.8991
Intentional injuries																
2010	46.2242	1.9469	38.3927	2.1011	55.7927	1.7962	37.9071	3.3235	48.9405	2.6606	54.1842	1.6702	41.8470	2.7527	22.7167	2.7010
2009	51.4720	1.3442	43.7220	1.5473	60.3613	1.3573	44.2447	2.7169	52.3728	2.5062	57.2413	1.5511	49.0719	1.7690	26.2605	3.0205
2008	53.1760	1.4131	43.5125	1.6468	64.4957	1.2746	46.1843	2.5258	55.1173	2.6786	59.3975	1.4172	49.7208	2.0252	29.0758	3.2806
2007	51.5297	1.4579	42.5852	1.5544	61.5866	1.5880	43.0917	3.0703	55.5166	3.0123	55.9204	1.6632	50.0376	1.8498	29.6184	3.1919
2006	50.6002	1.4438	41.8659	1.6561	60.9941	1.3926	36.0334	3.6442	55.4262	3.2325	56.8781	1.4957	47.4336	1.7260	29.1823	3.4693

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table B1. Number of hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Any alcohol-related diagnoses																
2010	411,315	21,837	293,746	17,543	117,331	5,220	5,215	420	7,926	587	128,066	8,473	228,269	12,183	41,839	1,385
2009	382,801	20,950	271,902	16,332	110,769	5,336	4,683	291	7,176	549	123,853	8,540	204,321	10,951	42,767	1,864
2008	385,953	19,457	267,823	14,217	117,859	5,822	5,723	601	7,102	586	123,800	8,027	205,342	9,952	43,986	1,470
2007	379,313	19,684	267,104	15,654	111,775	4,877	5,499	379	6,879	528	127,437	8,958	198,227	9,754	41,272	1,277
2006	371,353	19,101	263,049	14,915	107,966	4,741	5,760	523	6,253	522	127,203	9,001	190,938	9,046	41,199	1,303
Alcoholic psychoses																
2010	165,694	12,562	126,346	9,758	39,296	3,112	611	93	2,708	289	58,352	5,049	92,840	6,893	11,184	603
2009	151,436	10,348	115,607	7,899	35,818	2,784	621	90	2,542	260	55,053	4,268	81,409	5,394	11,811	713
2008	149,129	10,563	110,237	7,489	38,829	3,273	664	102	2,570	302	56,214	4,536	78,960	5,339	10,721	596
2007	135,182	9,960	101,864	7,590	33,243	2,691	523	87	2,198	248	52,787	4,536	69,992	4,878	9,681	543
2006	127,604	9,643	96,305	7,190	31,196	2,736	532	73	1,754	207	50,617	4,329	65,062	4,773	9,639	604
Alcohol dependence syndrome																
2010	114,059	12,374	83,813	10,337	30,144	2,697	978	137	2,968	378	42,067	4,997	60,274	6,728	7,772	631
2009	105,072	13,882	76,828	11,057	28,203	3,123	1,163	151	2,614	338	41,964	5,789	51,491	7,259	7,840	938
2008	99,814	11,709	70,707	8,824	29,014	3,361	1,541	389	2,713	384	39,687	5,012	49,080	5,834	6,793	490
2007	108,343	13,605	78,254	11,079	29,850	3,165	1,298	183	2,770	357	45,924	6,691	51,627	6,291	6,724	500
2006	106,187	13,276	78,045	10,576	27,963	2,965	1,387	325	2,727	394	46,698	6,769	49,083	5,719	6,292	441
Nondependent abuse of alcohol																
2010	19,865	1,078	13,393	796	6,398	350	2,155	190	1,192	106	6,873	439	7,862	499	1,782	119
2009	17,469	1,301	11,486	942	5,927	407	1,612	119	1,207	127	6,893	591	6,262	564	1,496	120
2008	17,065	979	11,193	661	5,783	380	2,132	198	953	94	6,054	422	6,233	402	1,692	128
2007	17,695	1,001	11,532	678	6,103	369	2,262	179	1,101	116	6,625	484	6,025	373	1,681	123
2006	17,630	1,101	11,802	773	5,795	371	2,228	172	1,021	102	6,635	546	5,989	441	1,757	118
All chronic liver disease and cirrhosis																
2010	103,041	4,206	64,697	2,904	38,335	1,464	571	171	619	83	17,816	994	63,418	2,828	20,617	705
2009	102,386	3,960	64,009	2,503	38,357	1,582	407	70	408	46	17,459	851	62,817	2,562	21,295	871
2008	113,272	4,933	71,385	3,179	41,863	1,854	587	122	453	54	19,429	943	68,427	3,225	24,376	987
2007	111,805	4,676	71,475	3,272	40,298	1,546	510	121	404	54	19,672	1,042	68,444	3,146	22,774	855
2006	113,466	4,269	72,806	3,060	40,642	1,393	450	83	346	57	20,769	1,088	68,684	2,832	23,217	786
Alcoholic liver disease																
2010	64,819	2,810	45,927	2,194	18,886	781	—	—	244	42	13,835	835	43,519	1,893	7,207	307
2009	64,061	2,365	45,712	1,787	18,349	705	—	—	131	27	13,564	673	42,988	1,638	7,353	317
2008	68,291	2,638	48,994	2,001	19,289	754	—	—	204	33	14,882	669	44,788	1,827	8,392	362
2007	67,468	2,728	49,140	2,192	18,314	687	—	—	165	30	15,051	821	44,130	1,860	8,105	335
2006	69,925	2,975	50,707	2,381	19,210	747	—	—	174	39	16,074	925	45,551	1,961	8,107	341
Alcohol poisoning																
2010	8,656	1,054	5,497	724	3,158	353	899	142	439	54	2,958	292	3,875	674	485	83
2009	6,437	481	3,973	313	2,464	207	879	91	405	47	2,485	204	2,342	251	325	42
2008	6,672	527	4,301	411	2,371	164	799	83	414	49	2,416	173	2,641	310	403	79
2007	6,288	367	3,980	249	2,281	163	905	91	405	55	2,429	171	2,138	170	411	50
2006	6,466	531	4,090	420	2,371	164	1,163	200	404	68	2,484	194	2,120	177	295	42

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table B2. Number of hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	
Any alcohol-related diagnoses																	
2010	2,329,448	69,490	1,562,140	51,359	766,554	20,550	47,459	2,684	62,256	2,864	586,002	22,964	1,199,603	38,047	434,129	10,583	
2009	2,193,263	65,627	1,470,467	47,843	722,059	20,031	42,783	2,256	57,149	2,540	568,651	22,225	1,105,708	34,583	418,972	11,280	
2008	2,076,686	66,055	1,384,412	46,405	691,574	21,347	47,793	4,880	57,383	2,870	566,271	24,356	1,021,727	32,459	383,513	9,631	
2007	1,976,104	58,471	1,332,967	43,902	642,039	16,502	44,241	3,060	53,594	2,476	557,942	22,639	954,993	28,992	365,334	8,566	
2006	1,948,084	60,203	1,329,004	44,676	618,331	17,151	40,270	2,282	51,110	2,422	580,996	25,304	919,762	28,192	355,946	9,122	
Alcoholic psychoses																	
2010	391,843	19,350	297,680	14,948	94,106	4,905	1,512	145	5,538	506	113,399	7,385	220,245	10,672	51,149	1,748	
2009	366,212	16,022	278,225	12,226	87,963	4,252	1,597	166	5,353	429	109,659	6,175	198,504	8,594	51,098	1,697	
2008	364,895	17,760	272,036	12,819	92,796	5,317	1,756	235	5,696	622	114,592	7,633	194,781	8,850	48,070	1,480	
2007	338,805	17,456	255,682	13,426	83,017	4,517	1,399	172	4,856	521	111,709	8,008	176,471	8,442	44,370	1,424	
2006	316,992	16,212	241,360	12,288	75,510	4,394	1,515	172	4,070	446	106,544	7,466	161,551	7,659	43,312	1,571	
Alcohol dependence syndrome																	
2010	1,013,634	40,892	739,813	31,856	273,614	10,629	7,439	542	19,085	1,249	282,932	15,350	565,424	22,403	138,754	4,242	
2009	968,922	39,678	707,382	30,919	261,352	10,084	8,211	608	18,529	1,152	281,497	15,509	521,901	20,697	138,785	4,524	
2008	919,020	40,200	660,481	30,130	258,266	11,425	9,893	1,686	19,107	1,394	287,232	18,240	478,681	18,799	124,107	3,459	
2007	865,866	32,988	628,827	25,703	236,513	8,670	7,536	617	16,820	1,148	277,761	15,226	445,134	15,578	118,615	3,080	
2006	855,480	38,351	625,651	29,891	229,477	9,378	7,115	621	16,083	1,188	288,679	18,794	428,572	17,203	115,032	3,307	
Nondependent abuse of alcohol																	
2010	774,177	28,020	553,207	20,947	220,499	7,551	32,744	2,111	37,103	1,959	226,379	9,471	360,600	13,972	117,351	3,669	
2009	701,914	25,176	500,419	18,748	201,038	6,888	28,650	1,754	33,109	1,688	213,205	8,873	319,975	12,295	106,976	3,515	
2008	660,381	24,345	467,762	17,630	192,277	7,230	32,325	3,400	33,340	1,732	205,786	8,725	292,378	10,925	96,551	3,141	
2007	686,721	26,283	488,959	20,082	197,302	6,801	32,052	2,449	32,564	1,623	221,048	9,480	300,108	12,528	100,948	3,342	
2006	700,593	27,648	506,342	21,067	193,942	7,160	28,300	1,788	31,465	1,651	235,249	11,070	300,650	12,394	104,928	3,588	
All chronic liver disease and cirrhosis																	
2010	852,354	24,173	497,794	14,920	354,505	9,929	6,371	748	6,853	364	139,779	4,817	482,895	15,246	216,456	5,753	
2009	796,890	23,307	465,795	13,753	331,003	10,069	4,967	492	5,647	300	131,194	4,381	446,435	14,103	208,647	6,375	
2008	731,913	22,756	428,432	13,839	303,380	9,369	4,832	555	5,175	323	126,535	4,480	405,967	13,849	189,405	5,518	
2007	660,920	17,516	392,988	11,446	267,789	6,627	3,849	482	4,344	241	112,348	3,801	365,528	10,768	174,851	4,480	
2006	633,730	17,320	377,263	11,068	256,381	6,840	3,816	350	3,809	228	112,846	4,001	346,070	10,384	167,190	4,628	
Alcoholic liver disease																	
2010	351,348	11,065	255,798	8,344	95,540	3,107	196	42	1,448	133	66,754	2,736	228,537	7,516	54,412	1,658	
2009	332,455	10,049	242,053	7,352	90,387	2,979	168	29	1,173	112	64,251	2,402	213,025	6,745	53,839	1,685	
2008	312,557	9,802	227,226	7,283	85,307	2,785	228	40	1,250	120	64,411	2,454	197,379	6,453	49,288	1,513	
2007	294,904	8,489	217,115	6,679	77,732	2,180	173	33	1,032	95	60,571	2,341	185,223	5,546	47,904	1,350	
2006	294,202	9,211	215,733	7,087	78,453	2,470	161	29	964	92	62,915	2,523	182,128	5,907	48,035	1,530	
Alcohol poisoning																	
2010	29,822	1,665	16,400	1,082	13,423	669	2,088	194	2,048	139	12,286	643	11,971	906	1,429	132	
2009	27,349	1,213	14,594	700	12,750	605	2,193	162	2,024	133	11,896	567	10,024	523	1,212	95	
2008	29,430	1,353	15,876	799	13,553	661	2,296	160	2,191	146	12,812	626	10,871	599	1,259	108	
2007	24,825	1,158	13,078	611	11,706	627	2,106	158	1,911	121	11,303	580	8,266	436	1,239	91	
2006	25,322	1,214	13,770	744	11,548	570	2,453	237	2,006	150	11,649	597	8,233	409	981	85	

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table B3. Number of hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Any alcohol-related diagnoses																
 Northeast																
2010	120,589	15,520	91,045	13,281	29,544	2,905	1,202	253	2,316	385	39,374	6,344	67,693	8,504	10,004	711
2009	113,953	16,271	86,892	13,545	27,060	3,215	1,059	144	2,221	337	39,145	6,727	61,540	8,638	9,987	878
2008	104,965	12,194	75,692	9,623	29,274	3,030	1,678	411	2,041	393	36,173	5,257	55,038	6,070	10,036	818
2007	113,247	14,033	85,094	11,949	28,153	2,648	1,371	181	2,021	328	43,300	7,040	56,939	6,503	9,617	562
2006	116,829	15,078	88,890	12,394	27,939	2,991	2,032	462	2,190	411	45,540	7,549	57,471	6,775	9,596	684
 Midwest																
2010	82,866	6,690	57,447	4,775	25,418	2,092	1,340	157	1,831	218	26,944	2,545	44,515	3,669	8,235	620
2009	90,912	7,799	62,418	5,335	28,494	2,543	1,498	169	2,201	294	31,808	3,359	45,991	3,780	9,413	668
2008	89,049	8,575	60,980	5,588	28,060	3,057	1,686	355	2,124	282	30,926	3,725	45,017	4,064	9,297	557
2007	81,581	7,128	55,560	4,849	26,017	2,359	1,607	203	1,896	259	28,104	3,030	41,121	3,552	8,852	612
2006	82,205	7,079	55,922	4,941	26,267	2,212	1,789	194	1,852	234	29,961	3,218	40,042	3,335	8,561	567
 South																
2010	131,484	11,247	92,515	8,552	38,964	2,911	1,437	217	2,332	306	38,419	4,099	73,917	6,533	15,380	763
2009	111,194	8,248	77,463	5,796	33,731	2,559	1,064	126	1,421	168	32,206	2,945	60,768	4,399	15,734	1,383
2008	123,226	10,864	86,552	8,043	36,669	2,995	1,305	212	1,763	260	36,838	4,195	67,156	5,875	16,163	937
2007	110,042	9,730	78,085	7,574	31,946	2,243	1,458	222	1,634	261	33,178	3,772	59,734	5,263	14,038	789
2006	110,168	7,806	77,002	5,713	33,161	2,195	1,146	119	1,306	165	33,543	3,143	59,224	4,119	14,949	809
 West																
2010	76,376	8,046	52,739	5,950	23,405	2,442	1,236	201	1,448	234	23,328	2,875	42,144	4,468	8,220	669
2009	66,743	6,731	45,129	4,604	21,485	2,262	1,062	138	1,332	270	20,694	2,777	36,022	3,416	7,633	587
2008	68,712	6,191	44,600	3,687	23,856	2,531	1,054	145	1,174	203	19,864	2,308	38,130	3,343	8,490	551
2007	74,444	6,712	48,365	4,624	25,658	2,484	1,062	143	1,328	189	22,855	2,696	40,433	3,539	8,765	564
2006	62,150	5,143	41,234	3,437	20,599	1,956	793	87	905	147	18,159	1,948	34,201	2,798	8,092	504
Alcoholic psychoses																
 Northeast																
2010	52,472	8,286	40,544	6,659	11,928	1,836	185	58	878	168	18,334	3,373	30,044	4,517	3,031	344
2009	49,225	6,585	39,185	5,493	10,040	1,387	143	43	815	149	17,603	2,661	27,291	3,558	3,373	369
2008	46,912	6,524	35,436	4,884	11,476	1,770	224	73	833	187	17,937	2,854	25,054	3,275	2,865	314
2007	45,721	6,897	35,323	5,515	10,398	1,550	185	60	799	183	18,732	3,332	23,151	3,194	2,854	291
2006	39,857	6,172	31,742	5,036	8,116	1,303	176	45	534	129	16,209	2,940	20,329	2,959	2,609	299
 Midwest																
2010	35,466	4,365	26,596	3,038	8,870	1,418	131	31	691	125	13,058	1,722	19,405	2,402	2,181	244
2009	38,600	5,496	28,529	3,865	10,071	1,669	253	57	794	157	15,515	2,447	19,567	2,675	2,471	287
2008	38,020	5,169	27,607	3,516	10,408	1,686	230	55	808	167	15,509	2,297	19,160	2,506	2,313	268
2007	29,287	3,700	21,740	2,562	7,543	1,187	149	52	546	110	11,672	1,619	14,894	1,817	2,027	237
2006	30,179	3,705	22,081	2,660	8,088	1,088	215	48	468	86	12,852	1,677	14,668	1,788	1,976	257
 South																
2010	46,123	7,447	35,361	5,704	10,762	1,829	137	36	653	171	15,787	2,995	25,971	4,107	3,575	317
2009	38,076	4,279	29,173	3,127	8,904	1,216	136	44	451	81	12,634	1,592	20,824	2,297	4,032	484
2008	39,610	5,564	30,021	3,949	9,590	1,724	144	40	595	156	14,031	2,331	21,366	2,887	3,475	323
2007	32,632	4,759	25,565	3,684	7,067	1,112	120	30	441	104	12,258	2,093	17,234	2,503	2,579	209
2006	35,173	5,242	26,552	3,752	8,621	1,532	85	26	417	113	13,496	2,307	18,140	2,629	3,035	305
 West																
2010	31,633	3,824	23,845	3,018	7,735	981	158	55	486	100	11,173	1,478	17,420	2,116	2,397	293
2009	25,535	3,900	18,721	2,739	6,803	1,251	89	32	482	120	9,301	1,615	13,727	2,002	1,935	237
2008	24,587	3,366	17,173	2,070	7,355	1,326	66	24	334	62	8,737	1,314	13,381	1,779	2,068	284
2007	27,542	3,912	19,236	2,657	8,235	1,480	69	22	412	71	10,126	1,573	14,714	2,005	2,222	333
2006	22,396	3,700	15,931	2,274	6,371	1,503	56	18	335	79	8,060	1,399	11,926	1,978	2,019	341

See footnotes at end of table.

Table B3. Number of hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol dependence syndrome																
Northeast																
2010	42,756	10,385	34,001	9,193	8,754	1,550	242	60	1,127	280	16,388	4,240	22,882	5,721	2,117	361
2009	41,858	12,925	32,410	10,520	9,448	2,584	366	88	1,056	272	17,176	5,319	21,201	6,894	2,059	549
2008	32,009	8,353	23,767	6,896	8,241	1,723	650	328	862	282	12,970	3,533	15,729	4,151	1,797	318
2007	44,164	11,489	34,204	9,849	9,959	2,050	495	126	988	231	20,045	5,834	20,696	5,254	1,939	319
2006	51,536	12,410	40,125	10,075	11,411	2,521	734	315	1,321	350	24,289	6,401	23,062	5,291	2,130	343
Midwest																
2010	20,667	2,851	14,471	2,103	6,196	829	256	48	524	118	7,710	1,249	10,547	1,376	1,631	266
2009	25,275	3,337	17,531	2,227	7,743	1,166	422	90	822	160	10,248	1,478	11,871	1,512	1,911	285
2008	22,979	4,287	15,823	2,639	7,157	1,687	451	184	680	125	9,102	1,913	11,143	1,977	1,603	200
2007	22,526	3,656	15,207	2,396	7,319	1,309	364	96	674	142	9,484	1,656	10,489	1,704	1,515	202
2006	24,950	3,744	17,141	2,558	7,804	1,224	378	63	724	142	10,761	1,778	11,578	1,717	1,508	166
South																
2010	34,513	5,048	24,700	3,722	9,812	1,477	234	73	798	170	12,345	1,981	18,618	2,747	2,518	301
2009	25,882	3,230	18,448	2,184	7,434	1,117	155	49	371	75	9,739	1,437	12,740	1,475	2,876	691
2008	29,844	5,547	21,825	4,193	8,019	1,455	217	62	707	164	12,214	2,526	14,589	2,747	2,117	234
2007	25,570	4,990	19,004	3,994	6,566	1,044	195	48	570	171	10,328	2,373	12,589	2,347	1,889	190
2006	20,535	2,238	15,101	1,687	5,435	594	181	43	379	72	8,319	1,061	9,829	1,010	1,827	180
West																
2010	16,124	3,412	10,641	2,014	5,381	1,416	247	87	519	144	5,625	1,227	8,227	1,757	1,506	325
2009	12,058	2,024	8,438	1,357	3,578	688	220	69	364	96	4,801	987	5,679	837	994	143
2008	14,982	4,263	9,291	2,399	5,597	1,834	223	75	462	161	5,401	1,610	7,619	2,313	1,276	211
2007	16,084	3,851	9,839	2,015	6,005	1,735	244	77	538	157	6,067	1,535	7,854	1,887	1,380	267
2006	9,166	1,791	5,679	981	3,314	762	93	26	304	82	3,330	748	4,613	863	826	130
Nondependent abuse of alcohol																
Northeast																
2010	2,859	240	1,917	167	942	114	438	96	89	23	805	98	1,110	111	416	55
2009	2,771	325	1,824	207	947	147	345	64	184	49	986	131	956	159	300	46
2008	3,294	499	2,127	306	1,168	209	481	88	156	38	1,069	180	1,238	203	349	73
2007	2,986	374	1,953	268	1,033	130	440	74	123	29	964	147	1,079	148	380	62
2006	3,651	431	2,486	326	1,165	138	644	116	196	44	1,041	162	1,343	193	426	58
Midwest																
2010	5,568	541	3,632	403	1,936	179	647	110	424	67	2,005	236	2,107	235	385	64
2009	5,210	566	3,421	393	1,790	196	531	67	413	60	2,198	273	1,719	251	349	51
2008	5,085	529	3,239	318	1,846	242	789	139	370	66	1,874	242	1,617	205	436	57
2007	5,906	724	3,833	471	2,073	279	798	102	519	85	2,276	383	1,856	248	458	57
2006	5,953	862	3,936	583	2,017	294	817	101	445	77	2,491	453	1,740	325	461	65
South																
2010	7,710	686	5,433	510	2,272	211	526	69	453	62	2,871	292	3,218	345	642	66
2009	6,388	1,025	4,291	775	2,097	269	418	57	340	61	2,588	446	2,486	460	555	84
2008	6,022	580	4,152	452	1,869	164	499	96	210	35	2,252	267	2,378	249	683	80
2007	5,840	459	3,902	332	1,938	158	573	93	303	62	2,289	212	2,146	191	528	71
2006	6,197	513	4,180	374	2,017	168	458	58	275	46	2,429	250	2,369	218	666	73
West																
2010	3,728	585	2,411	427	1,249	182	543	99	227	49	1,192	205	1,427	251	339	52
2009	3,100	464	1,950	298	1,094	182	317	47	269	79	1,120	240	1,101	133	292	51
2008	2,665	304	1,675	196	900	123	363	55	217	43	860	127	1,000	128	224	39
2007	2,962	358	1,843	237	1,059	128	451	87	156	39	1,096	147	944	137	315	55
2006	1,829	144	1,201	106	595	64	309	55	105	24	673	66	537	64	204	32

See footnotes at end of table.

Table B3. Number of hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
All chronic liver disease and cirrhosis																
 Northeast																
2010	20,070	1,531	13,016	1,042	7,054	576	90	51	114	33	3,201	311	12,385	1,075	4,281	300
2009	18,802	1,137	12,636	824	6,166	397	60	26	85	17	2,942	224	11,546	840	4,169	274
2008	20,906	2,689	13,118	1,627	7,788	1,083	127	52	101	29	3,687	447	12,121	1,718	4,870	603
2007	19,051	1,143	12,832	803	6,219	417	62	24	—	—	3,083	231	11,499	719	4,349	369
2006	20,156	1,378	13,503	869	6,653	595	70	26	86	25	3,404	291	12,226	931	4,370	325
 Midwest																
2010	18,837	1,697	11,207	1,082	7,630	664	56	24	97	31	3,356	400	11,393	1,135	3,935	300
2009	20,279	1,926	11,951	1,133	8,328	837	—	—	77	19	3,221	336	12,303	1,232	4,630	425
2008	21,345	1,612	13,201	1,048	8,141	604	62	34	96	24	3,809	301	12,514	1,110	4,865	318
2007	22,305	2,191	13,766	1,361	8,539	852	73	33	—	—	4,050	409	13,374	1,478	4,756	421
2006	19,514	1,532	11,688	939	7,826	650	97	54	77	28	3,251	295	11,522	1,047	4,568	331
 South																
2010	40,825	2,392	25,549	1,571	15,276	896	339	159	295	65	6,561	432	25,116	1,662	8,515	467
2009	38,621	2,588	24,221	1,626	14,400	1,023	75	21	123	25	6,375	584	23,900	1,623	8,148	587
2008	45,813	3,374	29,370	2,280	16,437	1,157	211	72	165	33	7,585	693	28,076	2,198	9,777	612
2007	43,977	3,075	28,325	2,176	15,642	974	317	113	166	35	7,526	547	27,072	2,128	8,896	542
2006	46,268	2,835	29,909	2,064	16,355	855	191	46	98	25	8,438	675	28,218	1,911	9,323	537
 West																
2010	23,309	2,598	14,925	1,926	8,374	753	86	30	114	27	4,699	737	14,525	1,671	3,886	314
2009	24,684	1,997	15,201	1,288	9,463	773	225	60	123	29	4,921	469	15,068	1,306	4,347	398
2008	25,208	1,767	15,696	1,078	9,497	749	188	77	91	20	4,349	344	15,716	1,178	4,864	367
2007	26,473	2,509	16,552	1,864	9,898	735	58	18	127	31	5,014	752	16,501	1,634	4,773	352
2006	27,528	2,438	17,706	1,861	9,808	659	93	34	85	35	5,676	745	16,718	1,550	4,955	339
Alcoholic liver disease																
 Northeast																
2010	12,587	942	9,059	717	3,528	302	—	—	—	—	2,494	245	8,488	690	1,568	127
2009	12,115	763	8,932	599	3,183	231	—	—	—	—	2,285	175	8,187	599	1,612	144
2008	12,439	1,258	8,818	941	3,621	353	—	—	—	—	2,805	309	7,973	864	1,632	188
2007	11,510	740	8,605	552	2,905	253	—	—	—	—	2,423	188	7,589	538	1,480	137
2006	12,355	798	9,111	593	3,243	262	—	—	—	—	2,689	236	8,090	563	1,526	132
 Midwest																
2010	12,240	1,154	8,272	856	3,968	347	—	—	—	—	2,670	333	8,219	791	1,300	141
2009	11,798	906	8,117	672	3,681	278	—	—	—	—	2,363	212	7,987	676	1,419	125
2008	13,185	752	9,293	581	3,888	229	—	—	—	—	3,104	214	8,496	554	1,528	109
2007	13,888	1,116	9,755	772	4,133	382	—	—	—	—	3,268	295	8,955	769	1,622	144
2006	12,295	891	8,480	615	3,815	338	—	—	—	—	2,761	251	8,087	633	1,403	145
 South																
2010	24,287	1,373	17,268	1,003	7,019	464	—	—	73	23	4,772	311	16,624	1,010	2,817	204
2009	24,166	1,623	17,496	1,202	6,671	481	—	—	—	—	4,971	464	16,514	1,099	2,637	193
2008	27,217	1,983	20,028	1,526	7,184	526	—	—	80	20	5,594	493	18,171	1,366	3,363	241
2007	25,510	1,579	18,866	1,246	6,641	410	—	—	—	—	5,402	350	16,888	1,163	3,169	223
2006	27,265	1,932	20,069	1,491	7,196	502	—	—	—	—	6,226	547	17,884	1,309	3,123	218
 West																
2010	15,705	1,947	11,329	1,601	4,371	428	—	—	84	25	3,898	656	10,187	1,209	1,522	130
2009	15,981	1,247	11,167	969	4,814	368	—	—	—	—	3,945	402	10,300	812	1,685	163
2008	15,451	936	10,854	672	4,596	339	—	—	—	—	3,378	251	10,149	648	1,869	161
2007	16,560	1,776	11,914	1,533	4,636	307	—	—	69	19	3,958	654	10,698	1,107	1,835	153
2006	18,011	1,921	13,047	1,648	4,956	351	—	—	61	26	4,399	661	11,490	1,189	2,056	175

See footnotes at end of table.

Table B3. Number of hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	
Alcohol poisoning																	
Northeast																	
2010	2,433	839	1,567	571	866	276	246	120	108	29	647	166	1,273	564	159	65	
2009	1,297	210	837	113	460	110	145	30	81	22	439	84	546	123	86	19	
2008	1,844	452	1,244	356	600	113	196	46	88	22	510	100	896	282	155	70	
2007	1,325	264	781	161	544	114	188	33	—	—	475	110	514	124	95	31	
2006	1,630	392	1,035	301	595	106	408	184	—	—	597	132	511	95	61	22	
Midwest																	
2010	2,328	579	1,541	402	787	186	249	55	95	26	816	203	1,064	340	103	35	
2009	1,548	364	986	244	562	127	244	56	96	23	625	150	531	187	—	—	
2008	1,620	177	1,111	148	510	60	155	29	170	34	633	94	583	85	80	20	
2007	1,557	141	1,014	117	543	62	224	53	104	33	623	76	510	69	96	22	
2006	1,609	298	1,077	258	532	69	282	50	139	57	607	102	534	119	—	—	
South																	
2010	2,314	207	1,473	151	841	88	201	35	132	27	855	93	994	125	131	29	
2009	2,226	179	1,330	122	896	90	279	49	136	25	870	76	818	97	123	26	
2008	1,937	164	1,183	110	754	82	234	43	87	22	756	85	748	79	112	25	
2007	2,023	167	1,290	116	733	81	253	49	154	33	778	88	693	77	145	25	
2006	1,995	151	1,261	110	733	80	231	46	136	25	862	83	668	74	98	24	
West																	
2010	1,582	169	917	116	665	80	202	39	103	25	639	91	544	65	93	26	
2009	1,366	151	819	104	547	81	211	44	92	25	551	79	447	59	64	17	
2008	1,271	124	764	86	507	61	213	45	69	18	517	64	414	50	57	16	
2007	1,383	131	895	95	461	55	240	44	94	24	552	62	421	55	75	21	
2006	1,232	127	717	84	510	69	242	40	76	21	419	52	407	51	88	21	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table B4. Number of hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Any alcohol-related diagnoses																
Northeast																
2010	528,509	38,751	369,750	30,776	158,739	9,834	10,462	1,085	15,293	1,463	143,003	14,440	272,806	20,491	86,944	4,910
2009	511,010	39,240	361,483	31,655	149,481	9,504	9,818	992	14,914	1,245	145,953	14,974	255,413	20,090	84,911	5,053
2008	475,971	36,706	326,798	27,474	149,119	10,611	11,339	1,582	14,141	1,381	142,905	15,582	227,582	17,438	80,005	5,215
2007	459,702	30,719	321,193	24,654	138,509	7,709	9,708	941	13,728	1,350	144,920	14,187	214,175	14,084	77,171	4,217
2006	477,048	34,306	338,609	27,202	138,439	8,170	10,477	1,104	13,336	1,258	161,258	17,032	215,313	15,033	76,663	4,413
Midwest																
2010	495,324	26,095	325,089	17,739	170,225	9,111	12,111	1,362	15,039	1,181	126,293	7,986	249,386	14,756	92,495	4,789
2009	501,236	25,302	327,276	16,945	173,926	8,872	13,055	1,428	15,679	1,202	136,135	8,535	245,930	13,341	90,438	4,048
2008	478,850	29,635	311,825	18,672	167,006	11,457	16,811	4,263	16,721	1,709	139,695	11,168	222,689	12,552	82,933	3,779
2007	443,590	24,198	291,586	16,636	151,970	8,057	14,669	2,263	13,555	1,090	127,368	8,616	207,875	12,343	80,124	3,854
2006	432,009	25,675	284,470	17,476	147,519	8,751	13,372	1,674	14,148	1,333	134,121	10,014	194,611	11,559	75,757	4,054
South																
2010	826,611	41,537	550,652	29,713	275,918	12,590	13,591	1,542	18,191	1,569	199,868	12,561	432,826	23,278	162,134	6,382
2009	736,163	37,179	490,710	25,064	245,425	12,544	9,311	950	14,094	1,200	177,950	10,429	380,592	20,087	154,215	7,625
2008	724,046	40,093	489,729	28,664	234,267	11,959	10,332	1,168	15,843	1,444	187,130	13,066	370,842	21,334	139,899	6,258
2007	687,505	36,877	465,892	26,636	221,569	10,660	11,968	1,609	15,205	1,371	186,705	12,823	342,838	18,725	130,789	5,583
2006	672,584	36,458	460,187	26,022	212,361	10,750	9,324	859	13,355	1,185	188,188	13,460	331,250	17,861	130,467	6,087
West																
2010	479,005	30,348	316,650	22,203	161,673	9,170	11,294	1,340	13,732	1,485	116,839	9,862	244,584	16,372	92,556	4,921
2009	444,855	27,289	290,998	19,277	153,227	8,651	10,599	1,079	12,462	1,421	108,613	9,388	223,773	14,522	89,408	5,214
2008	397,819	23,029	256,059	15,110	141,182	8,296	9,311	1,331	10,678	1,152	96,540	7,415	200,614	11,697	80,676	3,482
2007	385,307	23,017	254,296	18,258	129,990	5,860	7,897	876	11,106	1,114	98,949	8,522	190,105	11,798	77,249	3,095
2006	366,442	21,426	245,738	16,537	120,013	5,938	7,096	670	10,270	1,050	97,428	8,292	178,588	10,777	73,059	3,200
Alcoholic psychoses																
Northeast																
2010	105,462	12,034	80,470	9,474	24,992	2,915	396	75	1,718	285	32,332	4,756	59,651	6,480	11,365	961
2009	103,253	10,026	80,891	8,144	22,361	2,289	405	93	1,614	262	32,663	3,973	57,286	5,490	11,285	791
2008	98,311	9,990	74,028	7,451	24,283	2,767	569	145	1,737	360	33,679	4,455	51,736	4,869	10,590	767
2007	99,132	10,775	75,660	8,586	23,473	2,458	403	99	1,633	308	36,326	5,316	50,467	4,992	10,303	692
2006	85,340	9,215	67,329	7,641	18,011	1,821	534	117	1,244	269	31,453	4,561	42,518	4,197	9,591	737
Midwest																
2010	81,753	6,281	61,695	4,503	20,058	1,920	360	63	1,233	157	24,221	2,203	45,413	3,557	10,526	724
2009	85,393	7,132	63,270	5,118	22,118	2,124	594	99	1,588	239	27,935	3,052	44,579	3,528	10,698	558
2008	86,968	8,275	63,676	5,494	23,287	2,869	517	135	1,601	286	29,137	3,576	45,135	4,023	10,578	691
2007	72,117	5,734	53,849	4,082	18,264	1,761	331	79	1,034	165	23,589	2,284	37,471	2,975	9,692	626
2006	72,220	5,728	53,363	4,129	18,846	1,712	496	87	1,003	151	25,511	2,369	35,902	2,832	9,308	717
South																
2010	124,857	12,092	95,865	9,314	28,992	2,942	395	75	1,514	357	33,971	4,633	70,381	6,704	18,596	1,017
2009	108,546	7,524	83,034	5,536	25,508	2,092	350	77	1,164	177	28,772	2,556	59,219	4,001	19,041	1,206
2008	111,765	10,706	86,160	8,047	25,605	2,853	382	96	1,436	394	32,017	4,626	60,958	5,370	16,972	836
2007	100,256	10,820	77,533	8,296	22,720	2,644	451	108	1,321	362	30,993	4,994	52,889	5,164	14,601	832
2006	98,625	10,338	75,740	7,483	22,884	2,922	292	79	1,092	298	31,152	4,871	51,165	4,753	14,923	927
West																
2010	79,771	6,628	59,651	5,164	20,063	1,795	361	76	1,072	151	22,875	2,367	44,800	3,780	10,662	758
2009	69,019	6,979	51,030	5,131	17,975	1,989	248	55	988	165	20,289	2,550	37,420	3,907	10,075	700
2008	67,851	5,702	48,171	3,724	19,622	2,059	289	84	921	140	19,760	2,056	36,952	3,100	9,930	653
2007	67,299	6,216	48,640	4,589	18,561	2,066	213	43	868	134	20,801	2,387	35,644	3,290	9,774	682
2006	60,807	6,182	44,927	4,425	15,769	2,126	193	45	731	123	18,427	2,366	31,966	3,230	9,489	744

See footnotes at end of table.

Table B4. Number of hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol dependence syndrome																
 Northeast																
2010	262,715	28,507	197,199	23,346	65,516	6,337	2,019	265	5,594	748	83,478	11,593	143,722	15,038	27,903	2,231
2009	269,216	30,388	203,779	25,154	65,436	6,239	2,414	338	6,003	793	88,588	12,660	142,453	15,453	29,757	2,317
2008	241,416	27,861	177,018	22,699	64,397	5,889	2,831	608	5,632	840	86,173	14,100	120,973	12,174	25,807	1,608
2007	242,025	22,767	180,339	18,979	61,686	4,749	2,330	290	5,730	769	89,290	11,459	118,822	10,271	25,853	1,503
2006	258,342	29,842	195,486	24,558	62,856	5,678	2,493	454	5,906	917	103,286	16,006	120,266	12,365	26,390	1,627
 Midwest																
2010	215,304	12,747	153,373	8,955	61,926	4,168	2,154	293	4,699	521	60,679	4,538	118,048	6,998	29,725	1,739
2009	226,760	13,523	160,633	9,325	66,122	4,414	2,955	379	5,797	590	69,406	5,387	118,162	6,746	30,440	1,536
2008	225,380	18,256	156,771	11,543	68,593	6,939	4,111	1,537	5,963	791	74,475	7,749	112,197	7,986	28,634	1,578
2007	197,240	13,209	138,897	9,032	58,326	4,434	2,377	436	4,244	534	64,365	5,557	99,674	6,341	26,580	1,472
2006	196,891	14,580	138,318	10,077	58,557	4,739	2,436	357	4,455	520	68,306	6,036	96,526	7,016	25,168	1,546
 South																
2010	320,904	21,360	235,639	15,951	85,261	5,785	1,706	232	5,041	686	84,641	7,455	182,776	12,105	46,740	2,265
2009	283,128	16,440	207,850	11,767	75,273	4,851	1,509	236	3,767	439	74,486	5,311	157,359	9,167	46,007	2,773
2008	279,711	19,165	207,334	14,263	72,363	5,221	1,642	244	4,820	676	80,739	7,560	151,717	10,030	40,793	2,097
2007	257,815	17,242	191,302	13,005	66,492	4,473	1,679	275	4,015	586	77,816	7,443	136,634	8,416	37,671	1,694
2006	247,900	17,094	183,409	12,441	64,491	4,800	1,414	202	3,308	475	75,877	7,080	130,310	8,502	36,992	1,982
 West																
2010	214,710	15,518	153,602	11,624	60,911	4,688	1,561	289	3,751	510	54,134	5,003	120,878	8,959	34,386	2,205
2009	189,819	14,064	135,120	9,891	54,521	4,443	1,333	237	2,962	395	49,017	4,799	103,927	7,745	32,580	2,248
2008	172,513	11,799	119,358	7,476	52,913	4,522	1,310	227	2,693	393	45,844	4,086	93,794	6,389	28,873	1,576
2007	168,786	9,905	118,288	7,053	50,009	3,598	1,149	175	2,830	316	46,290	3,775	90,004	5,113	28,512	1,480
2006	152,347	8,685	108,437	5,834	43,573	3,196	772	107	2,414	272	41,209	3,239	81,470	4,643	26,481	1,404
Nondependent abuse of alcohol																
 Northeast																
2010	164,347	12,540	117,752	9,427	46,579	3,381	7,141	848	8,812	922	47,137	4,172	76,475	6,003	24,782	1,855
2009	148,766	10,997	106,958	8,311	41,762	2,996	6,606	768	7,905	641	45,037	3,561	66,210	5,365	23,007	1,789
2008	137,313	10,189	97,186	7,337	40,073	3,037	7,399	1,136	7,528	731	42,557	3,463	58,874	4,445	20,955	1,676
2007	140,647	10,775	99,910	7,877	40,736	3,167	6,681	765	7,346	728	46,085	3,956	58,681	4,584	21,853	1,778
2006	145,807	10,160	103,642	7,214	42,165	3,138	6,750	775	6,789	678	48,046	3,791	61,065	4,305	23,156	1,721
 Midwest																
2010	171,608	10,901	119,731	8,121	51,877	3,126	8,830	1,074	9,222	751	50,581	3,877	78,405	5,730	24,570	1,460
2009	159,883	10,032	110,738	7,208	49,135	3,094	8,889	1,063	8,700	719	50,980	3,797	69,484	4,720	21,831	1,217
2008	156,067	11,352	106,090	7,626	49,966	4,055	11,767	2,875	9,939	1,009	51,627	4,306	62,612	4,079	20,121	1,310
2007	160,775	10,188	111,101	7,375	49,660	3,130	11,266	1,891	8,558	672	51,893	3,629	67,992	4,868	21,065	1,336
2006	159,381	11,280	110,549	8,015	48,826	3,549	9,980	1,349	9,064	894	56,141	4,670	62,661	4,427	21,535	1,466
 South																
2010	286,986	17,931	207,895	13,323	79,059	4,835	8,924	1,164	10,481	1,018	83,313	5,504	140,136	9,567	44,133	2,272
2009	252,586	14,821	182,896	10,964	69,681	4,087	6,103	683	8,328	768	74,618	4,873	122,954	7,697	40,582	2,298
2008	252,321	16,160	184,622	12,093	67,689	4,275	6,986	829	9,153	854	77,165	5,736	121,535	8,179	37,482	2,021
2007	260,389	16,410	188,551	12,250	71,830	4,399	8,124	1,119	9,390	851	83,534	5,594	121,052	8,162	38,289	2,186
2006	265,933	17,976	196,924	13,469	68,995	4,678	6,235	636	8,586	805	87,583	7,142	123,004	8,377	40,526	2,526
 West																
2010	151,236	13,694	107,828	10,318	42,984	3,527	7,849	1,109	8,588	1,178	45,349	5,193	65,585	5,902	23,866	1,650
2009	140,679	13,878	99,828	10,500	40,459	3,491	7,052	943	8,175	1,153	42,570	5,280	61,327	6,393	21,555	1,548
2008	114,680	9,942	79,864	7,251	34,548	2,887	6,172	1,150	6,720	846	34,438	3,563	49,357	4,008	17,993	1,122
2007	124,910	14,198	89,396	11,697	35,075	2,659	5,981	765	7,270	964	39,536	5,455	52,382	6,754	19,741	1,203
2006	129,472	14,520	95,226	12,089	33,956	2,633	5,335	608	7,026	906	43,479	5,947	53,920	6,730	19,711	1,177

See footnotes at end of table.

Table B4. Number of hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
All chronic liver disease and cirrhosis																
Northeast																
2010	157,082	9,897	96,665	6,482	60,414	3,707	1,044	189	1,057	123	23,311	1,690	90,314	6,417	41,357	2,427
2009	142,093	7,765	88,067	5,015	54,026	3,170	659	129	937	104	22,350	1,603	79,747	4,832	38,401	2,215
2008	141,418	12,997	85,291	7,778	56,127	5,376	1,010	237	991	160	24,322	2,163	76,774	7,965	38,321	3,219
2007	123,996	6,686	76,648	4,393	47,348	2,597	568	111	753	86	19,774	1,343	67,135	3,934	35,767	2,205
2006	119,608	7,772	75,151	4,804	44,457	3,150	875	192	697	87	20,125	1,361	63,853	4,679	34,058	2,234
Midwest																
2010	170,514	11,159	96,517	6,517	73,991	4,865	952	218	1,369	175	28,166	1,894	94,641	7,141	45,386	2,754
2009	171,996	11,128	97,949	6,376	74,022	4,960	910	158	1,172	133	28,219	1,941	96,442	7,041	45,253	2,714
2008	147,141	8,542	84,430	5,098	62,707	3,587	813	198	1,036	165	26,389	1,811	79,681	5,154	39,222	1,973
2007	135,952	7,609	78,464	4,815	57,480	2,943	754	154	789	94	23,112	1,317	73,134	4,890	38,162	2,022
2006	122,852	6,974	69,480	4,047	53,372	3,082	700	183	692	78	21,423	1,416	65,486	4,147	34,552	2,064
South																
2010	326,406	14,465	187,557	8,707	138,844	6,141	2,649	620	2,657	240	52,676	2,923	183,875	8,943	84,549	3,654
2009	292,413	15,513	168,794	9,083	123,610	6,663	1,430	169	1,916	199	46,835	2,739	162,980	9,092	79,252	4,356
2008	274,405	14,155	160,020	8,881	114,350	5,597	1,421	263	1,869	175	46,489	2,912	153,921	8,466	70,705	3,481
2007	249,386	12,105	147,339	7,920	102,020	4,527	1,818	427	1,675	168	42,125	2,549	139,150	7,395	64,618	2,853
2006	244,814	11,412	145,091	7,460	99,701	4,278	1,380	177	1,374	137	43,991	2,672	134,385	6,758	63,685	2,976
West																
2010	198,352	12,354	117,055	7,894	81,256	4,844	1,726	304	1,770	172	35,626	2,867	114,066	7,765	45,164	2,504
2009	190,389	10,882	110,985	6,391	79,345	4,726	1,968	415	1,623	148	33,790	2,313	107,267	6,580	45,741	3,066
2008	168,950	8,692	98,691	5,115	70,196	3,832	1,588	379	1,278	143	29,336	1,907	95,591	5,487	41,156	2,020
2007	151,587	7,594	90,538	5,080	60,942	2,831	709	120	1,277	117	27,338	2,100	86,109	4,677	36,304	1,729
2006	146,457	7,790	87,542	5,234	58,852	3,011	862	145	1,046	140	27,307	2,239	82,346	4,803	34,896	1,821
Alcoholic liver disease																
Northeast																
2010	66,899	5,004	49,364	3,739	17,535	1,385	—	—	223	41	11,862	1,045	43,414	3,388	11,373	870
2009	62,586	4,112	46,746	3,058	15,841	1,192	—	—	187	41	11,801	976	40,097	2,817	10,496	635
2008	59,633	4,578	43,604	3,345	16,029	1,315	—	—	245	43	12,313	1,088	37,053	3,039	9,991	719
2007	56,246	3,604	42,182	2,796	14,064	977	—	—	178	39	11,044	917	34,820	2,324	10,157	692
2006	55,970	3,579	42,110	2,712	13,860	1,018	—	—	199	34	11,483	780	33,952	2,355	10,303	704
Midwest																
2010	72,069	4,771	51,328	3,505	20,741	1,403	—	—	411	92	14,308	1,095	46,614	3,320	10,706	699
2009	71,117	4,046	50,975	3,000	20,137	1,158	56	16	313	64	14,155	991	45,356	2,777	11,237	677
2008	67,124	4,123	47,821	2,974	19,300	1,252	66	27	410	80	15,464	1,265	41,089	2,581	10,095	545
2007	62,311	3,654	44,971	2,697	17,336	1,083	—	—	256	51	13,643	887	38,709	2,462	9,684	570
2006	59,235	3,425	41,869	2,409	17,365	1,159	—	—	225	39	13,379	1,010	35,902	2,118	9,709	700
South																
2010	122,126	5,945	90,428	4,507	31,698	1,640	—	—	351	56	21,816	1,354	80,635	4,160	19,279	950
2009	113,079	6,182	83,392	4,560	29,682	1,760	—	—	230	42	20,426	1,336	73,789	4,208	18,590	1,026
2008	110,693	6,539	82,584	5,032	28,104	1,655	—	—	327	66	21,267	1,527	71,733	4,322	17,319	997
2007	102,040	5,154	76,414	4,020	25,615	1,296	—	—	301	53	19,696	1,262	65,179	3,455	16,816	822
2006	105,459	6,019	78,423	4,597	27,036	1,556	55	17	226	43	22,277	1,529	66,462	3,920	16,439	933
West																
2010	90,254	6,269	64,678	4,801	25,566	1,755	95	35	464	66	18,767	1,834	57,874	4,084	13,053	775
2009	85,673	5,429	60,940	3,861	24,727	1,736	62	19	444	70	17,868	1,432	53,783	3,485	13,516	962
2008	75,107	3,920	53,218	2,774	21,875	1,313	85	23	268	43	15,367	952	47,505	2,659	11,883	694
2007	74,305	4,377	53,548	3,655	20,717	974	57	17	297	46	16,189	1,504	46,515	2,712	11,247	586
2006	73,539	4,906	53,330	3,992	20,192	1,140	53	17	315	63	15,776	1,549	45,812	3,082	11,583	696

See footnotes at end of table.

Table B4. Number of hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	
Alcohol poisoning																	
Northeast																	
2010	6,264	1,013	3,613	666	2,650	373	454	138	386	56	2,309	282	2,810	638	304	70	
2009	5,772	576	3,173	314	2,599	297	415	68	461	66	2,530	282	2,105	241	260	39	
2008	6,005	714	3,354	503	2,650	265	444	74	405	55	2,382	266	2,450	399	323	78	
2007	4,549	580	2,477	333	2,072	265	419	82	311	48	2,008	252	1,550	224	261	52	
2006	5,239	611	2,887	411	2,352	249	724	194	330	49	2,310	260	1,650	201	226	42	
Midwest																	
2010	7,581	934	4,278	649	3,303	338	558	96	571	83	3,059	344	3,098	509	295	74	
2009	7,013	693	3,679	418	3,334	326	618	92	585	66	3,123	313	2,433	324	253	48	
2008	8,132	830	4,483	438	3,649	437	702	92	685	94	3,642	420	2,811	296	293	40	
2007	6,614	750	3,396	364	3,214	428	632	89	526	72	3,037	401	2,154	274	265	33	
2006	6,478	776	3,486	483	2,992	338	681	92	579	106	2,989	391	2,058	245	170	33	
South																	
2010	9,895	677	5,364	416	4,532	310	608	74	712	74	4,337	338	3,735	301	504	58	
2009	8,915	638	4,760	340	4,151	338	651	91	584	71	3,960	299	3,296	259	424	57	
2008	9,385	618	5,033	358	4,353	317	594	73	646	76	4,248	291	3,515	273	383	49	
2007	8,867	568	4,807	310	4,060	319	608	77	719	68	4,155	284	2,937	222	448	51	
2006	8,632	565	4,835	310	3,797	296	615	82	676	73	4,268	301	2,743	206	330	49	
West																	
2010	6,082	645	3,145	364	2,938	314	468	64	380	64	2,581	319	2,328	251	325	60	
2009	5,650	502	2,983	317	2,666	239	508	69	394	63	2,283	234	2,189	208	274	44	
2008	5,907	501	3,006	256	2,901	274	556	79	454	61	2,540	244	2,096	195	261	38	
2007	4,796	343	2,398	184	2,361	195	448	66	356	51	2,103	176	1,624	125	264	44	
2006	4,973	422	2,561	233	2,407	248	432	56	421	58	2,082	213	1,782	155	255	44	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table B5. Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Any alcohol-related diagnoses																
Any drug-related diagnoses																
2010	93,633	9,497	69,659	7,954	23,969	1,908	1,911	172	3,566	367	40,572	4,503	45,503	4,656	2,081	180
2009	80,819	8,836	59,291	7,145	21,523	1,920	2,014	163	2,984	284	37,214	4,311	36,801	4,187	1,807	241
2008	74,233	5,793	52,882	4,222	21,334	1,693	2,379	339	2,986	318	34,609	3,049	32,600	2,330	1,659	143
2007	82,410	8,547	60,215	7,181	22,107	1,745	2,288	208	3,027	329	41,225	4,937	34,358	3,339	1,511	129
2006	77,668	7,887	56,301	6,096	21,325	1,945	1,965	178	2,858	319	39,831	4,767	31,718	2,813	1,297	141
Drug psychoses																
2010	11,913	1,540	8,753	1,190	3,161	388	190	35	430	87	5,469	796	5,469	670	355	50
2009	10,912	1,239	7,477	840	3,435	435	237	51	447	67	5,029	610	4,852	552	348	55
2008	13,027	1,710	8,956	1,171	4,071	572	248	53	600	104	6,209	928	5,547	663	423	63
2007	12,060	1,588	8,394	1,164	3,667	479	211	38	530	117	6,059	899	4,911	570	348	56
2006	9,081	1,090	6,245	761	2,835	367	156	34	261	50	4,620	623	3,790	436	254	44
Drug dependence																
2010	45,078	6,925	33,929	5,840	11,149	1,364	566	98	1,631	262	20,294	3,323	21,668	3,387	919	139
2009	39,899	7,649	29,256	6,214	10,644	1,596	674	110	1,387	205	19,375	3,732	17,655	3,642	808	189
2008	32,285	3,713	22,731	2,672	9,548	1,117	847	208	1,353	204	15,937	2,013	13,531	1,433	617	94
2007	38,382	6,271	28,156	5,300	10,160	1,258	737	144	1,589	255	20,759	3,745	14,783	2,312	513	82
2006	39,964	6,705	29,157	5,203	10,784	1,626	596	113	1,469	276	21,953	4,164	15,423	2,270	523	93
Nondependent abuse of drugs																
2010	48,122	3,695	36,058	3,055	12,059	778	1,236	111	1,954	169	20,731	1,726	23,335	1,839	866	79
2009	39,820	2,411	29,884	1,925	9,936	609	1,323	109	1,699	158	17,986	1,223	18,084	1,102	728	84
2008	40,396	2,759	29,533	2,050	10,853	784	1,529	188	1,601	164	18,537	1,413	18,026	1,188	703	69
2007	43,159	3,489	32,109	2,868	11,041	763	1,503	125	1,566	157	20,926	1,914	18,496	1,472	669	69
2006	36,683	2,251	26,871	1,704	9,793	615	1,302	120	1,366	112	17,962	1,251	15,518	928	534	63
Drug poisoning																
2010	4,349	272	2,483	180	1,866	134	241	37	268	36	1,696	132	1,964	166	180	32
2009	4,222	229	2,345	140	1,873	139	201	33	217	36	1,899	138	1,737	121	168	30
2008	4,071	235	2,272	148	1,800	131	246	35	298	42	1,705	118	1,651	115	171	32
2007	3,610	212	2,025	133	1,566	125	228	34	215	33	1,523	121	1,443	108	200	32
2006	3,391	215	1,973	142	1,417	107	262	40	190	34	1,574	129	1,230	93	135	27
Alcoholic psychoses																
Any drug-related diagnoses																
2010	36,307	4,792	27,245	3,720	9,062	1,124	329	57	1,166	174	16,296	2,283	17,855	2,318	660	74
2009	31,433	3,000	23,265	2,250	8,167	851	368	65	1,064	128	14,450	1,458	14,726	1,382	825	107
2008	33,213	3,342	24,131	2,370	9,083	1,044	435	81	1,140	156	16,137	1,738	14,803	1,435	699	93
2007	30,830	3,624	22,756	2,821	8,075	923	333	65	894	137	15,781	1,965	13,215	1,514	608	83
2006	26,429	2,916	19,286	2,125	7,143	865	279	47	803	122	13,590	1,631	11,184	1,185	573	92
Drug psychoses																
2010	6,741	1,155	4,857	843	1,884	331	83	23	279	75	3,135	633	3,095	464	149	28
2009	7,474	1,101	5,092	728	2,382	400	158	43	302	58	3,460	535	3,326	489	228	47
2008	8,376	1,285	5,787	886	2,589	434	97	26	329	66	4,050	691	3,659	519	241	51
2007	6,679	994	4,566	701	2,113	347	107	25	260	66	3,384	552	2,748	381	180	43
2006	5,595	946	3,841	649	1,754	326	74	23	164	42	2,903	537	2,315	378	139	34
Drug dependence																
2010	16,732	3,381	12,266	2,625	4,467	795	154	41	505	119	7,631	1,649	8,159	1,598	283	54
2009	14,327	1,969	10,086	1,456	4,241	599	163	43	499	86	6,890	979	6,455	900	320	63
2008	15,607	2,217	10,889	1,555	4,718	720	217	54	580	108	7,562	1,176	6,923	924	325	63
2007	14,381	2,488	10,370	1,958	4,011	636	192	51	483	110	7,656	1,389	5,818	975	232	56
2006	12,700	1,962	8,918	1,410	3,782	607	129	33	419	92	6,635	1,087	5,241	792	276	68

See footnotes at end of table.

Table B5. Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcoholic psychoses																
Nondependent abuse of drugs																
2010	19,937	1,866	15,222	1,452	4,715	454	165	31	696	92	9,083	905	9,691	907	302	43
2009	17,064	1,386	13,219	1,070	3,845	371	211	42	653	79	7,865	677	7,923	646	411	57
2008	17,956	1,609	13,466	1,173	4,490	477	242	51	616	85	8,966	854	7,825	707	308	46
2007	16,463	1,806	12,489	1,417	3,973	436	159	32	465	67	8,404	965	7,169	803	266	41
2006	13,803	1,330	10,456	993	3,347	379	171	34	410	60	7,183	755	5,790	559	249	44
Drug poisoning																
2010	730	80	509	64	221	36	—	—	—	—	244	42	410	55	—	—
2009	971	106	583	64	388	67	—	—	—	—	353	54	555	73	—	—
2008	776	97	491	58	285	58	—	—	—	—	308	47	398	57	—	—
2007	574	82	367	60	207	37	—	—	—	—	290	58	217	37	—	—
2006	477	58	351	46	126	25	—	—	—	—	170	30	237	38	—	—
Alcohol dependence syndrome																
Any drug-related diagnoses																
2010	42,129	6,937	32,153	6,064	9,976	1,159	601	109	1,679	261	19,203	3,319	19,688	3,402	958	131
2009	35,678	7,688	26,889	6,231	8,789	1,573	733	113	1,336	216	17,680	3,716	15,240	3,691	689	176
2008	27,017	3,791	19,364	2,828	7,636	1,030	901	211	1,323	223	13,593	2,063	10,670	1,438	529	68
2007	36,834	7,105	27,447	6,113	9,317	1,269	839	155	1,553	267	20,086	4,217	13,897	2,676	459	76
2006	35,906	6,864	26,689	5,347	9,184	1,617	721	127	1,483	262	20,390	4,255	13,008	2,302	305	56
Drug psychoses																
2010	4,379	915	3,362	758	1,017	175	—	—	131	34	2,089	441	1,973	433	149	40
2009	2,686	424	1,925	308	761	136	—	—	97	28	1,262	208	1,194	207	78	27
2008	3,720	1,009	2,577	679	1,143	338	97	38	251	73	1,851	558	1,426	369	94	22
2007	4,458	1,093	3,232	832	1,227	277	71	22	239	89	2,356	634	1,712	366	81	25
2006	2,717	421	1,938	313	780	126	—	—	73	22	1,441	240	1,107	175	—	—
Drug dependence																
2010	25,676	5,221	19,812	4,558	5,864	892	345	83	1,039	213	11,890	2,519	11,869	2,572	533	104
2009	23,372	6,971	17,707	5,652	5,665	1,411	465	93	846	175	11,785	3,356	9,828	3,365	449	161
2008	14,425	2,466	10,341	1,824	4,077	680	561	153	733	142	7,650	1,398	5,274	884	206	44
2007	21,757	5,225	16,271	4,510	5,419	930	478	124	1,065	210	12,393	3,221	7,594	1,854	227	56
2006	24,328	6,162	18,276	4,811	6,029	1,439	422	106	981	248	14,435	3,902	8,323	1,969	167	42
Nondependent abuse of drugs																
2010	17,316	2,575	13,255	2,246	4,061	419	293	55	745	111	7,933	1,224	8,008	1,257	336	46
2009	12,995	1,383	9,887	1,141	3,108	319	341	59	592	92	6,487	755	5,401	578	174	39
2008	12,658	1,619	9,147	1,225	3,499	435	446	95	635	102	6,150	835	5,193	675	233	36
2007	16,016	2,647	12,001	2,245	4,011	508	440	76	655	119	8,471	1,494	6,258	1,065	192	35
2006	12,017	1,399	8,824	1,068	3,184	370	357	69	536	65	6,399	779	4,631	552	95	23
Drug poisoning																
2010	882	94	537	71	345	48	—	—	—	—	390	54	394	52	—	—
2009	873	88	472	54	401	59	—	—	—	—	441	67	353	43	—	—
2008	812	91	468	56	343	55	—	—	71	22	342	53	356	48	—	—
2007	637	83	404	58	233	42	—	—	—	—	287	50	306	48	—	—
2006	656	95	359	53	297	58	—	—	—	—	412	78	201	36	—	—
Nondependent abuse of alcohol																
Any drug-related diagnoses																
2010	4,796	311	3,185	224	1,606	125	679	72	457	52	1,957	156	1,609	138	94	22
2009	4,021	272	2,549	186	1,467	120	555	56	351	50	1,957	164	1,099	103	59	18
2008	3,866	251	2,515	174	1,352	117	708	97	297	39	1,657	136	1,136	96	68	19
2007	4,199	290	2,749	214	1,450	112	761	75	342	56	1,943	172	1,073	94	80	22
2006	4,004	306	2,623	219	1,376	119	558	65	348	47	2,058	210	971	94	69	18

See footnotes at end of table.

Table B5. Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	
Nondependent abuse of alcohol																	
Drug psychoses																	
2010	271	49	193	36	78	22	55	16	—	—	98	29	90	25	—	—	
2009	262	53	166	42	96	24	—	—	—	—	143	34	70	24	—	—	
2008	213	39	147	32	66	19	—	—	—	—	93	24	67	22	—	—	
2007	311	63	193	45	118	30	—	—	—	—	152	33	95	25	—	—	
2006	230	41	122	28	108	23	—	—	—	—	105	28	67	18	—	—	
Drug dependence																	
2010	481	63	350	55	131	27	—	—	56	17	216	40	158	28	—	—	
2009	396	62	234	44	162	30	—	—	—	—	185	40	149	30	—	—	
2008	369	60	244	41	125	32	—	—	—	—	195	37	93	25	—	—	
2007	326	46	247	40	78	20	—	—	—	—	153	31	111	23	—	—	
2006	449	88	254	59	195	42	—	—	54	20	230	53	130	32	—	—	
Nondependent abuse of drugs																	
2010	3,875	265	2,614	190	1,256	109	605	67	361	45	1,561	130	1,283	123	65	19	
2009	3,218	226	2,093	161	1,125	98	498	55	306	47	1,557	133	832	90	—	—	
2008	3,137	219	2,120	156	1,017	100	634	86	239	36	1,295	117	926	86	—	—	
2007	3,551	255	2,387	189	1,164	95	688	71	285	52	1,672	156	827	80	80	22	
2006	3,344	259	2,260	188	1,080	98	497	60	269	39	1,759	183	765	80	54	16	
Drug poisoning																	
2010	594	70	286	41	308	51	—	—	71	19	256	49	212	34	—	—	
2009	505	65	250	42	250	39	—	—	—	—	290	48	142	29	—	—	
2008	444	53	187	32	256	40	—	—	—	—	222	36	123	24	—	—	
2007	393	48	175	30	217	36	54	16	—	—	163	28	125	27	—	—	
2006	322	46	180	31	142	30	56	18	—	—	157	29	84	21	—	—	
All chronic liver disease and cirrhosis																	
Any drug-related diagnoses																	
2010	7,235	433	5,153	353	2,082	145	—	—	61	19	1,908	155	4,951	322	299	46	
2009	7,024	406	4,996	332	2,029	133	—	—	—	—	1,941	145	4,883	309	159	32	
2008	7,412	422	5,258	325	2,154	152	—	—	—	—	2,081	144	5,007	315	259	42	
2007	7,971	494	5,742	398	2,228	147	—	—	—	—	2,332	188	5,324	356	257	38	
2006	8,689	579	6,049	416	2,641	221	—	—	64	21	2,679	201	5,686	428	245	39	
Drug psychoses																	
2010	286	42	193	34	93	23	—	—	—	—	70	20	177	33	—	—	
2009	295	41	158	29	138	27	—	—	—	—	93	22	187	31	—	—	
2008	484	61	285	42	199	33	—	—	—	—	129	31	292	43	53	20	
2007	444	64	287	43	157	35	—	—	—	—	88	20	295	50	61	17	
2006	387	46	228	33	159	30	—	—	—	—	87	22	247	39	53	16	
Drug dependence																	
2010	1,672	185	1,174	153	498	57	—	—	—	—	362	59	1,197	148	93	26	
2009	1,470	124	1,016	100	455	51	—	—	—	—	349	45	1,091	105	—	—	
2008	1,579	164	1,050	122	528	65	—	—	—	—	414	58	1,094	132	62	18	
2007	1,649	142	1,077	107	572	69	—	—	—	—	435	55	1,165	116	—	—	
2006	2,187	322	1,497	194	690	151	—	—	—	—	513	76	1,603	277	62	18	
Nondependent abuse of drugs																	
2010	5,404	333	3,873	271	1,532	115	—	—	—	—	1,523	132	3,687	247	147	29	
2009	5,319	355	3,886	299	1,433	107	—	—	—	—	1,529	127	3,651	268	104	25	
2008	5,517	326	4,051	263	1,466	115	—	—	—	—	1,617	122	3,735	243	114	25	
2007	5,963	413	4,467	336	1,495	118	—	—	—	—	1,846	173	3,950	282	119	24	
2006	6,254	418	4,461	326	1,792	138	—	—	59	21	2,106	167	3,957	286	126	26	

See footnotes at end of table.

Table B5. Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
All chronic liver disease and cirrhosis																
Drug poisoning																
2010	196	32	119	25	77	19	—	—	—	—	54	17	103	23	—	—
2009	221	33	112	24	109	24	—	—	—	—	70	18	130	25	—	—
2008	199	32	114	23	85	21	—	—	—	—	—	—	118	24	—	—
2007	264	36	129	25	135	25	—	—	—	—	61	17	160	28	—	—
2006	216	34	100	24	116	24	—	—	—	—	71	18	126	28	—	—
Alcoholic liver disease																
Any drug-related diagnoses																
2010	5,510	337	3,942	273	1,568	119	—	—	—	—	1,537	137	3,728	254	194	37
2009	5,440	323	3,953	272	1,487	106	—	—	—	—	1,598	122	3,697	244	114	24
2008	5,627	305	4,043	243	1,584	113	—	—	—	—	1,733	125	3,704	221	148	29
2007	5,682	358	4,158	302	1,524	103	—	—	—	—	1,897	158	3,598	244	140	28
2006	6,370	420	4,572	321	1,798	150	—	—	—	—	2,194	182	3,985	277	137	27
Drug psychoses																
2010	190	33	148	29	—	—	—	—	—	—	55	18	115	25	—	—
2009	200	33	112	25	88	21	—	—	—	—	73	19	128	27	—	—
2008	316	43	197	34	119	25	—	—	—	—	109	27	192	32	—	—
2007	274	42	194	32	79	24	—	—	—	—	79	19	165	33	—	—
2006	252	37	161	28	91	24	—	—	—	—	78	21	150	29	—	—
Drug dependence																
2010	1,162	128	857	109	305	41	—	—	—	—	273	46	827	106	—	—
2009	990	88	684	73	305	41	—	—	—	—	258	37	722	75	—	—
2008	1,058	99	737	82	321	40	—	—	—	—	329	46	701	79	—	—
2007	971	89	661	72	310	43	—	—	—	—	309	45	643	71	—	—
2006	1,322	154	929	95	392	80	—	—	—	—	364	60	924	124	—	—
Nondependent abuse of drugs																
2010	4,239	274	2,998	219	1,241	101	—	—	—	—	1,241	119	2,851	204	117	26
2009	4,273	297	3,179	255	1,093	89	—	—	—	—	1,297	111	2,851	223	99	24
2008	4,361	255	3,170	206	1,190	96	—	—	—	—	1,364	108	2,874	188	86	22
2007	4,460	319	3,357	266	1,104	92	—	—	—	—	1,542	145	2,803	208	77	20
2006	4,846	349	3,541	279	1,305	107	—	—	—	—	1,774	152	2,948	226	79	19
Drug poisoning																
2010	172	30	104	24	68	18	—	—	—	—	54	17	94	22	—	—
2009	199	31	112	24	87	22	—	—	—	—	61	17	123	25	—	—
2008	156	28	95	22	61	17	—	—	—	—	—	—	89	21	—	—
2007	230	33	125	25	105	22	—	—	—	—	61	17	145	27	—	—
2006	174	30	81	20	92	22	—	—	—	—	56	16	103	24	—	—
Alcohol poisoning																
Any drug-related diagnoses																
2010	3,166	311	1,923	208	1,243	128	286	44	202	35	1,207	123	1,401	202	70	22
2009	2,664	190	1,593	126	1,072	102	353	46	196	31	1,186	108	854	87	75	19
2008	2,725	187	1,614	134	1,110	89	313	42	183	31	1,142	96	984	91	103	24
2007	2,576	176	1,521	114	1,037	103	345	44	192	35	1,084	95	848	88	108	24
2006	2,639	193	1,653	142	981	86	393	62	160	31	1,114	97	868	79	105	24
Drug psychoses																
2010	236	36	148	28	88	22	—	—	—	—	76	19	134	27	—	—
2009	195	32	137	28	58	17	—	—	—	—	71	19	75	22	—	—
2008	235	40	161	34	73	19	—	—	—	—	86	22	103	26	—	—
2007	168	33	116	26	—	—	—	—	—	—	80	21	62	18	—	—
2006	152	32	117	26	—	—	—	—	—	—	84	23	53	17	—	—

See footnotes at end of table.

Table B5. Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	
Alcohol poisoning																	
Drug dependence																	
2010	517	140	328	93	189	56	—	—	—	—	196	48	284	96	—	—	
2009	333	98	213	60	121	44	—	—	—	—	166	54	132	43	—	—	
2008	307	47	207	35	100	23	—	—	—	—	115	25	148	28	—	—	
2007	270	39	190	35	80	21	—	—	—	—	121	25	96	26	—	—	
2006	299	47	212	38	88	21	—	—	—	—	139	27	126	26	—	—	
Nondependent abuse of drugs																	
2010	1,589	226	1,094	149	495	92	162	29	116	25	630	87	665	154	—	—	
2009	1,223	99	799	73	424	53	267	43	118	24	547	55	276	44	—	—	
2008	1,129	108	748	84	381	46	189	34	79	20	509	59	347	53	—	—	
2007	1,165	107	764	73	397	62	205	35	123	28	533	67	292	47	—	—	
2006	1,266	110	871	86	390	50	273	55	92	22	516	58	375	50	—	—	
Drug poisoning																	
2010	1,946	200	1,032	126	914	98	162	29	133	25	752	84	846	135	—	—	
2009	1,652	112	927	82	725	70	152	28	137	26	745	69	558	57	61	17	
2008	1,841	139	1,011	96	830	74	167	29	150	27	794	72	656	69	74	20	
2007	1,741	142	950	88	774	85	157	27	129	25	722	72	636	75	99	23	
2006	1,719	153	983	105	736	75	187	32	105	25	764	83	582	65	81	23	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table B6. Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Any alcohol-related diagnoses																
Any drug-related diagnoses																
2010	565,974	29,719	381,925	22,714	184,025	7,993	26,816	1,859	32,389	1,782	229,837	13,160	258,260	14,131	18,672	870
2009	526,501	27,562	354,369	21,252	172,087	7,306	25,050	1,660	29,148	1,546	221,416	12,641	233,457	12,796	17,430	907
2008	504,462	28,287	333,629	20,526	170,791	8,564	28,952	4,009	30,334	1,768	225,648	14,523	205,728	10,599	13,800	584
2007	507,987	25,565	339,313	19,343	168,507	7,186	26,811	2,286	29,045	1,535	236,382	13,436	202,809	10,141	12,940	520
2006	516,078	29,244	349,501	22,238	166,487	7,686	22,834	1,593	27,746	1,531	255,257	16,481	198,102	10,995	12,138	579
Drug psychoses																
2010	67,381	6,062	46,018	4,451	21,363	1,743	2,385	236	4,147	441	29,512	3,196	27,332	2,385	4,004	224
2009	66,072	5,313	44,322	3,751	21,739	1,693	2,728	307	4,001	459	28,962	2,705	26,408	2,066	3,974	231
2008	67,650	6,754	44,936	4,704	22,715	2,124	2,858	492	4,574	542	31,383	3,738	24,951	2,273	3,884	243
2007	71,324	7,698	49,081	5,595	22,232	2,239	2,407	286	4,279	508	35,448	4,556	26,011	2,557	3,179	197
2006	65,797	6,617	45,318	4,864	20,479	1,892	2,178	218	3,484	368	34,472	4,143	22,772	2,044	2,891	176
Drug dependence																
2010	193,249	18,589	132,794	14,673	60,455	4,537	6,677	652	10,522	911	85,665	8,969	85,346	8,520	5,039	439
2009	180,933	19,216	123,925	15,317	57,002	4,532	7,072	706	9,840	874	82,750	9,272	76,523	8,811	4,748	560
2008	178,627	20,308	120,053	15,544	58,568	5,267	8,521	2,341	10,459	1,034	88,121	11,683	68,062	6,957	3,464	318
2007	175,417	16,396	119,426	12,855	55,903	4,178	6,700	940	10,176	949	90,793	9,573	64,920	5,788	2,829	198
2006	196,214	22,989	135,851	18,004	60,302	5,334	5,392	513	9,453	969	107,189	13,579	71,147	8,351	3,034	297
Nondependent abuse of drugs																
2010	336,719	16,101	235,172	11,963	101,528	4,495	19,350	1,441	20,331	1,155	133,348	6,428	155,316	8,033	8,374	500
2009	308,501	14,061	215,241	10,428	93,235	3,965	17,361	1,230	17,952	991	126,604	6,066	139,121	6,684	7,464	401
2008	288,938	13,972	199,005	9,723	89,901	4,501	20,277	2,552	18,137	1,028	125,002	6,003	119,965	5,820	5,557	302
2007	300,403	14,250	207,906	10,464	92,447	4,113	19,072	1,771	17,601	949	135,372	6,469	122,687	6,343	5,671	337
2006	290,372	13,636	201,885	9,847	88,459	4,065	16,269	1,265	16,902	917	139,074	6,930	113,035	5,554	5,092	326
Drug poisoning																
2010	88,542	3,139	46,925	1,846	41,612	1,481	4,700	271	5,999	273	37,616	1,429	36,278	1,429	3,950	189
2009	86,402	3,132	46,104	1,818	40,288	1,509	4,744	273	6,076	301	37,647	1,443	34,285	1,380	3,648	176
2008	85,746	3,056	44,449	1,605	41,292	1,573	5,052	286	6,328	320	39,345	1,515	32,007	1,181	3,015	142
2007	78,987	2,847	40,798	1,518	38,153	1,480	4,830	321	5,700	295	37,389	1,477	28,012	1,022	3,056	154
2006	75,205	2,623	40,882	1,557	34,323	1,226	4,519	273	5,390	264	36,441	1,369	26,176	968	2,680	147
Alcoholic psychoses																
Any drug-related diagnoses																
2010	88,013	8,298	64,320	6,325	23,694	2,089	983	103	2,848	368	36,483	4,050	44,504	3,852	3,196	210
2009	79,348	5,633	57,707	4,172	21,632	1,607	1,051	133	2,655	275	34,072	2,782	38,608	2,525	2,963	205
2008	83,568	7,504	59,936	5,355	23,631	2,244	1,226	203	3,194	440	38,555	4,051	37,953	2,943	2,640	212
2007	82,539	8,620	60,053	6,504	22,482	2,282	995	141	2,626	384	39,944	4,911	36,395	3,295	2,581	173
2006	70,759	7,015	51,951	5,226	18,808	1,937	979	131	2,172	316	35,122	4,257	30,358	2,413	2,128	157
Drug psychoses																
2010	23,330	3,748	16,571	2,776	6,759	1,014	355	57	1,102	253	10,443	2,056	10,221	1,444	1,209	99
2009	24,263	3,028	16,873	2,160	7,384	930	536	100	1,096	180	11,079	1,652	10,380	1,171	1,171	104
2008	28,351	4,621	19,485	3,303	8,866	1,360	527	106	1,515	298	13,734	2,684	11,305	1,591	1,270	151
2007	28,540	5,748	20,271	4,200	8,269	1,618	502	103	1,209	322	14,560	3,464	11,170	1,940	1,099	105
2006	23,797	4,826	16,961	3,554	6,837	1,362	475	90	891	240	12,752	3,138	8,807	1,410	872	92
Drug dependence																
2010	37,698	6,268	26,881	4,772	10,817	1,574	424	69	1,417	295	16,985	3,201	17,904	2,766	968	110
2009	34,744	3,999	24,412	2,943	10,332	1,177	575	102	1,410	207	16,277	2,069	15,566	1,705	917	101
2008	40,104	5,925	27,782	4,196	12,322	1,791	725	158	1,898	363	19,996	3,367	16,671	2,138	815	150
2007	39,878	7,024	28,522	5,241	11,356	1,916	521	107	1,692	355	21,116	4,130	15,842	2,509	707	98
2006	32,441	5,789	23,267	4,288	9,173	1,616	431	95	1,168	276	17,453	3,647	12,740	1,834	649	92

See footnotes at end of table.

Table B6. Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	
Alcoholic psychoses																	
Nondependent abuse of drugs																	
2010	45,711	2,862	34,500	2,215	11,211	734	560	67	1,459	140	18,872	1,306	23,608	1,457	1,211	104	
2009	39,794	2,359	30,276	1,801	9,513	642	493	68	1,400	142	17,012	1,119	19,849	1,141	1,039	93	
2008	39,701	2,694	29,619	1,964	10,082	797	555	87	1,361	160	18,290	1,361	18,669	1,205	827	83	
2007	39,371	2,831	29,644	2,222	9,727	687	491	78	1,066	114	18,537	1,481	18,297	1,283	979	85	
2006	34,662	2,196	26,382	1,676	8,280	592	516	66	1,010	106	17,049	1,201	15,363	948	725	76	
Drug poisoning																	
2010	8,489	450	5,475	306	3,014	195	135	28	270	40	3,150	217	4,424	246	509	58	
2009	8,601	474	5,583	309	3,018	221	85	20	202	36	3,441	237	4,411	260	463	54	
2008	7,897	441	5,173	290	2,724	195	83	23	270	44	3,277	205	3,881	237	387	44	
2007	6,921	385	4,423	261	2,493	179	117	29	176	34	3,042	214	3,165	192	421	49	
2006	6,171	358	4,122	262	2,050	148	109	24	190	31	2,829	191	2,737	181	306	42	
Alcohol dependence syndrome																	
Any drug-related diagnoses																	
2010	279,231	20,589	196,818	16,320	82,408	4,982	5,424	452	11,742	922	117,395	9,961	136,273	9,598	8,397	461	
2009	259,985	20,164	182,707	16,101	77,267	4,771	6,040	490	10,778	794	113,062	9,836	121,821	9,287	8,284	591	
2008	252,202	21,289	173,645	16,354	78,531	5,486	6,996	1,415	11,584	980	119,381	12,248	107,793	7,695	6,449	365	
2007	245,595	17,497	171,299	13,857	74,192	4,363	5,584	535	10,634	871	121,135	10,081	102,364	6,557	5,878	279	
2006	255,875	23,697	180,447	18,640	75,362	5,390	4,885	426	10,323	922	133,572	14,046	101,818	8,575	5,276	324	
Drug psychoses																	
2010	43,295	5,158	30,778	3,859	12,517	1,382	824	104	2,310	340	19,974	2,780	18,346	2,043	1,841	128	
2009	42,222	4,109	28,884	2,928	13,327	1,292	1,104	154	2,301	296	19,545	2,192	17,396	1,595	1,876	136	
2008	46,135	5,817	31,327	4,097	14,808	1,778	1,142	192	2,815	400	22,801	3,318	17,529	2,016	1,848	174	
2007	47,616	6,690	33,647	4,911	13,957	1,884	900	137	2,432	394	24,842	4,016	17,791	2,250	1,650	135	
2006	42,872	5,840	30,599	4,355	12,273	1,599	805	118	1,847	291	23,563	3,712	15,308	1,790	1,350	115	
Drug dependence																	
2010	140,259	16,120	98,934	12,898	41,325	3,751	3,361	340	6,937	721	64,384	8,084	62,398	7,274	3,179	295	
2009	133,256	17,545	93,786	14,139	39,470	3,951	3,904	404	6,599	651	62,859	8,639	56,692	8,021	3,202	448	
2008	134,263	18,613	92,016	14,585	42,242	4,427	4,594	1,145	7,185	798	69,100	11,147	51,021	6,349	2,363	268	
2007	130,569	14,322	91,039	11,438	39,450	3,460	3,605	428	6,989	741	70,284	8,509	47,815	5,055	1,875	161	
2006	151,772	21,670	107,956	17,111	43,760	4,806	3,099	329	6,645	828	86,385	12,982	53,702	7,708	1,941	237	
Nondependent abuse of drugs																	
2010	128,939	6,663	93,852	5,252	35,087	1,649	2,300	185	4,754	315	51,827	2,940	66,871	3,453	3,187	197	
2009	115,217	5,381	84,009	4,123	31,209	1,476	2,371	190	4,389	292	47,622	2,460	57,817	2,736	3,019	190	
2008	107,885	5,672	77,249	4,087	30,615	1,722	2,870	566	4,471	336	48,336	2,732	49,909	2,523	2,297	148	
2007	105,907	5,605	76,665	4,384	29,228	1,446	2,204	221	3,812	289	49,515	2,965	48,182	2,460	2,195	138	
2006	96,411	5,044	69,679	3,835	26,722	1,351	1,906	180	3,637	235	46,638	2,841	42,429	2,100	1,800	125	
Drug poisoning																	
2010	31,490	1,419	17,825	858	13,660	661	605	71	1,331	110	12,639	642	15,322	715	1,593	101	
2009	31,315	1,385	17,816	844	13,498	643	688	74	1,401	110	13,166	665	14,638	662	1,422	100	
2008	30,655	1,460	17,191	820	13,464	709	679	86	1,467	125	13,891	753	13,467	639	1,151	83	
2007	27,757	1,237	15,687	691	12,060	639	626	71	1,247	104	12,890	684	11,846	515	1,148	85	
2006	26,548	1,238	15,389	761	11,160	560	549	58	1,267	98	12,724	666	10,961	551	1,047	81	
Nondependent abuse of alcohol																	
Any drug-related diagnoses																	
2010	251,292	12,091	165,453	8,637	85,820	3,731	20,492	1,572	19,687	1,102	102,827	4,894	101,013	5,578	7,273	429	
2009	230,265	10,603	151,214	7,585	79,025	3,272	17,974	1,298	17,099	935	98,274	4,718	90,492	4,620	6,425	345	
2008	218,084	10,630	140,102	7,073	77,956	3,766	20,984	2,798	17,612	962	95,856	4,535	78,741	3,931	4,892	252	
2007	233,007	11,086	151,359	7,785	81,599	3,581	20,475	1,893	17,304	883	106,423	4,951	83,726	4,639	5,079	293	
2006	232,409	11,246	153,683	7,962	78,712	3,540	16,915	1,279	16,608	901	113,011	5,736	80,958	4,279	4,918	308	

See footnotes at end of table.

Table B6. Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Nondependent abuse of alcohol																
Drug psychoses																
2010	19,719	1,414	12,851	963	6,868	516	1,521	167	1,818	163	8,687	688	6,579	573	1,113	104
2009	18,767	1,613	12,542	1,142	6,225	512	1,518	182	1,567	210	8,266	774	6,325	678	1,091	92
2008	16,266	1,252	10,611	846	5,655	450	1,658	341	1,627	194	7,319	623	4,729	309	933	86
2007	19,520	1,571	13,008	1,066	6,511	558	1,459	201	1,818	187	9,455	823	5,965	510	822	83
2006	19,310	1,353	12,645	920	6,665	479	1,286	145	1,587	155	9,766	784	5,871	456	801	73
Drug dependence																
2010	42,525	2,671	27,860	1,888	14,665	894	3,292	428	3,491	264	18,873	1,208	15,777	1,138	1,092	126
2009	37,556	2,379	24,230	1,670	13,321	806	3,073	361	3,080	299	17,282	1,159	13,111	951	1,010	124
2008	34,987	2,778	22,221	1,757	12,766	1,060	3,878	1,317	3,130	305	16,463	1,148	10,908	664	607	63
2007	36,686	2,460	23,562	1,663	13,115	878	3,069	571	3,048	293	18,302	1,330	11,626	748	640	62
2006	36,236	2,159	23,009	1,409	13,222	835	2,226	239	2,712	239	18,678	1,223	11,904	770	716	81
Nondependent abuse of drugs																
2010	193,395	10,289	132,328	7,441	61,048	3,052	16,793	1,323	15,247	946	77,776	4,110	78,999	4,825	4,580	331
2009	177,608	9,194	121,290	6,690	56,302	2,694	14,655	1,113	13,068	787	74,677	4,067	71,384	4,053	3,823	255
2008	167,497	8,880	112,696	6,083	54,781	2,978	17,170	2,140	13,336	766	72,678	3,761	61,482	3,422	2,831	188
2007	182,315	9,644	123,281	6,917	58,997	2,933	16,704	1,637	13,413	753	82,508	4,179	66,679	4,179	3,010	231
2006	182,916	9,857	125,537	7,125	57,370	2,935	14,009	1,129	13,053	765	89,149	5,037	63,746	3,789	2,959	242
Drug poisoning																
2010	45,387	1,681	23,820	1,016	21,567	808	3,341	214	3,928	193	20,536	799	16,055	755	1,528	107
2009	43,276	1,681	22,781	999	20,486	806	3,294	209	3,848	218	20,069	817	14,675	701	1,389	93
2008	42,753	1,564	21,528	837	21,219	840	3,536	212	3,959	220	20,466	812	13,645	547	1,147	80
2007	41,511	1,573	20,874	866	20,624	816	3,541	248	3,629	217	20,361	813	12,724	550	1,255	85
2006	39,513	1,503	21,478	914	18,036	694	3,157	223	3,491	206	19,816	807	12,049	500	1,000	91
All chronic liver disease and cirrhosis																
Any drug-related diagnoses																
2010	75,416	3,445	50,452	2,429	24,963	1,164	278	55	787	81	19,089	943	50,963	2,463	4,298	240
2009	68,326	2,891	46,094	2,144	22,221	899	301	46	641	65	18,024	847	45,713	2,069	3,646	194
2008	59,037	2,700	40,077	1,968	18,960	845	304	50	648	86	16,862	815	38,440	1,871	2,784	176
2007	56,254	2,402	38,635	1,715	17,618	801	190	33	651	66	16,550	836	36,478	1,631	2,385	147
2006	55,438	2,788	37,542	1,997	17,891	897	233	43	523	66	17,248	942	34,969	1,914	2,465	157
Drug psychoses																
2010	7,081	429	4,388	293	2,692	191	—	—	—	—	1,540	138	4,496	290	987	85
2009	6,741	404	4,067	281	2,668	166	—	—	71	20	1,590	146	4,032	260	1,004	83
2008	6,591	426	3,880	280	2,711	188	—	—	85	22	1,717	174	3,793	258	966	84
2007	5,684	387	3,618	265	2,065	172	—	—	—	—	1,380	149	3,512	246	742	72
2006	5,244	376	3,213	254	2,031	160	—	—	—	—	1,540	165	2,848	220	799	74
Drug dependence																
2010	22,302	1,721	14,406	1,267	7,896	530	—	—	204	40	5,523	434	15,310	1,274	1,235	144
2009	18,873	1,231	12,212	891	6,661	409	73	20	165	32	4,935	343	12,928	916	771	88
2008	17,292	1,292	11,441	927	5,850	424	80	23	197	47	4,917	412	11,500	887	598	87
2007	15,583	1,017	10,034	676	5,549	411	—	—	184	36	4,385	368	10,455	674	513	71
2006	16,684	1,596	10,899	1,127	5,785	527	67	19	138	34	4,636	454	11,280	1,202	563	76
Nondependent abuse of drugs																
2010	46,864	2,216	32,767	1,585	14,097	737	193	50	524	57	12,555	626	32,022	1,599	1,570	123
2009	43,318	2,065	30,970	1,609	12,343	573	181	34	419	51	12,021	634	29,269	1,474	1,428	113
2008	36,097	1,766	25,822	1,331	10,276	518	199	42	372	56	10,928	536	23,655	1,258	943	86
2007	35,613	1,696	25,840	1,282	9,773	505	103	24	405	52	11,235	605	23,009	1,151	861	84
2006	34,791	1,795	24,679	1,312	10,107	566	143	34	360	54	11,891	659	21,629	1,180	768	80

See footnotes at end of table.

Table B6. Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
All chronic liver disease and cirrhosis																
Drug poisoning																
2010	8,544	359	4,857	235	3,687	187	66	18	138	25	2,142	141	5,358	253	839	68
2009	7,554	345	4,126	213	3,428	188	—	—	86	22	1,973	128	4,714	251	736	72
2008	6,728	293	3,724	191	3,004	165	54	16	132	26	1,843	120	4,158	211	540	55
2007	5,934	262	3,375	181	2,559	136	54	16	118	25	1,704	109	3,581	178	478	53
2006	4,978	227	2,809	157	2,169	127	—	—	68	21	1,492	100	2,873	156	508	54
Alcoholic liver disease																
Any drug-related diagnoses																
2010	43,392	2,079	31,097	1,538	12,295	652	84	34	416	54	11,917	683	29,099	1,439	1,876	132
2009	39,254	1,787	28,304	1,360	10,945	528	65	18	325	47	11,448	594	25,898	1,228	1,518	117
2008	35,343	1,659	25,405	1,242	9,938	499	94	28	364	54	10,934	597	22,708	1,091	1,243	97
2007	34,445	1,586	25,035	1,192	9,410	494	87	23	332	48	11,182	624	21,758	1,023	1,086	92
2006	33,997	1,728	24,582	1,315	9,415	501	91	22	293	45	11,655	677	20,951	1,090	1,006	85
Drug psychoses																
2010	3,783	306	2,679	224	1,104	117	—	—	—	—	1,008	110	2,455	205	283	41
2009	3,467	280	2,309	200	1,152	113	—	—	—	—	1,056	123	2,086	173	285	41
2008	3,634	319	2,426	221	1,208	126	—	—	—	—	1,112	139	2,137	193	330	42
2007	3,216	268	2,295	201	922	105	—	—	—	—	954	121	1,964	164	274	42
2006	3,103	291	2,175	210	928	107	—	—	—	—	1,054	139	1,733	166	284	39
Drug dependence																
2010	11,683	995	8,240	755	3,443	301	—	—	133	31	3,135	326	7,837	683	554	81
2009	9,597	662	6,735	475	2,861	230	—	—	70	22	2,777	241	6,423	447	311	50
2008	9,362	774	6,641	574	2,720	246	—	—	120	28	2,881	299	6,099	492	256	43
2007	8,285	629	5,756	425	2,529	256	—	—	73	21	2,684	267	5,291	385	213	38
2006	8,816	761	6,167	555	2,649	251	—	—	71	20	2,730	310	5,750	489	225	38
Nondependent abuse of drugs																
2010	28,743	1,363	20,909	1,023	7,834	432	—	—	278	38	8,202	444	19,372	973	840	73
2009	26,621	1,326	19,752	1,044	6,869	376	—	—	214	38	7,964	442	17,627	931	767	77
2008	23,059	1,127	17,044	863	6,015	332	83	27	210	39	7,393	395	14,807	777	566	62
2007	23,285	1,161	17,386	909	5,899	335	—	—	224	38	7,860	463	14,639	758	518	60
2006	22,999	1,245	17,028	965	5,971	346	56	17	206	39	8,371	482	13,959	797	406	49
Drug poisoning																
2010	4,358	223	2,795	157	1,563	113	—	—	—	—	1,205	99	2,745	163	349	42
2009	4,132	215	2,558	153	1,574	104	—	—	56	19	1,278	98	2,506	154	287	43
2008	3,755	189	2,265	132	1,490	105	—	—	83	22	1,138	88	2,277	135	252	36
2007	3,448	174	2,202	131	1,246	85	—	—	63	19	1,002	78	2,175	122	178	31
2006	2,818	163	1,823	122	995	81	—	—	—	—	1,001	82	1,594	115	168	31
Alcohol poisoning																
Any drug-related diagnoses																
2010	21,495	979	10,746	553	10,749	502	1,346	111	1,661	119	9,806	497	8,023	429	658	69
2009	20,656	921	10,127	472	10,529	520	1,512	115	1,707	119	9,605	462	7,163	371	669	64
2008	22,554	1,067	11,068	546	11,487	583	1,658	124	1,830	132	10,638	544	7,790	411	638	61
2007	18,724	959	8,918	466	9,779	555	1,384	113	1,568	106	9,175	516	5,949	341	647	64
2006	19,220	922	9,692	484	9,523	506	1,603	124	1,648	122	9,543	513	5,896	306	531	58
Drug psychoses																
2010	1,032	100	553	64	480	59	56	18	72	19	488	62	371	50	—	—
2009	1,192	110	720	75	472	58	65	19	52	17	555	65	465	57	56	17
2008	1,351	151	768	92	583	75	79	20	124	30	569	78	514	66	66	18
2007	964	94	614	63	350	51	68	21	—	—	477	59	323	43	—	—
2006	1,208	114	746	82	462	61	64	19	84	21	689	81	302	41	68	19

See footnotes at end of table.

Table B6. Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	
Alcohol poisoning																	
Drug dependence																	
2010	2,079	241	1,242	156	837	109	102	23	141	27	957	100	851	153	—	—	
2009	2,082	212	1,151	122	932	111	134	30	156	30	1,054	115	722	101	—	—	
2008	2,087	178	1,232	120	856	87	133	29	125	28	983	96	823	85	—	—	
2007	1,589	131	908	89	677	76	92	23	164	31	807	83	481	55	—	—	
2006	1,753	183	1,027	119	727	86	79	19	122	32	1,024	117	513	64	—	—	
Nondependent abuse of drugs																	
2010	6,302	435	3,804	290	2,498	183	500	60	632	65	2,869	219	2,217	222	84	21	
2009	5,863	319	3,358	213	2,505	159	641	66	608	61	2,824	183	1,693	131	97	23	
2008	6,017	360	3,626	229	2,391	172	630	64	570	62	2,996	202	1,772	142	—	—	
2007	5,428	370	3,197	220	2,226	187	529	64	556	62	2,867	220	1,412	124	63	22	
2006	5,231	306	3,231	199	1,994	151	646	74	546	61	2,658	178	1,310	106	70	24	
Drug poisoning																	
2010	19,696	883	9,432	468	10,265	481	1,191	100	1,567	115	9,102	464	7,199	365	637	68	
2009	19,166	868	9,143	433	10,023	503	1,265	104	1,606	114	8,948	441	6,703	344	644	63	
2008	21,227	1,025	10,167	510	11,060	572	1,479	114	1,773	129	10,121	521	7,250	396	604	59	
2007	17,430	921	8,016	435	9,387	543	1,146	103	1,457	102	8,615	491	5,593	331	619	63	
2006	17,936	891	8,728	455	9,208	500	1,376	109	1,569	117	9,060	500	5,451	299	480	55	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table B7. Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Any alcohol-related diagnoses																
Any mental health-related diagnoses																
2010	170,201	10,068	111,268	7,008	58,878	3,390	2,208	190	4,137	355	61,895	4,200	90,964	5,287	10,997	573
2009	154,905	10,014	100,301	6,724	54,594	3,507	2,152	181	3,853	362	59,505	4,414	78,467	4,888	10,928	846
2008	152,337	9,678	96,288	6,066	56,004	3,831	2,390	359	3,840	355	59,635	4,324	76,601	4,605	9,869	497
2007	134,851	8,283	86,043	5,606	48,760	2,946	2,216	184	3,300	321	55,016	3,876	66,011	3,909	8,308	428
2006	126,759	8,790	80,799	5,830	45,926	3,125	2,036	179	2,955	314	52,615	4,270	61,106	4,018	8,047	440
Adjustment disorder																
2010	3,189	292	1,988	201	1,201	120	73	24	138	38	1,200	137	1,495	149	283	44
2009	3,657	437	2,426	294	1,230	162	157	31	167	32	1,505	243	1,584	191	243	41
2008	3,561	414	2,359	278	1,202	166	130	32	92	22	1,311	176	1,716	233	312	50
2007	3,469	394	2,310	299	1,155	125	164	31	111	33	1,442	202	1,513	164	239	44
2006	3,217	323	2,016	216	1,201	140	138	28	94	26	1,228	138	1,468	176	289	44
Anxiety disorder																
2010	40,151	2,510	24,583	1,542	15,569	1,058	481	69	1,323	146	16,662	1,209	19,512	1,144	2,173	154
2009	38,785	3,235	23,705	2,055	15,075	1,274	480	68	1,254	164	16,639	1,522	18,248	1,518	2,164	190
2008	35,388	2,701	21,340	1,653	14,043	1,152	445	119	1,068	130	15,910	1,329	16,246	1,200	1,719	141
2007	29,629	1,954	17,729	1,164	11,896	871	370	53	830	96	13,348	1,009	13,616	862	1,466	113
2006	26,415	2,310	16,208	1,408	10,202	967	370	58	697	109	11,781	1,287	12,221	944	1,346	115
Bipolar disorder																
2010	35,449	2,733	23,399	1,983	12,040	858	503	64	947	107	14,841	1,295	18,320	1,387	839	80
2009	31,613	2,710	20,723	1,944	10,885	869	586	75	910	114	14,446	1,378	14,657	1,230	1,014	158
2008	31,472	2,560	20,085	1,722	11,382	926	565	107	1,029	133	14,316	1,277	14,752	1,140	811	88
2007	26,364	2,231	16,845	1,479	9,514	851	419	64	756	115	12,869	1,194	11,769	949	552	71
2006	24,480	2,325	15,792	1,559	8,683	834	425	76	729	135	12,291	1,334	10,509	887	527	69
Depressive disorder																
2010	100,400	5,876	63,660	3,869	36,701	2,184	926	92	2,051	190	33,593	2,238	55,824	3,237	8,006	465
2009	92,403	5,798	57,871	3,676	34,532	2,231	971	100	1,882	196	32,310	2,340	49,432	3,035	7,807	607
2008	91,715	5,905	56,267	3,501	35,423	2,542	1,066	183	1,843	172	33,442	2,479	48,201	2,985	7,163	395
2007	80,493	4,759	49,696	3,106	30,772	1,823	1,051	92	1,669	170	29,890	2,043	41,753	2,428	6,130	342
2006	75,599	4,943	46,395	3,091	29,179	1,949	941	98	1,460	150	28,788	2,115	38,584	2,510	5,826	336
Personality disorder																
2010	11,555	2,117	7,692	1,459	3,864	698	305	61	558	105	5,296	1,007	5,103	944	293	105
2009	9,872	1,307	6,590	924	3,282	427	184	38	389	66	4,817	673	4,190	589	292	70
2008	8,758	1,396	5,678	921	3,075	511	227	49	434	98	4,400	711	3,433	530	263	75
2007	9,191	1,253	6,086	918	3,105	372	173	34	485	91	4,636	639	3,643	532	255	47
2006	8,777	1,276	5,571	887	3,205	442	255	53	362	67	4,435	672	3,471	543	254	54
Schizophrenia and other psychotic disorders																
2010	12,226	1,080	9,631	919	2,595	235	—	—	217	35	4,314	403	7,009	668	648	75
2009	10,819	1,273	8,430	1,028	2,388	283	85	25	244	50	4,009	555	5,878	657	603	78
2008	9,706	796	7,483	674	2,218	168	54	16	193	31	3,587	377	5,232	433	640	70
2007	9,520	870	7,403	731	2,113	190	63	17	144	31	3,809	373	4,976	483	528	64
2006	10,552	1,339	8,051	1,059	2,501	306	67	18	208	60	4,559	750	5,194	561	524	57
All other mental disorders																
2010	7,007	726	4,096	447	2,907	315	718	79	680	95	3,608	422	1,849	224	151	34
2009	6,851	797	4,057	524	2,794	318	625	90	536	90	3,662	457	1,858	242	171	40
2008	5,904	616	3,279	332	2,625	321	858	202	540	75	2,781	291	1,531	157	194	34
2007	5,355	453	3,068	274	2,283	220	781	89	489	77	2,500	234	1,420	147	166	34
2006	4,300	423	2,511	280	1,789	182	617	75	380	62	2,040	252	1,130	119	133	28

See footnotes at end of table.

Table B7. Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcoholic psychoses																
Any mental health-related diagnoses																
2010	76,955	6,317	52,971	4,342	23,983	2,083	324	55	1,393	166	28,578	2,653	42,568	3,382	4,091	279
2009	70,394	5,693	48,233	3,818	22,161	1,987	382	62	1,420	170	27,309	2,433	36,845	2,900	4,438	383
2008	72,286	6,198	48,187	4,022	24,093	2,293	379	75	1,549	215	28,931	2,696	37,405	3,099	4,023	316
2007	59,499	4,955	39,925	3,294	19,565	1,780	314	69	1,107	157	24,819	2,309	29,954	2,384	3,305	247
2006	53,322	4,884	35,438	3,070	17,879	1,906	294	52	877	117	22,213	2,153	26,682	2,462	3,257	292
Adjustment disorder																
2010	1,020	109	685	80	335	49	—	—	—	—	335	51	578	72	81	22
2009	1,074	120	740	90	334	49	—	—	—	—	437	55	531	70	69	18
2008	1,291	225	933	161	357	78	—	—	—	—	439	96	702	122	125	34
2007	1,212	174	893	140	319	51	—	—	—	—	553	99	577	83	58	17
2006	1,154	228	728	136	426	108	—	—	—	—	441	90	574	133	99	25
Anxiety disorder																
2010	18,627	1,454	12,120	876	6,507	624	120	27	483	74	8,031	712	9,214	685	779	77
2009	18,746	2,316	12,234	1,566	6,512	821	113	35	494	83	8,058	1,024	9,168	1,159	912	116
2008	17,813	1,786	11,599	1,210	6,214	641	103	30	438	69	8,063	851	8,436	849	772	97
2007	13,259	1,026	8,549	649	4,711	432	80	22	286	45	6,039	519	6,311	498	544	65
2006	11,197	1,014	7,304	634	3,892	428	76	21	224	40	5,099	471	5,350	510	448	65
Bipolar disorder																
2010	16,209	1,762	11,288	1,257	4,921	542	70	20	272	50	6,718	875	8,793	872	356	51
2009	13,914	1,646	9,581	1,246	4,333	471	110	34	347	66	6,098	710	6,940	847	420	77
2008	15,076	1,747	10,155	1,217	4,920	578	107	34	362	81	6,808	829	7,460	839	339	54
2007	11,543	1,353	7,648	918	3,894	476	69	22	220	70	5,683	719	5,338	586	233	43
2006	10,129	1,106	6,859	750	3,270	407	—	—	165	40	4,921	587	4,721	508	278	52
Depressive disorder																
2010	45,473	3,805	30,306	2,524	15,166	1,358	138	32	665	98	15,583	1,462	26,091	2,153	2,996	225
2009	42,681	3,459	28,535	2,194	14,146	1,325	173	33	714	99	15,235	1,397	23,380	1,854	3,179	292
2008	44,154	3,846	28,532	2,387	15,617	1,544	174	40	796	119	16,585	1,604	23,596	1,996	3,004	253
2007	35,850	2,952	23,451	1,904	12,394	1,135	135	34	606	85	13,475	1,263	19,203	1,527	2,431	203
2006	33,046	3,184	21,162	1,902	11,879	1,339	116	30	462	72	12,844	1,307	17,234	1,687	2,390	222
Personality disorder																
2010	5,111	1,339	3,512	951	1,599	403	65	21	180	56	2,265	589	2,478	683	123	40
2009	4,262	949	2,933	649	1,329	313	—	—	139	31	2,000	497	1,964	428	122	33
2008	3,905	822	2,633	559	1,272	274	—	—	143	53	1,864	405	1,731	347	136	48
2007	3,522	638	2,447	472	1,075	188	—	—	119	42	1,764	314	1,461	286	150	34
2006	3,091	435	2,036	317	1,056	147	76	24	89	26	1,462	235	1,303	187	161	35
Schizophrenia and other psychotic disorders																
2010	5,019	519	4,085	430	934	126	—	—	66	18	1,788	215	2,917	310	244	39
2009	4,540	409	3,739	349	801	93	—	—	74	19	1,644	175	2,523	247	290	44
2008	4,084	399	3,319	341	765	85	—	—	89	21	1,585	173	2,238	242	162	29
2007	3,966	397	3,188	322	779	100	—	—	—	—	1,623	184	2,061	223	244	40
2006	3,628	323	2,852	262	776	86	—	—	52	15	1,499	163	1,900	179	161	32
All other mental disorders																
2010	2,573	253	1,589	159	984	125	71	19	184	35	1,384	164	852	98	83	29
2009	2,465	281	1,415	170	1,050	144	—	—	171	45	1,352	166	810	93	80	21
2008	2,360	294	1,349	187	1,011	129	77	24	222	44	1,261	198	703	89	98	25
2007	1,859	209	1,076	112	779	125	59	22	114	32	965	116	637	84	84	24
2006	1,420	173	916	105	504	91	59	17	90	23	739	113	461	65	72	21

See footnotes at end of table.

Table B7. Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol dependence syndrome																
Any mental health-related diagnoses																
2010	60,537	5,924	40,217	4,283	20,271	1,909	627	102	1,774	228	23,833	2,476	30,824	3,089	3,480	341
2009	56,257	6,588	37,000	4,506	19,253	2,198	726	113	1,571	219	23,886	2,979	26,555	3,165	3,520	531
2008	52,296	5,711	33,091	3,452	19,181	2,409	921	203	1,571	220	22,440	2,613	24,567	2,682	2,797	235
2007	51,220	5,567	33,073	3,887	18,132	1,869	632	92	1,513	206	22,612	2,655	23,875	2,577	2,589	251
2006	50,333	6,276	32,953	4,291	17,356	2,071	648	109	1,408	252	23,094	3,276	22,869	2,634	2,314	199
Adjustment disorder																
2010	1,348	210	859	146	489	80	—	—	64	24	525	96	631	110	112	31
2009	1,723	360	1,218	240	505	128	—	—	64	19	777	202	756	159	89	22
2008	1,453	273	989	167	464	125	—	—	—	—	577	117	695	160	119	33
2007	1,453	242	987	183	466	77	—	—	62	26	665	129	612	96	82	26
2006	1,323	171	901	127	422	65	—	—	—	—	493	83	632	89	111	24
Anxiety disorder																
2010	13,943	1,464	8,537	924	5,407	604	166	49	546	95	6,208	701	6,365	651	659	94
2009	13,455	1,614	8,145	980	5,306	665	171	36	533	103	6,341	817	5,804	702	607	103
2008	11,802	1,505	6,777	819	5,025	719	160	54	468	92	5,760	805	4,990	620	424	57
2007	11,361	1,301	6,670	762	4,687	585	124	30	390	66	5,540	686	4,852	542	455	66
2006	10,816	1,898	6,634	1,126	4,182	809	133	31	309	93	5,236	1,115	4,705	700	433	62
Bipolar disorder																
2010	13,953	1,602	9,281	1,190	4,662	489	185	39	469	77	6,157	739	6,830	831	311	46
2009	13,140	1,863	8,617	1,296	4,522	616	211	42	431	77	6,538	1,027	5,553	774	405	99
2008	11,970	1,442	7,584	975	4,385	524	275	68	511	86	5,868	759	5,029	590	287	48
2007	11,202	1,486	7,242	997	3,960	557	146	39	370	68	5,737	810	4,739	629	210	44
2006	11,116	1,853	7,159	1,234	3,952	653	211	64	415	121	5,962	1,108	4,379	611	149	33
Depressive disorder																
2010	35,578	3,365	22,945	2,258	12,594	1,245	274	62	925	121	12,842	1,288	18,881	1,804	2,656	284
2009	32,383	3,521	20,498	2,297	11,885	1,290	329	64	736	108	12,427	1,414	16,297	1,839	2,595	374
2008	30,651	3,453	18,834	1,915	11,803	1,614	403	108	662	100	12,107	1,434	15,409	1,792	2,070	182
2007	29,940	3,078	18,718	2,101	11,211	1,101	314	48	733	107	12,008	1,349	14,871	1,536	2,013	203
2006	28,458	2,956	18,022	1,953	10,416	1,055	274	45	681	100	11,815	1,349	13,981	1,440	1,707	151
Personality disorder																
2010	5,285	1,040	3,545	724	1,740	357	133	41	294	65	2,513	530	2,199	410	146	70
2009	4,740	683	3,162	487	1,578	234	98	27	168	37	2,348	365	1,955	306	170	51
2008	4,145	717	2,709	468	1,431	298	111	33	268	66	2,157	387	1,496	250	113	41
2007	4,801	766	3,126	564	1,675	234	85	23	282	66	2,406	395	1,954	320	74	24
2006	4,760	932	3,080	613	1,680	356	119	35	175	43	2,480	493	1,916	408	70	33
Schizophrenia and other psychotic disorders																
2010	4,190	654	3,446	593	744	101	—	—	66	20	1,623	257	2,368	407	128	31
2009	4,184	1,108	3,318	883	866	240	—	—	123	43	1,783	506	2,114	542	147	47
2008	3,431	565	2,709	477	717	111	—	—	56	18	1,504	285	1,682	271	176	39
2007	3,346	628	2,680	526	666	125	—	—	80	21	1,547	275	1,590	331	109	38
2006	4,697	1,203	3,752	946	945	271	—	—	113	50	2,429	688	2,019	474	117	26
All other mental disorders																
2010	3,022	597	1,718	371	1,304	245	149	38	295	68	1,735	336	809	186	—	—
2009	3,288	683	1,950	456	1,338	255	222	58	258	69	1,927	390	820	214	60	25
2008	2,356	359	1,289	187	1,067	197	360	110	240	46	1,141	169	553	91	62	19
2007	2,307	295	1,354	185	953	135	172	38	255	51	1,214	162	623	94	—	—
2006	1,799	330	998	233	801	123	151	43	179	48	986	196	453	83	—	—

See footnotes at end of table.

Table B7. Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Nondependent abuse of alcohol																
Any mental health-related diagnoses																
2010	9,041	604	5,595	412	3,441	240	844	95	598	68	3,497	279	3,545	266	558	68
2009	7,692	598	4,378	372	3,309	260	651	67	574	79	3,274	300	2,795	248	398	49
2008	7,213	509	4,051	289	3,147	263	733	123	387	55	2,828	235	2,711	208	555	63
2007	7,248	566	4,085	349	3,154	252	844	89	437	72	3,171	311	2,280	193	515	60
2006	7,040	581	4,150	379	2,885	232	701	77	448	61	2,927	328	2,444	229	519	54
Adjustment disorder																
2010	324	54	213	42	111	26	—	—	—	—	172	33	62	19	—	—
2009	472	74	275	55	197	39	76	21	77	23	203	43	65	19	—	—
2008	325	49	168	34	157	32	75	23	—	—	117	28	84	20	—	—
2007	391	58	204	40	182	32	391	78	21	—	131	33	99	24	64	19
2006	385	56	191	37	195	35	55	18	—	—	190	38	82	20	—	—
Anxiety disorder																
2010	2,076	160	1,177	108	898	89	129	26	203	34	856	91	771	75	117	26
2009	1,847	187	1,011	104	836	108	134	28	134	32	860	107	654	74	64	18
2008	1,505	158	714	76	785	107	153	55	86	23	708	84	461	63	97	23
2007	1,554	218	801	119	753	112	104	24	114	28	762	129	477	78	97	24
2006	1,411	164	761	90	644	94	108	32	94	23	642	103	490	68	77	20
Bipolar disorder																
2010	1,790	152	1,098	111	692	75	178	35	125	25	792	86	648	74	—	—
2009	1,657	141	896	94	756	75	126	29	98	22	841	85	552	70	—	—
2008	1,358	132	719	81	634	78	118	29	71	22	666	74	463	62	—	—
2007	1,375	145	790	99	585	72	132	30	103	30	676	94	407	53	56	17
2006	1,256	140	746	91	511	68	89	23	111	24	632	87	410	59	—	—
Depressive disorder																
2010	4,956	371	2,903	259	2,053	157	329	47	249	43	1,831	172	2,164	178	382	56
2009	4,194	377	2,274	237	1,920	171	298	43	266	51	1,630	181	1,738	168	262	38
2008	4,130	321	2,281	185	1,844	168	290	64	214	38	1,519	145	1,720	147	387	51
2007	3,976	352	2,063	211	1,913	171	389	51	186	42	1,704	175	1,390	154	308	43
2006	3,891	307	2,215	200	1,676	136	362	53	168	32	1,491	177	1,476	140	395	46
Personality disorder																
2010	710	111	426	72	284	50	82	22	—	—	354	62	217	45	—	—
2009	520	74	316	54	205	42	—	—	77	20	266	44	143	33	—	—
2008	378	62	211	37	167	38	66	23	—	—	211	41	91	22	—	—
2007	561	102	362	67	199	46	—	—	83	24	311	70	118	28	—	—
2006	583	131	275	83	308	60	—	—	79	24	319	77	132	46	—	—
Schizophrenia and other psychotic disorders																
2010	875	93	674	85	202	33	—	—	54	16	379	52	378	59	—	—
2009	556	61	375	50	182	31	—	—	—	—	257	36	212	35	—	—
2008	575	69	432	58	142	27	—	—	—	—	222	36	263	47	—	—
2007	608	69	462	57	141	29	—	—	—	—	293	48	258	38	—	—
2006	573	98	440	75	133	32	—	—	—	—	272	53	199	43	—	—
All other mental disorders																
2010	758	75	452	56	301	42	346	48	111	25	241	39	55	16	—	—
2009	553	62	396	51	157	28	198	33	76	19	208	40	66	18	—	—
2008	587	100	333	52	253	65	333	86	—	—	134	32	81	20	—	—
2007	720	81	410	57	310	42	388	55	79	23	192	32	—	—	—	—
2006	591	77	363	58	228	38	276	42	88	21	155	40	56	17	—	—

See footnotes at end of table.

Table B7. Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
All chronic liver disease and cirrhosis																
Any mental health-related diagnoses																
2010	19,204	804	9,975	472	9,230	409	102	32	160	43	4,257	217	12,025	557	2,660	153
2009	17,321	715	8,974	413	8,347	372	—	—	99	24	3,653	212	11,075	501	2,458	144
2008	17,178	778	9,053	456	8,125	392	83	26	135	26	4,037	226	10,581	522	2,341	149
2007	13,826	579	7,386	352	6,436	296	54	18	58	20	3,169	184	8,776	419	1,769	117
2006	13,222	538	6,758	317	6,464	285	—	—	—	—	3,190	179	8,103	369	1,855	126
Adjustment disorder																
2010	337	50	151	34	186	36	—	—	—	—	85	22	191	35	61	19
2009	311	50	142	29	169	34	—	—	—	—	75	21	196	35	—	—
2008	351	57	187	37	164	30	—	—	—	—	121	29	196	38	—	—
2007	257	41	163	30	94	22	—	—	—	—	—	—	169	30	—	—
2006	209	37	118	26	91	22	—	—	—	—	—	—	121	26	—	—
Anxiety disorder																
2010	4,645	257	2,272	150	2,372	150	—	—	—	—	1,205	99	2,791	180	582	57
2009	4,032	202	1,977	122	2,055	127	—	—	—	—	1,021	89	2,411	147	559	55
2008	3,617	203	1,892	121	1,725	116	—	—	—	—	1,036	80	2,124	142	407	53
2007	2,931	164	1,469	108	1,461	104	—	—	—	—	767	76	1,794	116	352	46
2006	2,589	151	1,319	100	1,270	91	—	—	—	—	667	66	1,529	107	357	45
Bipolar disorder																
2010	2,524	158	1,229	97	1,296	104	—	—	—	—	760	79	1,592	113	120	25
2009	2,056	149	1,167	103	889	83	—	—	—	—	581	64	1,335	110	125	30
2008	2,361	189	1,268	123	1,093	100	—	—	—	—	666	80	1,518	132	139	36
2007	1,620	133	872	86	748	85	—	—	—	—	508	64	1,048	116	—	—
2006	1,470	118	770	83	700	70	—	—	—	—	513	63	872	83	80	20
Depressive disorder																
2010	11,802	541	6,026	315	5,776	291	—	—	92	34	2,345	141	7,504	380	1,820	126
2009	11,133	484	5,533	276	5,600	274	—	—	59	20	2,163	135	7,208	355	1,691	115
2008	10,632	496	5,389	287	5,242	278	—	—	70	20	2,378	152	6,562	342	1,588	112
2007	8,800	404	4,510	240	4,285	227	—	—	—	—	1,908	139	5,561	286	1,283	95
2006	8,374	363	4,080	206	4,294	214	—	—	—	—	1,896	129	5,191	251	1,243	100
Personality disorder																
2010	206	36	101	25	105	27	—	—	—	—	—	—	124	28	—	—
2009	196	35	113	27	83	20	—	—	—	—	79	23	117	25	—	—
2008	160	27	64	17	96	22	—	—	—	—	63	19	83	19	—	—
2007	177	31	91	23	86	22	—	—	—	—	78	21	78	21	—	—
2006	139	29	72	21	67	18	—	—	—	—	73	19	62	19	—	—
Schizophrenia and other psychotic disorders																
2010	1,577	120	1,080	93	497	57	—	—	—	—	323	43	1,039	95	200	35
2009	1,307	112	848	91	459	58	—	—	—	—	209	44	949	91	150	28
2008	1,358	112	846	83	512	63	—	—	—	—	207	38	899	84	247	41
2007	1,380	122	918	94	462	66	—	—	—	—	252	38	993	105	118	24
2006	1,455	120	858	88	597	62	—	—	—	—	272	45	981	96	197	36
All other mental disorders																
2010	326	51	147	31	179	36	—	—	—	—	120	27	124	29	—	—
2009	273	40	155	32	118	26	—	—	—	—	76	22	151	29	—	—
2008	418	53	223	36	195	34	—	—	—	—	161	30	177	32	—	—
2007	235	40	95	23	139	28	—	—	—	—	74	22	102	23	—	—
2006	280	43	140	30	140	25	—	—	—	—	121	30	135	28	—	—

See footnotes at end of table.

Table B7. Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcoholic liver disease																
Any mental health-related diagnoses																
2010	12,923	546	7,483	352	5,439	272	—	—	99	27	3,472	189	8,344	398	994	75
2009	11,430	479	6,685	314	4,745	231	—	—	—	—	2,934	183	7,599	346	837	71
2008	11,312	493	6,604	325	4,708	222	—	—	78	19	3,248	184	7,146	344	836	69
2007	9,100	424	5,432	281	3,663	203	—	—	—	—	2,571	161	5,765	301	719	70
2006	8,858	398	5,055	253	3,803	203	—	—	—	—	2,612	163	5,528	269	702	70
Adjustment disorder																
2010	216	36	102	29	114	23	—	—	—	—	75	19	126	28	—	—
2009	177	35	105	25	71	20	—	—	—	—	60	19	111	24	—	—
2008	258	48	157	33	101	23	—	—	—	—	102	26	151	33	—	—
2007	163	33	110	25	—	—	—	—	—	—	—	—	103	23	—	—
2006	142	29	93	22	—	—	—	—	—	—	—	—	89	22	—	—
Anxiety disorder																
2010	3,209	197	1,766	124	1,443	114	—	—	—	—	1,018	91	1,924	138	226	36
2009	2,818	156	1,522	101	1,296	95	—	—	—	—	847	81	1,743	117	201	34
2008	2,473	145	1,440	99	1,032	83	—	—	—	—	881	74	1,477	105	91	21
2007	1,996	124	1,147	90	849	76	—	—	—	—	630	63	1,216	89	137	28
2006	1,761	119	1,033	87	728	66	—	—	—	—	564	60	1,077	87	109	24
Bipolar disorder																
2010	1,860	130	990	87	870	82	—	—	—	—	622	68	1,145	94	61	17
2009	1,434	118	817	83	617	63	—	—	—	—	441	53	958	92	—	—
2008	1,607	121	898	86	709	69	—	—	—	—	492	65	1,016	88	74	20
2007	967	93	589	65	379	54	—	—	—	—	371	53	583	73	—	—
2006	1,087	99	598	68	489	61	—	—	—	—	444	60	593	62	—	—
Depressive disorder																
2010	7,872	363	4,516	239	3,356	191	—	—	—	—	1,918	122	5,264	278	644	59
2009	7,298	326	4,228	221	3,070	165	—	—	—	—	1,769	123	4,929	243	575	60
2008	7,009	346	4,014	234	2,995	167	—	—	—	—	1,907	130	4,479	248	588	59
2007	5,909	315	3,357	201	2,547	165	—	—	—	—	1,557	125	3,787	220	535	59
2006	5,579	272	3,085	169	2,494	151	—	—	—	—	1,551	119	3,537	187	480	57
Personality disorder																
2010	161	30	81	21	80	21	—	—	—	—	—	—	100	24	—	—
2009	162	32	95	25	67	18	—	—	—	—	74	23	88	22	—	—
2008	132	26	59	17	73	20	—	—	—	—	—	—	73	18	—	—
2007	138	27	83	22	55	17	—	—	—	—	67	18	—	—	—	—
2006	102	26	58	19	—	—	—	—	—	—	54	16	—	—	—	—
Schizophrenia and other psychotic disorders																
2010	1,066	91	779	74	288	40	—	—	—	—	261	39	697	72	93	23
2009	786	83	543	66	243	43	—	—	—	—	144	30	584	68	58	16
2008	809	77	566	62	243	40	—	—	—	—	168	33	548	60	93	23
2007	866	91	669	84	197	32	—	—	—	—	194	31	616	77	—	—
2006	888	89	552	68	336	45	—	—	—	—	204	40	610	68	74	19
All other mental disorders																
2010	173	33	81	20	92	26	—	—	—	—	70	20	68	21	—	—
2009	181	34	110	29	71	18	—	—	—	—	55	20	100	24	—	—
2008	242	37	113	24	128	27	—	—	—	—	127	27	90	22	—	—
2007	110	28	—	—	75	19	—	—	—	—	—	—	—	—	—	—
2006	205	37	100	26	106	22	—	—	—	—	111	29	84	22	—	—

See footnotes at end of table.

Table B7. Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol poisoning																
Any mental health-related diagnoses																
2010	4,465	472	2,511	288	1,954	207	311	47	212	35	1,730	165	2,003	288	208	45
2009	3,240	288	1,715	163	1,525	157	356	55	189	31	1,382	137	1,197	156	115	24
2008	3,363	221	1,905	147	1,458	120	275	44	198	30	1,400	119	1,338	112	153	27
2007	3,057	217	1,575	124	1,474	134	372	50	185	36	1,245	104	1,126	108	130	27
2006	2,841	186	1,499	129	1,342	97	363	61	176	35	1,191	98	1,008	91	103	24
Adjustment disorder																
2010	161	32	81	23	80	19	—	—	—	—	82	22	—	—	—	—
2009	78	20	52	17	—	—	—	—	—	—	—	—	—	—	—	—
2008	141	27	82	21	59	18	—	—	—	—	58	16	—	—	—	—
2007	156	31	63	17	93	24	—	—	—	—	—	—	57	18	—	—
2006	146	33	79	23	67	21	—	—	—	—	60	17	59	18	—	—
Anxiety disorder																
2010	861	107	476	68	385	56	—	—	—	—	362	50	373	64	—	—
2009	705	106	339	48	366	79	—	—	68	20	359	63	211	43	—	—
2008	652	62	357	44	295	40	—	—	—	—	343	47	236	35	—	—
2007	524	66	240	39	284	45	57	17	—	—	240	40	182	31	—	—
2006	403	49	189	32	214	35	—	—	—	—	136	29	147	28	—	—
Bipolar disorder																
2010	973	114	503	77	470	58	55	16	—	—	413	57	457	73	—	—
2009	846	98	461	67	384	49	134	28	—	—	388	53	276	60	—	—
2008	707	72	359	49	348	48	56	18	56	17	307	43	282	41	—	—
2007	624	72	293	52	327	43	67	19	—	—	265	39	237	37	—	—
2006	509	56	259	38	250	40	80	22	—	—	263	43	127	27	—	—
Depressive disorder																
2010	2,592	271	1,479	170	1,113	122	144	29	119	26	991	108	1,185	157	151	35
2009	2,012	188	1,030	104	981	110	160	29	107	23	854	97	809	104	80	21
2008	2,148	156	1,231	104	917	84	166	29	102	23	853	86	914	87	114	24
2007	1,928	162	954	91	969	101	193	36	115	24	796	83	728	88	96	25
2006	1,829	129	915	93	914	73	174	37	119	28	743	70	702	70	92	23
Personality disorder																
2010	244	37	108	26	136	26	—	—	—	—	114	24	84	21	—	—
2009	155	29	66	19	89	22	—	—	—	—	125	26	—	—	—	—
2008	170	38	61	20	109	28	—	—	—	—	106	30	—	—	—	—
2007	130	32	59	17	71	27	—	—	—	—	76	27	—	—	—	—
2006	204	44	109	33	94	25	—	—	—	—	101	27	59	18	—	—
Schizophrenia and other psychotic disorders																
2010	565	211	347	120	218	96	—	—	—	—	202	48	308	137	—	—
2009	232	35	151	29	81	21	—	—	—	—	118	26	79	19	—	—
2008	259	47	177	39	82	21	—	—	—	—	70	19	151	32	—	—
2007	221	35	154	29	66	18	—	—	—	—	95	22	74	19	—	—
2006	200	40	151	37	—	—	—	—	—	—	86	24	95	32	—	—
All other mental disorders																
2010	328	41	190	30	138	27	126	25	59	18	129	27	—	—	—	—
2009	271	53	141	42	131	26	143	45	—	—	98	24	—	—	—	—
2008	183	33	84	20	100	24	53	19	—	—	85	20	—	—	—	—
2007	235	41	133	25	102	30	142	28	—	—	55	18	—	—	—	—
2006	209	37	94	26	115	27	127	31	—	—	—	—	—	—	—	—

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table B8. Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Any alcohol-related diagnoses																
Any mental health-related diagnoses																
2010	919,101	33,888	549,532	22,109	369,256	12,760	29,660	2,160	36,091	1,988	304,057	13,520	450,287	16,292	99,006	3,196
2009	860,677	31,487	514,104	20,319	346,348	11,997	27,136	1,831	34,151	1,835	297,948	13,072	408,470	14,594	92,971	3,217
2008	798,917	34,613	471,565	21,031	327,191	14,049	30,962	4,446	33,942	2,057	293,016	14,434	364,487	14,506	76,509	2,538
2007	704,953	26,666	417,329	17,255	287,435	10,151	27,569	2,536	29,905	1,613	271,672	12,193	310,452	11,144	65,355	2,138
2006	667,636	27,687	403,202	17,772	264,294	10,441	22,929	1,847	27,678	1,570	272,609	13,185	285,603	11,275	58,818	2,088
Adjustment disorder																
2010	26,346	2,018	16,090	1,286	10,252	827	2,297	350	2,167	220	9,727	872	9,904	710	2,250	199
2009	25,890	2,042	16,049	1,285	9,825	824	2,101	240	2,123	224	10,437	939	9,219	746	2,009	169
2008	24,303	1,840	14,549	1,132	9,754	775	2,199	460	1,830	166	10,074	859	8,385	650	1,814	167
2007	26,032	2,120	15,545	1,317	10,476	880	2,449	337	1,940	200	11,740	1,117	8,230	653	1,673	139
2006	24,005	2,014	14,498	1,228	9,502	838	1,871	210	1,881	200	10,707	989	7,958	681	1,589	134
Anxiety disorder																
2010	216,546	8,368	119,119	4,607	97,422	3,955	6,726	650	8,646	553	75,561	3,439	101,895	3,802	23,718	915
2009	198,800	8,303	108,858	4,567	89,932	3,927	6,115	539	8,224	559	72,263	3,601	91,644	3,660	20,553	826
2008	172,964	8,542	94,676	4,531	78,278	4,151	6,506	1,283	7,365	547	66,675	3,690	76,464	3,364	15,954	629
2007	146,595	6,322	79,489	3,461	67,096	3,059	5,449	681	6,395	446	57,578	2,891	63,393	2,532	13,779	565
2006	128,710	5,587	71,641	3,135	57,059	2,623	4,239	406	5,301	374	52,406	2,805	55,242	2,184	11,521	489
Bipolar disorder																
2010	223,511	10,989	130,740	6,989	92,697	4,274	10,441	916	12,130	796	92,667	5,077	99,333	4,693	8,940	408
2009	209,737	10,060	121,285	6,263	88,356	4,085	9,611	900	11,076	745	91,402	4,756	88,565	4,083	9,083	604
2008	202,072	11,030	116,425	6,558	85,634	4,622	11,070	1,524	11,494	813	90,482	5,242	81,247	4,114	7,778	459
2007	166,174	8,280	94,729	5,045	71,393	3,441	8,620	1,164	9,065	612	78,324	4,265	63,852	2,970	6,313	394
2006	155,117	8,461	90,556	5,167	64,519	3,454	7,465	918	8,252	601	77,345	4,530	56,950	2,853	5,104	294
Depressive disorder																
2010	479,371	16,856	274,833	10,281	204,376	7,007	12,308	967	14,464	826	140,356	5,911	248,472	8,814	63,771	2,215
2009	449,668	15,848	257,501	9,553	192,095	6,660	11,696	781	14,377	796	138,426	5,889	225,588	7,958	59,582	2,114
2008	420,305	18,402	238,377	10,605	181,839	8,109	13,369	2,325	14,747	959	139,657	7,155	203,503	8,160	49,029	1,707
2007	369,555	13,610	210,369	8,363	159,091	5,647	12,344	1,089	12,917	729	129,433	5,810	173,695	6,150	41,167	1,445
2006	346,965	13,789	200,452	8,357	146,447	5,698	10,252	867	12,001	712	128,621	6,005	158,645	6,126	37,446	1,394
Personality disorder																
2010	73,267	6,260	41,852	3,883	31,415	2,510	3,628	390	5,571	526	35,943	3,245	26,282	2,250	1,844	218
2009	70,989	5,450	39,773	3,278	31,216	2,285	3,688	328	5,492	460	35,182	2,818	24,649	1,991	1,978	189
2008	68,995	5,705	38,434	3,324	30,542	2,518	3,870	492	5,268	490	35,289	3,016	22,964	1,869	1,603	157
2007	66,207	5,387	36,664	3,293	29,543	2,225	3,397	339	5,151	467	35,144	3,036	21,041	1,725	1,473	150
2006	66,203	5,566	36,900	3,334	29,303	2,390	3,654	438	4,896	469	36,198	3,141	19,946	1,723	1,509	150
Schizophrenia and other psychotic disorders																
2010	123,869	8,177	91,459	6,448	32,344	1,902	2,437	240	5,095	472	43,653	3,441	62,670	4,083	10,014	452
2009	123,849	7,802	91,144	6,076	32,664	1,919	2,399	232	4,646	445	44,334	3,260	61,787	3,900	10,682	534
2008	104,448	6,361	76,166	4,834	28,243	1,609	2,145	280	4,149	361	39,249	2,685	50,178	3,104	8,727	599
2007	101,284	6,194	73,967	4,833	27,286	1,504	2,071	210	4,053	335	39,577	2,644	47,675	3,068	7,908	450
2006	108,897	7,123	80,312	5,474	28,562	1,777	1,713	182	4,457	411	47,174	3,491	47,945	3,121	7,609	404
All other mental disorders																
2010	55,334	2,879	27,977	1,556	27,352	1,460	10,215	994	6,409	400	24,108	1,317	12,265	661	2,339	162
2009	49,240	2,629	25,067	1,459	24,173	1,298	8,133	804	5,725	365	22,513	1,262	10,783	631	2,087	147
2008	50,000	4,683	24,937	2,446	25,049	2,340	11,353	2,715	5,576	430	20,791	1,379	10,074	678	2,206	162
2007	44,688	2,786	21,029	1,555	23,655	1,457	10,110	1,471	4,891	343	19,095	1,108	8,544	514	2,048	159
2006	37,411	2,082	18,017	1,123	19,388	1,092	6,874	737	4,118	271	17,621	1,018	7,222	423	1,577	133

See footnotes at end of table.

Table B8. Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcoholic psychoses																
Any mental health-related diagnoses																
2010	171,644	9,999	116,777	6,772	54,862	3,383	941	102	3,351	331	57,695	4,070	94,166	5,293	15,491	694
2009	158,981	8,464	107,983	5,665	50,992	2,963	1,047	118	3,262	291	55,864	3,500	83,438	4,358	15,368	702
2008	158,036	10,399	104,943	6,662	53,087	3,873	1,179	198	3,514	418	58,914	4,684	81,408	4,954	13,022	601
2007	134,509	8,185	89,545	5,459	44,955	2,875	880	133	2,636	298	52,477	3,941	67,402	3,795	11,114	523
2006	118,324	7,690	79,345	5,025	38,973	2,796	926	123	2,120	225	47,034	3,591	58,183	3,627	10,061	541
Adjustment disorder																
2010	3,213	285	2,221	198	993	109	—	—	127	30	1,126	125	1,573	156	351	48
2009	3,278	288	2,306	207	971	109	94	23	93	22	1,155	129	1,626	158	311	45
2008	3,477	394	2,387	284	1,091	132	59	26	111	27	1,280	168	1,683	210	344	53
2007	3,319	342	2,291	268	1,028	110	—	—	81	23	1,362	172	1,565	170	269	38
2006	3,241	405	2,157	282	1,084	156	—	—	148	31	1,332	175	1,465	221	245	42
Anxiety disorder																
2010	42,130	2,396	27,141	1,464	14,989	999	296	50	1,070	119	16,009	1,097	21,305	1,168	3,449	188
2009	40,325	2,975	25,979	1,932	14,346	1,160	316	59	999	112	15,790	1,322	20,039	1,486	3,182	197
2008	37,004	2,732	23,619	1,686	13,385	1,145	277	72	953	129	15,337	1,291	18,092	1,272	2,344	162
2007	30,177	1,860	19,126	1,190	11,051	754	205	39	646	71	12,857	903	14,438	893	2,030	140
2006	24,582	1,587	15,935	1,015	8,647	650	211	40	543	70	10,461	759	11,565	756	1,802	141
Bipolar disorder																
2010	37,586	3,100	25,389	2,102	12,198	1,047	251	47	838	113	15,001	1,491	20,124	1,510	1,373	117
2009	33,498	2,455	22,407	1,743	11,091	818	384	64	863	117	14,235	1,114	16,465	1,209	1,551	138
2008	35,173	3,225	23,245	2,105	11,928	1,173	416	98	1,037	178	15,574	1,672	16,882	1,361	1,265	108
2007	28,169	2,428	18,201	1,588	9,968	893	221	50	630	128	13,340	1,354	13,021	987	957	101
2006	23,213	1,970	15,709	1,356	7,504	672	228	47	550	83	11,123	1,079	10,496	834	815	87
Depressive disorder																
2010	98,794	5,736	65,492	3,807	33,297	2,042	415	58	1,647	192	30,346	2,094	56,262	3,232	10,123	503
2009	92,622	4,994	61,282	3,227	31,335	1,871	448	60	1,647	159	29,993	1,898	50,632	2,735	9,903	511
2008	92,270	6,196	59,338	3,848	32,927	2,451	521	103	1,671	210	32,116	2,626	49,241	3,103	8,721	460
2007	78,149	4,699	50,757	3,038	27,387	1,758	371	59	1,387	151	27,911	2,057	41,074	2,365	7,407	396
2006	70,482	4,751	45,349	2,951	25,127	1,884	429	73	1,050	123	26,219	2,076	36,067	2,377	6,717	385
Personality disorder																
2010	11,445	1,660	7,725	1,165	3,720	532	163	34	446	80	5,259	778	5,216	810	362	72
2009	10,421	1,345	6,970	927	3,451	449	147	34	388	72	4,857	702	4,589	568	440	60
2008	9,209	1,351	6,019	869	3,190	499	144	34	425	94	4,314	689	4,033	539	293	60
2007	9,401	1,264	6,130	883	3,271	409	128	29	342	77	4,698	652	3,870	522	363	56
2006	8,543	1,017	5,678	716	2,865	342	199	46	275	48	4,214	541	3,470	435	386	64
Schizophrenia and other psychotic disorders																
2010	14,683	965	11,737	790	2,947	239	—	—	246	38	4,657	395	8,191	568	1,542	113
2009	13,962	819	11,205	681	2,757	189	55	18	202	33	4,287	343	7,755	496	1,663	115
2008	12,783	834	10,157	673	2,625	204	—	—	235	42	4,364	345	6,879	485	1,254	119
2007	12,294	878	9,647	712	2,647	205	83	21	179	36	4,385	399	6,503	483	1,145	101
2006	11,421	777	8,987	628	2,434	190	58	17	148	28	4,061	375	6,015	401	1,139	108
All other mental disorders																
2010	6,226	424	3,635	252	2,591	220	210	35	450	64	2,994	254	2,155	156	417	60
2009	5,814	426	3,373	271	2,442	204	207	38	427	65	2,994	260	1,772	140	414	50
2008	5,841	589	3,358	330	2,483	287	279	78	517	82	2,712	314	1,801	181	532	73
2007	4,672	348	2,639	195	2,029	195	190	45	318	60	2,267	197	1,494	134	403	55
2006	3,643	289	2,171	176	1,472	147	170	32	192	35	1,919	187	1,063	98	299	45

See footnotes at end of table.

Table B8. Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol dependence syndrome																
Any mental health-related diagnoses																
2010	472,905	21,744	307,489	14,751	165,303	7,582	5,694	454	13,387	937	162,609	8,890	249,197	11,059	42,018	1,648
2009	449,451	20,298	290,971	13,596	158,415	7,184	6,418	510	12,969	859	162,033	8,768	226,443	9,765	41,588	1,832
2008	428,055	22,648	272,661	14,225	155,301	8,782	7,587	1,534	13,396	1,048	165,813	10,343	207,281	9,920	33,977	1,318
2007	368,807	17,009	235,394	11,438	133,304	6,041	5,317	492	11,002	788	149,320	8,235	174,260	7,484	28,908	1,126
2006	353,478	18,050	227,896	12,150	125,519	6,219	4,923	428	10,229	745	150,017	8,959	161,989	7,801	26,320	1,081
Adjustment disorder																
2010	11,912	1,128	7,769	706	4,144	463	310	50	613	94	4,509	511	5,451	487	1,029	116
2009	11,855	1,153	7,964	746	3,892	442	424	77	675	102	4,748	543	5,093	492	916	89
2008	11,440	1,058	7,402	702	4,038	407	451	103	526	73	4,784	485	4,738	466	943	106
2007	11,949	1,181	7,919	821	4,030	407	430	96	607	93	5,413	624	4,737	435	761	80
2006	11,261	1,153	7,203	727	4,058	465	267	48	536	84	5,032	556	4,587	497	839	90
Anxiety disorder																
2010	111,342	5,496	66,809	3,209	44,529	2,429	1,487	183	3,665	318	41,835	2,438	55,119	2,545	9,236	448
2009	104,898	5,632	61,999	3,336	42,895	2,451	1,627	163	3,559	294	40,923	2,578	50,335	2,611	8,455	423
2008	92,616	5,649	54,444	3,136	38,172	2,639	1,792	532	3,052	291	38,616	2,686	42,721	2,320	6,434	318
2007	76,716	3,835	44,940	2,224	31,767	1,757	1,071	129	2,450	197	32,752	1,929	35,032	1,665	5,411	269
2006	68,269	3,780	40,936	2,273	27,333	1,639	1,019	128	2,089	214	29,610	2,041	30,795	1,511	4,757	252
Bipolar disorder																
2010	121,370	7,236	75,939	4,763	45,417	2,669	2,210	220	4,552	359	51,026	3,448	58,945	3,352	4,635	280
2009	113,847	6,327	70,419	4,156	43,399	2,361	2,463	235	4,293	334	50,125	3,126	51,935	2,739	5,031	430
2008	112,075	7,265	68,530	4,525	43,545	2,865	2,637	387	4,857	432	51,952	3,778	48,586	2,859	4,043	280
2007	89,514	5,301	54,083	3,399	35,403	2,056	1,724	176	3,398	318	43,540	2,915	37,752	2,057	3,101	234
2006	85,247	5,382	52,875	3,519	32,353	1,969	1,721	201	3,385	323	43,399	3,031	34,065	1,993	2,677	201
Depressive disorder																
2010	255,836	11,348	162,857	7,451	92,881	4,177	2,278	199	5,820	462	78,836	4,132	141,133	6,206	27,770	1,161
2009	244,167	10,777	154,350	6,875	89,791	4,124	2,741	241	5,777	417	79,465	4,176	129,222	5,608	26,961	1,213
2008	232,309	12,623	144,464	7,613	87,791	5,263	3,460	973	5,899	493	82,338	5,347	118,375	5,832	22,237	940
2007	202,962	9,120	126,742	5,934	76,156	3,454	2,336	233	5,188	375	74,740	4,029	101,666	4,368	19,031	807
2006	190,831	9,266	119,044	5,901	71,749	3,532	2,214	242	4,538	334	73,966	4,180	92,763	4,384	17,351	745
Personality disorder																
2010	43,956	4,465	26,999	2,950	16,957	1,621	1,054	139	2,556	327	21,147	2,271	18,048	1,776	1,151	171
2009	41,793	3,703	25,315	2,358	16,478	1,431	1,118	127	2,390	242	20,367	1,936	16,547	1,473	1,371	153
2008	40,610	3,912	24,092	2,409	16,503	1,578	1,145	185	2,321	261	20,539	2,076	15,550	1,447	1,056	131
2007	37,958	3,426	22,202	2,245	15,756	1,277	914	117	2,125	237	20,072	1,904	13,893	1,257	954	102
2006	38,284	3,446	22,997	2,207	15,287	1,355	957	136	1,936	206	21,348	1,976	13,060	1,239	982	113
Schizophrenia and other psychotic disorders																
2010	55,393	3,787	42,536	3,063	12,857	837	414	56	1,448	165	19,143	1,587	30,339	2,039	4,049	228
2009	56,404	3,923	43,337	3,148	13,062	896	454	69	1,494	179	19,912	1,673	29,880	2,045	4,663	271
2008	49,876	3,288	37,927	2,584	11,915	765	533	93	1,316	151	18,902	1,493	25,316	1,650	3,808	311
2007	44,398	2,971	33,655	2,368	10,730	679	382	55	1,141	130	17,919	1,358	21,708	1,487	3,247	221
2006	51,669	4,124	39,411	3,219	12,253	979	430	71	1,514	191	22,450	2,067	24,160	1,851	3,114	216
All other mental disorders																
2010	23,090	1,630	12,816	930	10,275	804	1,671	174	2,174	213	11,392	905	6,837	465	1,016	90
2009	21,920	1,575	12,318	960	9,601	699	1,798	205	2,005	205	11,065	868	6,069	443	984	94
2008	20,764	2,231	11,140	1,120	9,620	1,170	2,528	896	2,024	204	9,812	907	5,389	444	1,011	94
2007	17,086	1,100	9,201	652	7,880	568	1,441	204	1,581	157	8,421	611	4,713	333	930	100
2006	15,172	1,044	8,132	601	7,040	522	1,115	135	1,366	140	8,068	629	3,940	286	683	77

See footnotes at end of table.

Table B8. Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Nondependent abuse of alcohol																
Any mental health-related diagnoses																
2010	322,994	13,800	194,375	9,076	128,424	5,043	22,021	1,808	20,816	1,278	118,211	5,930	133,536	5,581	28,411	1,082
2009	297,787	12,836	177,739	8,289	119,888	4,825	19,013	1,425	19,317	1,162	114,451	5,575	119,801	5,341	25,205	1,016
2008	274,012	12,847	159,601	7,676	114,333	5,361	21,816	3,110	19,095	1,158	106,412	5,165	105,012	4,645	21,678	919
2007	263,874	11,300	153,158	7,093	110,647	4,514	21,067	2,141	17,724	982	107,444	4,977	97,252	4,179	20,388	830
2006	253,628	11,873	151,248	7,573	102,305	4,590	16,837	1,483	16,506	989	109,123	5,732	92,112	4,175	19,049	809
Adjustment disorder																
2010	12,221	996	7,345	650	4,871	428	1,848	312	1,471	158	4,764	424	3,377	244	760	85
2009	11,855	922	7,098	572	4,742	403	1,543	175	1,381	150	5,158	439	3,137	266	637	84
2008	11,112	899	6,423	519	4,689	427	1,639	375	1,251	118	4,812	463	2,849	228	561	69
2007	12,475	1,046	6,993	586	5,471	506	1,887	273	1,238	131	5,876	566	2,873	255	601	68
2006	11,615	961	6,846	573	4,764	419	1,488	178	1,305	141	5,346	499	2,901	228	575	64
Anxiety disorder																
2010	75,095	2,906	41,165	1,539	33,930	1,487	4,896	533	4,564	298	27,431	1,181	30,895	1,161	7,310	364
2009	66,792	2,820	36,528	1,505	30,259	1,420	4,112	412	4,221	311	25,477	1,198	27,031	1,138	5,952	292
2008	59,216	3,056	31,955	1,564	27,251	1,576	4,412	817	3,994	309	23,062	1,249	22,866	1,036	4,882	250
2007	53,886	2,704	28,687	1,419	25,199	1,404	4,108	584	3,713	287	20,890	1,162	20,485	932	4,690	255
2006	48,070	2,164	26,212	1,161	21,854	1,110	3,019	303	3,029	233	19,928	1,018	18,215	802	3,880	203
Bipolar disorder																
2010	85,048	4,503	48,066	2,800	36,922	1,830	7,816	760	7,197	528	36,757	2,116	30,561	1,560	2,718	169
2009	79,363	4,325	44,024	2,599	35,273	1,847	6,742	705	6,395	482	36,538	2,035	27,037	1,574	2,652	198
2008	75,690	4,438	41,568	2,530	34,109	1,974	8,149	1,226	6,318	461	34,231	1,961	24,524	1,413	2,469	183
2007	66,964	3,685	36,633	2,095	30,318	1,675	6,741	1,048	5,373	365	31,829	1,752	20,687	1,115	2,334	193
2006	62,465	3,778	34,610	2,155	27,837	1,719	5,545	751	4,704	350	31,690	1,968	18,816	1,059	1,711	122
Depressive disorder																
2010	148,499	5,470	85,192	3,308	63,248	2,322	9,048	833	7,625	463	48,495	2,088	66,267	2,440	17,064	710
2009	137,031	5,329	77,796	3,211	59,188	2,279	8,126	603	7,597	474	47,127	2,168	58,866	2,353	15,316	639
2008	128,661	5,837	71,862	3,255	56,764	2,727	9,090	1,462	8,010	533	45,232	2,201	53,172	2,208	13,156	604
2007	123,684	5,057	68,024	2,969	55,628	2,260	9,334	900	7,082	444	46,574	2,231	48,688	1,949	12,007	513
2006	119,363	5,241	68,092	3,161	51,244	2,233	7,409	673	6,884	452	46,796	2,343	46,731	1,985	11,543	528
Personality disorder																
2010	27,118	2,055	14,073	1,154	13,045	977	2,462	292	2,888	252	14,015	1,128	7,199	575	554	73
2009	26,760	1,971	13,570	1,090	13,190	953	2,461	225	2,958	258	13,810	1,044	7,084	617	448	62
2008	26,485	2,164	13,585	1,169	12,895	1,088	2,620	358	2,884	290	13,971	1,199	6,610	532	400	53
2007	26,671	2,282	13,765	1,290	12,906	1,065	2,459	272	2,943	276	14,376	1,299	6,459	626	435	75
2006	26,674	2,482	13,453	1,380	13,220	1,174	2,656	322	2,931	313	14,378	1,376	6,292	620	417	63
Schizophrenia and other psychotic disorders																
2010	57,329	4,980	42,830	3,872	14,434	1,180	1,902	208	3,550	374	22,909	2,262	25,469	2,248	3,499	220
2009	56,535	4,465	41,705	3,392	14,793	1,152	1,856	198	3,031	323	22,897	1,972	25,187	2,090	3,564	252
2008	45,625	3,382	33,286	2,522	12,324	905	1,593	213	2,759	261	18,833	1,493	19,620	1,555	2,819	239
2007	48,184	3,518	35,358	2,729	12,808	880	1,662	186	2,818	259	20,220	1,512	20,624	1,671	2,859	211
2006	49,712	3,827	36,700	2,986	12,998	931	1,260	140	2,865	285	23,288	1,966	19,625	1,536	2,674	181
All other mental disorders																
2010	27,824	1,569	13,228	788	14,592	860	7,976	867	3,939	262	11,272	583	3,880	242	758	74
2009	23,509	1,267	10,976	647	12,533	696	5,843	662	3,464	221	10,193	529	3,375	226	633	74
2008	25,381	2,631	12,018	1,437	13,353	1,264	8,436	1,914	3,366	266	9,719	587	3,248	254	613	68
2007	24,880	1,907	10,707	1,039	14,173	1,038	8,378	1,298	3,155	234	9,777	614	2,918	217	651	75
2006	20,134	1,191	8,922	625	11,207	680	5,465	629	2,662	184	8,870	509	2,509	171	627	69

See footnotes at end of table.

Table B8. Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
All chronic liver disease and cirrhosis																
Any mental health-related diagnoses																
2010	212,644	7,299	106,298	3,802	106,347	3,773	1,386	170	2,095	159	44,821	1,830	127,801	4,553	36,540	1,320
2009	186,586	5,953	93,654	3,131	92,927	3,056	1,096	142	1,637	128	39,709	1,491	111,630	3,721	32,513	1,239
2008	156,691	5,820	78,659	3,230	78,028	2,801	1,116	144	1,528	136	37,364	1,697	91,623	3,525	25,060	915
2007	123,236	4,053	62,992	2,278	60,225	1,975	688	97	1,086	94	29,184	1,194	72,578	2,500	19,700	753
2006	109,287	4,235	56,764	2,448	52,518	1,958	586	88	779	92	27,708	1,403	63,025	2,472	17,189	707
Adjustment disorder																
2010	3,562	228	1,956	143	1,605	125	91	23	—	—	773	71	2,025	164	638	69
2009	3,092	247	1,679	156	1,413	128	57	21	—	—	700	67	1,719	172	581	76
2008	2,576	220	1,311	139	1,265	112	76	32	53	17	613	72	1,441	142	393	53
2007	2,181	173	1,188	114	994	91	60	23	—	—	552	66	1,183	106	349	58
2006	1,949	164	1,107	111	842	90	—	—	—	—	529	60	1,024	103	315	44
Anxiety disorder																
2010	51,964	2,021	24,913	1,064	27,052	1,058	288	46	629	66	12,443	572	29,720	1,213	8,884	413
2009	44,025	1,636	20,993	821	23,032	915	261	53	434	53	10,898	511	25,062	979	7,369	370
2008	34,139	1,390	16,578	758	17,556	723	253	39	367	56	9,579	489	18,613	799	5,327	284
2007	26,853	1,035	13,042	566	13,807	562	158	39	274	39	7,408	379	14,648	609	4,365	218
2006	21,891	901	10,549	483	11,337	499	100	25	129	26	6,105	336	12,096	510	3,460	199
Bipolar disorder																
2010	32,950	1,395	16,939	824	16,011	691	320	76	451	53	9,454	504	20,577	914	2,149	132
2009	28,720	1,186	14,712	716	14,008	597	233	56	348	50	8,333	436	17,767	766	2,039	155
2008	25,460	1,275	13,430	788	12,030	576	208	41	322	59	7,781	458	15,421	817	1,728	145
2007	17,882	805	9,529	512	8,349	394	106	23	262	42	5,872	348	10,611	515	1,031	88
2006	15,202	852	8,401	541	6,796	383	81	21	118	27	5,347	419	8,641	465	1,015	93
Depressive disorder																
2010	128,201	4,702	61,106	2,322	67,095	2,568	616	81	1,074	115	24,642	1,090	77,483	2,958	24,385	952
2009	112,977	3,860	54,311	1,926	58,660	2,112	508	76	842	86	22,050	895	67,881	2,457	21,696	877
2008	94,994	3,655	45,184	1,897	49,810	1,899	526	77	787	79	21,193	1,064	55,874	2,216	16,614	635
2007	73,773	2,645	35,873	1,415	37,886	1,382	315	60	578	58	15,961	736	44,158	1,637	12,761	547
2006	66,147	2,593	32,383	1,372	33,764	1,337	294	58	477	68	15,453	771	38,769	1,576	11,154	502
Personality disorder																
2010	5,813	728	3,234	493	2,578	287	100	44	162	31	2,075	287	3,245	425	231	45
2009	4,794	479	2,727	335	2,067	192	—	—	108	29	1,860	256	2,545	249	241	36
2008	4,019	430	2,225	271	1,794	189	59	18	116	39	1,518	214	2,129	224	197	35
2007	3,645	292	2,130	206	1,514	132	—	—	—	—	1,561	147	1,888	175	144	29
2006	3,046	286	1,713	188	1,333	133	—	—	—	—	1,343	154	1,543	159	131	28
Schizophrenia and other psychotic disorders																
2010	19,367	894	12,364	643	7,002	357	87	24	141	29	3,394	212	12,652	671	3,093	175
2009	17,692	844	11,313	625	6,379	322	63	17	82	23	2,991	222	11,700	588	2,855	190
2008	14,852	889	9,431	639	5,420	319	—	—	140	35	3,087	277	9,096	578	2,495	199
2007	14,148	709	9,035	540	5,113	289	—	—	112	38	2,868	226	8,910	486	2,237	174
2006	13,662	957	9,003	764	4,655	276	—	—	74	24	3,110	359	8,312	605	2,142	161
All other mental disorders																
2010	5,897	301	2,825	181	3,071	175	394	63	343	54	2,116	148	2,454	155	590	65
2009	5,112	294	2,546	162	2,565	190	344	68	202	33	1,830	135	2,194	171	541	58
2008	4,779	413	2,301	192	2,478	259	372	67	189	36	1,723	194	1,980	195	515	56
2007	3,449	191	1,634	120	1,815	115	177	39	138	26	1,218	93	1,516	110	400	50
2006	3,037	199	1,534	121	1,504	122	179	39	74	20	1,222	120	1,281	100	281	39

See footnotes at end of table.

Table B8. Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcoholic liver disease																
Any mental health-related diagnoses																
2010	94,507	3,739	60,418	2,453	34,090	1,435	86	23	647	82	22,915	1,131	60,787	2,422	10,073	456
2009	84,447	3,105	53,768	2,032	30,674	1,198	57	17	476	72	21,113	965	53,774	2,018	9,027	399
2008	74,594	3,220	46,944	2,129	27,650	1,199	100	30	664	90	20,485	1,105	46,238	1,978	7,107	341
2007	60,770	2,367	38,974	1,615	21,782	876	76	20	391	53	17,189	819	37,303	1,482	5,811	285
2006	56,212	2,619	36,014	1,793	20,198	939	65	19	282	45	16,469	972	33,866	1,554	5,531	309
Adjustment disorder																
2010	1,542	121	1,037	92	505	59	—	—	—	—	384	48	968	94	185	33
2009	1,390	154	913	114	477	63	—	—	—	—	331	47	892	118	158	32
2008	1,291	146	807	107	484	58	—	—	—	—	340	49	815	106	97	25
2007	1,118	118	740	86	378	54	—	—	—	—	341	54	657	75	119	27
2006	1,172	120	776	92	396	59	—	—	—	—	324	46	704	85	133	29
Anxiety disorder																
2010	22,086	1,030	13,466	645	8,620	453	—	—	231	40	6,106	356	13,547	648	2,156	149
2009	18,888	864	11,642	544	7,246	397	—	—	149	35	5,511	329	11,479	552	1,733	117
2008	15,839	813	9,778	547	6,061	331	—	—	151	33	5,261	335	9,067	475	1,314	101
2007	12,632	576	7,919	401	4,709	246	—	—	104	25	4,162	262	7,321	355	1,039	84
2006	10,520	529	6,377	332	4,143	259	—	—	—	—	3,531	240	6,052	309	869	79
Bipolar disorder																
2010	16,049	847	10,028	559	6,022	370	—	—	123	30	4,837	334	10,381	567	693	71
2009	14,200	719	8,836	502	5,363	302	—	—	101	26	4,428	288	8,893	484	772	91
2008	13,626	828	8,252	563	5,374	333	—	—	154	40	4,391	330	8,382	530	669	83
2007	9,667	542	6,047	379	3,620	242	—	—	96	26	3,482	259	5,735	339	331	55
2006	8,842	626	5,678	423	3,164	251	—	—	—	—	3,434	322	4,978	326	367	53
Depressive disorder																
2010	57,197	2,399	35,909	1,573	21,288	942	—	—	361	61	12,799	678	37,172	1,580	6,844	344
2009	51,679	1,979	32,197	1,271	19,477	821	—	—	243	47	11,980	601	33,271	1,294	6,144	303
2008	44,836	2,005	27,569	1,278	17,267	816	—	—	311	47	11,569	691	28,072	1,234	4,847	256
2007	36,992	1,568	23,130	1,037	13,848	622	—	—	206	33	9,718	515	23,117	992	3,927	224
2006	34,121	1,569	21,019	1,010	13,102	650	—	—	178	35	9,173	532	21,048	982	3,682	223
Personality disorder																
2010	3,392	638	2,246	462	1,146	198	—	—	—	—	1,253	262	1,981	359	105	33
2009	2,815	390	1,940	295	876	118	—	—	—	—	1,110	211	1,544	197	131	27
2008	2,437	329	1,620	236	817	114	—	—	62	22	930	156	1,362	180	78	21
2007	2,236	217	1,473	167	763	83	—	—	—	—	1,001	111	1,125	136	95	24
2006	1,851	209	1,180	148	671	86	—	—	—	—	860	114	915	114	71	20
Schizophrenia and other psychotic disorders																
2010	8,275	447	6,215	366	2,059	149	—	—	63	19	1,678	133	5,619	344	910	82
2009	7,750	465	5,778	380	1,972	146	—	—	—	—	1,566	158	5,318	331	834	82
2008	6,925	509	5,145	407	1,780	143	—	—	67	26	1,721	193	4,500	336	626	68
2007	6,340	396	4,721	333	1,619	121	—	—	—	—	1,485	161	4,052	266	749	73
2006	6,964	632	5,332	564	1,632	132	—	—	—	—	1,785	237	4,444	404	716	87
All other mental disorders																
2010	1,965	148	1,095	94	869	90	—	—	114	37	778	82	909	85	153	28
2009	1,780	134	1,002	93	778	78	—	—	—	—	774	80	809	82	152	30
2008	1,738	152	987	95	751	88	—	—	81	28	715	83	776	76	130	27
2007	1,395	114	789	82	606	66	—	—	—	—	582	63	679	74	88	22
2006	1,355	148	785	85	570	95	—	—	—	—	682	102	559	66	77	20

See footnotes at end of table.

Table B8. Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol poisoning																
Any mental health-related diagnoses																
2010	19,518	977	9,367	536	10,151	506	1,159	100	1,348	106	8,873	461	7,479	463	659	75
2009	18,275	875	8,261	413	10,013	523	1,320	112	1,306	95	8,507	436	6,547	381	593	62
2008	19,013	999	8,794	488	10,219	573	1,278	112	1,371	111	9,069	517	6,776	389	519	49
2007	15,675	919	6,810	421	8,856	550	1,146	111	1,198	101	7,515	469	5,312	341	504	57
2006	15,193	771	7,021	388	8,172	440	1,223	111	1,281	106	7,359	425	4,944	274	386	45
Adjustment disorder																
2010	1,043	104	447	58	596	66	89	23	123	27	564	65	256	39	—	—
2009	975	110	435	64	540	70	113	26	77	21	446	61	326	47	—	—
2008	1,117	111	556	68	561	68	116	25	106	24	492	63	373	50	—	—
2007	1,027	102	431	62	596	63	123	25	91	23	480	64	306	43	—	—
2006	1,133	125	528	69	604	78	139	27	108	28	555	77	321	47	—	—
Anxiety disorder																
2010	3,928	258	1,740	135	2,188	161	201	34	319	45	1,893	145	1,372	118	144	28
2009	3,624	262	1,427	107	2,197	185	232	39	284	42	1,807	145	1,188	110	114	24
2008	3,704	292	1,557	140	2,147	186	214	37	219	34	1,973	201	1,196	104	102	22
2007	2,945	281	1,105	126	1,840	179	184	40	206	40	1,511	158	942	96	102	26
2006	2,450	181	1,003	90	1,448	128	185	38	258	40	1,138	109	797	83	71	18
Bipolar disorder																
2010	4,977	312	2,324	183	2,653	175	273	41	370	50	2,499	175	1,779	147	56	17
2009	4,478	277	1,916	145	2,562	176	366	50	320	44	2,386	169	1,333	119	72	20
2008	4,544	290	1,964	149	2,579	180	271	45	362	44	2,416	192	1,479	111	—	—
2007	3,522	239	1,438	113	2,079	167	210	32	295	45	1,954	159	1,031	93	—	—
2006	3,083	209	1,366	115	1,716	129	280	45	279	40	1,686	137	812	72	—	—
Depressive disorder																
2010	11,852	604	5,534	328	6,319	329	611	66	741	72	5,152	287	4,839	286	509	64
2009	11,518	579	5,098	276	6,420	355	722	73	754	66	5,048	282	4,539	279	455	53
2008	12,032	675	5,441	327	6,591	400	765	81	801	81	5,583	322	4,482	297	401	45
2007	10,143	646	4,319	308	5,819	386	707	89	737	70	4,653	317	3,668	259	377	48
2006	9,768	509	4,291	256	5,477	304	658	71	790	74	4,565	277	3,449	209	307	38
Personality disorder																
2010	1,414	136	515	62	899	98	99	22	182	38	687	77	433	58	—	—
2009	1,470	157	493	69	977	105	113	23	157	31	810	99	386	57	—	—
2008	1,198	137	440	66	758	92	135	27	89	25	724	94	231	37	—	—
2007	1,203	166	452	72	751	109	82	21	90	23	673	97	349	64	—	—
2006	1,119	137	461	75	657	84	61	20	134	26	632	92	271	47	—	—
Schizophrenia and other psychotic disorders																
2010	1,473	244	930	138	543	121	—	—	61	19	610	73	702	156	—	—
2009	1,177	92	753	71	425	52	—	—	89	23	616	62	406	50	—	—
2008	1,001	83	658	66	343	43	—	—	76	20	407	48	475	54	—	—
2007	777	70	454	52	323	44	—	—	86	21	365	45	266	40	—	—
2006	926	80	645	67	281	39	—	—	81	22	478	57	327	47	—	—
All other mental disorders																
2010	1,329	100	575	59	754	68	345	49	225	35	616	65	127	25	—	—
2009	1,224	114	557	69	667	70	342	59	162	31	554	69	160	31	—	—
2008	1,138	128	513	73	625	73	306	51	170	35	521	66	126	27	—	—
2007	1,004	127	432	59	573	82	301	53	126	28	443	58	116	32	—	—
2006	862	94	410	55	452	61	290	43	138	28	355	67	75	20	—	—

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table B9. Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Any alcohol-related diagnoses																
Any injury-related diagnoses																
2010	42,569	2,079	30,748	1,569	11,811	612	1,512	173	1,203	96	12,535	685	22,619	1,222	4,699	240
2009	39,435	1,663	28,061	1,243	11,364	541	1,363	108	1,274	102	12,680	627	19,595	918	4,523	221
2008	37,345	1,522	26,543	1,142	10,778	495	1,516	136	1,185	96	11,701	586	18,521	792	4,421	223
2007	32,492	1,240	23,093	956	9,368	396	1,511	121	1,008	89	10,819	530	15,253	643	3,902	187
2006	32,054	1,362	22,842	1,045	9,208	409	1,709	223	1,014	100	11,368	583	14,561	629	3,402	168
Unintentional injuries																
2010	28,484	1,547	20,957	1,185	7,523	449	952	146	627	62	7,453	467	15,829	943	3,624	210
2009	26,401	1,247	19,543	972	6,858	374	839	88	672	63	7,340	426	13,918	739	3,632	187
2008	25,359	1,118	18,458	853	6,888	352	860	98	634	60	7,137	406	13,075	602	3,653	204
2007	20,078	859	14,838	690	5,222	256	804	78	504	58	5,944	329	9,893	476	2,932	164
2006	20,100	1,029	14,791	806	5,309	290	1,020	192	499	69	6,136	402	9,773	486	2,672	149
Falls																
2010	14,362	785	10,741	634	3,621	224	189	39	141	28	2,929	228	8,484	487	2,620	172
2009	13,609	649	10,057	505	3,552	215	112	25	185	31	2,892	182	7,638	418	2,782	156
2008	12,844	591	9,356	468	3,479	194	146	39	157	31	2,789	177	7,053	346	2,700	165
2007	9,962	475	7,334	386	2,623	153	106	23	103	24	2,161	152	5,478	304	2,114	132
2006	9,420	441	6,782	336	2,638	165	148	31	93	23	2,326	167	4,970	257	1,882	120
Struck by or against objects/persons																
2010	628	62	435	47	194	34	—	—	—	—	240	34	280	41	71	19
2009	589	76	467	63	123	29	—	—	—	—	238	42	267	45	—	—
2008	522	65	380	51	141	30	—	—	—	—	231	42	239	39	—	—
2007	427	61	322	49	105	26	—	—	—	—	171	34	188	32	—	—
2006	507	59	368	48	139	27	—	—	—	—	186	34	266	40	—	—
Motor vehicle traffic																
2010	827	85	625	72	197	36	—	—	79	21	263	41	423	54	—	—
2009	729	71	538	62	191	31	—	—	—	—	260	40	330	42	72	19
2008	846	105	673	87	169	35	—	—	—	—	320	47	360	52	88	21
2007	695	70	514	61	181	31	—	—	—	—	266	39	309	42	—	—
2006	666	67	535	59	132	25	—	—	—	—	288	44	278	40	56	17
Cut or pierce																
2010	311	44	224	36	87	23	—	—	—	—	115	24	146	31	—	—
2009	328	43	231	35	97	22	—	—	—	—	155	28	96	23	—	—
2008	334	42	251	37	83	20	—	—	—	—	122	25	114	23	—	—
2007	263	40	182	35	80	22	—	—	—	—	150	30	87	20	—	—
2006	353	46	315	44	—	—	—	—	—	—	161	31	150	26	—	—
Poisoning																
2010	5,975	808	3,934	575	2,041	257	580	130	273	40	1,868	209	2,908	533	345	58
2009	4,654	395	3,024	269	1,629	155	566	74	241	36	1,604	152	1,984	224	259	42
2008	4,485	414	2,958	329	1,528	120	462	61	265	37	1,547	129	1,932	256	279	62
2007	3,749	236	2,502	171	1,234	102	491	61	243	39	1,464	117	1,263	108	288	41
2006	3,998	454	2,653	359	1,345	130	737	174	221	52	1,317	153	1,458	148	265	40
Intentional injuries																
2010	5,743	352	3,718	252	2,019	150	267	40	356	53	2,639	188	2,333	159	148	29
2009	5,942	322	3,729	222	2,208	156	308	40	411	58	2,840	186	2,233	143	150	26
2008	5,917	351	3,684	239	2,229	165	411	52	356	54	2,619	177	2,365	167	165	29
2007	5,171	336	3,069	215	2,093	165	372	49	305	51	2,313	170	2,018	163	164	32
2006	5,100	316	3,105	225	1,990	136	268	44	251	43	2,671	191	1,786	129	125	28

See footnotes at end of table.

Table B9. Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcoholic psychoses																
Any injury-related diagnoses																
2010	16,881	1,034	13,331	846	3,550	243	56	17	245	37	4,863	393	10,147	631	1,570	115
2009	16,356	985	12,683	831	3,673	241	—	—	306	47	5,161	363	9,152	586	1,692	123
2008	14,485	775	11,083	585	3,402	244	89	25	241	44	4,670	329	8,016	428	1,469	104
2007	12,107	719	9,495	600	2,611	180	53	17	141	29	4,217	311	6,438	399	1,257	95
2006	11,882	676	9,215	538	2,667	194	55	18	197	41	4,267	290	6,183	361	1,180	96
Unintentional injuries																
2010	12,301	777	9,761	645	2,540	186	—	—	133	25	3,310	281	7,578	497	1,265	101
2009	11,910	769	9,501	664	2,409	181	—	—	128	27	3,440	268	6,887	481	1,438	108
2008	10,882	597	8,421	458	2,461	189	—	—	151	31	3,260	249	6,178	340	1,257	95
2007	8,315	519	6,710	447	1,605	119	—	—	83	22	2,621	215	4,635	305	941	81
2006	8,312	512	6,575	415	1,737	140	—	—	92	24	2,672	205	4,565	287	963	86
Falls																
2010	7,426	477	5,790	401	1,636	127	—	—	—	—	1,727	167	4,667	316	970	87
2009	7,168	441	5,588	373	1,580	132	—	—	58	17	1,746	137	4,254	292	1,104	92
2008	6,148	316	4,700	255	1,448	111	—	—	54	19	1,570	117	3,574	203	943	78
2007	4,808	317	3,799	275	1,009	85	—	—	—	—	1,265	120	2,857	206	650	64
2006	4,709	294	3,643	236	1,066	94	—	—	—	—	1,385	122	2,589	174	702	69
Struck by or against objects/persons																
2010	325	44	228	36	97	22	—	—	—	—	143	27	161	30	—	—
2009	283	47	229	42	54	16	—	—	—	—	99	23	158	36	—	—
2008	290	49	212	38	78	22	—	—	—	—	154	34	131	25	—	—
2007	211	43	178	35	—	—	—	—	—	—	86	24	99	24	—	—
2006	210	33	150	29	60	17	—	—	—	—	63	17	147	27	—	—
Motor vehicle traffic																
2010	361	49	308	47	53	15	—	—	—	—	87	22	243	40	—	—
2009	297	47	240	42	57	17	—	—	—	—	107	29	143	29	—	—
2008	284	42	240	38	—	—	—	—	—	—	99	25	138	25	—	—
2007	271	41	210	36	60	20	—	—	—	—	118	26	122	26	—	—
2006	254	39	208	35	—	—	—	—	—	—	99	24	155	32	—	—
Cut or pierce																
2010	132	26	96	22	—	—	—	—	—	—	—	—	80	22	—	—
2009	136	27	102	23	—	—	—	—	—	—	76	21	—	—	—	—
2008	114	23	80	20	—	—	—	—	—	—	—	—	66	18	—	—
2007	106	27	90	25	—	—	—	—	—	—	68	21	—	—	—	—
2006	153	30	133	29	—	—	—	—	—	—	64	19	78	20	—	—
Poisoning																
2010	640	84	503	71	137	29	—	—	—	—	155	31	426	67	—	—
2009	601	72	440	61	161	33	—	—	—	—	193	38	355	49	—	—
2008	552	65	376	50	177	30	—	—	—	—	201	35	321	45	—	—
2007	380	56	272	47	108	24	—	—	—	—	189	36	130	30	—	—
2006	409	76	301	54	108	30	—	—	—	—	120	27	218	46	57	19
Intentional injuries																
2010	1,408	147	1,056	126	352	48	—	—	65	19	652	85	614	73	—	—
2009	1,748	172	1,163	128	584	77	—	—	110	25	803	92	771	90	—	—
2008	1,633	156	1,122	113	511	66	—	—	71	22	793	93	696	76	—	—
2007	1,305	164	865	125	440	62	—	—	—	—	658	91	575	84	—	—
2006	1,181	129	789	100	391	57	—	—	—	—	643	83	462	61	—	—

See footnotes at end of table.

Table B9. Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol dependence syndrome																
Any injury-related diagnoses																
2010	9,078	616	6,416	452	2,662	223	137	29	223	41	2,776	233	4,754	328	1,189	103
2009	9,331	553	6,647	397	2,678	203	142	28	274	40	2,987	249	4,633	287	1,294	98
2008	8,600	699	6,088	517	2,509	241	202	57	275	42	2,693	268	4,269	360	1,161	101
2007	7,371	461	5,174	348	2,193	158	102	26	151	34	2,442	223	3,613	243	1,063	84
2006	7,148	531	4,954	371	2,194	199	100	34	171	33	2,865	290	3,209	230	803	69
Unintentional injuries																
2010	5,879	439	4,206	311	1,673	176	72	20	91	21	1,501	149	3,221	247	994	96
2009	6,028	376	4,453	291	1,575	123	69	18	136	28	1,613	149	3,152	215	1,058	82
2008	5,694	478	4,185	372	1,505	151	89	47	110	25	1,524	166	2,958	256	1,014	96
2007	4,524	308	3,252	240	1,268	105	—	—	70	24	1,247	125	2,277	182	899	78
2006	4,341	364	3,095	260	1,246	133	—	—	74	19	1,419	183	2,135	178	663	62
Falls																
2010	3,480	255	2,530	197	950	99	—	—	—	—	704	76	1,932	152	799	86
2009	3,399	210	2,486	168	913	79	—	—	—	—	613	67	1,819	132	918	76
2008	3,450	313	2,486	251	965	100	—	—	—	—	687	87	1,857	185	848	86
2007	2,679	179	1,868	140	806	74	—	—	—	—	490	56	1,420	123	748	70
2006	2,301	177	1,497	122	804	89	—	—	—	—	522	70	1,204	107	550	58
Struck by or against objects/persons																
2010	165	30	96	22	69	20	—	—	—	—	62	17	77	20	—	—
2009	223	55	165	41	58	21	—	—	—	—	107	33	67	19	—	—
2008	132	28	100	24	—	—	—	—	—	—	—	—	83	22	—	—
2007	112	32	69	25	—	—	—	—	—	—	—	—	—	—	—	—
2006	156	35	121	29	—	—	—	—	—	—	81	25	—	—	—	—
Motor vehicle traffic																
2010	136	29	106	24	—	—	—	—	—	—	66	18	55	18	—	—
2009	160	29	107	25	—	—	—	—	—	—	—	—	88	21	—	—
2008	259	49	199	40	57	20	—	—	—	—	63	18	125	29	—	—
2007	154	32	123	29	—	—	—	—	—	—	72	21	71	21	—	—
2006	182	32	152	28	—	—	—	—	—	—	82	21	71	20	—	—
Cut or pierce																
2010	77	20	62	18	—	—	—	—	—	—	—	—	—	—	—	—
2009	91	21	69	18	—	—	—	—	—	—	—	—	—	—	—	—
2008	127	27	92	22	—	—	—	—	—	—	54	18	—	—	—	—
2007	92	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	116	26	97	24	—	—	—	—	—	—	63	17	—	—	—	—
Poisoning																
2010	338	44	200	35	138	26	—	—	—	—	122	26	165	29	—	—
2009	381	49	216	37	165	32	—	—	—	—	188	33	163	28	—	—
2008	338	45	266	38	73	20	—	—	—	—	134	27	177	31	—	—
2007	218	35	165	30	—	—	—	—	—	—	98	22	83	21	—	—
2006	207	34	146	27	61	17	—	—	—	—	77	19	114	26	—	—
Intentional injuries																
2010	1,485	158	998	119	486	62	—	—	88	30	692	78	646	85	—	—
2009	1,569	138	1,051	104	513	61	—	—	103	27	767	87	621	62	—	—
2008	1,464	160	882	120	581	77	77	20	108	27	650	78	596	82	—	—
2007	1,328	150	825	97	503	74	58	19	—	—	609	90	574	75	—	—
2006	1,381	170	887	114	494	81	—	—	71	21	782	116	483	58	—	—

See footnotes at end of table.

Table B9. Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Nondependent abuse of alcohol																
Any injury-related diagnoses																
2010	4,099	270	2,896	218	1,193	100	414	55	274	40	1,318	119	1,571	125	522	56
2009	3,497	265	2,312	194	1,180	104	291	41	284	42	1,404	126	1,078	126	439	50
2008	3,536	246	2,409	183	1,107	100	421	61	240	37	1,359	115	1,042	103	474	63
2007	3,378	190	2,212	133	1,166	93	446	54	301	47	1,147	89	1,026	86	458	53
2006	2,933	188	2,137	152	797	73	397	52	232	37	1,083	92	823	84	399	47
Unintentional injuries																
2010	2,777	211	2,042	175	730	73	289	44	144	28	741	83	1,134	103	468	53
2009	2,281	193	1,574	143	706	77	179	34	173	32	709	76	828	113	391	47
2008	2,421	197	1,692	148	719	75	272	45	137	26	841	81	732	88	440	60
2007	2,013	139	1,376	105	636	64	250	38	148	29	604	62	627	64	383	50
2006	1,681	128	1,254	107	427	50	212	36	133	26	494	57	518	64	324	41
Falls																
2010	1,562	132	1,185	112	377	48	112	28	—	—	268	42	749	77	388	47
2009	1,312	133	907	103	406	53	55	17	86	21	309	46	511	89	352	44
2008	1,333	137	957	102	367	50	83	23	54	16	320	46	493	71	384	55
2007	1,100	88	750	70	350	43	90	21	—	—	229	34	392	47	353	47
2006	903	86	652	72	252	37	117	25	—	—	179	32	321	51	241	35
Struck by or against objects/persons																
2010	59	18	54	17	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	272	40	168	29	99	24	—	—	52	16	96	24	87	20	—	—
2009	232	36	156	27	76	20	—	—	—	—	108	23	64	17	—	—
2008	253	49	200	42	—	—	—	—	—	—	153	31	58	17	—	—
2007	217	36	159	30	58	17	—	—	—	—	66	20	82	20	—	—
2006	167	34	126	31	—	—	—	—	—	—	79	21	—	—	—	—
Cut or pierce																
2010	67	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	58	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	56	16	56	16	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	247	37	142	27	105	25	—	—	—	—	112	26	90	22	—	—
2009	190	34	110	25	80	20	—	—	—	—	74	20	71	21	—	—
2008	204	36	120	27	84	21	—	—	—	—	102	25	—	—	—	—
2007	140	28	78	22	61	18	—	—	—	—	62	17	—	—	—	—
2006	95	25	75	22	—	—	—	—	—	—	—	—	—	—	—	—
Intentional injuries																
2010	785	90	466	59	314	56	59	17	103	24	400	58	218	34	—	—
2009	667	81	410	60	256	40	62	18	85	21	397	58	102	26	—	—
2008	694	74	432	54	257	40	97	24	76	21	341	49	171	29	—	—
2007	616	72	311	44	305	46	80	21	112	31	254	39	165	32	—	—
2006	566	60	393	49	172	29	55	18	—	—	333	42	124	24	—	—

See footnotes at end of table.

Table B9. Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
All chronic liver disease and cirrhosis																
Any injury-related diagnoses																
2010	3,855	214	2,608	157	1,248	95	—	—	—	—	619	66	2,274	139	933	76
2009	3,814	193	2,445	142	1,369	97	—	—	—	—	642	63	2,390	140	772	70
2008	4,051	208	2,663	158	1,388	100	—	—	—	—	563	52	2,553	154	915	78
2007	3,353	169	2,232	133	1,122	80	—	—	—	—	584	55	2,038	132	717	61
2006	3,631	185	2,446	145	1,185	86	—	—	—	—	669	66	2,227	131	725	68
Unintentional injuries																
2010	2,738	166	1,831	126	907	74	—	—	—	—	420	53	1,700	112	608	60
2009	2,723	152	1,741	119	982	74	—	—	—	—	425	53	1,733	113	565	55
2008	2,974	172	1,959	135	1,015	81	—	—	—	—	380	44	1,858	123	722	70
2007	2,242	138	1,500	108	743	67	—	—	—	—	334	39	1,392	105	507	54
2006	2,561	149	1,738	117	823	69	—	—	—	—	455	55	1,571	106	530	59
Falls																
2010	1,612	115	1,059	93	553	56	—	—	—	—	188	39	1,005	80	414	49
2009	1,499	102	923	79	576	54	—	—	—	—	174	29	947	80	378	44
2008	1,730	115	1,091	90	639	61	—	—	—	—	178	30	1,064	81	483	53
2007	1,224	89	826	70	398	46	—	—	—	—	134	25	760	68	325	44
2006	1,389	96	910	73	479	52	—	—	—	—	195	32	807	68	381	49
Struck by or against objects/persons																
2010	74	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	55	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	68	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	73	21	53	16	—	—	—	—	—	—	—	68	21	—	—	—
Motor vehicle traffic																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	200	33	137	26	63	18	—	—	—	—	55	17	121	26	—	—
2009	217	32	114	23	103	22	—	—	—	—	71	18	141	25	—	—
2008	194	32	113	24	81	22	—	—	—	—	—	—	131	27	—	—
2007	217	33	131	26	86	20	—	—	—	—	—	—	132	27	—	—
2006	223	33	116	24	106	22	—	—	—	—	57	16	150	28	—	—
Intentional injuries																
2010	144	29	96	23	—	—	—	—	—	—	58	18	70	18	—	—
2009	140	25	90	21	—	—	—	—	—	—	—	—	84	20	—	—
2008	163	31	129	28	—	—	—	—	—	—	—	—	106	24	—	—
2007	123	26	77	20	—	—	—	—	—	—	61	17	53	17	—	—
2006	167	32	85	23	82	20	—	—	—	—	72	20	76	22	—	—

See footnotes at end of table.

Table B9. Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcoholic liver disease																
Any injury-related diagnoses																
2010	2,794	167	2,088	133	706	68	—	—	—	—	558	62	1,830	117	388	48
2009	2,818	157	1,990	126	829	70	—	—	—	—	578	60	1,892	121	344	44
2008	2,832	151	2,067	127	765	66	—	—	—	—	468	48	1,967	120	387	47
2007	2,475	138	1,794	112	682	60	—	—	—	—	507	49	1,632	111	327	42
2006	2,639	150	1,919	122	719	67	—	—	—	—	577	62	1,722	110	330	42
Unintentional injuries																
2010	2,040	136	1,490	110	550	58	—	—	—	—	399	51	1,366	97	271	39
2009	2,012	129	1,391	106	621	59	—	—	—	—	372	50	1,386	98	255	38
2008	2,078	126	1,489	106	589	57	—	—	—	—	323	41	1,455	98	295	41
2007	1,669	115	1,229	93	440	50	—	—	—	—	295	37	1,136	93	233	36
2006	1,900	118	1,379	99	521	53	—	—	—	—	402	52	1,241	87	252	38
Falls																
2010	1,225	99	867	83	359	47	—	—	—	—	183	38	853	73	190	31
2009	1,134	91	769	73	366	46	—	—	—	—	155	28	804	75	176	30
2008	1,196	87	843	72	353	44	—	—	—	—	149	28	844	68	199	35
2007	912	75	674	61	238	35	—	—	—	—	124	24	645	63	143	27
2006	1,009	78	721	64	289	39	—	—	—	—	181	32	656	60	167	31
Struck by or against objects/persons																
2010	58	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	54	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	186	30	137	26	—	—	—	—	—	—	55	17	117	25	—	—
2009	190	30	114	23	76	19	—	—	—	—	57	16	133	25	—	—
2008	156	30	94	22	62	20	—	—	—	—	—	—	107	25	—	—
2007	188	30	126	25	61	17	—	—	—	—	—	—	122	26	—	—
2006	179	29	92	21	88	20	—	—	—	—	—	—	116	24	—	—
Intentional injuries																
2010	134	28	91	22	—	—	—	—	—	—	—	—	70	18	—	—
2009	120	24	79	19	—	—	—	—	—	—	—	—	73	18	—	—
2008	130	28	105	25	—	—	—	—	—	—	—	—	78	21	—	—
2007	100	24	58	18	—	—	—	—	—	—	—	—	—	—	—	—
2006	124	29	60	19	64	18	—	—	—	—	62	19	57	18	—	—

See footnotes at end of table.

Table B9. Number of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol poisoning																
Any injury-related diagnoses																
2010	8,656	1,054	5,497	724	3,158	353	899	142	439	54	2,958	292	3,875	674	485	83
2009	6,437	481	3,973	313	2,464	207	879	91	405	47	2,485	204	2,342	251	325	42
2008	6,672	527	4,301	411	2,371	164	799	83	414	49	2,416	173	2,641	310	403	79
2007	6,284	367	3,980	249	2,277	163	905	91	405	55	2,429	171	2,138	170	407	50
2006	6,460	531	4,090	420	2,365	164	1,158	200	404	68	2,484	194	2,120	177	295	42
Unintentional injuries																
2010	4,790	795	3,117	563	1,673	253	577	128	249	38	1,480	200	2,195	527	289	59
2009	3,459	363	2,274	250	1,186	140	574	74	236	35	1,153	143	1,317	198	180	31
2008	3,388	404	2,201	320	1,187	115	459	61	227	35	1,132	110	1,349	251	221	63
2007	2,983	213	1,999	157	971	93	484	60	198	35	1,138	108	961	91	201	35
2006	3,205	452	2,129	363	1,075	120	738	174	194	56	1,097	150	984	136	191	33
Falls																
2010	282	42	176	31	106	27	—	—	—	—	—	—	130	28	—	—
2009	231	51	152	37	78	22	—	—	—	—	—	—	107	28	—	—
2008	182	32	122	26	60	17	—	—	—	—	—	—	64	18	—	—
2007	151	27	90	21	61	18	—	—	—	—	—	—	—	—	—	—
2006	118	25	80	21	—	—	—	—	—	—	—	—	—	—	—	—
Struck by or against objects/persons																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	4,549	782	2,952	554	1,597	248	535	127	244	37	1,424	199	2,106	519	241	54
2009	3,264	343	2,144	230	1,120	138	542	73	226	34	1,078	133	1,254	193	165	29
2008	3,197	394	2,084	314	1,113	109	427	58	222	35	1,085	109	1,265	246	198	58
2007	2,794	198	1,856	146	925	87	462	59	188	35	1,072	99	900	86	173	32
2006	3,064	436	2,015	347	1,049	119	723	174	184	51	1,027	143	942	130	187	33
Intentional injuries																
2010	1,921	136	1,101	97	820	75	148	31	91	21	837	76	785	74	62	20
2009	1,819	117	1,014	79	804	76	170	29	108	24	831	68	655	68	54	16
2008	1,963	148	1,119	101	845	81	189	32	96	22	787	78	796	87	94	22
2007	1,800	154	992	101	799	80	221	35	106	24	731	80	652	82	90	25
2006	1,806	130	951	88	851	75	163	32	91	21	841	77	641	65	70	20

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table B10. Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Any alcohol-related diagnoses																
Any injury-related diagnoses																
2010	396,556	14,956	273,403	11,580	123,010	3,936	15,512	820	21,177	1,183	121,810	5,433	176,204	6,934	61,853	1,909
2009	357,729	12,273	243,489	9,125	114,021	3,617	14,400	810	19,171	1,013	112,442	4,643	153,985	5,439	57,732	1,763
2008	343,905	13,257	231,841	9,879	111,871	3,843	15,929	1,153	20,006	1,218	114,445	5,449	141,544	5,272	51,979	1,503
2007	319,873	11,658	216,774	8,873	102,821	3,297	15,473	998	18,590	1,053	111,683	4,978	126,786	4,491	47,341	1,377
2006	314,342	12,180	218,260	9,452	95,941	3,123	15,142	948	18,780	1,113	114,654	5,530	120,036	4,496	45,730	1,409
Unintentional injuries																
2010	241,457	10,088	172,534	7,807	68,840	2,537	7,269	460	10,645	722	60,589	3,264	113,910	4,893	49,043	1,701
2009	216,835	7,927	153,829	5,963	62,878	2,182	6,763	460	9,294	596	54,434	2,584	99,771	3,773	46,573	1,545
2008	207,149	8,296	145,804	6,263	61,199	2,232	7,185	562	8,992	646	55,884	3,146	92,102	3,613	42,986	1,347
2007	176,546	7,585	125,127	5,924	51,246	1,881	6,749	499	8,208	608	49,577	2,816	75,983	3,184	36,028	1,253
2006	177,658	7,730	128,704	6,057	48,871	1,845	7,082	526	8,698	650	53,737	3,123	73,021	3,123	35,120	1,216
Falls																
2010	111,906	4,483	75,960	3,369	35,918	1,338	1,235	118	2,034	205	16,710	1,009	56,219	2,411	35,708	1,286
2009	102,604	3,529	69,506	2,548	33,057	1,157	1,200	107	1,846	142	15,135	746	49,625	1,838	34,797	1,209
2008	93,189	3,327	61,920	2,437	31,215	1,053	1,105	115	1,457	144	14,559	767	44,166	1,734	31,902	1,039
2007	78,582	2,984	52,251	2,239	26,275	930	1,037	116	1,408	130	12,592	794	36,916	1,470	26,628	931
2006	73,897	2,753	49,750	2,044	24,115	873	947	95	1,253	120	12,428	733	33,769	1,393	25,500	891
Struck by or against objects/persons																
2010	4,563	237	3,477	197	1,081	80	192	38	185	33	1,387	110	2,191	134	608	58
2009	4,159	221	3,188	174	966	86	162	34	240	38	1,240	105	1,970	122	549	56
2008	3,989	236	3,070	186	919	87	295	63	162	32	1,321	102	1,649	115	561	55
2007	3,373	215	2,614	180	749	67	143	46	126	33	1,184	96	1,549	113	371	45
2006	3,222	183	2,536	151	681	72	115	27	155	31	1,204	101	1,425	100	323	41
Motor vehicle traffic																
2010	40,746	2,999	32,113	2,401	8,587	653	2,974	255	4,889	416	17,412	1,421	13,388	1,000	2,083	158
2009	33,481	2,578	26,145	2,037	7,268	567	2,751	292	3,874	393	14,343	1,173	10,898	823	1,615	137
2008	34,670	3,101	26,832	2,401	7,762	737	2,814	310	4,102	426	15,588	1,649	10,681	865	1,485	127
2007	31,278	2,613	24,473	2,096	6,746	551	2,958	287	3,943	403	14,056	1,264	8,981	718	1,340	130
2006	34,787	2,878	27,864	2,326	6,880	576	3,072	295	4,288	427	16,295	1,493	9,464	740	1,668	151
Cut or pierce																
2010	3,216	229	2,511	187	705	70	191	34	253	35	1,382	139	1,183	94	207	34
2009	3,004	207	2,335	167	666	70	183	36	344	48	1,243	110	1,049	90	186	32
2008	2,989	200	2,415	178	565	56	210	34	244	39	1,244	115	1,076	89	214	40
2007	2,748	237	2,174	207	564	59	227	39	279	45	1,302	132	811	93	130	26
2006	3,126	271	2,532	225	594	74	170	32	348	46	1,465	156	1,036	116	108	22
Poisoning																
2010	30,217	1,656	19,006	1,170	11,211	554	1,502	177	1,577	108	9,885	538	14,542	964	2,712	167
2009	28,181	1,359	17,892	963	10,290	497	1,497	147	1,599	120	9,621	528	13,097	721	2,368	137
2008	26,734	1,168	16,810	818	9,924	427	1,494	112	1,532	113	9,680	484	12,074	618	1,954	124
2007	22,258	1,050	14,010	715	8,230	402	1,387	122	1,256	101	8,742	479	9,120	501	1,753	121
2006	23,223	1,280	15,449	971	7,774	378	1,750	239	1,309	109	9,123	545	9,343	552	1,697	117
Intentional injuries																
2010	95,933	4,247	59,917	3,155	35,962	1,506	6,651	435	8,456	500	45,364	2,033	33,253	1,553	2,208	146
2009	91,959	3,811	56,188	2,694	35,699	1,411	6,391	389	8,127	440	44,334	1,900	31,061	1,351	2,046	135
2008	93,020	4,289	55,787	2,968	37,208	1,663	7,040	553	9,143	564	45,159	2,103	29,786	1,345	1,892	112
2007	82,986	3,989	49,211	2,642	33,722	1,661	6,191	500	7,316	423	42,244	2,104	25,472	1,216	1,763	121
2006	79,877	3,707	49,481	2,740	30,352	1,253	5,458	393	7,248	436	41,555	2,111	24,096	1,047	1,520	114

See footnotes at end of table.

Table B10. Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcoholic psychoses																
Any injury-related diagnoses																
2010	66,531	2,883	51,321	2,301	15,211	712	335	46	868	88	16,132	887	37,676	1,733	11,520	477
2009	61,266	2,552	46,856	2,050	14,406	665	304	40	903	85	15,628	826	33,497	1,490	10,935	440
2008	57,058	2,275	43,427	1,778	13,631	627	332	53	893	96	15,077	804	30,849	1,250	9,907	370
2007	49,595	2,078	37,872	1,684	11,710	521	276	43	596	72	14,263	787	25,887	1,109	8,573	349
2006	46,856	2,029	36,042	1,623	10,814	517	299	45	698	72	14,335	758	23,608	1,093	7,917	334
Unintentional injuries																
2010	45,571	2,068	35,733	1,681	9,839	492	116	25	472	57	9,496	562	26,290	1,296	9,197	413
2009	42,113	1,835	32,875	1,499	9,238	454	116	26	377	47	8,993	516	23,702	1,119	8,925	381
2008	39,837	1,635	30,854	1,303	8,983	435	134	30	418	54	8,776	500	22,190	954	8,319	336
2007	32,277	1,540	25,256	1,285	7,012	344	101	25	267	41	7,723	499	17,580	872	6,606	314
2006	30,799	1,495	24,123	1,215	6,676	360	95	25	286	42	8,001	514	16,092	817	6,325	302
Falls																
2010	26,349	1,157	19,987	926	6,362	327	—	—	147	28	4,051	267	15,145	747	6,992	332
2009	24,928	1,051	18,905	836	6,023	309	—	—	131	26	3,903	234	13,900	648	6,949	317
2008	22,364	870	16,716	698	5,648	266	—	—	113	29	3,634	213	12,317	527	6,289	270
2007	18,348	857	13,848	711	4,496	229	—	—	81	21	3,079	225	10,256	522	4,928	246
2006	17,221	821	12,902	655	4,319	240	—	—	79	23	3,308	243	8,971	476	4,844	238
Struck by or against objects/persons																
2010	782	75	599	64	183	29	—	—	—	—	336	45	365	49	72	19
2009	824	77	665	68	160	30	—	—	—	—	259	39	467	54	87	21
2008	805	85	637	69	168	33	—	—	—	—	313	45	385	55	73	19
2007	620	71	501	61	120	25	—	—	—	—	209	34	360	49	—	—
2006	579	58	454	51	125	27	—	—	—	—	181	31	353	43	—	—
Motor vehicle traffic																
2010	3,502	271	3,050	245	453	57	—	—	104	25	1,061	118	2,012	168	298	45
2009	2,944	247	2,568	226	376	50	—	—	59	17	912	95	1,672	149	291	42
2008	2,803	237	2,425	207	378	52	—	—	62	17	865	104	1,527	138	326	44
2007	2,285	207	1,949	184	336	46	—	—	56	18	817	87	1,129	122	273	39
2006	2,412	194	2,102	175	310	40	—	—	59	17	941	91	1,210	106	191	34
Cut or pierce																
2010	353	46	291	39	61	19	—	—	—	—	142	26	180	33	—	—
2009	332	46	252	38	80	22	—	—	—	—	143	29	148	29	—	—
2008	423	50	332	44	91	21	—	—	—	—	142	27	210	34	—	—
2007	360	55	309	50	—	—	—	—	—	—	172	35	145	28	—	—
2006	321	45	288	43	—	—	—	—	—	—	136	27	165	31	—	—
Poisoning																
2010	4,220	372	3,155	294	1,066	107	—	—	101	24	1,252	129	2,445	242	399	50
2009	3,929	329	2,845	252	1,084	111	—	—	64	19	1,343	133	2,185	199	319	43
2008	3,610	236	2,624	181	986	91	—	—	70	19	1,230	108	1,970	149	305	38
2007	2,837	230	2,022	170	810	94	—	—	—	—	1,149	123	1,316	123	290	43
2006	2,836	258	2,183	210	653	74	—	—	56	17	1,118	124	1,365	132	258	42
Intentional injuries																
2010	9,240	547	6,404	409	2,835	206	133	30	275	42	3,802	259	4,644	292	386	51
2009	9,658	575	6,718	416	2,935	222	144	28	387	52	4,236	291	4,601	298	290	40
2008	9,275	556	6,495	399	2,780	217	163	31	360	56	4,276	302	4,229	254	248	39
2007	7,637	504	5,092	360	2,545	195	120	28	230	43	3,742	280	3,316	236	230	39
2006	7,155	444	4,903	331	2,252	162	126	33	274	41	3,488	227	3,082	215	185	31

See footnotes at end of table.

Table B10. Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	
Alcohol dependence syndrome																	
Any injury-related diagnoses																	
2010	152,231	5,977	108,280	4,508	43,942	1,742	1,613	121	3,598	238	40,682	1,914	81,728	3,372	24,610	900	
2009	143,585	5,197	101,775	3,857	41,791	1,591	1,789	154	3,890	245	40,469	1,814	73,758	2,730	23,679	843	
2008	131,813	5,015	92,187	3,567	39,608	1,663	2,102	299	3,785	278	40,106	1,962	65,255	2,464	20,565	670	
2007	119,096	4,084	83,560	2,958	35,509	1,359	1,628	133	3,013	202	37,592	1,704	57,804	1,953	19,059	635	
2006	114,677	4,583	81,073	3,391	33,595	1,349	1,615	145	3,061	205	38,339	1,892	53,748	2,206	17,914	625	
Unintentional injuries																	
2010	94,414	3,927	69,690	3,055	24,724	1,045	565	61	1,495	120	19,545	1,023	53,190	2,339	19,621	785	
2009	89,209	3,421	66,116	2,655	23,088	927	703	80	1,544	114	19,117	981	48,566	1,922	19,279	733	
2008	80,889	3,096	59,038	2,332	21,833	892	739	153	1,256	116	18,587	985	43,043	1,691	17,264	618	
2007	67,676	2,546	49,789	1,985	17,875	713	602	68	920	90	16,084	803	35,372	1,367	14,698	573	
2006	65,833	3,023	48,595	2,343	17,229	782	618	74	1,066	100	17,353	1,107	32,873	1,542	13,923	552	
Falls																	
2010	51,132	2,083	36,489	1,574	14,644	654	95	22	369	51	7,021	414	29,037	1,275	14,611	617	
2009	48,579	1,825	35,014	1,389	13,561	566	138	28	348	43	6,886	381	26,464	1,039	14,744	584	
2008	42,800	1,584	30,380	1,210	12,415	482	140	43	264	41	6,439	364	22,734	917	13,223	500	
2007	35,411	1,306	25,118	992	10,280	431	70	19	208	39	5,265	305	18,779	739	11,088	444	
2006	33,028	1,251	23,171	915	9,853	424	70	25	152	27	5,247	285	17,053	737	10,507	419	
Struck by or against objects/persons																	
2010	1,941	125	1,477	108	464	49	—	—	—	—	562	60	1,065	84	249	35	
2009	1,954	158	1,511	124	443	61	—	—	55	18	632	82	1,008	88	219	33	
2008	1,637	128	1,236	102	401	51	75	27	—	—	556	64	728	73	229	32	
2007	1,313	106	1,043	89	270	38	—	—	—	—	455	55	698	66	130	26	
2006	1,355	106	1,014	86	342	45	—	—	—	—	518	62	667	64	112	23	
Motor vehicle traffic																	
2010	6,756	484	5,507	411	1,249	123	165	31	338	51	2,369	214	3,310	250	573	61	
2009	6,490	443	5,298	382	1,191	101	158	43	335	53	2,219	184	3,244	237	533	66	
2008	5,653	416	4,464	336	1,176	113	113	30	299	54	2,026	190	2,775	212	441	50	
2007	5,228	367	4,210	305	1,018	98	185	42	226	37	2,080	174	2,375	175	363	46	
2006	5,181	383	4,248	325	933	86	188	36	224	38	2,097	189	2,283	169	390	50	
Cut or pierce																	
2010	1,106	93	866	80	240	38	—	—	—	—	411	51	529	57	104	24	
2009	1,068	85	826	71	242	37	—	—	74	21	428	48	470	52	76	19	
2008	1,058	83	826	72	232	32	—	—	54	16	365	45	528	54	82	23	
2007	873	82	654	72	219	34	—	—	—	—	419	51	336	44	56	17	
2006	911	101	720	75	191	42	—	—	70	18	394	63	398	52	—	—	
Poisoning																	
2010	11,286	780	7,529	589	3,757	243	113	25	313	41	3,499	258	6,354	484	1,008	90	
2009	10,737	696	7,220	510	3,518	239	150	29	389	51	3,645	274	5,660	386	893	82	
2008	9,838	557	6,494	404	3,344	209	149	31	255	38	3,441	253	5,309	316	684	67	
2007	8,338	444	5,529	317	2,809	181	183	31	194	37	3,134	216	4,125	240	701	64	
2006	8,631	707	6,057	558	2,575	186	179	35	302	47	3,436	336	4,057	335	657	67	
Intentional injuries																	
2010	33,285	1,661	20,805	1,102	12,470	684	816	85	1,641	147	14,859	790	14,988	775	983	86	
2009	33,677	1,523	20,621	995	13,046	644	935	100	1,922	155	15,522	788	14,373	652	925	81	
2008	33,168	1,738	20,005	1,036	13,163	806	1,173	154	2,020	179	16,040	915	13,127	662	808	71	
2007	28,869	1,601	17,345	954	11,515	734	846	94	1,563	131	14,612	918	11,126	584	723	71	
2006	27,580	1,384	16,857	907	10,723	554	691	78	1,454	124	14,058	784	10,686	532	692	68	

See footnotes at end of table.

Table B10. Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Nondependent abuse of alcohol																
Any injury-related diagnoses																
2010	198,249	9,289	140,743	7,440	57,377	2,134	12,513	731	16,493	1,026	73,105	3,824	73,887	3,681	22,252	837
2009	167,851	7,407	117,245	5,720	50,420	1,908	11,289	718	14,045	886	63,881	3,155	59,440	2,708	19,196	748
2008	166,565	8,487	115,110	6,594	51,285	2,119	12,580	973	14,967	1,043	65,515	3,923	56,066	2,693	17,437	662
2007	165,708	7,759	114,950	6,086	50,531	1,930	12,688	880	14,414	921	67,002	3,511	54,399	2,591	17,207	641
2006	168,272	8,452	121,350	6,786	46,803	1,878	12,180	837	14,767	984	69,769	4,180	53,882	2,592	17,675	733
Unintentional injuries																
2010	118,647	6,284	87,538	4,956	31,029	1,458	6,030	403	8,707	654	37,705	2,400	47,973	2,618	18,232	770
2009	98,267	4,736	71,851	3,640	26,303	1,178	5,579	424	7,287	543	31,712	1,841	37,902	1,866	15,787	659
2008	97,065	5,293	70,572	4,089	26,371	1,291	6,013	499	7,237	587	33,343	2,456	35,754	1,817	14,717	580
2007	88,528	5,068	64,408	4,004	23,969	1,158	5,726	453	6,919	562	30,670	2,148	31,819	1,817	13,394	575
2006	93,358	5,209	70,360	4,191	22,928	1,107	5,927	453	7,324	597	33,970	2,401	32,534	1,735	13,604	585
Falls																
2010	46,711	2,368	32,539	1,839	14,147	645	1,091	111	1,611	181	8,975	649	21,582	1,148	13,452	594
2009	38,779	1,729	26,917	1,284	11,826	537	1,018	95	1,474	132	7,407	462	17,006	832	11,874	531
2008	35,753	1,683	24,341	1,261	11,368	507	924	100	1,132	125	7,168	496	15,470	796	11,059	462
2007	32,822	1,656	22,210	1,276	10,569	486	931	107	1,177	116	6,671	561	14,103	753	9,941	435
2006	31,750	1,612	22,300	1,265	9,422	440	881	90	1,076	115	6,630	527	13,422	747	9,741	428
Struck by or against objects/persons																
2010	2,095	149	1,686	130	405	49	163	36	145	30	748	79	856	81	183	32
2009	1,715	112	1,393	95	317	42	115	28	175	31	546	55	690	66	190	33
2008	1,914	145	1,569	120	344	50	211	50	118	25	678	65	706	68	200	33
2007	1,627	146	1,281	122	337	43	123	43	100	27	642	72	631	66	131	26
2006	1,565	115	1,333	104	227	41	82	24	110	23	649	64	597	65	127	26
Motor vehicle traffic																
2010	31,642	2,507	24,995	2,012	6,602	546	2,753	244	4,471	394	14,524	1,254	8,811	736	1,083	114
2009	24,971	2,148	19,351	1,676	5,561	495	2,538	277	3,468	371	11,675	1,032	6,552	583	738	81
2008	26,859	2,645	20,791	2,046	6,010	627	2,638	298	3,738	405	13,030	1,479	6,813	631	641	78
2007	24,551	2,228	19,075	1,769	5,416	484	2,738	267	3,653	383	11,555	1,115	5,867	540	739	87
2006	28,425	2,566	22,803	2,077	5,583	513	2,867	285	4,013	413	13,921	1,383	6,520	576	1,105	122
Cut or pierce																
2010	1,937	175	1,567	143	369	52	170	33	201	30	935	120	569	58	61	17
2009	1,761	155	1,404	128	354	49	152	32	270	43	786	89	474	59	80	23
2008	1,730	158	1,434	142	287	39	161	31	195	35	828	95	481	61	65	19
2007	1,755	185	1,428	155	318	48	191	35	259	43	869	102	395	68	—	—
2006	2,009	211	1,676	182	333	51	140	30	278	42	1,024	125	507	82	60	17
Poisoning																
2010	14,135	1,024	9,004	728	5,131	343	895	92	984	80	5,245	337	5,959	620	1,052	97
2009	12,603	652	8,142	475	4,462	248	1,004	109	913	85	4,613	270	5,191	345	883	71
2008	12,360	610	7,787	437	4,573	238	1,079	94	978	88	4,920	289	4,636	302	747	65
2007	10,575	596	6,786	416	3,780	231	887	87	834	76	4,543	284	3,639	269	671	66
2006	11,286	574	7,562	429	3,723	199	1,084	121	829	76	4,792	266	4,020	254	561	59
Intentional injuries																
2010	55,547	2,789	35,992	2,243	19,511	848	5,322	390	6,302	411	27,327	1,381	15,669	890	928	82
2009	50,818	2,466	31,993	1,887	18,767	781	4,822	326	5,581	358	25,593	1,267	13,965	752	857	79
2008	51,561	2,752	32,076	2,121	19,460	870	5,222	439	6,512	448	25,402	1,352	13,675	742	750	66
2007	47,744	2,497	29,129	1,818	18,575	929	4,805	414	5,171	336	24,702	1,303	12,271	701	795	70
2006	46,234	2,589	30,075	2,054	16,120	736	4,190	343	5,264	350	24,614	1,517	11,545	638	620	73

See footnotes at end of table.

Table B10. Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
All chronic liver disease and cirrhosis																
Any injury-related diagnoses																
2010	69,794	2,345	43,993	1,641	25,797	840	254	43	444	50	10,444	496	39,742	1,456	18,911	636
2009	64,038	1,985	39,449	1,297	24,579	806	180	31	320	44	9,593	422	36,026	1,248	17,920	618
2008	55,637	1,793	33,926	1,222	21,706	700	190	36	400	50	8,916	408	30,629	1,112	15,501	525
2007	47,996	1,488	29,638	1,081	18,349	553	167	28	331	45	8,089	385	26,305	898	13,105	452
2006	44,770	1,491	27,831	1,022	16,930	569	128	26	285	40	7,707	370	23,948	897	12,702	465
Unintentional injuries																
2010	49,071	1,759	30,853	1,228	18,214	635	154	33	210	32	6,332	335	27,891	1,081	14,484	529
2009	46,028	1,547	28,331	1,004	17,688	640	82	19	190	34	6,044	300	25,516	962	14,196	530
2008	40,975	1,403	24,760	940	16,210	572	111	27	225	35	5,633	280	22,445	873	12,561	461
2007	32,355	1,197	19,715	831	12,636	472	120	25	151	32	4,643	256	17,664	720	9,777	398
2006	30,811	1,160	19,094	777	11,713	464	80	22	171	31	4,603	260	16,317	687	9,640	399
Falls																
2010	27,336	998	16,205	670	11,127	423	—	—	67	18	2,470	156	14,615	603	10,156	383
2009	26,383	919	15,357	567	11,021	444	—	—	—	—	2,345	150	13,677	550	10,322	410
2008	22,823	790	12,905	509	9,913	374	—	—	81	22	2,036	124	11,656	478	9,027	346
2007	18,030	665	10,138	424	7,888	319	—	—	—	—	1,769	119	9,203	392	7,008	297
2006	17,051	640	9,923	421	7,129	299	—	—	—	—	1,618	116	8,532	383	6,860	292
Struck by or against objects/persons																
2010	1,075	85	750	65	326	43	—	—	—	—	213	34	640	59	219	32
2009	845	78	593	65	252	38	—	—	—	—	192	31	462	49	182	31
2008	707	62	462	51	244	35	—	—	—	—	147	27	383	44	167	30
2007	763	76	569	63	194	33	—	—	—	—	161	30	471	58	111	24
2006	616	58	411	47	205	31	—	—	—	—	121	25	366	44	104	24
Motor vehicle traffic																
2010	2,918	227	2,092	178	826	82	—	—	—	—	580	71	1,806	148	473	53
2009	2,496	193	1,830	152	662	67	—	—	—	—	552	67	1,492	121	380	48
2008	2,258	176	1,622	140	631	69	—	—	—	—	528	61	1,320	109	349	45
2007	1,960	171	1,481	143	479	56	—	—	—	—	494	69	1,165	110	249	39
2006	1,783	153	1,294	121	483	56	—	—	—	—	497	59	993	106	253	40
Cut or pierce																
2010	419	53	289	43	130	26	—	—	—	—	86	22	240	37	88	22
2009	355	45	267	38	88	21	—	—	—	—	69	19	220	37	—	—
2008	333	45	240	39	93	23	—	—	—	—	96	21	172	31	—	—
2007	282	41	223	36	59	17	—	—	—	—	78	21	169	31	—	—
2006	325	50	217	44	108	22	—	—	—	—	75	21	211	39	—	—
Poisoning																
2010	5,036	290	2,942	207	2,094	133	—	—	—	—	1,034	92	3,314	220	629	60
2009	4,545	256	2,633	184	1,912	122	—	—	—	—	1,094	99	2,793	173	601	65
2008	4,012	215	2,311	147	1,701	116	—	—	—	—	895	80	2,616	162	435	51
2007	3,181	184	1,838	126	1,344	97	—	—	—	—	754	75	1,990	127	379	45
2006	2,845	182	1,710	127	1,134	93	—	—	—	—	674	66	1,725	128	380	45
Intentional injuries																
2010	5,418	304	3,618	238	1,800	126	64	19	125	25	1,873	126	3,115	204	241	39
2009	4,909	267	3,189	198	1,720	115	—	—	70	20	1,624	111	3,001	190	166	29
2008	4,762	270	3,083	198	1,679	117	70	20	110	26	1,697	122	2,676	173	209	37
2007	3,890	247	2,549	189	1,341	97	—	—	78	20	1,534	123	2,129	156	119	25
2006	3,638	214	2,345	164	1,292	95	—	—	61	17	1,371	107	2,013	137	155	30

See footnotes at end of table.

Table B10. Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcoholic liver disease																
Any injury-related diagnoses																
2010	36,356	1,381	26,686	1,050	9,670	419	—	—	166	29	6,612	345	23,243	923	6,309	285
2009	34,020	1,240	24,347	901	9,669	420	—	—	151	30	6,362	321	21,445	841	6,037	260
2008	29,683	1,056	21,299	801	8,384	347	—	—	188	35	5,691	293	18,502	698	5,258	228
2007	26,287	917	18,983	731	7,299	289	54	16	133	27	5,356	284	16,372	614	4,372	204
2006	25,275	989	18,404	756	6,871	300	—	—	148	27	5,541	289	15,124	642	4,437	209
Unintentional injuries																
2010	25,730	1,051	18,892	798	6,838	326	—	—	82	20	4,098	230	16,615	711	4,920	246
2009	24,346	961	17,463	699	6,879	331	—	—	87	22	4,073	236	15,296	653	4,875	228
2008	21,650	824	15,521	620	6,129	278	—	—	87	22	3,552	207	13,675	561	4,319	199
2007	17,725	731	12,686	575	5,036	240	—	—	51	15	3,152	189	11,123	498	3,362	182
2006	17,311	745	12,678	574	4,633	226	—	—	88	21	3,390	208	10,403	483	3,420	179
Falls																
2010	14,839	627	10,472	465	4,367	231	—	—	—	—	1,818	120	9,499	432	3,491	185
2009	14,454	592	10,044	415	4,406	244	—	—	—	—	1,806	127	8,983	403	3,651	190
2008	12,253	478	8,478	356	3,776	187	—	—	—	—	1,435	99	7,624	335	3,146	164
2007	9,852	426	6,783	316	3,065	169	—	—	—	—	1,284	96	6,157	291	2,411	149
2006	9,637	420	6,749	324	2,887	152	—	—	—	—	1,318	98	5,857	302	2,447	138
Struck by or against objects/persons																
2010	520	55	405	46	114	25	—	—	—	—	136	26	336	43	—	—
2009	403	51	341	47	62	18	—	—	—	—	129	26	227	35	—	—
2008	342	44	275	39	67	19	—	—	—	—	88	21	199	31	—	—
2007	407	50	335	45	71	21	—	—	—	—	79	21	308	44	—	—
2006	355	44	271	37	84	20	—	—	—	—	94	21	230	35	—	—
Motor vehicle traffic																
2010	969	94	825	84	144	28	—	—	—	—	184	36	676	74	104	24
2009	959	87	750	72	210	35	—	—	—	—	222	38	626	63	85	20
2008	856	79	659	68	198	35	—	—	—	—	205	34	539	55	93	22
2007	972	93	767	80	205	33	—	—	—	—	269	44	617	67	67	18
2006	831	88	678	77	153	32	—	—	—	—	265	40	459	62	102	25
Cut or pierce																
2010	234	37	186	34	—	—	—	—	—	—	—	—	148	28	—	—
2009	204	33	162	29	—	—	—	—	—	—	58	18	105	24	—	—
2008	206	31	153	27	53	16	—	—	—	—	56	16	125	25	—	—
2007	174	31	148	29	—	—	—	—	—	—	65	18	99	23	—	—
2006	146	27	109	24	—	—	—	—	—	—	—	—	104	24	—	—
Poisoning																
2010	2,868	225	1,955	171	913	88	—	—	—	—	723	77	1,877	170	249	37
2009	2,545	186	1,720	153	825	68	—	—	—	—	792	87	1,487	125	229	38
2008	2,302	152	1,482	108	820	78	—	—	—	—	584	62	1,492	112	204	33
2007	1,910	133	1,268	100	642	65	—	—	—	—	506	59	1,225	93	145	28
2006	1,809	142	1,245	104	564	65	—	—	—	—	522	59	1,108	97	138	30
Intentional injuries																
2010	3,152	192	2,217	152	936	85	—	—	—	—	1,117	93	1,840	132	145	28
2009	3,270	198	2,181	151	1,089	87	—	—	—	—	1,117	89	2,007	147	102	22
2008	3,133	191	2,130	141	1,002	86	—	—	76	23	1,173	98	1,752	125	110	26
2007	2,602	177	1,798	141	804	74	—	—	—	—	1,027	95	1,470	116	50	15
2006	2,449	169	1,660	129	788	77	—	—	—	—	932	85	1,388	111	89	22

See footnotes at end of table.

Table B10. Number of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.	Number	S.E.
Alcohol poisoning																
Any injury-related diagnoses																
2010	29,676	1,663	16,319	1,081	13,357	668	2,082	194	2,048	139	12,248	643	11,888	905	1,409	129
2009	27,172	1,209	14,480	697	12,688	604	2,182	161	2,014	133	11,828	566	9,963	521	1,186	92
2008	29,291	1,349	15,797	799	13,494	658	2,286	159	2,186	146	12,763	624	10,817	598	1,239	107
2007	24,578	1,153	12,920	608	11,618	626	2,101	158	1,896	120	11,245	578	8,155	435	1,180	91
2006	25,155	1,211	13,670	742	11,481	569	2,443	237	1,996	149	11,597	596	8,153	408	966	84
Unintentional injuries																
2010	11,178	1,022	7,076	726	4,101	336	1,009	152	800	78	3,710	299	4,835	627	823	92
2009	9,600	615	6,079	420	3,516	240	969	101	726	68	3,590	262	3,725	302	590	64
2008	9,700	601	6,233	439	3,467	208	915	88	708	68	3,623	216	3,804	333	651	79
2007	7,435	403	4,596	262	2,826	188	785	75	563	60	3,225	214	2,332	158	528	59
2006	8,233	644	5,309	482	2,925	213	1,119	189	569	84	3,270	257	2,768	222	508	60
Falls																
2010	855	129	542	102	313	46	62	17	—	—	145	36	447	73	162	34
2009	663	76	445	57	218	37	—	—	—	—	196	33	301	45	92	23
2008	738	76	491	57	248	37	58	19	53	18	171	30	310	43	146	28
2007	462	54	277	40	185	34	—	—	—	—	151	28	180	32	84	20
2006	368	45	246	37	122	24	—	—	—	—	119	25	174	31	—	—
Struck by or against objects/persons																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	51	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	278	64	208	50	70	22	—	—	68	25	101	26	67	20	—	—
2009	297	84	229	65	63	24	—	—	—	—	98	35	105	30	—	—
2008	291	61	219	49	72	22	60	21	—	—	96	26	84	23	—	—
2007	204	52	176	48	—	—	—	—	—	—	109	31	—	—	—	—
2006	147	28	108	24	—	—	—	—	—	—	73	19	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	10,126	968	6,408	684	3,718	320	907	150	697	69	3,402	288	4,420	596	700	84
2009	8,529	561	5,369	374	3,160	227	850	97	650	67	3,220	234	3,289	287	519	56
2008	8,524	544	5,491	404	3,033	187	771	78	610	63	3,214	196	3,378	310	551	74
2007	6,681	366	4,080	239	2,587	171	738	75	499	53	2,897	196	2,087	146	460	56
2006	7,607	617	4,900	458	2,707	206	1,084	189	499	78	3,008	244	2,540	210	475	58
Intentional injuries																
2010	13,785	659	6,296	334	7,489	385	791	79	1,003	85	6,657	359	5,010	267	325	42
2009	14,077	657	6,381	326	7,696	390	970	87	1,060	87	6,810	340	4,919	276	318	43
2008	15,649	846	6,908	399	8,741	502	1,061	94	1,207	99	7,610	450	5,405	328	366	42
2007	12,792	818	5,569	379	7,210	490	908	103	1,061	88	6,320	428	4,136	299	367	50
2006	12,813	678	5,765	332	7,043	402	884	81	1,112	94	6,626	393	3,905	240	286	40

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table C1. Rate of hospitalizations with first-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Any alcohol-related diagnoses																	
2010	15.7928	0.8384	23.1067	1.3799	8.8007	0.3916	1.3409	0.1080	4.6321	0.3429	15.5744	1.0304	27.9127	1.4898	10.3467	0.3426	
2009	14.8289	0.8116	21.5857	1.2966	8.3801	0.4037	1.1997	0.0744	4.2210	0.3230	15.0653	1.0388	25.4534	1.3642	10.7933	0.4704	
2008	15.0914	0.7608	21.4627	1.1393	8.9997	0.4446	1.4647	0.1539	4.2079	0.3470	15.0243	0.9741	26.1191	1.2659	11.3432	0.3791	
2007	14.9803	0.7774	21.6241	1.2673	8.6188	0.3760	1.4110	0.0972	4.0859	0.3135	15.4451	1.0856	25.7210	1.2657	10.9110	0.3377	
2006	14.8166	0.7621	21.5191	1.2202	8.4090	0.3693	1.4834	0.1346	3.7249	0.3109	15.3926	1.0892	25.3852	1.2026	11.0856	0.3505	
Alcoholic psychoses																	
2010	6.3620	0.4823	9.9386	0.7676	2.9475	0.2334	0.1571	0.0239	1.5827	0.1687	7.0963	0.6141	11.3524	0.8429	2.7656	0.1492	
2009	5.8663	0.4009	9.1778	0.6271	2.7098	0.2106	0.1591	0.0230	1.4953	0.1531	6.6965	0.5191	10.1416	0.6720	2.9809	0.1801	
2008	5.8312	0.4130	8.8341	0.6002	2.9649	0.2499	0.1700	0.0262	1.5227	0.1789	6.8221	0.5505	10.0435	0.6791	2.7648	0.1538	
2007	5.3388	0.3934	8.2467	0.6145	2.5633	0.2075	0.1343	0.0224	1.3056	0.1473	6.3976	0.5498	9.0819	0.6329	2.5594	0.1436	
2006	5.0913	0.3848	7.8784	0.5882	2.4297	0.2131	0.1369	0.0188	1.0450	0.1236	6.1251	0.5238	8.6500	0.6345	2.5935	0.1626	
Alcohol dependence syndrome																	
2010	4.3794	0.4751	6.5929	0.8131	2.2610	0.2023	0.2516	0.0351	1.7343	0.2206	5.1159	0.6077	7.3703	0.8227	1.9219	0.1560	
2009	4.0703	0.5378	6.0992	0.8778	2.1336	0.2363	0.2980	0.0388	1.5374	0.1991	5.1044	0.7042	6.4146	0.9042	1.9786	0.2368	
2008	3.9029	0.4578	5.6663	0.7071	2.2155	0.2566	0.3944	0.0995	1.6072	0.2278	4.8164	0.6082	6.2429	0.7420	1.7519	0.1264	
2007	4.2788	0.5373	6.3352	0.8970	2.3017	0.2440	0.3331	0.0469	1.6455	0.2118	5.5659	0.8109	6.6989	0.8163	1.7776	0.1321	
2006	4.2368	0.5297	6.3846	0.8652	2.1779	0.2309	0.3572	0.0838	1.6245	0.2344	5.6509	0.8191	6.5256	0.7604	1.6930	0.1187	
Nondependent abuse of alcohol																	
2010	0.7627	0.0414	1.0535	0.0626	0.4799	0.0262	0.5542	0.0488	0.6969	0.0620	0.8358	0.0534	0.9614	0.0610	0.4406	0.0295	
2009	0.6767	0.0504	0.9118	0.0748	0.4484	0.0308	0.4130	0.0304	0.7097	0.0744	0.8384	0.0718	0.7800	0.0702	0.3775	0.0303	
2008	0.6673	0.0383	0.8970	0.0530	0.4416	0.0290	0.5457	0.0507	0.5646	0.0556	0.7347	0.0512	0.7929	0.0512	0.4365	0.0331	
2007	0.6988	0.0395	0.9336	0.0549	0.4706	0.0284	0.5805	0.0461	0.6541	0.0690	0.8030	0.0587	0.7818	0.0483	0.4444	0.0326	
2006	0.7034	0.0439	0.9655	0.0632	0.4513	0.0289	0.5739	0.0444	0.6083	0.0610	0.8028	0.0661	0.7962	0.0586	0.4728	0.0317	
All chronic liver disease and cirrhosis																	
2010	3.9564	0.1615	5.0892	0.2284	2.8754	0.1098	0.1468	0.0440	0.3619	0.0488	2.1666	0.1208	7.7548	0.3458	5.0985	0.1742	
2009	3.9662	0.1534	5.0815	0.1987	2.9019	0.1197	0.1043	0.0180	0.2402	0.0270	2.1236	0.1036	7.8254	0.3191	5.3743	0.2199	
2008	4.4291	0.1929	5.7206	0.2547	3.1967	0.1416	0.1502	0.0313	0.2683	0.0319	2.3579	0.1144	8.7038	0.4103	6.2860	0.2545	
2007	4.4155	0.1847	5.7864	0.2649	3.1073	0.1192	0.1309	0.0311	0.2402	0.0323	2.3842	0.1262	8.8810	0.4082	6.0208	0.2260	
2006	4.5272	0.1703	5.9560	0.2503	3.1654	0.1085	0.1159	0.0214	0.2063	0.0340	2.5132	0.1316	9.1316	0.3765	6.2470	0.2116	
Alcoholic liver disease																	
2010	2.4888	0.1079	3.6128	0.1726	1.4166	0.0586	—	—	0.1428	0.0244	1.6824	0.1016	5.3214	0.2314	1.7823	0.0760	
2009	2.4816	0.0916	3.6290	0.1419	1.3882	0.0534	—	—	0.0768	0.0158	1.6498	0.0818	5.3553	0.2041	1.8557	0.0800	
2008	2.6703	0.1031	3.9262	0.1603	1.4729	0.0576	—	—	0.1211	0.0197	1.8060	0.0812	5.6970	0.2324	2.1641	0.0934	
2007	2.6645	0.1077	3.9783	0.1774	1.4122	0.0530	—	—	0.0982	0.0177	1.8242	0.0995	5.7261	0.2413	2.1428	0.0886	
2006	2.7899	0.1187	4.1482	0.1948	1.4962	0.0582	—	—	0.1037	0.0230	1.9451	0.1119	6.0560	0.2607	2.1815	0.0919	
Alcohol poisoning																	
2010	0.3323	0.0405	0.4324	0.0569	0.2369	0.0265	0.2312	0.0365	0.2563	0.0314	0.3597	0.0356	0.4738	0.0824	0.1200	0.0205	
2009	0.2494	0.0186	0.3154	0.0248	0.1864	0.0157	0.2252	0.0234	0.2385	0.0277	0.3023	0.0248	0.2918	0.0312	0.0821	0.0106	
2008	0.2609	0.0206	0.3447	0.0329	0.1810	0.0125	0.2044	0.0212	0.2452	0.0292	0.2932	0.0210	0.3359	0.0394	0.1040	0.0203	
2007	0.2483	0.0145	0.3222	0.0202	0.1759	0.0125	0.2323	0.0232	0.2405	0.0328	0.2944	0.0207	0.2774	0.0221	0.1087	0.0133	
2006	0.2580	0.0212	0.3346	0.0343	0.1846	0.0128	0.2995	0.0515	0.2409	0.0404	0.3006	0.0235	0.2818	0.0236	0.0793	0.0114	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table C2. Rate of hospitalizations with all-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Any alcohol-related diagnoses																
2010	89.4410	2.6681	122.8814	4.0400	57.4976	1.5414	12.2039	0.6902	36.3832	1.6735	71.2650	2.7927	146.6872	4.6523	107.3578	2.6171
2009	84.9625	2.5422	116.7375	3.7982	54.6265	1.5154	10.9596	0.5780	33.6161	1.4942	69.1695	2.7035	137.7440	4.3082	105.7391	2.8469
2008	81.2017	2.5829	110.9437	3.7188	52.8084	1.6301	12.2322	1.2489	33.9992	1.7007	68.7222	2.9559	129.9618	4.1287	98.9006	2.4836
2007	78.0426	2.3092	107.9141	3.5542	49.5067	1.2725	11.3529	0.7852	31.8336	1.4708	67.6213	2.7439	123.9151	3.7618	96.5835	2.2647
2006	77.7265	2.4020	108.7212	3.6548	48.1590	1.3358	10.3720	0.5878	30.4441	1.4427	70.3053	3.0620	122.2823	3.7481	95.7768	2.4544
Alcoholic psychoses																
2010	15.0451	0.7430	23.4162	1.1759	7.0587	0.3679	0.3888	0.0372	3.2365	0.2958	13.7907	0.8981	26.9315	1.3050	12.6489	0.4323
2009	14.1863	0.6207	22.0877	0.9706	6.6547	0.3217	0.4091	0.0425	3.1490	0.2524	13.3387	0.7512	24.7288	1.0706	12.8961	0.4283
2008	14.2680	0.6944	21.8003	1.0273	7.0859	0.4060	0.4495	0.0602	3.3748	0.3683	13.9068	0.9263	24.7757	1.1258	12.3964	0.3816
2007	13.3805	0.6894	20.6994	1.0870	6.4014	0.3483	0.3589	0.0441	2.8844	0.3095	13.5389	0.9705	22.8980	1.0953	11.7301	0.3764
2006	12.6476	0.6468	19.7448	1.0053	5.8812	0.3422	0.3902	0.0442	2.4243	0.2658	12.8927	0.9035	21.4783	1.0182	11.6542	0.4228
Alcohol dependence syndrome																
2010	38.9193	1.5701	58.1953	2.5058	20.5232	0.7973	1.9130	0.1394	11.1532	0.7301	34.4080	1.8667	69.1400	2.7395	34.3131	1.0490
2009	37.5341	1.5370	56.1576	2.4546	19.7723	0.7629	2.1034	0.1559	10.8992	0.6776	34.2407	1.8865	65.0160	2.5783	35.0262	1.1418
2008	35.9351	1.5719	52.9295	2.4145	19.7212	0.8724	2.5321	0.4314	11.3210	0.8258	34.8583	2.2137	60.8873	2.3912	32.0048	0.8919
2007	34.1958	1.3028	50.9085	2.0809	18.2372	0.6685	1.9338	0.1583	9.9905	0.6822	33.6641	1.8454	57.7583	2.0213	31.3583	0.8142
2006	34.1327	1.5301	51.1823	2.4453	17.8729	0.7304	1.8324	0.1599	9.5802	0.7076	34.9325	2.2743	56.9786	2.2872	30.9524	0.8898
Nondependent abuse of alcohol																
2010	29.7252	1.0759	43.5165	1.6478	16.5391	0.5664	8.4201	0.5429	21.6833	1.1451	27.5305	1.1518	44.0941	1.7085	29.0202	0.9072
2009	27.1907	0.9753	39.7273	1.4884	15.2093	0.5211	7.3390	0.4492	19.4753	0.9927	25.9338	1.0792	39.8610	1.5317	26.9983	0.8871
2008	25.8219	0.9519	37.4854	1.4128	14.6822	0.5521	8.2732	0.8703	19.7542	1.0261	24.9741	1.0589	37.1900	1.3897	24.8987	0.8101
2007	27.1208	1.0380	39.5851	1.6258	15.2136	0.5244	8.2250	0.6284	19.3424	0.9641	26.7906	1.1490	38.9405	1.6256	26.6877	0.8837
2006	27.9529	1.1031	41.4221	1.7234	15.1053	0.5576	7.2891	0.4604	18.7426	0.9836	28.4671	1.3396	39.9714	1.6477	28.2338	0.9654
All chronic liver disease and cirrhosis																
2010	32.7268	0.9281	39.1576	1.1736	26.5906	0.7448	1.6384	0.1924	4.0049	0.2130	16.9988	0.5858	59.0483	1.8643	53.5284	1.4226
2009	30.8699	0.9029	36.9785	1.0918	25.0416	0.7617	1.2723	0.1261	3.3219	0.1766	15.9582	0.5329	55.6148	1.7569	52.6579	1.6090
2008	28.6190	0.8898	34.3336	1.1090	23.1660	0.7154	1.2367	0.1421	3.0659	0.1912	15.3562	0.5437	51.6382	1.7615	48.8439	1.4231
2007	26.1018	0.6917	31.8155	0.9266	20.6488	0.5110	0.9876	0.1238	2.5805	0.1431	13.6164	0.4606	47.4290	1.3973	46.2255	1.1844
2006	25.2852	0.6910	30.8626	0.9055	19.9684	0.5328	0.9830	0.0902	2.2686	0.1358	13.6552	0.4842	46.0100	1.3805	44.9869	1.2454
Alcoholic liver disease																
2010	13.4903	0.4249	20.1217	0.6564	7.1662	0.2331	0.0505	0.0108	0.8465	0.0775	8.1181	0.3327	27.9455	0.9190	13.4559	0.4101
2009	12.8786	0.3893	19.2161	0.5837	6.8381	0.2254	0.0430	0.0074	0.6900	0.0658	7.8153	0.2922	26.5377	0.8403	13.5877	0.4253
2008	12.2215	0.3833	18.2094	0.5837	6.5140	0.2127	0.0585	0.0103	0.7408	0.0712	7.8169	0.2978	25.1063	0.8208	12.7104	0.3901
2007	11.6467	0.3352	17.5771	0.5407	5.9938	0.1681	0.0444	0.0084	0.6131	0.0563	7.3411	0.2838	24.0336	0.7196	12.6645	0.3570
2006	11.7384	0.3675	17.6484	0.5797	6.1103	0.1924	0.0415	0.0076	0.5744	0.0549	7.6132	0.3053	24.2139	0.7854	12.9250	0.4117
Alcohol poisoning																
2010	1.1451	0.0639	1.2900	0.0851	1.0068	0.0502	0.5368	0.0499	1.1971	0.0815	1.4941	0.0782	1.4639	0.1108	0.3534	0.0326
2009	1.0594	0.0470	1.1586	0.0556	0.9646	0.0458	0.5618	0.0414	1.1908	0.0784	1.4470	0.0690	1.2487	0.0652	0.3058	0.0239
2008	1.1507	0.0529	1.2723	0.0640	1.0349	0.0505	0.5877	0.0409	1.2980	0.0866	1.5549	0.0760	1.3828	0.0762	0.3247	0.0277
2007	0.9804	0.0457	1.0588	0.0495	0.9027	0.0484	0.5405	0.0405	1.1353	0.0718	1.3699	0.0703	1.0725	0.0566	0.3275	0.0241
2006	1.0103	0.0484	1.1264	0.0608	0.8994	0.0444	0.6318	0.0609	1.1949	0.0892	1.4097	0.0722	1.0946	0.0544	0.2639	0.0229

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table C3. Rate of hospitalizations with first-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Any alcohol-related diagnoses																
 Northeast																
2010	25.4322	3.2731	39.8713	5.8163	12.0191	1.1816	1.7676	0.3726	7.6797	1.2768	27.2845	4.3962	44.1237	5.5431	12.7774	0.9082
2009	24.1491	3.4483	38.2578	5.9639	11.0564	1.3138	1.5417	0.2103	7.4547	1.1307	26.9619	4.6337	40.7742	5.7234	12.9231	1.1358
2008	22.3696	2.5987	33.5223	4.2619	12.0251	1.2445	2.4271	0.5948	6.9748	1.3430	24.6864	3.5877	37.1795	4.1002	13.1569	1.0726
2007	24.2628	3.0065	37.9097	5.3234	11.6197	1.0931	1.9779	0.2606	6.9704	1.1330	29.3070	4.7649	39.0645	4.4618	12.8288	0.7498
2006	25.1345	3.2439	39.7925	5.5482	11.5723	1.2387	2.9283	0.6664	7.6581	1.4383	30.4484	5.0473	40.1862	4.7376	12.9248	0.9207
 Midwest																
2010	14.6920	1.1861	20.8484	1.7330	8.8114	0.7251	1.5822	0.1859	5.0658	0.6029	15.6875	1.4819	24.6001	2.0279	9.1010	0.6850
2009	16.1831	1.3882	22.7531	1.9448	9.9128	0.8846	1.7533	0.1981	6.0787	0.8132	18.4344	1.9466	25.7856	2.1191	10.5529	0.7487
2008	15.9120	1.5322	22.3165	2.0452	9.7982	1.0675	1.9567	0.4126	5.8505	0.7782	17.7708	2.1403	25.6845	2.3186	10.5781	0.6339
2007	14.6380	1.2790	20.4252	1.7827	9.1190	0.8269	1.8581	0.2345	5.1844	0.7071	16.0115	1.7264	23.8405	2.0595	10.2651	0.7099
2006	14.8203	1.2763	20.6623	1.8257	9.2480	0.7789	2.0595	0.2230	5.0077	0.6319	16.9435	1.8200	23.6996	1.9739	10.0652	0.6664
 South																
2010	13.6446	1.1671	19.7448	1.8253	7.8702	0.5880	1.0028	0.1513	3.6715	0.4822	12.5085	1.3344	24.6360	2.1775	10.2773	0.5099
2009	11.6787	0.8663	16.7372	1.2524	6.8938	0.5231	0.7429	0.0877	2.2583	0.2676	10.5228	0.9624	20.6881	1.4975	10.7646	0.9462
2008	13.1049	1.1554	18.9378	1.7599	7.5876	0.6196	0.9156	0.1487	2.8241	0.4159	12.0523	1.3723	23.3877	2.0460	11.3421	0.6574
2007	11.8614	1.0488	17.3170	1.6797	6.6999	0.4704	1.0296	0.1570	2.6251	0.4187	10.8860	1.2376	21.2823	1.8753	10.1414	0.5700
2006	12.0507	0.8539	17.3316	1.2858	7.0567	0.4670	0.8163	0.0849	2.1125	0.2665	11.0546	1.0357	21.6907	1.5086	11.0314	0.5969
 West																
2010	12.6735	1.3352	17.6497	1.9911	7.7031	0.8038	1.3303	0.2160	3.5048	0.5665	11.7184	1.4444	22.9805	2.4366	9.5648	0.7779
2009	11.2041	1.1299	15.2788	1.5588	7.1537	0.7533	1.1419	0.1487	3.2443	0.6577	10.4349	1.4003	20.0451	1.9008	9.1312	0.7024
2008	11.6804	1.0524	15.2857	1.2637	8.0461	0.8538	1.1349	0.1566	2.8792	0.4989	10.0426	1.1668	21.6983	1.9026	10.4681	0.6789
2007	12.8290	1.1567	16.8042	1.6067	8.7731	0.8494	1.1515	0.1547	3.2751	0.4668	11.5987	1.3683	23.5395	2.0606	11.1455	0.7172
2006	10.8534	0.8981	14.5151	1.2099	7.1386	0.6779	0.8653	0.0950	2.2361	0.3621	9.2381	0.9910	20.4604	1.6738	10.5337	0.6561
Alcoholic psychoses																
 Northeast																
2010	11.0663	1.7475	17.7553	2.9163	4.8526	0.7468	0.2728	0.0857	2.9128	0.5580	12.7042	2.3372	19.5830	2.9442	3.8712	0.4392
2009	10.4319	1.3954	17.2529	2.4184	4.1022	0.5666	0.2087	0.0626	2.7355	0.4993	12.1241	1.8326	18.0819	2.3577	4.3652	0.4774
2008	9.9977	1.3903	15.6940	2.1628	4.7142	0.7272	0.3237	0.1054	2.8473	0.6387	12.2412	1.9474	16.9243	2.2123	3.7560	0.4121
2007	9.7955	1.4776	15.7366	2.4569	4.2915	0.6395	0.2669	0.0859	2.7562	0.6317	12.6785	2.2551	15.8834	2.1911	3.8070	0.3879
2006	8.5748	1.3279	14.2093	2.2546	3.3615	0.5396	0.2537	0.0643	1.8676	0.4523	10.8377	1.9658	14.2148	2.0691	3.5137	0.4026
 Midwest																
2010	6.2881	0.7739	9.6521	1.1024	3.0748	0.4914	0.1550	0.0365	1.9119	0.3462	7.6025	1.0026	10.7237	1.3273	2.4104	0.2693
2009	6.8711	0.9783	10.3996	1.4090	3.5037	0.5807	0.2964	0.0672	2.1918	0.4337	8.9918	1.4184	10.9707	1.4997	2.7697	0.3215
2008	6.7936	0.9236	10.1031	1.2866	3.6342	0.5889	0.2666	0.0637	2.2259	0.4612	8.9117	1.3198	10.9319	1.4297	2.6317	0.3053
2007	5.2549	0.6639	7.9921	0.9420	2.6438	0.4161	0.1719	0.0601	1.4933	0.3019	6.6496	0.9221	8.6347	1.0535	2.3501	0.2746
2006	5.4408	0.6680	8.1585	0.9830	2.8474	0.3829	0.2473	0.0556	1.2655	0.2325	7.2679	0.9486	8.6815	1.0585	2.3233	0.3027
 South																
2010	4.7864	0.7728	7.5467	1.2174	2.1739	0.3694	0.0953	0.0255	1.0287	0.2695	5.1400	0.9752	8.6559	1.3689	2.3888	0.2119
2009	3.9991	0.4494	6.3032	0.6756	1.8197	0.2486	0.0949	0.0304	0.7167	0.1290	4.1278	0.5202	7.0893	0.7818	2.7584	0.3314
2008	4.2125	0.5917	6.5687	0.8640	1.9843	0.3568	0.1012	0.0280	0.9523	0.2499	4.5907	0.7627	7.4407	1.0053	2.4383	0.2268
2007	3.5174	0.5129	5.6695	0.8170	1.4822	0.2333	0.0849	0.0212	0.7085	0.1666	4.0218	0.6869	6.1402	0.8920	1.8632	0.1509
2006	3.8473	0.5734	5.9762	0.8445	1.8346	0.3260	0.0605	0.0187	0.6748	0.1820	4.4477	0.7603	6.6437	0.9627	2.2396	0.2250
 West																
2010	5.2490	0.6346	7.9801	1.0101	2.5460	0.3227	0.1695	0.0587	1.1754	0.2429	5.6125	0.7422	9.4990	1.1537	2.7886	0.3405
2009	4.2865	0.6547	6.3380	0.9274	2.2653	0.4165	0.0952	0.0343	1.1746	0.2916	4.6902	0.8143	7.6389	1.1140	2.3153	0.2830
2008	4.1796	0.5722	5.8858	0.7096	2.4807	0.4473	0.0716	0.0262	0.8195	0.1530	4.4173	0.6644	7.6143	1.0122	2.5504	0.3497
2007	4.7464	0.6742	6.6836	0.9232	2.8158	0.5062	0.0751	0.0238	1.0159	0.1754	5.1386	0.7982	8.5661	1.1674	2.8253	0.4229
2006	3.9110	0.6461	5.6081	0.8006	2.2080	0.5210	0.0609	0.0196	0.8277	0.1952	4.1006	0.7117	7.1344	1.1834	2.6279	0.4440

See footnotes at end of table.

Table C3. Rate of hospitalizations with first-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcohol dependence syndrome																
Northeast																
2010	9.0172	2.1902	14.8902	4.0259	3.5615	0.6305	0.3560	0.0878	3.7367	0.9302	11.3559	2.9384	14.9149	3.7292	2.7040	0.4617
2009	8.8706	2.7391	14.2698	4.6320	3.8602	1.0556	0.5324	0.1282	3.5427	0.9144	11.8301	3.6634	14.0472	4.5675	2.6646	0.7103
2008	6.8215	1.7801	10.5261	3.0543	3.3854	0.7079	0.9407	0.4745	2.9475	0.9633	8.8517	2.4113	10.6251	2.8038	2.3561	0.4169
2007	9.4620	2.4616	15.2383	4.3878	4.1106	0.8462	0.7149	0.1820	3.4084	0.7965	13.5675	3.9485	14.1989	3.6044	2.5868	0.4255
2006	11.0874	2.6699	17.9622	4.5100	4.7264	1.0444	1.0580	0.4540	4.6182	1.2254	16.2397	4.2799	16.1258	3.6999	2.8693	0.4622
Midwest																
2010	3.6642	0.5055	5.2517	0.7631	2.1478	0.2872	0.3019	0.0562	1.4498	0.3276	4.4888	0.7272	5.8283	0.7603	1.8020	0.2934
2009	4.4991	0.5940	6.3907	0.8120	2.6939	0.4056	0.4943	0.1051	2.2701	0.4414	5.9394	0.8564	6.6558	0.8477	2.1421	0.3190
2008	4.1061	0.7661	5.7905	0.9659	2.4989	0.5891	0.5232	0.2140	1.8747	0.3438	5.2301	1.0992	6.3576	1.1281	1.8241	0.2270
2007	4.0418	0.6559	5.5904	0.8807	2.5653	0.4587	0.4203	0.1110	1.8433	0.3869	5.4030	0.9434	6.0811	0.9878	1.7574	0.2338
2006	4.4981	0.6751	6.3333	0.9450	2.7475	0.4308	0.4355	0.0722	1.9566	0.3834	6.0855	1.0055	6.8529	1.0161	1.7735	0.1946
South																
2010	3.5815	0.5239	5.2716	0.7944	1.9820	0.2984	0.1632	0.0510	1.2571	0.2683	4.0191	0.6448	6.2052	0.9157	1.6826	0.2012
2009	2.7184	0.3393	3.9860	0.4719	1.5193	0.2283	0.1082	0.0340	0.5900	0.1184	3.1822	0.4695	4.3373	0.5023	1.9675	0.4730
2008	3.1739	0.5899	4.7754	0.9175	1.6593	0.3011	0.1521	0.0433	1.1327	0.2622	3.9961	0.8264	5.0808	0.9565	1.4855	0.1643
2007	2.7562	0.5379	4.2145	0.8858	1.3771	0.2190	0.1376	0.0342	0.9152	0.2746	3.3886	0.7787	4.4852	0.8364	1.3647	0.1376
2006	2.2462	0.2448	3.3988	0.3796	1.1565	0.1263	0.1292	0.0309	0.6134	0.1160	2.7416	0.3496	3.5999	0.3699	1.3480	0.1327
West																
2010	2.6755	0.5663	3.5610	0.6741	1.7712	0.4659	0.2657	0.0931	1.2555	0.3493	2.8257	0.6164	4.4863	0.9582	1.7522	0.3787
2009	2.0242	0.3398	2.8569	0.4594	1.1913	0.2292	0.2369	0.0738	0.8878	0.2339	2.4207	0.4976	3.1600	0.4660	1.1893	0.1711
2008	2.5467	0.7248	3.1844	0.8221	1.8877	0.6186	0.2404	0.0813	1.1337	0.3953	2.7304	0.8140	4.3358	1.3164	1.5734	0.2597
2007	2.7717	0.6636	3.4183	0.7000	2.0533	0.5933	0.2645	0.0838	1.3277	0.3866	3.0790	0.7790	4.5722	1.0984	1.7553	0.3394
2006	1.6007	0.3127	1.9990	0.3453	1.1484	0.2642	0.1015	0.0287	0.7498	0.2034	1.6941	0.3807	2.7599	0.5163	1.0756	0.1698
Nondependent abuse of alcohol																
Northeast																
2010	0.6029	0.0507	0.8395	0.0732	0.3831	0.0464	0.6450	0.1417	0.2941	0.0757	0.5579	0.0681	0.7237	0.0725	0.5313	0.0706
2009	0.5872	0.0689	0.8032	0.0909	0.3868	0.0600	0.5029	0.0925	0.6183	0.1648	0.6789	0.0900	0.6334	0.1053	0.3876	0.0591
2008	0.7020	0.1063	0.9418	0.1353	0.4796	0.0858	0.6964	0.1269	0.5328	0.1295	0.7297	0.1230	0.8365	0.1369	0.4577	0.0956
2007	0.6398	0.0800	0.8702	0.1194	0.4263	0.0535	0.6353	0.1072	0.4237	0.0994	0.6523	0.0994	0.7406	0.1018	0.5068	0.0831
2006	0.7854	0.0927	1.1128	0.1459	0.4826	0.0570	0.9287	0.1665	0.6854	0.1522	0.6961	0.1085	0.9393	0.1348	0.5737	0.0775
Midwest																
2010	0.9872	0.0958	1.3181	0.1464	0.6711	0.0619	0.7644	0.1305	1.1721	0.1863	1.1673	0.1376	1.1644	0.1297	0.4255	0.0702
2009	0.9275	0.1007	1.2469	0.1433	0.6226	0.0683	0.6215	0.0786	1.1395	0.1662	1.2741	0.1584	0.9636	0.1408	0.3917	0.0577
2008	0.9086	0.0946	1.1854	0.1162	0.6445	0.0844	0.9156	0.1615	1.0180	0.1813	1.0768	0.1391	0.9224	0.1171	0.4961	0.0646
2007	1.0597	0.1299	1.4092	0.1732	0.7265	0.0977	0.9226	0.1185	1.4177	0.2336	1.2966	0.2181	1.0758	0.1439	0.5312	0.0661
2006	1.0732	0.1553	1.4542	0.2154	0.7102	0.1036	0.9405	0.1157	1.2028	0.2074	1.4087	0.2562	1.0296	0.1925	0.5418	0.0763
South																
2010	0.8001	0.0711	1.1595	0.1089	0.4589	0.0426	0.3672	0.0479	0.7136	0.0975	0.9347	0.0951	1.0726	0.1148	0.4288	0.0444
2009	0.6709	0.1076	0.9271	0.1674	0.4286	0.0549	0.2921	0.0401	0.5406	0.0973	0.8456	0.1459	0.8465	0.1566	0.3796	0.0575
2008	0.6404	0.0616	0.9086	0.0989	0.3868	0.0340	0.3499	0.0675	0.3365	0.0555	0.7366	0.0872	0.8281	0.0869	0.4794	0.0558
2007	0.6295	0.0495	0.8653	0.0736	0.4065	0.0332	0.4047	0.0656	0.4874	0.0998	0.7511	0.0696	0.7647	0.0681	0.3817	0.0514
2006	0.6779	0.0561	0.9408	0.0841	0.4293	0.0357	0.3265	0.0410	0.4447	0.0747	0.8005	0.0823	0.8678	0.0797	0.4913	0.0538
West																
2010	0.6187	0.0971	0.8070	0.1431	0.4110	0.0598	0.5848	0.1069	0.5493	0.1180	0.5988	0.1030	0.7780	0.1366	0.3947	0.0605
2009	0.5204	0.0779	0.6602	0.1010	0.3642	0.0608	0.3411	0.0505	0.6563	0.1921	0.5650	0.1212	0.6125	0.0741	0.3493	0.0607
2008	0.4530	0.0517	0.5739	0.0672	0.3036	0.0415	0.3910	0.0588	0.5330	0.1051	0.4346	0.0640	0.5693	0.0727	0.2764	0.0486
2007	0.5105	0.0618	0.6405	0.0825	0.3619	0.0439	0.4884	0.0943	0.3858	0.0961	0.5564	0.0745	0.5496	0.0797	0.4003	0.0697
2006	0.3193	0.0251	0.4227	0.0371	0.2062	0.0223	0.3370	0.0595	0.2604	0.0585	0.3426	0.0337	0.3210	0.0382	0.2660	0.0414

See footnotes at end of table.

Table C3. Rate of hospitalizations with first-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
All chronic liver disease and cirrhosis																
Northeast																
2010	4.2328	0.3229	5.7001	0.4563	2.8696	0.2343	0.1318	0.0757	0.3769	0.1096	2.2178	0.2155	8.0726	0.7006	5.4683	0.3832
2009	3.9845	0.2409	5.5635	0.3629	2.5193	0.1623	0.0869	0.0380	0.2862	0.0562	2.0261	0.1546	7.6503	0.5563	5.3944	0.3540
2008	4.4554	0.5731	5.8096	0.7206	3.1993	0.4448	0.1831	0.0752	0.3456	0.0990	2.5161	0.3048	8.1884	1.1608	6.3845	0.7905
2007	4.0816	0.2449	5.7169	0.3579	2.5667	0.1723	0.0894	0.0351	—	—	2.0870	0.1561	7.8890	0.4934	5.8020	0.4928
2006	4.3363	0.2965	6.0448	0.3889	2.7555	0.2465	0.1004	0.0373	0.3016	0.0860	2.2759	0.1948	8.5492	0.6507	5.8853	0.4377
Midwest																
2010	3.3398	0.3009	4.0672	0.3925	2.6451	0.2301	0.0667	0.0281	0.2685	0.0871	1.9537	0.2331	6.2959	0.6271	4.3491	0.3317
2009	3.6098	0.3428	4.3564	0.4129	2.8973	0.2911	—	—	0.2121	0.0520	1.8670	0.1949	6.8977	0.6906	5.1911	0.4769
2008	3.8141	0.2880	4.8310	0.3834	2.8426	0.2108	0.0716	0.0393	0.2646	0.0673	2.1884	0.1730	7.1400	0.6330	5.5352	0.3613
2007	4.0022	0.3932	5.0607	0.5002	2.9930	0.2987	0.0840	0.0386	—	—	2.3071	0.2330	7.7535	0.8566	5.5149	0.4882
2006	3.5181	0.2762	4.3184	0.3469	2.7554	0.2288	0.1114	0.0624	0.2069	0.0747	1.8382	0.1670	6.8193	0.6195	5.3711	0.3894
South																
2010	4.2366	0.2482	5.4527	0.3353	3.0856	0.1811	0.2366	0.1107	0.4640	0.1016	2.1362	0.1407	8.3709	0.5541	5.6898	0.3119
2009	4.0564	0.2718	5.2334	0.3513	2.9430	0.2091	0.0526	0.0143	0.1953	0.0401	2.0829	0.1909	8.1366	0.5524	5.5748	0.4017
2008	4.8721	0.3588	6.4263	0.4988	3.4012	0.2394	0.1481	0.0507	0.2635	0.0521	2.4815	0.2269	9.7776	0.7655	6.8605	0.4294
2007	4.7402	0.3315	6.2816	0.4826	3.2804	0.2042	0.2240	0.0795	0.2665	0.0568	2.4692	0.1795	9.6452	0.7581	6.4270	0.3912
2006	5.0610	0.3101	6.7318	0.4646	3.4804	0.1819	0.1358	0.0329	0.1593	0.0408	2.7809	0.2225	10.3347	0.7000	6.8799	0.3961
West																
2010	3.8678	0.4311	4.9947	0.6447	2.7562	0.2477	0.0925	0.0320	0.2757	0.0646	2.3602	0.3703	7.9203	0.9109	4.5212	0.3651
2009	4.1436	0.3352	5.1463	0.4360	3.1509	0.2575	0.2415	0.0646	0.3004	0.0708	2.4812	0.2365	8.3847	0.7269	5.2006	0.4765
2008	4.2851	0.3005	5.3796	0.3695	3.2031	0.2527	0.2020	0.0826	0.2235	0.0496	2.1988	0.1737	8.9432	0.6704	5.9976	0.4528
2007	4.5621	0.4324	5.7509	0.6477	3.3845	0.2514	0.0633	0.0200	0.3135	0.0760	2.5444	0.3816	9.6064	0.9513	6.0692	0.4479
2006	4.8072	0.4257	6.2330	0.6552	3.3992	0.2283	0.1013	0.0374	0.2100	0.0876	2.8876	0.3790	10.0018	0.9273	6.4502	0.4416
Alcoholic liver disease																
Northeast																
2010	2.6546	0.1986	3.9673	0.3142	1.4352	0.1230	—	—	—	—	1.7283	0.1700	5.5329	0.4495	2.0027	0.1623
2009	2.5675	0.1618	3.9327	0.2638	1.3006	0.0942	—	—	—	—	1.5736	0.1205	5.4245	0.3966	2.0864	0.1869
2008	2.6510	0.2681	3.9054	0.4168	1.4875	0.1450	—	—	—	—	1.9146	0.2110	5.3856	0.5839	2.1393	0.2461
2007	2.4659	0.1585	3.8337	0.2461	1.1988	0.1044	—	—	—	—	1.6400	0.1273	5.2065	0.3689	1.9745	0.1831
2006	2.6579	0.1716	4.0788	0.2656	1.3433	0.1085	—	—	—	—	1.7976	0.1581	5.6569	0.3937	2.0554	0.1780
Midwest																
2010	2.1701	0.2045	3.0020	0.3107	1.3755	0.1202	—	—	—	—	1.5543	0.1941	4.5421	0.4369	1.4368	0.1558
2009	2.1002	0.1613	2.9590	0.2449	1.2806	0.0966	—	—	—	—	1.3694	0.1226	4.4779	0.3791	1.5905	0.1399
2008	2.3560	0.1343	3.4011	0.2125	1.3575	0.0800	—	—	—	—	1.7837	0.1232	4.8474	0.3163	1.7384	0.1241
2007	2.4919	0.2003	3.5862	0.2840	1.4486	0.1339	—	—	—	—	1.8621	0.1682	5.1919	0.4457	1.8804	0.1673
2006	2.2166	0.1606	3.1333	0.2271	1.3432	0.1191	—	—	—	—	1.5611	0.1420	4.7862	0.3747	1.6492	0.1704
South																
2010	2.5203	0.1425	3.6853	0.2140	1.4178	0.0938	—	—	0.1153	0.0370	1.5538	0.1011	5.5408	0.3368	1.8823	0.1365
2009	2.5382	0.1705	3.7803	0.2597	1.3634	0.0984	—	—	—	—	1.6240	0.1516	5.6222	0.3743	1.8040	0.1323
2008	2.8945	0.2109	4.8821	0.3339	1.4865	0.1088	—	—	0.1278	0.0317	1.8303	0.1613	6.3281	0.4756	2.3601	0.1691
2007	2.7497	0.1702	4.1838	0.2763	1.3927	0.0860	—	—	—	—	1.7723	0.1149	6.0170	0.4145	2.2893	0.1608
2006	2.9824	0.2113	4.5170	0.3356	1.5314	0.1068	—	—	—	—	2.0518	0.1802	6.5501	0.4795	2.3044	0.1607
West																
2010	2.6060	0.3231	3.7913	0.5357	1.4387	0.1409	—	—	0.2031	0.0602	1.9583	0.3295	5.5546	0.6591	1.7711	0.1507
2009	2.6828	0.2093	3.7807	0.3279	1.6030	0.1224	—	—	—	—	1.9895	0.2028	5.7319	0.4518	2.0156	0.1956
2008	2.6265	0.1591	3.7201	0.2303	1.5502	0.1142	—	—	—	—	1.7079	0.1269	5.7752	0.3686	2.3045	0.1980
2007	2.8538	0.3061	4.1396	0.5326	1.5853	0.1051	—	—	0.1691	0.0457	2.0087	0.3321	6.2284	0.6446	2.3332	0.1940
2006	3.1453	0.3355	4.5927	0.5803	1.7176	0.1217	—	—	0.1518	0.0646	2.2380	0.3365	6.8740	0.7115	2.6758	0.2279

See footnotes at end of table.

Table C3. Rate of hospitalizations with first-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by region and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Alcohol poisoning																	
Northeast																	
2010	0.5131	0.1770	0.6862	0.2500	0.3523	0.1121	0.3620	0.1763	0.3592	0.0976	0.4485	0.1148	0.8295	0.3677	0.2025	0.0828	
2009	0.2749	0.0446	0.3685	0.0499	0.1880	0.0451	0.2108	0.0444	0.2721	0.0744	0.3027	0.0580	0.3615	0.0816	0.1113	0.0250	
2008	0.3930	0.0962	0.5509	0.1578	0.2466	0.0465	0.2831	0.0665	0.3015	0.0749	0.3478	0.0680	0.6052	0.1908	0.2026	0.0917	
2007	0.2839	0.0565	0.3478	0.0716	0.2246	0.0470	0.2714	0.0472	—	—	0.3216	0.0742	0.3526	0.0849	0.1262	0.0417	
2006	0.3506	0.0844	0.4634	0.1347	0.2463	0.0438	0.5875	0.2650	—	—	0.3991	0.0886	0.3570	0.0666	0.0828	0.0297	
Midwest																	
2010	0.4127	0.1026	0.5593	0.1460	0.2727	0.0643	0.2942	0.0654	0.2634	0.0707	0.4753	0.1179	0.5879	0.1882	0.1140	0.0382	
2009	0.2755	0.0647	0.3595	0.0888	0.1954	0.0442	0.2853	0.0653	0.2652	0.0625	0.3622	0.0870	0.2978	0.1046	—	—	
2008	0.2895	0.0316	0.4064	0.0543	0.1780	0.0210	0.1797	0.0339	0.4674	0.0928	0.3638	0.0539	0.3325	0.0486	0.0911	0.0231	
2007	0.2794	0.0254	0.3728	0.0431	0.1904	0.0219	0.2594	0.0612	0.2834	0.0892	0.3552	0.0432	0.2954	0.0398	0.1115	0.0256	
2006	0.2902	0.0537	0.3980	0.0952	0.1874	0.0242	0.3248	0.0572	0.3759	0.1529	0.3431	0.0575	0.3163	0.0706	—	—	
South																	
2010	0.2401	0.0215	0.3143	0.0322	0.1699	0.0178	0.1406	0.0244	0.2081	0.0426	0.2785	0.0302	0.3313	0.0416	0.0874	0.0192	
2009	0.2338	0.0188	0.2874	0.0264	0.1832	0.0185	0.1950	0.0342	0.2158	0.0392	0.2844	0.0247	0.2784	0.0329	0.0842	0.0175	
2008	0.2060	0.0175	0.2588	0.0241	0.1561	0.0169	0.1645	0.0299	0.1390	0.0359	0.2474	0.0279	0.2605	0.0275	0.0783	0.0177	
2007	0.2181	0.0180	0.2861	0.0258	0.1537	0.0170	0.1784	0.0343	0.2474	0.0534	0.2552	0.0287	0.2470	0.0274	0.1049	0.0179	
2006	0.2182	0.0166	0.2839	0.0249	0.1561	0.0170	0.1643	0.0327	0.2204	0.0404	0.2839	0.0275	0.2446	0.0272	0.0727	0.0179	
West																	
2010	0.2625	0.0280	0.3069	0.0388	0.2187	0.0263	0.2178	0.0418	0.2490	0.0610	0.3211	0.0459	0.2968	0.0353	0.1081	0.0304	
2009	0.2293	0.0253	0.2774	0.0353	0.1820	0.0269	0.2271	0.0471	0.2252	0.0600	0.2777	0.0399	0.2490	0.0330	0.0767	0.0204	
2008	0.2160	0.0211	0.2619	0.0295	0.1709	0.0207	0.2299	0.0488	0.1695	0.0433	0.2614	0.0322	0.2358	0.0286	0.0703	0.0195	
2007	0.2383	0.0225	0.3109	0.0329	0.1576	0.0189	0.2602	0.0481	0.2323	0.0590	0.2804	0.0314	0.2451	0.0323	0.0954	0.0272	
2006	0.2151	0.0222	0.2523	0.0294	0.1768	0.0239	0.2646	0.0436	0.1881	0.0526	0.2132	0.0265	0.2433	0.0302	0.1140	0.0271	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table C4. Rate of hospitalizations with all-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Any alcohol-related diagnoses																
Northeast																
2010	111.4625	8.1725	161.9250	13.4780	64.5776	4.0004	15.3897	1.5956	50.7196	4.8514	99.0937	10.0063	177.8196	13.3563	111.0482	6.2714
2009	108.2945	8.3157	159.1577	13.9374	61.0756	3.8833	14.2971	1.4449	50.0489	4.1795	100.5274	10.3135	169.2277	13.3107	109.8739	6.5386
2008	101.4360	7.8225	144.7326	12.1678	61.2552	4.3589	16.4015	2.2891	48.3283	4.7193	97.5271	10.6339	153.7373	11.7800	104.8831	6.8367
2007	98.4899	6.5814	143.0933	10.9833	57.1676	3.1818	14.0085	1.3584	47.3557	4.6559	98.0883	9.6021	146.9407	9.6629	102.9466	5.6252
2006	102.6315	7.3806	151.5809	12.1773	57.3409	3.3841	15.0985	1.5915	46.6292	4.3970	107.8195	11.3877	150.5551	10.5119	103.2559	5.9444
Midwest																
2010	87.8203	4.6266	117.9786	6.4377	59.0092	3.1585	14.3038	1.6086	41.6050	3.2677	73.5298	4.6498	137.8174	8.1547	102.2156	5.2927
2009	89.2246	4.5040	119.3014	6.1768	60.5081	3.0864	15.2773	1.6708	43.2976	3.3182	78.8970	4.9466	137.8846	7.4799	101.3900	4.5386
2008	85.5646	5.2953	114.1169	6.8331	58.3152	4.0007	19.5131	4.9480	46.0656	4.7070	80.2715	6.4173	127.0565	7.1613	94.3620	4.2995
2007	79.5928	4.3418	107.1948	6.1158	53.2649	2.8239	16.9573	2.6159	37.0587	2.9798	72.5639	4.9089	120.5171	7.1560	92.9156	4.4696
2006	77.8846	4.6287	105.1068	6.4569	51.9376	3.0808	15.3967	1.9271	38.2555	3.6044	75.8475	5.6629	115.1832	6.8414	89.0678	4.7661
South																
2010	85.7807	4.3105	117.5211	6.3414	55.7322	2.5429	9.4848	1.0762	28.6449	2.4703	65.0724	4.0894	144.2580	7.7585	108.3448	4.2649
2009	77.3192	3.9049	106.0265	5.4156	50.1595	2.5638	6.5021	0.6636	22.3917	1.9061	58.1415	3.4075	129.5704	6.8385	105.5087	5.2169
2008	77.0011	4.2638	107.1548	6.2719	48.4746	2.4745	7.2473	0.8191	25.3732	2.3133	61.2242	4.2750	129.1487	7.4297	98.1701	4.3911
2007	74.1060	3.9750	103.3211	5.9072	46.4686	2.2357	8.4506	1.1358	24.4317	2.2034	61.2591	4.2072	122.1473	6.6712	94.4870	4.0331
2006	73.5701	3.9879	103.5784	5.8569	45.1908	2.2876	6.6405	0.6117	21.6037	1.9177	62.0204	4.4359	121.3201	6.5416	96.2746	4.4919
West																
2010	79.4843	5.0359	105.9712	7.4306	53.2112	3.0180	12.1529	1.4416	33.2455	3.5941	58.6921	4.9542	133.3693	8.9273	107.6914	5.7261
2009	74.6776	4.5810	98.5204	6.5266	51.0193	2.8806	11.3915	1.1599	30.3566	3.4604	54.7685	4.7339	124.5224	8.0812	106.9602	6.2370
2008	67.6256	3.9147	87.7587	5.1786	47.6180	2.7982	10.0266	1.4336	26.1851	2.8249	48.8081	3.7490	114.1600	6.6561	99.4758	4.2928
2007	66.4004	3.9665	88.3537	6.3438	44.4468	2.0037	8.5591	0.9496	27.3845	2.7478	50.2154	4.3246	110.6769	6.8684	98.2300	3.9355
2006	63.9930	3.7417	86.5050	5.8214	41.5912	2.0577	7.7468	0.7315	25.3723	2.5938	49.5649	4.2185	106.8402	6.4475	95.0982	4.1651
Alcoholic psychoses																
Northeast																
2010	22.2420	2.5381	35.2403	4.1489	10.1673	1.1858	0.5827	0.1096	5.6984	0.9441	22.4047	3.2956	38.8814	4.2241	14.5153	1.2271
2009	21.8816	2.1247	35.6158	3.5857	9.1365	0.9353	0.5901	0.1361	5.4155	0.8778	22.4969	2.7365	37.9559	3.6373	14.6026	1.0231
2008	20.9514	2.1291	32.7857	3.3000	9.9748	1.1368	0.8229	0.2093	5.9380	1.2288	22.9844	3.0407	34.9487	3.2892	13.8833	1.0054
2007	21.2388	2.3085	33.7069	3.8249	9.6879	1.0146	0.5816	0.1434	5.6336	1.0628	24.5873	3.5983	34.6242	3.4251	13.7442	0.9232
2006	18.3600	1.9825	30.1406	3.4204	7.4601	0.7542	0.7693	0.1682	4.3512	0.9401	21.0300	3.0493	29.7302	2.9348	12.9180	0.9922
Midwest																
2010	14.4947	1.1136	22.3899	1.6340	6.9533	0.6657	0.4252	0.0739	3.4114	0.4349	14.1017	1.2825	25.0964	1.9659	11.6325	0.8005
2009	15.2008	1.2695	23.0636	1.8656	7.6949	0.7388	0.6949	0.1153	4.3841	0.6588	16.1896	1.7687	24.9942	1.9782	11.9934	0.6252
2008	15.5402	1.4787	23.3033	2.0105	8.1313	1.0019	0.5998	0.1566	4.4118	0.7893	16.7425	2.0547	25.7520	2.2951	12.0362	0.7861
2007	12.9398	1.0288	19.7963	1.5006	6.4014	0.6173	0.3822	0.0914	2.8270	0.4513	13.4391	1.3015	21.7244	1.7251	11.2391	0.7258
2006	13.0201	1.0326	19.7168	1.5256	6.6353	0.6027	0.5707	0.1003	2.7109	0.4081	14.4266	1.3400	21.2494	1.6761	10.9440	0.8430
South																
2010	12.9569	1.2549	20.4596	1.9879	5.8561	0.5942	0.2754	0.0526	2.3846	0.5625	11.0601	1.5085	23.4576	2.2345	12.4265	0.6796
2009	11.4006	0.7903	17.9409	1.1961	5.2133	0.4276	0.2445	0.0539	1.8499	0.2819	9.4008	0.8351	20.1607	1.3621	13.0268	0.8248
2008	11.8860	1.1386	18.8522	1.7608	5.2982	0.5904	0.2678	0.0672	2.2991	0.6315	10.4753	1.5134	21.2292	1.8700	11.9095	0.5864
2007	10.8066	1.1663	17.1944	1.8399	4.7649	0.5546	0.3187	0.0761	2.1229	0.5823	10.1691	1.6387	18.8435	1.8397	10.5486	0.6008
2006	10.7880	1.1308	17.0475	1.6842	4.8699	0.6218	0.2083	0.0563	1.7667	0.4824	10.2668	1.6055	18.7390	1.7406	11.0122	0.6839
West																
2010	13.2369	1.0999	19.9629	1.7282	6.6032	0.5907	0.3888	0.0821	2.5961	0.3655	11.4908	1.1892	24.4289	2.0611	12.4060	0.8818
2009	11.5862	1.1716	17.2769	1.7371	5.9850	0.6622	0.2662	0.0595	2.4061	0.4029	10.2308	1.2858	20.8229	2.1741	12.0531	0.8374
2008	11.5341	0.9692	16.5095	1.2763	6.6180	0.6944	0.3109	0.0906	2.2596	0.3421	9.9899	1.0393	21.0275	1.7640	12.2437	0.8046
2007	11.5978	1.0713	16.8998	1.5945	6.3465	0.7064	0.2314	0.0462	2.1395	0.3304	10.5561	1.2114	20.7514	1.9151	12.4282	0.8668
2006	10.6189	1.0797	15.8152	1.5578	5.4647	0.7368	0.2108	0.0494	1.8053	0.3036	9.3747	1.2039	19.1238	1.9323	12.3515	0.9684

See footnotes at end of table.

Table C4. Rate of hospitalizations with all-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcohol dependence syndrome																
 Northeast																
2010	55.4066	6.0122	86.3598	10.2238	26.6528	2.5782	2.9700	0.3903	18.5507	2.4810	57.8459	8.0335	93.6804	9.8019	35.6382	2.8491
2009	57.0529	6.4398	89.7222	11.0753	26.7363	2.5493	3.5151	0.4924	20.1444	2.6618	61.0165	8.7200	94.3843	10.2389	38.5060	2.9977
2008	51.4489	5.9375	78.3980	10.0529	26.4531	2.4191	4.0948	0.8788	19.2472	2.8701	58.8098	9.6230	81.7204	8.2237	33.8317	2.1085
2007	51.8532	4.8779	80.3423	8.4554	25.4597	1.9601	3.3619	0.4183	19.7673	2.6515	60.4354	7.7558	81.5209	7.0470	34.4879	2.0056
2006	55.5794	6.4202	87.5110	10.9938	26.0346	2.3517	3.5929	0.6542	20.6502	3.2069	69.0585	10.7015	84.0948	8.6459	35.5445	2.1910
 Midwest																
2010	38.1732	2.2600	55.6609	3.2498	21.4671	1.4450	2.5439	0.3457	12.9983	1.4405	35.3283	2.6424	65.2364	3.8673	32.8491	1.9221
2009	40.3653	2.4073	58.5552	3.3991	23.0034	1.5356	3.4580	0.4436	16.0073	1.6305	40.2242	3.1220	66.2494	3.7823	34.1266	1.7222
2008	40.2726	3.2621	57.3727	4.2243	23.9515	2.4229	4.7712	1.7838	16.4290	2.1795	42.7946	4.4526	64.0146	4.5567	32.5799	1.7957
2007	35.3906	2.3701	51.0624	3.3203	20.4431	1.5541	2.7484	0.5037	11.6034	1.4589	36.6700	3.1658	57.7870	3.6761	30.8229	1.7064
2006	35.4963	2.6286	51.1062	3.7233	20.6163	1.6686	2.8044	0.4106	12.0465	1.4049	38.6280	3.4132	57.1302	4.1524	29.5901	1.8173
 South																
2010	33.3015	2.2166	50.2905	3.4044	17.2217	1.1685	1.1905	0.1621	7.9383	1.0797	27.5572	2.4272	60.9181	4.0345	31.2333	1.5139
2009	29.7369	1.7266	44.9097	2.5424	15.3841	0.9914	1.0538	0.1651	5.9849	0.6979	24.3367	1.7354	53.5719	3.1210	31.4763	1.8973
2008	29.7468	2.0381	45.3654	3.1208	14.9733	1.0804	1.1520	0.1708	7.7188	1.0830	26.4159	2.4736	52.8364	3.4929	28.6257	1.4718
2007	27.7898	1.8585	42.4253	2.8841	13.9451	0.9380	1.1858	0.1943	6.4516	0.9421	25.5319	2.4422	48.6802	2.9984	27.2147	1.2236
2006	27.1164	1.8698	41.2815	2.8002	13.7239	1.0214	1.0069	0.1436	5.3505	0.7689	25.0066	2.3333	47.7258	3.1139	27.2973	1.4627
 West																
2010	35.6282	2.5750	51.4049	3.8902	20.0476	1.5431	1.6792	0.3114	9.0811	1.2343	27.1935	2.5132	65.9134	4.8853	40.0097	2.5650
2009	31.8649	2.3609	45.7461	3.3488	18.1537	1.4792	1.4327	0.2550	7.2166	0.9631	24.7170	2.4197	57.8318	4.3100	38.9761	2.6887
2008	29.3257	2.0058	40.9074	2.5622	17.8466	1.5251	1.4103	0.2442	6.6028	0.9627	23.1777	2.0656	53.3737	3.6355	35.6008	1.9436
2007	29.0871	1.7069	41.0984	2.4507	17.0994	1.2302	1.2457	0.1900	6.9778	0.7786	23.4919	1.9158	52.3992	2.9766	36.2555	1.8825
2006	26.6048	1.5167	38.1721	2.0536	15.1003	1.1076	0.8426	0.1163	5.9645	0.6728	20.9643	1.6477	48.7395	2.7778	34.4700	1.8270
Nondependent abuse of alcohol																
 Northeast																
2010	34.6607	2.6447	51.5674	4.1282	18.9489	1.3753	10.5041	1.2468	29.2245	3.0562	32.6634	2.8912	49.8474	3.9126	31.6527	2.3698
2009	31.5268	2.3304	47.0926	3.6592	17.0634	1.2240	9.6187	1.1178	26.5284	2.1509	31.0200	2.4527	43.8684	3.5548	29.7713	2.3144
2008	29.2632	2.1714	43.0417	3.2496	16.4612	1.2477	10.7029	1.6430	25.7279	2.4989	29.0435	2.3633	39.7707	3.0029	27.4712	2.1972
2007	30.1332	2.3086	44.5107	3.5092	16.8133	1.3071	9.6416	1.1041	25.3408	2.5120	31.1921	2.6778	40.2599	3.1450	29.1524	2.3712
2006	31.3688	2.1857	46.3963	3.2293	17.4646	1.2996	9.7278	1.1166	23.7382	2.3707	32.1243	2.5346	42.6993	3.0099	31.1882	2.3173
 Midwest																
2010	30.4259	1.9326	43.4519	2.9474	17.9834	1.0835	10.4290	1.2679	25.5127	2.0789	29.4490	2.2574	43.3288	3.1668	27.1520	1.6136
2009	28.4607	1.7858	40.3671	2.6277	17.0940	1.0762	10.4018	1.2443	24.0251	1.9865	29.5456	2.2005	38.9572	2.6461	24.4745	1.3639
2008	27.8872	2.0285	38.8252	2.7909	17.4473	1.4158	13.6589	3.3366	27.3815	2.7806	29.6659	2.4742	35.7234	2.3274	22.8942	1.4905
2007	28.8476	1.8281	40.8438	2.7111	17.4058	1.0971	13.0236	2.1858	23.3976	1.8360	29.5647	2.0676	39.4191	2.8224	24.4281	1.5492
2006	28.7338	2.0335	40.8461	2.9613	17.1903	1.2495	11.4903	1.5536	24.5080	2.4167	31.7485	2.6410	37.0868	2.6203	25.3190	1.7234
 South																
2010	29.7817	1.8608	44.3694	2.8434	15.9691	0.9766	6.2277	0.8126	16.5039	1.6031	27.1248	1.7919	46.7062	3.1886	29.4913	1.5184
2009	26.5291	1.5566	39.5178	2.3690	14.2413	0.8353	4.2621	0.4768	13.2319	1.2202	24.3797	1.5920	41.8591	2.6202	27.7650	1.5722
2008	26.8339	1.7186	40.3960	2.6460	14.0063	0.8846	4.8999	0.5814	14.6596	1.3678	25.2464	1.8766	42.3256	2.8483	26.3020	1.4184
2007	28.0673	1.7689	41.8151	2.7166	15.0645	0.9226	5.7365	0.7900	15.0882	1.3676	27.4082	1.8354	43.1288	2.9079	27.6612	1.5795
2006	29.0888	1.9663	44.3235	3.0315	14.6822	0.9956	4.4405	0.4528	13.8885	1.3018	28.8643	2.3537	45.0500	3.0681	29.9050	1.8637
 West																
2010	25.0956	2.2723	36.0862	3.4531	14.1471	1.1607	8.4460	1.1937	20.7904	2.8529	22.7803	2.6088	35.7628	3.2180	27.7688	1.9194
2009	23.6157	2.3298	33.7977	3.5548	13.4715	1.1624	7.5794	1.0137	19.9143	2.8091	21.4661	2.6627	34.1262	3.5575	25.7871	1.8519
2008	19.4946	1.6900	27.3717	2.4853	11.6524	0.9736	6.6469	1.2381	16.4794	2.0756	17.4107	1.8014	28.0871	2.2808	22.1856	1.3830
2007	21.5259	2.4467	31.0602	4.0639	11.9930	0.9090	6.4820	0.8288	17.9256	2.3763	20.0641	2.7685	30.4962	3.9323	25.1025	1.5302
2006	22.6102	2.5356	33.5214	4.2554	11.7678	0.9125	5.8244	0.6639	17.3584	2.2375	22.1192	3.0257	32.2575	4.0263	25.6577	1.5318

See footnotes at end of table.

Table C4. Rate of hospitalizations with all-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
All chronic liver disease and cirrhosis																
 Northeast																
2010	33.1287	2.0872	42.3325	2.8387	24.5772	1.5080	1.5360	0.2779	3.5067	0.4066	16.1530	1.1708	58.8680	4.1828	52.8223	3.0992
2009	30.1126	1.6455	38.7750	2.2080	22.0740	1.2953	0.9589	0.1873	3.1432	0.3490	15.3941	1.1043	52.8372	3.2015	49.6902	2.8656
2008	30.1381	2.7699	37.7738	3.4445	23.0559	2.2083	1.4611	0.3423	3.3879	0.5479	16.5986	1.4759	51.8627	5.3804	50.2376	4.2196
2007	26.5657	1.4324	34.1471	1.9570	19.5420	1.0717	0.8193	0.1598	2.5972	0.2978	13.3836	0.9088	46.0595	2.6988	47.7131	2.9408
2006	25.7322	1.6722	33.6417	2.1505	18.4139	1.3049	1.2611	0.2765	2.4362	0.3025	13.4558	0.9100	44.6484	3.2715	45.8719	3.0084
 Midwest																
2010	30.2319	1.9784	35.0273	2.3651	25.6493	1.6865	1.1238	0.2577	3.7877	0.4851	16.3988	1.1028	52.3012	3.9464	50.1558	3.0431
2009	30.6168	1.9809	35.7051	2.3243	25.7521	1.7255	1.0650	0.1844	3.2362	0.3662	16.3543	1.1251	54.0716	3.9479	50.7334	3.0423
2008	26.2923	1.5264	30.8984	1.8657	21.8960	1.2524	0.9436	0.2297	2.8542	0.4548	15.1634	1.0407	45.4623	2.9409	44.6274	2.2450
2007	24.3938	1.3653	28.8454	1.7701	20.1466	1.0316	0.8722	0.1775	2.1583	0.2567	13.1673	0.7505	42.4003	2.8353	44.2545	2.3446
2006	22.1482	1.2574	25.6717	1.4954	18.7908	1.0852	0.8054	0.2110	1.8700	0.2107	12.1150	0.8010	38.7589	2.4542	40.6225	2.4270
 South																
2010	33.8724	1.5011	40.0287	1.8582	28.0449	1.2405	1.8488	0.4325	4.1832	0.3778	17.1502	0.9517	61.2842	2.9807	56.4991	2.4419
2009	30.7122	1.6293	36.4709	1.9624	25.2631	1.3617	0.9987	0.1183	3.0444	0.3167	15.3023	0.8950	55.4855	3.0955	54.2214	2.9801
2008	29.1824	1.5053	35.0130	1.9433	23.6613	1.1582	0.9967	0.1845	2.9932	0.2807	15.2100	0.9529	53.6040	2.9484	49.6154	2.4430
2007	26.8812	1.3048	32.6754	1.7564	21.3960	0.9494	1.2834	0.3015	2.6907	0.2698	13.8215	0.8364	49.5769	2.6348	46.6827	2.0608
2006	26.7788	1.2483	32.6568	1.6791	21.2166	0.9104	0.9828	0.1258	2.2228	0.2216	14.4979	0.8805	49.2183	2.4752	46.9944	2.1958
 West																
2010	32.9138	2.0499	39.1741	2.6419	26.7437	1.5944	1.8577	0.3270	4.2846	0.4159	17.8961	1.4401	62.1988	4.2341	52.5499	2.9132
2009	31.9605	1.8268	37.5752	2.1638	26.4192	1.5738	2.1153	0.4459	3.9526	0.3611	17.0387	1.1663	59.6905	3.6614	54.7211	3.6682
2008	28.7199	1.4776	33.8242	1.7530	23.6757	1.2924	1.7100	0.4085	3.1347	0.3512	14.8313	0.9639	54.3967	3.1224	50.7466	2.4901
2007	26.1231	1.3087	31.4567	1.7649	20.8376	0.9680	0.7682	0.1301	2.7800	0.2877	13.8737	1.0656	50.1313	2.7231	46.1639	2.1980
2006	25.5762	1.3604	30.8167	1.8425	20.3954	1.0434	0.9409	0.1588	2.5843	0.3461	13.8918	1.1390	49.2636	2.8733	45.4226	2.3704
Alcoholic liver disease																
 Northeast																
2010	14.1090	1.0553	21.6180	1.6374	7.1335	0.5636	—	—	0.7403	0.1356	8.2198	0.7240	28.2983	2.2086	14.5266	1.1107
2009	13.2635	0.8714	20.5817	1.3464	6.4722	0.4871	—	—	0.6277	0.1381	8.1281	0.6724	26.5666	1.8663	13.5817	0.8222
2008	12.7086	0.9757	19.3112	1.4816	6.5845	0.5400	—	—	0.8377	0.1458	8.4033	0.7423	25.0300	2.0527	13.0979	0.9424
2007	12.0506	0.7721	18.7923	1.2456	5.8048	0.4032	—	—	0.6129	0.1345	7.4748	0.6209	23.8890	1.5946	13.5499	0.9233
2006	12.0413	0.7700	18.8510	1.2139	5.7406	0.4218	—	—	0.6941	0.1198	7.6777	0.5215	23.7406	1.6467	13.8766	0.9482
 Midwest																
2010	12.7778	0.8459	18.6277	1.2720	7.1899	0.4863	—	—	1.1361	0.2543	8.3306	0.6374	25.7600	1.8349	11.8317	0.7730
2009	12.6595	0.7203	18.5817	1.0935	7.0056	0.4029	0.0652	0.0189	0.8631	0.1757	8.2038	0.5746	25.4297	1.5569	12.5978	0.7588
2008	11.9943	0.7368	17.5006	1.0884	6.7391	0.4372	0.0770	0.0315	1.1303	0.2217	8.8857	0.7270	23.4436	1.4728	11.4859	0.6203
2007	11.1804	0.6556	16.5325	0.9915	6.0764	0.3794	—	—	0.7001	0.1381	7.7728	0.5052	22.4420	1.4275	11.2295	0.6613
2006	10.6791	0.6174	15.4700	0.8900	6.1139	0.4079	—	—	0.6073	0.1064	7.5660	0.5711	21.2489	1.2538	11.4155	0.8225
 South																
2010	12.6735	0.6169	19.2993	0.9618	6.4027	0.3313	—	—	0.5520	0.0876	7.1029	0.4407	26.8750	1.3864	12.8833	0.6351
2009	11.8767	0.6493	18.0183	0.9853	6.0664	0.3597	—	—	0.3652	0.0675	6.6737	0.4366	25.1211	1.4327	12.7186	0.7017
2008	11.7720	0.6954	18.0697	1.1009	5.8152	0.3424	—	—	0.5239	0.1054	6.9581	0.4995	24.9815	1.5051	12.1534	0.6993
2007	10.9989	0.5555	16.9463	0.8914	5.3720	0.2718	—	—	0.4842	0.0846	6.4623	0.4140	23.2222	1.2308	12.1485	0.5939
2006	11.5356	0.6584	17.6514	1.0347	5.7533	0.3312	0.0389	0.0119	0.3662	0.0690	7.3417	0.5038	24.3417	1.4356	12.1308	0.6887
 West																
2010	14.9764	1.0403	21.6455	1.6067	8.4144	0.5775	0.1027	0.0376	1.1232	0.1603	9.4275	0.9212	31.5583	2.2267	15.1874	0.9019
2009	14.3819	0.9114	20.6319	1.3072	8.2332	0.5782	0.0668	0.0200	1.0804	0.1714	9.0102	0.7219	29.9286	1.9391	16.1691	1.1512
2008	12.7676	0.6663	18.2393	0.9507	7.3779	0.4427	0.0915	0.0248	0.6567	0.1043	7.7691	0.4813	27.0326	1.5131	14.6520	0.8553
2007	12.8052	0.7543	18.6051	1.2700	7.0835	0.3330	0.0623	0.0187	0.7325	0.1139	8.2155	0.7632	27.0804	1.5790	14.3021	0.7454
2006	12.8423	0.8568	18.7733	1.4052	6.9976	0.3951	0.0576	0.0187	0.7777	0.1552	8.0257	0.7879	27.4069	1.8439	15.0775	0.9065

See footnotes at end of table.

Table C4. Rate of hospitalizations with all-listed alcohol-related diagnoses per 10,000 population for persons ages 12 years and older, by region, sex, and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by region and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Alcohol poisoning																	
Northeast																	
2010	1.3211	0.2136	1.5824	0.2915	1.0783	0.1518	0.6678	0.2026	1.2807	0.1854	1.6002	0.1954	1.8316	0.4161	0.3889	0.0898	
2009	1.2231	0.1221	1.3969	0.1382	1.0619	0.1215	0.6045	0.0989	1.5461	0.2208	1.7428	0.1939	1.3947	0.1598	0.3370	0.0506	
2008	1.2797	0.1522	1.4856	0.2226	1.0886	0.1087	0.6426	0.1066	1.3854	0.1870	1.6258	0.1818	1.6549	0.2695	0.4233	0.1023	
2007	0.9746	0.1244	1.1036	0.1483	0.8550	0.1095	0.6041	0.1189	1.0721	0.1652	1.3592	0.1706	1.0634	0.1539	0.3485	0.0692	
2006	1.1272	0.1315	1.2925	0.1840	0.9742	0.1032	1.0430	0.2800	1.1524	0.1704	1.5443	0.1740	1.1538	0.1406	0.3044	0.0562	
Midwest																	
2010	1.3440	0.1655	1.5525	0.2355	1.1449	0.1171	0.6588	0.1132	1.5789	0.2285	1.7807	0.2003	1.7121	0.2815	0.3263	0.0814	
2009	1.2483	0.1234	1.3409	0.1525	1.1599	0.1135	0.7238	0.1073	1.6159	0.1829	1.8097	0.1811	1.3641	0.1815	0.2839	0.0533	
2008	1.4531	0.1483	1.6406	0.1604	1.2742	0.1527	0.8146	0.1069	1.8880	0.2589	2.0926	0.2412	1.6036	0.1690	0.3330	0.0457	
2007	1.1867	0.1346	1.2484	0.1339	1.1264	0.1499	0.7310	0.1027	1.4369	0.1962	1.7300	0.2286	1.2489	0.1589	0.3075	0.0382	
2006	1.1678	0.1399	1.2880	0.1786	1.0533	0.1191	0.7845	0.1057	1.5666	0.2879	1.6904	0.2208	1.2182	0.1451	0.1994	0.0391	
South																	
2010	1.0269	0.0703	1.1448	0.0887	0.9153	0.0625	0.4241	0.0515	1.1212	0.1162	1.4119	0.1101	1.2448	0.1003	0.3370	0.0388	
2009	0.9364	0.0670	1.0284	0.0735	0.8483	0.0690	0.4547	0.0637	0.9280	0.1127	1.2939	0.0977	1.1221	0.0883	0.2898	0.0390	
2008	0.9981	0.0658	1.1012	0.0784	0.9007	0.0655	0.4167	0.0514	1.0346	0.1213	1.3898	0.0953	1.2241	0.0950	0.2684	0.0344	
2007	0.9557	0.0613	1.0660	0.0687	0.8515	0.0670	0.4291	0.0542	1.1556	0.1086	1.3631	0.0932	1.0465	0.0790	0.3237	0.0368	
2006	0.9442	0.0618	1.0883	0.0697	0.8080	0.0630	0.4383	0.0582	1.0935	0.1185	1.4066	0.0993	1.0045	0.0755	0.2435	0.0365	
West																	
2010	1.0093	0.1071	1.0524	0.1218	0.9669	0.1035	0.5038	0.0687	0.9188	0.1538	1.2967	0.1602	1.2696	0.1369	0.3782	0.0696	
2009	0.9484	0.0843	1.0100	0.1074	0.8878	0.0795	0.5462	0.0741	0.9608	0.1541	1.1513	0.1182	1.2184	0.1158	0.3283	0.0526	
2008	1.0042	0.0851	1.0303	0.0876	0.9785	0.0926	0.5990	0.0849	1.1133	0.1507	1.2844	0.1236	1.1925	0.1108	0.3220	0.0470	
2007	0.8264	0.0591	0.8333	0.0639	0.8073	0.0668	0.4853	0.0718	0.8774	0.1257	1.0674	0.0894	0.9457	0.0731	0.3359	0.0562	
2006	0.8685	0.0738	0.9016	0.0820	0.8342	0.0858	0.4721	0.0610	1.0403	0.1425	1.0594	0.1083	1.0661	0.0930	0.3323	0.0572	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table C5. Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Any alcohol-related diagnoses																
Any drug-related diagnoses																
2010	3.5951	0.3646	5.4795	0.6257	1.7979	0.1431	0.4914	0.0442	2.0838	0.2145	4.9341	0.5477	5.5641	0.5694	0.5147	0.0446
2009	3.1308	0.3423	4.7070	0.5672	1.6283	0.1453	0.5158	0.0417	1.7550	0.1670	4.5266	0.5244	4.5845	0.5216	0.4561	0.0609
2008	2.9026	0.2265	4.2378	0.3383	1.6291	0.1293	0.6089	0.0867	1.7693	0.1886	4.2002	0.3700	4.1466	0.2963	0.4277	0.0369
2007	3.2546	0.3375	4.8749	0.5814	1.7046	0.1346	0.5872	0.0533	1.7982	0.1954	4.9964	0.5984	4.4582	0.4332	0.3995	0.0341
2006	3.0989	0.3147	4.6058	0.4987	1.6609	0.1515	0.5061	0.0459	1.7024	0.1897	4.8198	0.5769	4.2169	0.3740	0.3489	0.0379
Drug psychoses																
2010	0.4574	0.0591	0.6885	0.0936	0.2371	0.0291	0.0489	0.0091	0.2516	0.0510	0.6651	0.0968	0.6687	0.0819	0.0878	0.0124
2009	0.4227	0.0480	0.5936	0.0667	0.2599	0.0329	0.0606	0.0132	0.2627	0.0394	0.6117	0.0742	0.6045	0.0688	0.0877	0.0139
2008	0.5094	0.0669	0.7177	0.0939	0.3108	0.0436	0.0634	0.0135	0.3555	0.0614	0.7535	0.1127	0.7056	0.0844	0.1091	0.0163
2007	0.4763	0.0627	0.6795	0.0943	0.2827	0.0369	0.0543	0.0097	0.3149	0.0697	0.7344	0.1089	0.6373	0.0740	0.0920	0.0148
2006	0.3623	0.0435	0.5109	0.0622	0.2208	0.0286	0.0401	0.0088	0.1557	0.0296	0.5591	0.0753	0.5039	0.0579	0.0682	0.0119
Drug dependence																
2010	1.7308	0.2659	2.6689	0.4594	0.8362	0.1023	0.1456	0.0251	0.9532	0.1533	2.4680	0.4042	2.6495	0.4142	0.2273	0.0343
2009	1.5456	0.2963	2.3225	0.4933	0.8052	0.1207	0.1727	0.0281	0.8157	0.1208	2.3567	0.4540	2.1994	0.4537	0.2040	0.0477
2008	1.2624	0.1452	1.8216	0.2141	0.7291	0.0853	0.2169	0.0532	0.8015	0.1209	1.9341	0.2444	1.7211	0.1823	0.1592	0.0243
2007	1.5158	0.2477	2.2794	0.4291	0.7834	0.0970	0.1892	0.0370	0.9438	0.1513	2.5160	0.4538	1.9182	0.3000	0.1356	0.0218
2006	1.5945	0.2675	2.3852	0.4256	0.8399	0.1266	0.1534	0.0291	0.8751	0.1646	2.6565	0.5039	2.0505	0.3018	0.1407	0.0251
Nondependent abuse of drugs																
2010	1.8477	0.1419	2.8364	0.2403	0.9045	0.0584	0.3178	0.0286	1.1418	0.0987	2.5211	0.2100	2.8534	0.2249	0.2142	0.0196
2009	1.5425	0.0934	2.3724	0.1528	0.7517	0.0461	0.3389	0.0278	0.9996	0.0930	2.1878	0.1488	2.2528	0.1373	0.1837	0.0211
2008	1.5796	0.1079	2.3667	0.1643	0.8287	0.0598	0.3914	0.0482	0.9488	0.0972	2.2496	0.1715	2.2928	0.1511	0.1814	0.0179
2007	1.7045	0.1378	2.5995	0.2322	0.8514	0.0589	0.3856	0.0322	0.9302	0.0934	2.5362	0.2320	2.3999	0.1909	0.1768	0.0183
2006	1.4636	0.0898	2.1982	0.1394	0.7627	0.0479	0.3354	0.0310	0.8139	0.0667	2.1736	0.1513	2.0632	0.1234	0.1436	0.0169
Drug poisoning																
2010	0.1670	0.0104	0.1953	0.0141	0.1400	0.0101	0.0619	0.0094	0.1567	0.0209	0.2063	0.0161	0.2401	0.0203	0.0444	0.0080
2009	0.1636	0.0089	0.1861	0.0111	0.1417	0.0105	0.0515	0.0084	0.1275	0.0211	0.2310	0.0168	0.2164	0.0151	0.0425	0.0075
2008	0.1592	0.0092	0.1821	0.0118	0.1374	0.0100	0.0631	0.0090	0.1765	0.0246	0.2069	0.0144	0.2100	0.0146	0.0441	0.0082
2007	0.1426	0.0084	0.1640	0.0108	0.1208	0.0096	0.0586	0.0088	0.1274	0.0197	0.1846	0.0147	0.1873	0.0140	0.0530	0.0086
2006	0.1353	0.0086	0.1614	0.0116	0.1104	0.0083	0.0674	0.0102	0.1131	0.0201	0.1904	0.0157	0.1635	0.0123	0.0364	0.0074
Alcoholic psychoses																
Any drug-related diagnoses																
2010	1.3940	0.1840	2.1431	0.2926	0.6797	0.0843	0.0846	0.0147	0.6816	0.1019	1.9818	0.2776	2.1833	0.2834	0.1633	0.0183
2009	1.2176	0.1162	1.8470	0.1786	0.6179	0.0644	0.0943	0.0167	0.6259	0.0751	1.7576	0.1773	1.8345	0.1722	0.2082	0.0271
2008	1.2987	0.1307	1.9338	0.1899	0.6935	0.0797	0.1112	0.0208	0.6756	0.0926	1.9583	0.2110	1.8829	0.1826	0.1802	0.0240
2007	1.2176	0.1431	1.8422	0.2284	0.6226	0.0712	0.0854	0.0168	0.5308	0.0817	1.9126	0.2381	1.7148	0.1964	0.1607	0.0219
2006	1.0545	0.1164	1.5778	0.1738	0.5563	0.0674	0.0718	0.0121	0.4783	0.0729	1.6445	0.1973	1.4869	0.1575	0.1543	0.0247
Drug psychoses																
2010	0.2588	0.0444	0.3821	0.0663	0.1413	0.0249	0.0214	0.0060	0.1630	0.0436	0.3812	0.0770	0.3785	0.0567	0.0368	0.0069
2009	0.2895	0.0427	0.4042	0.0578	0.1802	0.0302	0.0404	0.0111	0.1775	0.0341	0.4209	0.0651	0.4143	0.0609	0.0576	0.0118
2008	0.3275	0.0502	0.4637	0.0710	0.1977	0.0331	0.0250	0.0068	0.1950	0.0393	0.4915	0.0839	0.4654	0.0660	0.0620	0.0131
2007	0.2638	0.0393	0.3696	0.0567	0.1629	0.0268	0.0275	0.0065	0.1542	0.0390	0.4101	0.0669	0.3565	0.0495	0.0477	0.0115
2006	0.2232	0.0377	0.3142	0.0531	0.1366	0.0254	0.0191	0.0058	0.0977	0.0250	0.3513	0.0650	0.3078	0.0503	0.0373	0.0092
Drug dependence																
2010	0.6424	0.1298	0.9648	0.2065	0.3350	0.0596	0.0395	0.0105	0.2954	0.0696	0.9280	0.2005	0.9977	0.1954	0.0700	0.0135
2009	0.5550	0.0763	0.8007	0.1156	0.3209	0.0453	0.0418	0.0111	0.2936	0.0507	0.8381	0.1191	0.8041	0.1122	0.0808	0.0159
2008	0.6102	0.0867	0.8726	0.1246	0.3603	0.0550	0.0556	0.0139	0.3438	0.0641	0.9177	0.1427	0.8805	0.1175	0.0837	0.0163
2007	0.5679	0.0983	0.8395	0.1585	0.3093	0.0490	0.0491	0.0131	0.2868	0.0652	0.9279	0.1683	0.7549	0.1265	0.0614	0.0149
2006	0.5067	0.0783	0.7295	0.1153	0.2946	0.0473	0.0333	0.0086	0.2497	0.0546	0.8029	0.1316	0.6967	0.1054	0.0742	0.0183

See footnotes at end of table.

Table C5. Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcoholic psychoses																
Nondependent abuse of drugs																
2010	0.7655	0.0716	1.1974	0.1142	0.3537	0.0340	0.0425	0.0080	0.4066	0.0535	1.1046	0.1101	1.1850	0.1109	0.0746	0.0106
2009	0.6610	0.0537	1.0494	0.0849	0.2909	0.0281	0.0541	0.0107	0.3842	0.0466	0.9567	0.0823	0.9871	0.0805	0.1037	0.0145
2008	0.7021	0.0629	1.0791	0.0940	0.3428	0.0364	0.0619	0.0131	0.3647	0.0502	1.0881	0.1036	0.9953	0.0899	0.0794	0.0119
2007	0.6502	0.0713	1.0111	0.1148	0.3064	0.0336	0.0407	0.0082	0.2764	0.0395	1.0185	0.1169	0.9302	0.1041	0.0703	0.0109
2006	0.5507	0.0531	0.8553	0.0812	0.2607	0.0295	0.0440	0.0087	0.2444	0.0358	0.8692	0.0914	0.7697	0.0743	0.0670	0.0117
Drug poisoning																
2010	0.0280	0.0031	0.0400	0.0050	0.0166	0.0027	—	—	—	—	0.0297	0.0051	0.0502	0.0067	—	—
2009	0.0376	0.0041	0.0463	0.0051	0.0293	0.0051	—	—	—	—	0.0429	0.0066	0.0691	0.0091	—	—
2008	0.0303	0.0038	0.0393	0.0047	0.0218	0.0045	—	—	—	—	0.0374	0.0057	0.0506	0.0072	—	—
2007	0.0227	0.0033	0.0297	0.0048	0.0160	0.0029	—	—	—	—	0.0351	0.0070	0.0282	0.0048	—	—
2006	0.0190	0.0023	0.0287	0.0038	0.0098	0.0019	—	—	—	—	0.0206	0.0037	0.0315	0.0051	—	—
Alcohol dependence syndrome																
Any drug-related diagnoses																
2010	1.6176	0.2664	2.5292	0.4770	0.7483	0.0869	0.1546	0.0281	0.9811	0.1522	2.3353	0.4037	2.4074	0.4160	0.2369	0.0323
2009	1.3821	0.2978	2.1346	0.4947	0.6649	0.1190	0.1876	0.0291	0.7860	0.1271	2.1505	0.4520	1.8986	0.4598	0.1738	0.0445
2008	1.0564	0.1482	1.5518	0.2266	0.5831	0.0787	0.2307	0.0541	0.7842	0.1319	1.6496	0.2504	1.3572	0.1830	0.1365	0.0175
2007	1.4547	0.2806	2.2220	0.4949	0.7184	0.0978	0.2154	0.0397	0.9222	0.1588	2.4343	0.5111	1.8032	0.3473	0.1214	0.0201
2006	1.4326	0.2739	2.1834	0.4375	0.7153	0.1259	0.1857	0.0328	0.8834	0.1561	2.4673	0.5149	1.7294	0.3060	0.0819	0.0149
Drug psychoses																
2010	0.1681	0.0351	0.2645	0.0596	0.0763	0.0131	—	—	0.0764	0.0201	0.2540	0.0537	0.2413	0.0530	0.0368	0.0099
2009	0.1040	0.0164	0.1528	0.0244	0.0576	0.0103	—	—	0.0569	0.0163	0.1535	0.0253	0.1487	0.0258	0.0196	0.0056
2008	0.1454	0.0394	0.2065	0.0544	0.0873	0.0258	0.0249	0.0098	0.1489	0.0434	0.2246	0.0677	0.1814	0.0469	0.0242	0.0071
2007	0.1761	0.0432	0.2616	0.0674	0.0946	0.0213	0.0183	0.0055	0.1420	0.0526	0.2855	0.0768	0.2221	0.0475	0.0213	0.0065
2006	0.1084	0.0168	0.1585	0.0256	0.0607	0.0098	—	—	0.0434	0.0128	0.1743	0.0291	0.1472	0.0232	—	—
Drug dependence																
2010	0.9859	0.2005	1.5584	0.3586	0.4399	0.0669	0.0888	0.0214	0.6073	0.1243	1.4459	0.3064	1.4513	0.3145	0.1318	0.0257
2009	0.9054	0.2700	1.4057	0.4487	0.4286	0.1067	0.1190	0.0238	0.4976	0.1032	1.4335	0.4083	1.2243	0.4192	0.1133	0.0407
2008	0.5640	0.0964	0.8287	0.1462	0.3114	0.0519	0.1436	0.0391	0.4342	0.0841	0.9284	0.1696	0.6709	0.1124	0.0531	0.0112
2007	0.8592	0.2063	1.3173	0.3651	0.4179	0.0717	0.1226	0.0317	0.6326	0.1249	1.5021	0.3904	0.9853	0.2406	0.0600	0.0149
2006	0.9707	0.2459	1.4951	0.3936	0.4695	0.1121	0.1086	0.0273	0.5842	0.1476	1.7468	0.4722	1.1065	0.2618	0.0450	0.0113
Nondependent abuse of drugs																
2010	0.6649	0.0989	1.0427	0.1766	0.3046	0.0314	0.0753	0.0141	0.4355	0.0651	0.9648	0.1489	0.9793	0.1538	0.0832	0.0115
2009	0.5034	0.0536	0.7849	0.0906	0.2351	0.0241	0.0873	0.0152	0.3484	0.0539	0.7890	0.0918	0.6728	0.0720	0.0440	0.0099
2008	0.4949	0.0633	0.7331	0.0982	0.2672	0.0332	0.1142	0.0244	0.3764	0.0604	0.7464	0.1014	0.6605	0.0859	0.0602	0.0092
2007	0.6325	0.1045	0.9716	0.1817	0.3093	0.0392	0.1130	0.0194	0.3889	0.0707	1.0267	0.1810	0.8120	0.1381	0.0508	0.0094
2006	0.4795	0.0558	0.7218	0.0873	0.2480	0.0288	0.0919	0.0178	0.3191	0.0389	0.7743	0.0943	0.6157	0.0734	0.0254	0.0063
Drug poisoning																
2010	0.0339	0.0036	0.0422	0.0056	0.0259	0.0036	—	—	—	—	0.0475	0.0066	0.0481	0.0063	—	—
2009	0.0338	0.0034	0.0375	0.0043	0.0303	0.0045	—	—	—	—	0.0536	0.0081	0.0439	0.0053	—	—
2008	0.0317	0.0036	0.0375	0.0045	0.0262	0.0042	—	—	0.0419	0.0129	0.0416	0.0064	0.0453	0.0061	—	—
2007	0.0252	0.0033	0.0327	0.0047	0.0180	0.0032	—	—	—	—	0.0348	0.0060	0.0396	0.0063	—	—
2006	0.0262	0.0038	0.0294	0.0044	0.0232	0.0045	—	—	—	—	0.0498	0.0094	0.0267	0.0047	—	—
Nondependent abuse of alcohol																
Any drug-related diagnoses																
2010	0.1841	0.0119	0.2505	0.0176	0.1205	0.0094	0.1746	0.0186	0.2673	0.0302	0.2380	0.0189	0.1967	0.0169	0.0232	0.0055
2009	0.1558	0.0105	0.2024	0.0148	0.1110	0.0091	0.1421	0.0145	0.2065	0.0294	0.2381	0.0199	0.1369	0.0128	0.0149	0.0046
2008	0.1512	0.0098	0.2015	0.0139	0.1032	0.0089	0.1813	0.0248	0.1760	0.0231	0.2011	0.0166	0.1445	0.0123	0.0175	0.0049
2007	0.1658	0.0114	0.2226	0.0174	0.1118	0.0086	0.1952	0.0194	0.2032	0.0333	0.2355	0.0208	0.1392	0.0121	0.0211	0.0057
2006	0.1598	0.0122	0.2146	0.0179	0.1072	0.0093	0.1438	0.0168	0.2070	0.0279	0.2491	0.0254	0.1292	0.0125	0.0184	0.0049

See footnotes at end of table.

Table C5. Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Nondependent abuse of alcohol																	
Drug psychoses																	
2010	0.0104	0.0019	0.0151	0.0028	0.0059	0.0017	0.0142	0.0042	—	—	0.0120	0.0035	0.0109	0.0031	—	—	
2009	0.0101	0.0020	0.0132	0.0034	0.0073	0.0018	—	—	—	—	0.0174	0.0042	0.0087	0.0029	—	—	
2008	0.0083	0.0015	0.0118	0.0026	0.0051	0.0014	—	—	—	—	0.0113	0.0030	0.0086	0.0028	—	—	
2007	0.0123	0.0025	0.0156	0.0036	0.0091	0.0023	—	—	—	—	0.0184	0.0040	0.0123	0.0032	—	—	
2006	0.0092	0.0016	0.0099	0.0023	0.0084	0.0018	—	—	—	—	0.0127	0.0034	0.0089	0.0024	—	—	
Drug dependence																	
2010	0.0185	0.0024	0.0275	0.0043	0.0098	0.0020	—	—	0.0325	0.0097	0.0263	0.0049	0.0193	0.0035	—	—	
2009	0.0153	0.0024	0.0186	0.0035	0.0123	0.0023	—	—	—	—	0.0225	0.0049	0.0186	0.0037	—	—	
2008	0.0144	0.0024	0.0195	0.0032	0.0095	0.0024	—	—	—	—	0.0237	0.0045	0.0118	0.0032	—	—	
2007	0.0129	0.0018	0.0200	0.0033	0.0060	0.0015	—	—	—	—	0.0186	0.0037	0.0144	0.0030	—	—	
2006	0.0179	0.0035	0.0208	0.0049	0.0152	0.0033	—	—	0.0324	0.0116	0.0279	0.0064	0.0173	0.0043	—	—	
Nondependent abuse of drugs																	
2010	0.1488	0.0102	0.2056	0.0149	0.0942	0.0082	0.1555	0.0172	0.2109	0.0265	0.1899	0.0158	0.1569	0.0150	0.0160	0.0048	
2009	0.1247	0.0088	0.1662	0.0128	0.0851	0.0074	0.1276	0.0140	0.1801	0.0275	0.1893	0.0162	0.1037	0.0112	—	—	
2008	0.1227	0.0086	0.1699	0.0125	0.0777	0.0076	0.1623	0.0221	0.1414	0.0211	0.1572	0.0142	0.1178	0.0110	—	—	
2007	0.1403	0.0101	0.1932	0.0153	0.0898	0.0074	0.1765	0.0183	0.1694	0.0307	0.2026	0.0189	0.1073	0.0104	0.0211	0.0057	
2006	0.1334	0.0103	0.1849	0.0154	0.0841	0.0077	0.1281	0.0155	0.1600	0.0231	0.2128	0.0221	0.1017	0.0107	0.0145	0.0044	
Drug poisoning																	
2010	0.0228	0.0027	0.0225	0.0032	0.0231	0.0038	—	—	0.0415	0.0109	0.0311	0.0060	0.0259	0.0042	—	—	
2009	0.0196	0.0025	0.0199	0.0034	0.0189	0.0030	—	—	—	—	0.0352	0.0058	0.0176	0.0037	—	—	
2008	0.0173	0.0021	0.0150	0.0026	0.0196	0.0031	—	—	—	—	0.0270	0.0044	0.0157	0.0031	—	—	
2007	0.0155	0.0019	0.0142	0.0024	0.0168	0.0028	0.0138	0.0041	—	—	0.0197	0.0035	0.0163	0.0035	—	—	
2006	0.0129	0.0018	0.0148	0.0025	0.0110	0.0023	0.0143	0.0047	—	—	0.0190	0.0035	0.0111	0.0028	—	—	
All chronic liver disease and cirrhosis																	
Any drug-related diagnoses																	
2010	0.2778	0.0166	0.4053	0.0278	0.1562	0.0109	—	—	0.0357	0.0109	0.2321	0.0189	0.6053	0.0394	0.0740	0.0113	
2009	0.2721	0.0157	0.3966	0.0263	0.1535	0.0101	—	—	—	—	0.2361	0.0177	0.6083	0.0384	0.0402	0.0080	
2008	0.2898	0.0165	0.4214	0.0261	0.1645	0.0116	—	—	—	—	0.2526	0.0175	0.6369	0.0401	0.0668	0.0109	
2007	0.3148	0.0195	0.4649	0.0322	0.1718	0.0113	—	—	—	—	0.2826	0.0228	0.6909	0.0463	0.0679	0.0100	
2006	0.3467	0.0231	0.4948	0.0340	0.2057	0.0172	—	—	0.0384	0.0126	0.3242	0.0243	0.7560	0.0569	0.0660	0.0106	
Drug psychoses																	
2010	0.0110	0.0016	0.0152	0.0027	0.0070	0.0017	—	—	—	—	0.0086	0.0024	0.0216	0.0040	—	—	
2009	0.0114	0.0016	0.0125	0.0023	0.0104	0.0020	—	—	—	—	0.0113	0.0027	0.0233	0.0038	—	—	
2008	0.0189	0.0024	0.0228	0.0033	0.0152	0.0025	—	—	—	—	0.0157	0.0037	0.0371	0.0055	0.0138	0.0053	
2007	0.0175	0.0025	0.0233	0.0035	0.0121	0.0027	—	—	—	—	0.0107	0.0025	0.0383	0.0065	0.0161	0.0046	
2006	0.0155	0.0018	0.0187	0.0027	0.0124	0.0023	—	—	—	—	0.0105	0.0027	0.0329	0.0051	0.0142	0.0042	
Drug dependence																	
2010	0.0642	0.0071	0.0924	0.0121	0.0374	0.0043	—	—	—	—	0.0440	0.0072	0.1464	0.0181	0.0229	0.0065	
2009	0.0570	0.0048	0.0806	0.0079	0.0344	0.0039	—	—	—	—	0.0425	0.0055	0.1359	0.0131	—	—	
2008	0.0617	0.0064	0.0842	0.0098	0.0403	0.0050	—	—	—	—	0.0503	0.0071	0.1391	0.0167	0.0159	0.0047	
2007	0.0651	0.0056	0.0872	0.0087	0.0441	0.0053	—	—	—	—	0.0527	0.0067	0.1512	0.0151	—	—	
2006	0.0873	0.0129	0.1225	0.0158	0.0537	0.0118	—	—	—	—	0.0621	0.0092	0.2132	0.0369	0.0166	0.0049	
Nondependent abuse of drugs																	
2010	0.2075	0.0128	0.3046	0.0213	0.1149	0.0087	—	—	—	—	0.1853	0.0160	0.4508	0.0303	0.0365	0.0071	
2009	0.2061	0.0138	0.3085	0.0238	0.1084	0.0081	—	—	—	—	0.1860	0.0154	0.4548	0.0334	0.0262	0.0063	
2008	0.2157	0.0127	0.3247	0.0211	0.1119	0.0088	—	—	—	—	0.1962	0.0148	0.4751	0.0309	0.0294	0.0064	
2007	0.2355	0.0163	0.3617	0.0272	0.1153	0.0091	—	—	—	—	0.2237	0.0209	0.5125	0.0366	0.0313	0.0064	
2006	0.2495	0.0167	0.3649	0.0267	0.1396	0.0107	—	—	0.0354	0.0123	0.2548	0.0202	0.5261	0.0380	0.0340	0.0070	

See footnotes at end of table.

Table C5. Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
All chronic liver disease and cirrhosis																	
Drug poisoning																	
2010	0.0075	0.0012	0.0093	0.0020	0.0058	0.0014	—	—	—	—	0.0066	0.0020	0.0126	0.0028	—	—	
2009	0.0086	0.0013	0.0089	0.0019	0.0083	0.0018	—	—	—	—	0.0086	0.0022	0.0162	0.0032	—	—	
2008	0.0078	0.0012	0.0091	0.0019	0.0065	0.0016	—	—	—	—	—	—	0.0150	0.0031	—	—	
2007	0.0104	0.0014	0.0105	0.0020	0.0104	0.0019	—	—	—	—	0.0074	0.0021	0.0207	0.0036	—	—	
2006	0.0086	0.0014	0.0082	0.0020	0.0090	0.0019	—	—	—	—	0.0085	0.0022	0.0168	0.0037	—	—	
Alcoholic liver disease																	
Any drug-related diagnoses																	
2010	0.2116	0.0129	0.3101	0.0214	0.1176	0.0089	—	—	—	—	0.1869	0.0167	0.4559	0.0310	0.0479	0.0091	
2009	0.2107	0.0125	0.3138	0.0216	0.1125	0.0080	—	—	—	—	0.1944	0.0148	0.4606	0.0303	0.0287	0.0061	
2008	0.2200	0.0119	0.3240	0.0195	0.1209	0.0086	—	—	—	—	0.2103	0.0151	0.4711	0.0282	0.0383	0.0076	
2007	0.2244	0.0141	0.3366	0.0244	0.1175	0.0080	—	—	—	—	0.2299	0.0191	0.4668	0.0316	0.0369	0.0073	
2006	0.2542	0.0167	0.3740	0.0263	0.1400	0.0117	—	—	—	—	0.2654	0.0220	0.5298	0.0368	0.0369	0.0073	
Drug psychoses																	
2010	0.0073	0.0013	0.0117	0.0022	—	—	—	—	—	—	0.0067	0.0022	0.0141	0.0030	—	—	
2009	0.0078	0.0013	0.0089	0.0020	0.0067	0.0016	—	—	—	—	0.0088	0.0023	0.0159	0.0034	—	—	
2008	0.0124	0.0017	0.0158	0.0027	0.0091	0.0019	—	—	—	—	0.0133	0.0032	0.0245	0.0041	—	—	
2007	0.0108	0.0016	0.0157	0.0026	0.0061	0.0019	—	—	—	—	0.0095	0.0024	0.0214	0.0043	—	—	
2006	0.0101	0.0015	0.0132	0.0023	0.0071	0.0018	—	—	—	—	0.0094	0.0026	0.0200	0.0039	—	—	
Drug dependence																	
2010	0.0446	0.0049	0.0674	0.0086	0.0229	0.0031	—	—	—	—	0.0332	0.0055	0.1011	0.0130	—	—	
2009	0.0383	0.0034	0.0543	0.0058	0.0231	0.0031	—	—	—	—	0.0314	0.0045	0.0900	0.0093	—	—	
2008	0.0414	0.0039	0.0591	0.0066	0.0245	0.0031	—	—	—	—	0.0399	0.0056	0.0892	0.0101	—	—	
2007	0.0384	0.0035	0.0535	0.0058	0.0239	0.0033	—	—	—	—	0.0375	0.0054	0.0835	0.0092	—	—	
2006	0.0527	0.0061	0.0760	0.0078	0.0306	0.0062	—	—	—	—	0.0440	0.0073	0.1229	0.0165	—	—	
Nondependent abuse of drugs																	
2010	0.1628	0.0105	0.2359	0.0173	0.0931	0.0076	—	—	—	—	0.1509	0.0145	0.3486	0.0249	0.0290	0.0064	
2009	0.1655	0.0115	0.2524	0.0202	0.0827	0.0067	—	—	—	—	0.1578	0.0135	0.3552	0.0277	0.0250	0.0060	
2008	0.1705	0.0100	0.2541	0.0165	0.0909	0.0073	—	—	—	—	0.1656	0.0131	0.3655	0.0239	0.0221	0.0057	
2007	0.1761	0.0126	0.2717	0.0215	0.0851	0.0071	—	—	—	—	0.1869	0.0176	0.3637	0.0270	0.0203	0.0053	
2006	0.1934	0.0139	0.2897	0.0228	0.1017	0.0084	—	—	—	—	0.2147	0.0184	0.3920	0.0300	0.0211	0.0052	
Drug poisoning																	
2010	0.0066	0.0012	0.0082	0.0019	0.0051	0.0013	—	—	—	—	0.0066	0.0020	0.0115	0.0027	—	—	
2009	0.0077	0.0012	0.0089	0.0019	0.0066	0.0017	—	—	—	—	0.0074	0.0020	0.0153	0.0031	—	—	
2008	0.0061	0.0011	0.0076	0.0017	0.0047	0.0013	—	—	—	—	—	—	0.0113	0.0026	—	—	
2007	0.0091	0.0013	0.0101	0.0020	0.0081	0.0017	—	—	—	—	0.0074	0.0021	0.0188	0.0034	—	—	
2006	0.0069	0.0012	0.0066	0.0017	0.0072	0.0017	—	—	—	—	0.0068	0.0019	0.0136	0.0031	—	—	
Alcohol poisoning																	
Any drug-related diagnoses																	
2010	0.1216	0.0119	0.1513	0.0164	0.0932	0.0096	0.0735	0.0112	0.1180	0.0202	0.1468	0.0150	0.1713	0.0247	0.0173	0.0053	
2009	0.1032	0.0074	0.1264	0.0100	0.0811	0.0077	0.0903	0.0119	0.1155	0.0183	0.1443	0.0131	0.1063	0.0108	0.0190	0.0049	
2008	0.1065	0.0073	0.1294	0.0107	0.0848	0.0068	0.0800	0.0108	0.1082	0.0183	0.1386	0.0117	0.1252	0.0116	0.0267	0.0063	
2007	0.1017	0.0069	0.1231	0.0092	0.0800	0.0080	0.0884	0.0112	0.1139	0.0205	0.1314	0.0115	0.1101	0.0114	0.0284	0.0064	
2006	0.1053	0.0077	0.1352	0.0116	0.0764	0.0067	0.1012	0.0159	0.0953	0.0182	0.1348	0.0117	0.1154	0.0106	0.0282	0.0066	
Drug psychoses																	
2010	0.0091	0.0014	0.0116	0.0022	0.0066	0.0016	—	—	—	—	0.0093	0.0024	0.0164	0.0033	—	—	
2009	0.0075	0.0012	0.0109	0.0022	0.0044	0.0013	—	—	—	—	0.0086	0.0023	0.0093	0.0027	—	—	
2008	0.0092	0.0016	0.0129	0.0027	0.0056	0.0014	—	—	—	—	0.0104	0.0027	0.0131	0.0033	—	—	
2007	0.0067	0.0013	0.0094	0.0021	—	—	—	—	—	—	0.0097	0.0025	0.0081	0.0024	—	—	
2006	0.0061	0.0013	0.0096	0.0021	—	—	—	—	—	—	0.0102	0.0027	0.0071	0.0023	—	—	

See footnotes at end of table.

Table C5. Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcohol poisoning																
Drug dependence																
2010	0.0198	0.0054	0.0258	0.0073	0.0142	0.0042	—	—	—	—	0.0238	0.0059	0.0347	0.0118	—	—
2009	0.0129	0.0038	0.0169	0.0048	0.0091	0.0033	—	—	—	—	0.0202	0.0066	0.0164	0.0053	—	—
2008	0.0120	0.0018	0.0166	0.0028	0.0076	0.0018	—	—	—	—	0.0140	0.0030	0.0188	0.0036	—	—
2007	0.0107	0.0016	0.0154	0.0028	0.0062	0.0016	—	—	—	—	0.0147	0.0031	0.0124	0.0033	—	—
2006	0.0119	0.0019	0.0173	0.0031	0.0068	0.0016	—	—	—	—	0.0169	0.0033	0.0168	0.0034	—	—
Nondependent abuse of drugs																
2010	0.0610	0.0087	0.0861	0.0117	0.0371	0.0069	0.0418	0.0075	0.0679	0.0145	0.0766	0.0106	0.0814	0.0189	—	—
2009	0.0474	0.0038	0.0634	0.0058	0.0321	0.0040	0.0684	0.0110	0.0694	0.0142	0.0666	0.0067	0.0344	0.0055	—	—
2008	0.0441	0.0042	0.0600	0.0067	0.0291	0.0035	0.0484	0.0086	0.0468	0.0119	0.0617	0.0072	0.0441	0.0068	—	—
2007	0.0460	0.0042	0.0618	0.0059	0.0306	0.0048	0.0527	0.0089	0.0731	0.0168	0.0646	0.0081	0.0379	0.0061	—	—
2006	0.0505	0.0044	0.0712	0.0070	0.0304	0.0039	0.0702	0.0142	0.0550	0.0129	0.0624	0.0070	0.0499	0.0066	—	—
Drug poisoning																
2010	0.0747	0.0077	0.0812	0.0099	0.0685	0.0074	0.0417	0.0075	0.0775	0.0146	0.0914	0.0102	0.1034	0.0165	—	—
2009	0.0640	0.0043	0.0736	0.0065	0.0548	0.0053	0.0388	0.0072	0.0806	0.0155	0.0906	0.0084	0.0695	0.0071	0.0153	0.0044
2008	0.0720	0.0054	0.0810	0.0077	0.0633	0.0057	0.0427	0.0074	0.0889	0.0160	0.0963	0.0088	0.0835	0.0088	0.0191	0.0051
2007	0.0688	0.0056	0.0769	0.0071	0.0596	0.0066	0.0402	0.0069	0.0765	0.0147	0.0875	0.0087	0.0825	0.0097	0.0261	0.0062
2006	0.0686	0.0061	0.0804	0.0086	0.0573	0.0059	0.0482	0.0084	0.0627	0.0149	0.0924	0.0101	0.0774	0.0087	0.0218	0.0061

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table C6. Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Any alcohol-related diagnoses																	
Any drug-related diagnoses																	
2010	21.7310	1.1411	30.0430	1.7867	13.8033	0.5995	6.8956	0.4779	18.9282	1.0412	27.9510	1.6004	31.5800	1.7279	4.6176	0.2151	
2009	20.3956	1.0677	28.1326	1.6872	13.0190	0.5527	6.4170	0.4253	17.1455	0.9093	26.9326	1.5376	29.0829	1.5940	4.3989	0.2289	
2008	19.7253	1.1061	26.7363	1.6449	13.0415	0.6540	7.4101	1.0260	17.9732	1.0476	27.3845	1.7625	26.1682	1.3482	3.5586	0.1507	
2007	20.0620	1.0097	27.4700	1.5660	12.9934	0.5541	6.8800	0.5865	17.2524	0.9115	28.6490	1.6285	26.3155	1.3158	3.4209	0.1374	
2006	20.5910	1.1668	28.5915	1.8192	12.9670	0.5986	5.8812	0.4103	16.5271	0.9119	30.8883	1.9944	26.3377	1.4617	3.2662	0.1559	
Drug psychoses																	
2010	2.5871	0.2328	3.6199	0.3501	1.6024	0.1308	0.6133	0.0606	2.4233	0.2575	3.5891	0.3886	3.3422	0.2916	0.9903	0.0554	
2009	2.5595	0.2058	3.5186	0.2978	1.6446	0.1281	0.6987	0.0788	2.3534	0.2698	3.5228	0.3290	3.2898	0.2573	1.0028	0.0582	
2008	2.6452	0.2641	3.6010	0.3770	1.7345	0.1622	0.7315	0.1259	2.7104	0.3210	3.8086	0.4536	3.1737	0.2891	1.0016	0.0626	
2007	2.8168	0.3040	3.9735	0.4530	1.7143	0.1726	0.6176	0.0733	2.5418	0.3019	4.2962	0.5521	3.3751	0.3318	0.8404	0.0520	
2006	2.6252	0.2640	3.7073	0.3979	1.5950	0.1473	0.5611	0.0561	2.0750	0.2194	4.1714	0.5013	3.0275	0.2718	0.7779	0.0475	
Drug dependence																	
2010	7.4199	0.7138	10.4459	1.1542	4.5346	0.3403	1.7170	0.1677	6.1491	0.5326	10.4180	1.0908	10.4361	1.0418	1.2460	0.1085	
2009	7.0090	0.7444	9.8382	1.2160	4.3124	0.3428	1.8116	0.1809	5.7880	0.5139	10.0655	1.1278	9.5329	1.0976	1.1983	0.1415	
2008	6.9846	0.7941	9.6208	1.2457	4.4722	0.4022	2.1809	0.5992	6.1969	0.6124	10.6943	1.4179	8.6574	0.8849	0.8932	0.0820	
2007	6.9278	0.6475	9.6685	1.0408	4.3106	0.3222	1.7192	0.2413	6.0441	0.5636	11.0039	1.1602	8.4237	0.7510	0.7480	0.0524	
2006	7.8287	0.9173	11.1135	1.4729	4.6966	0.4155	1.3887	0.1321	5.6309	0.5773	12.9707	1.6431	9.4590	1.1102	0.8162	0.0800	
Nondependent abuse of drugs																	
2010	12.9286	0.6182	18.4991	0.9410	7.6154	0.3372	4.9758	0.3705	11.8818	0.6749	16.2168	0.7818	18.9920	0.9823	2.0708	0.1236	
2009	11.9507	0.5447	17.0875	0.8278	7.0536	0.3000	4.4472	0.3152	10.5595	0.5831	15.3999	0.7379	17.3310	0.8326	1.8837	0.1012	
2008	11.2979	0.5463	15.9478	0.7792	6.8648	0.3437	5.1897	0.6533	10.7465	0.6093	15.1701	0.7285	15.2593	0.7403	1.4330	0.0779	
2007	11.8638	0.5628	16.8316	0.8472	7.1285	0.3172	4.8940	0.4546	10.4547	0.5636	16.4068	0.7841	15.9193	0.8230	1.4993	0.0890	
2006	11.5856	0.5441	16.5155	0.8055	6.8897	0.3166	4.1903	0.3258	10.0677	0.5462	16.8292	0.8386	15.0280	0.7384	1.3703	0.0877	
Drug poisoning																	
2010	3.3997	0.1205	3.6913	0.1452	3.1212	0.1111	1.2086	0.0698	3.5056	0.1593	4.5745	0.1737	4.4361	0.1748	0.9768	0.0468	
2009	3.3470	0.1213	3.6601	0.1443	3.0479	0.1142	1.2153	0.0700	3.5742	0.1771	4.5794	0.1756	4.2711	0.1719	0.9207	0.0443	
2008	3.3528	0.1195	3.5621	0.1286	3.1530	0.1201	1.2929	0.0733	3.7496	0.1897	4.7748	0.1838	4.0712	0.1502	0.7775	0.0366	
2007	3.1194	0.1124	3.3029	0.1229	2.9419	0.1142	1.2394	0.0823	3.3857	0.1752	4.5315	0.1790	3.6347	0.1326	0.8080	0.0406	
2006	3.0006	0.1047	3.3444	0.1274	2.6732	0.0955	1.1640	0.0703	3.2104	0.1571	4.4096	0.1657	3.4801	0.1287	0.7211	0.0397	
Alcoholic psychoses																	
Any drug-related diagnoses																	
2010	3.3793	0.3186	5.0595	0.4976	1.7772	0.1567	0.2527	0.0265	1.6643	0.2151	4.4368	0.4925	5.4419	0.4711	0.7903	0.0519	
2009	3.0738	0.2182	4.5812	0.3312	1.6365	0.1215	0.2692	0.0341	1.5615	0.1615	4.1444	0.3384	4.8096	0.3146	0.7478	0.0518	
2008	3.2676	0.2934	4.8031	0.4291	1.8045	0.1714	0.3138	0.0519	1.8923	0.2608	4.6790	0.4916	4.8275	0.3744	0.6808	0.0546	
2007	3.2597	0.3404	4.8617	0.5266	1.7336	0.1760	0.2553	0.0362	1.5595	0.2283	4.8411	0.5952	4.7224	0.4275	0.6823	0.0458	
2006	2.8232	0.2799	4.2499	0.4275	1.4649	0.1509	0.2522	0.0338	1.2936	0.1880	4.2500	0.5151	4.0361	0.3208	0.5727	0.0422	
Drug psychoses																	
2010	0.8958	0.1439	1.3035	0.2184	0.5070	0.0761	0.0912	0.0146	0.6441	0.1481	1.2700	0.2501	1.2498	0.1766	0.2989	0.0244	
2009	0.9399	0.1173	1.3395	0.1715	0.5586	0.0703	0.1374	0.0257	0.6444	0.1058	1.3477	0.2009	1.2931	0.1459	0.2956	0.0262	
2008	1.1086	0.1807	1.5615	0.2647	0.6770	0.1038	0.1350	0.0272	0.8974	0.1766	1.6668	0.3258	1.4379	0.2024	0.3276	0.0389	
2007	1.1271	0.2270	1.6411	0.3400	0.6376	0.1247	0.1287	0.0265	0.7183	0.1910	1.7647	0.4198	1.4494	0.2518	0.2904	0.0277	
2006	0.9495	0.1925	1.3875	0.2908	0.5325	0.1061	0.1224	0.0231	0.5305	0.1428	1.5431	0.3797	1.1709	0.1875	0.2346	0.0248	
Drug dependence																	
2010	1.4475	0.2406	2.1145	0.3754	0.8114	0.1181	0.1089	0.0178	0.8281	0.1723	2.0656	0.3893	2.1893	0.3383	0.2394	0.0272	
2009	1.3459	0.1549	1.9381	0.2336	0.7816	0.0890	0.1473	0.0262	0.8293	0.1217	1.9799	0.2517	1.9391	0.2124	0.2314	0.0256	
2008	1.5681	0.2317	2.2264	0.3362	0.9409	0.1368	0.1855	0.0404	1.1245	0.2149	2.4267	0.4086	2.1205	0.2719	0.2101	0.0387	
2007	1.5749	0.2774	2.3091	0.4243	0.8756	0.1477	0.1337	0.0275	1.0049	0.2110	2.5592	0.5006	2.0556	0.3256	0.1870	0.0258	
2006	1.2943	0.2310	1.9034	0.3508	0.7145	0.1259	0.1110	0.0245	0.6955	0.1645	2.1119	0.4413	1.6938	0.2439	0.1747	0.0249	

See footnotes at end of table.

Table C6. Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcoholic psychoses																
Nondependent abuse of drugs																
2010	1.7551	0.1099	2.7138	0.1742	0.8409	0.0551	0.1441	0.0172	0.8524	0.0820	2.2951	0.1589	2.8868	0.1782	0.2996	0.0258
2009	1.5415	0.0914	2.4036	0.1430	0.7197	0.0486	0.1264	0.0174	0.8237	0.0833	2.0693	0.1361	2.4727	0.1422	0.2622	0.0235
2008	1.5524	0.1054	2.3736	0.1574	0.7699	0.0609	0.1420	0.0223	0.8065	0.0948	2.2196	0.1652	2.3746	0.1533	0.2132	0.0213
2007	1.5549	0.1118	2.3999	0.1799	0.7500	0.0530	0.1260	0.0200	0.6332	0.0675	2.2467	0.1794	2.3742	0.1665	0.2589	0.0224
2006	1.3830	0.0876	2.1583	0.1371	0.6449	0.0461	0.1329	0.0170	0.6015	0.0631	2.0630	0.1453	2.0425	0.1261	0.1951	0.0204
Drug poisoning																
2010	0.3260	0.0173	0.4307	0.0241	0.2261	0.0147	0.0347	0.0072	0.1580	0.0236	0.3831	0.0264	0.5410	0.0301	0.1260	0.0143
2009	0.3332	0.0184	0.4433	0.0245	0.2283	0.0167	0.0217	0.0052	0.1186	0.0210	0.4185	0.0288	0.5495	0.0324	0.1169	0.0135
2008	0.3088	0.0173	0.4145	0.0232	0.2080	0.0149	0.0211	0.0059	0.1601	0.0260	0.3977	0.0249	0.4936	0.0302	0.0998	0.0113
2007	0.2733	0.0152	0.3581	0.0212	0.1923	0.0138	0.0301	0.0076	0.1044	0.0199	0.3687	0.0259	0.4107	0.0249	0.1113	0.0129
2006	0.2462	0.0143	0.3372	0.0214	0.1596	0.0116	0.0281	0.0061	0.1132	0.0185	0.3424	0.0231	0.3639	0.0241	0.0823	0.0113
Alcohol dependence syndrome																
Any drug-related diagnoses																
2010	10.7213	0.7905	15.4822	1.2838	6.1813	0.3737	1.3948	0.1161	6.8619	0.5389	14.2767	1.2113	16.6635	1.1737	2.0766	0.1140
2009	10.0713	0.7811	14.5047	1.2782	5.8456	0.3609	1.5472	0.1255	6.3398	0.4670	13.7526	1.1965	15.1759	1.1569	2.0907	0.1493
2008	9.8615	0.8324	13.9155	1.3106	5.9966	0.4189	1.7906	0.3620	6.8633	0.5808	14.4880	1.4864	13.7110	0.9788	1.6630	0.0941
2007	9.6993	0.6910	13.8680	1.1219	5.7208	0.3364	1.4330	0.1373	6.3164	0.5173	14.6813	1.2218	13.2822	0.8508	1.5539	0.0738
2006	10.2091	0.9455	14.7617	1.5249	5.8696	0.4198	1.2582	0.1098	6.1492	0.5492	16.1633	1.6996	13.5367	1.1400	1.4197	0.0871
Drug psychoses																
2010	1.6623	0.1980	2.4210	0.3036	0.9389	0.1037	0.2118	0.0266	1.3501	0.1988	2.4291	0.3380	2.2434	0.2498	0.4552	0.0317
2009	1.6356	0.1592	2.2930	0.2324	1.0082	0.0978	0.2828	0.0395	1.3534	0.1743	2.3774	0.2666	2.1671	0.1987	0.4734	0.0344
2008	1.8040	0.2274	2.5105	0.3283	1.1307	0.1358	0.2922	0.0491	1.6679	0.2373	2.7671	0.4026	2.2297	0.2564	0.4765	0.0449
2007	1.8805	0.2642	2.7240	0.3976	1.0762	0.1453	0.2309	0.0352	1.4447	0.2340	3.0108	0.4867	2.3085	0.2919	0.4362	0.0356
2006	1.7105	0.2330	2.5032	0.3563	0.9559	0.1246	0.2074	0.0305	1.0999	0.1735	2.8513	0.4492	2.0352	0.2380	0.3632	0.0310
Drug dependence																
2010	5.3854	0.6190	7.7824	1.0146	3.0997	0.2813	0.8643	0.0874	4.0538	0.4214	7.8299	0.9831	7.6301	0.8895	0.7863	0.0730
2009	5.1621	0.6797	7.4455	1.1225	2.9860	0.2989	1.0001	0.1036	3.8815	0.3827	7.6461	1.0509	7.0624	0.9993	0.8082	0.1131
2008	5.2499	0.7278	7.3739	1.1688	3.2256	0.3381	1.1759	0.2930	4.2572	0.4729	8.3859	1.3528	6.4897	0.8075	0.6094	0.0691
2007	5.1566	0.5656	7.3703	0.9260	3.0419	0.2668	0.9252	0.1098	4.1515	0.4403	8.5183	1.0312	6.2042	0.6559	0.4957	0.0427
2006	6.0556	0.8646	8.8315	1.3998	3.4083	0.3743	0.7983	0.0847	3.9581	0.4933	10.4533	1.5710	7.1397	1.0247	0.5222	0.0638
Nondependent abuse of drugs																
2010	4.9507	0.2558	7.3826	0.4131	2.6318	0.1237	0.5916	0.0476	2.7780	0.1840	6.3029	0.3575	8.1770	0.4223	0.7881	0.0488
2009	4.4633	0.2084	6.6693	0.3273	2.3610	0.1117	0.6073	0.0486	2.5816	0.1716	5.7926	0.2992	7.2025	0.3408	0.7619	0.0480
2008	4.2185	0.2218	6.1905	0.3275	2.3378	0.1315	0.7347	0.1450	2.6493	0.1989	5.8661	0.3316	6.3484	0.3209	0.5924	0.0383
2007	4.1826	0.2214	6.2067	0.3549	2.2537	0.1115	0.5657	0.0568	2.2640	0.1718	6.0011	0.3594	6.2518	0.3192	0.5802	0.0365
2006	3.8467	0.2012	5.7002	0.3137	2.0813	0.1052	0.4910	0.0462	2.1666	0.1402	5.6436	0.3438	5.6409	0.2792	0.4844	0.0336
Drug poisoning																
2010	1.2091	0.0545	1.4022	0.0675	1.0246	0.0496	0.1557	0.0182	0.7777	0.0644	1.5370	0.0781	1.8736	0.0875	0.3940	0.0251
2009	1.2131	0.0536	1.4144	0.0670	1.0212	0.0487	0.1764	0.0188	0.8238	0.0649	1.6015	0.0809	1.8236	0.0825	0.3588	0.0253
2008	1.1987	0.0571	1.3776	0.0657	1.0281	0.0541	0.1737	0.0221	0.8690	0.0738	1.6858	0.0914	1.7130	0.0812	0.2969	0.0214
2007	1.0962	0.0489	1.2700	0.0559	0.9300	0.0493	0.1607	0.0183	0.7405	0.0617	1.5622	0.0829	1.5370	0.0668	0.3035	0.0224
2006	1.0592	0.0494	1.2589	0.0622	0.8692	0.0436	0.1414	0.0148	0.7549	0.0581	1.5397	0.0806	1.4572	0.0733	0.2818	0.0217
Nondependent abuse of alcohol																
Any drug-related diagnoses																
2010	9.6486	0.4642	13.0149	0.6794	6.4372	0.2798	5.2696	0.4042	11.5050	0.6443	12.5050	0.5952	12.3519	0.6821	1.7987	0.1060
2009	8.9200	0.4108	12.0046	0.6021	5.9786	0.2475	4.6044	0.3325	10.0580	0.5500	11.9539	0.5739	11.2731	0.5755	1.6216	0.0871
2008	8.5274	0.4157	11.2275	0.5668	5.9527	0.2876	5.3706	0.7160	10.4349	0.5698	11.6331	0.5504	10.0157	0.5000	1.2614	0.0649
2007	9.2022	0.4378	12.2537	0.6302	6.2920	0.2762	5.2542	0.4858	10.2784	0.5246	12.8983	0.6001	10.8638	0.6019	1.3427	0.0774
2006	9.2729	0.4487	12.5723	0.6513	6.1306	0.2757	4.3566	0.3295	9.8926	0.5367	13.6753	0.6941	10.7633	0.5689	1.3234	0.0828

See footnotes at end of table.

Table C6. Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Nondependent abuse of alcohol																
Drug psychoses																
2010	0.7571	0.0543	1.0109	0.0757	0.5152	0.0387	0.3912	0.0430	1.0625	0.0950	1.0565	0.0837	0.8045	0.0701	0.2754	0.0257
2009	0.7270	0.0625	0.9957	0.0906	0.4709	0.0387	0.3890	0.0466	0.9215	0.1236	1.0054	0.0941	0.7880	0.0844	0.2752	0.0232
2008	0.6360	0.0489	0.8503	0.0678	0.4318	0.0344	0.4243	0.0874	0.9641	0.1147	0.8882	0.0756	0.6015	0.0393	0.2406	0.0223
2007	0.7709	0.0621	1.0531	0.0863	0.5021	0.0430	0.3744	0.0515	1.0800	0.1110	1.1459	0.0998	0.7740	0.0662	0.2174	0.0220
2006	0.7705	0.0540	1.0345	0.0752	0.5191	0.0373	0.3313	0.0374	0.9452	0.0923	1.1817	0.0949	0.7806	0.0606	0.2155	0.0195
Drug dependence																
2010	1.6328	0.1026	2.1915	0.1485	1.1000	0.0671	0.8466	0.1102	2.0402	0.1542	2.2952	0.1469	1.9292	0.1392	0.2701	0.0312
2009	1.4548	0.0922	1.9235	0.1326	1.0078	0.0609	0.7871	0.0925	1.8118	0.1757	2.1021	0.1410	1.6334	0.1184	0.2549	0.0312
2008	1.3680	0.1086	1.7807	0.1408	0.9748	0.0809	0.9926	0.3371	1.8548	0.1805	1.9980	0.1394	1.3875	0.0844	0.1566	0.0162
2007	1.4488	0.0972	1.9075	0.1346	1.0113	0.0677	0.7877	0.1466	1.8105	0.1740	2.2182	0.1611	1.5086	0.0970	0.1691	0.0164
2006	1.4458	0.0862	1.8822	0.1152	1.0298	0.0650	0.5733	0.0615	1.6153	0.1421	2.2602	0.1480	1.5827	0.1024	0.1927	0.0219
Nondependent abuse of drugs																
2010	7.4256	0.3951	10.4092	0.5854	4.5791	0.2289	4.3184	0.3403	8.9103	0.5530	9.4586	0.4998	9.6600	0.5900	1.1327	0.0819
2009	6.8802	0.3562	9.6289	0.5311	4.2595	0.2038	3.7542	0.2851	7.6867	0.4627	9.0836	0.4947	8.8927	0.5049	0.9649	0.0644
2008	6.5494	0.3472	9.0312	0.4875	4.1830	0.2274	4.3945	0.5477	7.9016	0.4539	8.8202	0.4564	7.8203	0.4352	0.7301	0.0484
2007	7.2002	0.3809	9.9806	0.5600	4.5492	0.2261	4.2864	0.4201	7.9671	0.4470	9.9998	0.5065	8.6519	0.5422	0.7959	0.0611
2006	7.2981	0.3933	10.2697	0.5829	4.4683	0.2286	3.6081	0.2908	7.7753	0.4554	10.7877	0.6096	8.4751	0.5037	0.7962	0.0651
Drug poisoning																
2010	1.7427	0.0645	1.8737	0.0799	1.6177	0.0606	0.8590	0.0551	2.2953	0.1127	2.4974	0.0972	1.9632	0.0924	0.3778	0.0264
2009	1.6764	0.0651	1.8085	0.0793	1.5498	0.0610	0.8439	0.0534	2.2635	0.1282	2.4412	0.0994	1.8282	0.0874	0.3506	0.0235
2008	1.6717	0.0612	1.7252	0.0671	1.6203	0.0641	0.9051	0.0543	2.3460	0.1305	2.4837	0.0986	1.7356	0.0696	0.2957	0.0207
2007	1.6394	0.0621	1.6899	0.0701	1.5903	0.0629	0.9087	0.0637	2.1558	0.1286	2.4677	0.0985	1.6511	0.0714	0.3319	0.0225
2006	1.5765	0.0600	1.7570	0.0748	1.4047	0.0541	0.8132	0.0573	2.0793	0.1225	2.3980	0.0976	1.6019	0.0664	0.2691	0.0244
All chronic liver disease and cirrhosis																
Any drug-related diagnoses																
2010	2.8956	0.1323	3.9687	0.1911	1.8724	0.0873	0.0715	0.0142	0.4600	0.0472	2.3215	0.1147	6.2317	0.3012	1.0629	0.0594
2009	2.6468	0.1120	3.6593	0.1702	1.6811	0.0680	0.0770	0.0118	0.3772	0.0385	2.1925	0.1030	5.6948	0.2578	0.9202	0.0488
2008	2.3084	0.1056	3.2117	0.1577	1.4478	0.0645	0.0777	0.0129	0.3838	0.0508	2.0464	0.0989	4.8895	0.2380	0.7179	0.0453
2007	2.2216	0.0949	3.1278	0.1389	1.3585	0.0618	0.0486	0.0084	0.3864	0.0395	2.0059	0.1013	4.7332	0.2116	0.6305	0.0389
2006	2.2119	0.1113	3.0712	0.1634	1.3935	0.0698	0.0600	0.0110	0.3114	0.0394	2.0871	0.1140	4.6492	0.2545	0.6633	0.0421
Drug psychoses																
2010	0.2719	0.0165	0.3452	0.0231	0.2019	0.0143	—	—	—	—	0.1873	0.0168	0.5498	0.0355	0.2442	0.0210
2009	0.2611	0.0156	0.3229	0.0223	0.2018	0.0125	—	—	0.0415	0.0117	0.1934	0.0177	0.5023	0.0324	0.2534	0.0210
2008	0.2577	0.0167	0.3109	0.0224	0.2070	0.0144	—	—	0.0502	0.0133	0.2084	0.0212	0.4825	0.0329	0.2492	0.0217
2007	0.2245	0.0153	0.2929	0.0214	0.1592	0.0132	—	—	—	—	0.1672	0.0181	0.4557	0.0320	0.1963	0.0190
2006	0.2092	0.0150	0.2629	0.0208	0.1582	0.0125	—	—	—	—	0.1864	0.0199	0.3787	0.0293	0.2150	0.0198
Drug dependence																
2010	0.8563	0.0661	1.1332	0.0997	0.5923	0.0397	—	—	0.1191	0.0235	0.6717	0.0527	1.8721	0.1558	0.3055	0.0355
2009	0.7311	0.0477	0.9695	0.0708	0.5039	0.0309	0.0188	0.0051	0.0973	0.0189	0.6003	0.0417	1.6105	0.1142	0.1947	0.0221
2008	0.6761	0.0505	0.9169	0.0743	0.4467	0.0324	0.0205	0.0060	0.1167	0.0279	0.5967	0.0500	1.4628	0.1129	0.1541	0.0224
2007	0.6154	0.0402	0.8123	0.0547	0.4279	0.0317	—	—	0.1090	0.0216	0.5315	0.0446	1.3566	0.0875	0.1356	0.0188
2006	0.6657	0.0637	0.8916	0.0922	0.4506	0.0410	0.0173	0.0049	0.0823	0.0200	0.5610	0.0549	1.4996	0.1598	0.1514	0.0205
Nondependent abuse of drugs																
2010	1.7994	0.0851	2.5776	0.1247	1.0574	0.0553	0.0497	0.0129	0.3062	0.0331	1.5269	0.0762	3.9156	0.1956	0.3882	0.0305
2009	1.6780	0.0800	2.4587	0.1278	0.9338	0.0433	0.0463	0.0088	0.2467	0.0299	1.4622	0.0771	3.6462	0.1837	0.3604	0.0285
2008	1.4115	0.0690	2.0693	0.1066	0.7846	0.0396	0.0510	0.0108	0.2204	0.0331	1.3262	0.0650	3.0089	0.1601	0.2431	0.0222
2007	1.4065	0.0670	2.0920	0.1038	0.7536	0.0390	0.0265	0.0061	0.2403	0.0310	1.3616	0.0734	2.9855	0.1493	0.2277	0.0221
2006	1.3881	0.0716	2.0189	0.1073	0.7872	0.0441	0.0368	0.0088	0.2144	0.0320	1.4390	0.0797	2.8756	0.1568	0.2066	0.0215

See footnotes at end of table.

Table C6. Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
All chronic liver disease and cirrhosis																	
Drug poisoning																	
2010	0.3280	0.0138	0.3820	0.0185	0.2766	0.0140	0.0171	0.0047	0.0808	0.0149	0.2605	0.0171	0.6552	0.0310	0.2074	0.0169	
2009	0.2926	0.0134	0.3275	0.0169	0.2594	0.0142	—	—	0.0506	0.0128	0.2400	0.0156	0.5872	0.0313	0.1858	0.0182	
2008	0.2631	0.0115	0.2984	0.0153	0.2294	0.0126	0.0139	0.0041	0.0784	0.0157	0.2237	0.0146	0.5289	0.0268	0.1394	0.0142	
2007	0.2344	0.0103	0.2732	0.0147	0.1974	0.0105	0.0138	0.0041	0.0699	0.0146	0.2066	0.0132	0.4646	0.0231	0.1263	0.0139	
2006	0.1986	0.0091	0.2298	0.0128	0.1690	0.0099	—	—	0.0406	0.0123	0.1805	0.0121	0.3819	0.0208	0.1366	0.0145	
Alcoholic liver disease																	
Any drug-related diagnoses																	
2010	1.6661	0.0798	2.4462	0.1210	0.9222	0.0489	0.0216	0.0087	0.2431	0.0316	1.4493	0.0830	3.5582	0.1760	0.4639	0.0327	
2009	1.5206	0.0692	2.2470	0.1079	0.8280	0.0399	0.0166	0.0046	0.1912	0.0277	1.3925	0.0722	3.2263	0.1530	0.3832	0.0295	
2008	1.3820	0.0649	2.0359	0.0995	0.7589	0.0381	0.0241	0.0071	0.2159	0.0320	1.3269	0.0724	2.8884	0.1388	0.3204	0.0250	
2007	1.3604	0.0626	2.0268	0.0965	0.7256	0.0381	0.0224	0.0059	0.1974	0.0283	1.3552	0.0756	2.8232	0.1328	0.2870	0.0244	
2006	1.3564	0.0690	2.0110	0.1076	0.7333	0.0391	0.0234	0.0055	0.1747	0.0271	1.4104	0.0819	2.7855	0.1449	0.2707	0.0230	
Drug psychoses																	
2010	0.1453	0.0118	0.2108	0.0176	0.0828	0.0088	—	—	—	—	0.1226	0.0134	0.3002	0.0251	0.0700	0.0102	
2009	0.1343	0.0108	0.1833	0.0159	0.0872	0.0085	—	—	—	—	0.1284	0.0150	0.2598	0.0216	0.0719	0.0104	
2008	0.1421	0.0125	0.1944	0.0177	0.0922	0.0096	—	—	—	—	0.1349	0.0169	0.2718	0.0245	0.0851	0.0109	
2007	0.1270	0.0106	0.1858	0.0163	0.0711	0.0081	—	—	—	—	0.1156	0.0146	0.2548	0.0213	0.0723	0.0111	
2006	0.1238	0.0116	0.1779	0.0172	0.0723	0.0084	—	—	—	—	0.1275	0.0168	0.2304	0.0221	0.0764	0.0105	
Drug dependence																	
2010	0.4486	0.0382	0.6481	0.0594	0.2583	0.0226	—	—	0.0774	0.0182	0.3813	0.0397	0.9584	0.0835	0.1371	0.0201	
2009	0.3717	0.0257	0.5347	0.0377	0.2165	0.0174	—	—	0.0410	0.0128	0.3378	0.0293	0.8001	0.0557	0.0786	0.0126	
2008	0.3661	0.0303	0.5322	0.0460	0.2077	0.0187	—	—	0.0709	0.0164	0.3496	0.0363	0.7758	0.0626	0.0661	0.0111	
2007	0.3272	0.0248	0.4660	0.0344	0.1950	0.0197	—	—	0.0432	0.0123	0.3253	0.0324	0.6865	0.0499	0.0563	0.0101	
2006	0.3517	0.0304	0.5045	0.0454	0.2063	0.0195	—	—	0.0424	0.0120	0.3304	0.0376	0.7645	0.0650	0.0606	0.0102	
Nondependent abuse of drugs																	
2010	1.1036	0.0523	1.6448	0.0805	0.5876	0.0324	—	—	0.1625	0.0224	0.9975	0.0540	2.3688	0.1190	0.2077	0.0181	
2009	1.0312	0.0513	1.5680	0.0829	0.5197	0.0284	—	—	0.1259	0.0221	0.9687	0.0538	2.1959	0.1160	0.1936	0.0195	
2008	0.9016	0.0441	1.3659	0.0691	0.4593	0.0253	0.0213	0.0068	0.1245	0.0229	0.8973	0.0480	1.8834	0.0988	0.1459	0.0161	
2007	0.9196	0.0458	1.4076	0.0736	0.4548	0.0258	—	—	0.1329	0.0224	0.9526	0.0561	1.8995	0.0984	0.1370	0.0157	
2006	0.9176	0.0497	1.3930	0.0789	0.4651	0.0269	0.0145	0.0044	0.1229	0.0230	1.0129	0.0583	1.8558	0.1059	0.1093	0.0132	
Drug poisoning																	
2010	0.1673	0.0086	0.2198	0.0123	0.1173	0.0084	—	—	—	—	0.1465	0.0120	0.3356	0.0200	0.0862	0.0104	
2009	0.1601	0.0083	0.2031	0.0122	0.1191	0.0078	—	—	0.0332	0.0109	0.1555	0.0119	0.3121	0.0192	0.0725	0.0108	
2008	0.1468	0.0074	0.1815	0.0106	0.1138	0.0080	—	—	0.0490	0.0129	0.1381	0.0107	0.2896	0.0171	0.0651	0.0093	
2007	0.1362	0.0069	0.1783	0.0106	0.0961	0.0065	—	—	0.0373	0.0113	0.1214	0.0095	0.2823	0.0159	0.0471	0.0083	
2006	0.1124	0.0065	0.1491	0.0100	0.0775	0.0063	—	—	—	—	0.1211	0.0099	0.2119	0.0153	0.0453	0.0084	
Alcohol poisoning																	
Any drug-related diagnoses																	
2010	0.8253	0.0376	0.8453	0.0435	0.8062	0.0376	0.3461	0.0285	0.9706	0.0697	1.1926	0.0604	0.9811	0.0525	0.1627	0.0170	
2009	0.8002	0.0357	0.8040	0.0374	0.7965	0.0394	0.3873	0.0296	1.0039	0.0699	1.1684	0.0561	0.8923	0.0463	0.1689	0.0162	
2008	0.8819	0.0417	0.8869	0.0437	0.8771	0.0445	0.4243	0.0317	1.0843	0.0784	1.2910	0.0660	0.9909	0.0523	0.1646	0.0156	
2007	0.7395	0.0379	0.7220	0.0377	0.7540	0.0428	0.3552	0.0290	0.9314	0.0630	1.1120	0.0625	0.7719	0.0442	0.1711	0.0169	
2006	0.7669	0.0368	0.7929	0.0396	0.7417	0.0394	0.4128	0.0321	0.9816	0.0729	1.1547	0.0621	0.7839	0.0407	0.1428	0.0157	
Drug psychoses																	
2010	0.0396	0.0038	0.0435	0.0050	0.0360	0.0044	0.0143	0.0047	0.0420	0.0113	0.0593	0.0076	0.0454	0.0061	—	—	
2009	0.0462	0.0043	0.0571	0.0060	0.0357	0.0044	0.0166	0.0049	0.0304	0.0098	0.0675	0.0079	0.0579	0.0071	0.0141	0.0043	
2008	0.0528	0.0059	0.0616	0.0074	0.0445	0.0057	0.0203	0.0052	0.0733	0.0178	0.0690	0.0094	0.0654	0.0084	0.0169	0.0046	
2007	0.0381	0.0037	0.0497	0.0051	0.0270	0.0039	0.0175	0.0055	—	—	0.0578	0.0072	0.0419	0.0056	—	—	
2006	0.0482	0.0046	0.0610	0.0067	0.0360	0.0048	0.0166	0.0049	0.0502	0.0126	0.0833	0.0098	0.0402	0.0055	0.0184	0.0052	

See footnotes at end of table.

Table C6. Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring drug-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring drug-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Alcohol poisoning																	
Drug dependence																	
2010	0.0798	0.0092	0.0977	0.0123	0.0628	0.0082	0.0261	0.0060	0.0823	0.0160	0.1164	0.0122	0.1041	0.0187	—	—	
2009	0.0807	0.0082	0.0913	0.0097	0.0705	0.0084	0.0344	0.0077	0.0917	0.0177	0.1283	0.0140	0.0899	0.0126	—	—	
2008	0.0816	0.0069	0.0987	0.0097	0.0653	0.0067	0.0341	0.0075	0.0740	0.0169	0.1193	0.0116	0.1046	0.0108	—	—	
2007	0.0628	0.0052	0.0735	0.0072	0.0522	0.0059	0.0236	0.0059	0.0976	0.0183	0.0978	0.0100	0.0624	0.0071	—	—	
2006	0.0700	0.0073	0.0840	0.0098	0.0566	0.0067	0.0204	0.0050	0.0729	0.0188	0.1239	0.0142	0.0683	0.0085	—	—	
Nondependent abuse of drugs																	
2010	0.2420	0.0167	0.2992	0.0228	0.1874	0.0137	0.1286	0.0155	0.3691	0.0382	0.3489	0.0266	0.2711	0.0272	0.0208	0.0051	
2009	0.2271	0.0124	0.2666	0.0169	0.1895	0.0120	0.1642	0.0169	0.3578	0.0356	0.3435	0.0223	0.2109	0.0163	0.0244	0.0059	
2008	0.2353	0.0141	0.2906	0.0184	0.1826	0.0131	0.1613	0.0164	0.3379	0.0368	0.3636	0.0246	0.2254	0.0181	—	—	
2007	0.2144	0.0146	0.2588	0.0178	0.1716	0.0144	0.1357	0.0165	0.3304	0.0368	0.3475	0.0267	0.1832	0.0160	0.0167	0.0059	
2006	0.2087	0.0122	0.2644	0.0163	0.1553	0.0118	0.1665	0.0192	0.3255	0.0366	0.3216	0.0216	0.1742	0.0140	0.0188	0.0065	
Drug poisoning																	
2010	0.7563	0.0339	0.7419	0.0368	0.7699	0.0361	0.3063	0.0256	0.9157	0.0673	1.1070	0.0564	0.8803	0.0446	0.1575	0.0168	
2009	0.7424	0.0336	0.7259	0.0344	0.7582	0.0381	0.3239	0.0265	0.9448	0.0670	1.0884	0.0536	0.8350	0.0429	0.1625	0.0160	
2008	0.8300	0.0401	0.8147	0.0408	0.8446	0.0437	0.3785	0.0292	1.0508	0.0764	1.2283	0.0632	0.9222	0.0504	0.1558	0.0153	
2007	0.6884	0.0364	0.6490	0.0352	0.7239	0.0419	0.2941	0.0265	0.8655	0.0608	1.0441	0.0595	0.7257	0.0429	0.1636	0.0166	
2006	0.7156	0.0355	0.7140	0.0372	0.7171	0.0390	0.3545	0.0281	0.9346	0.0699	1.0963	0.0605	0.7247	0.0398	0.1292	0.0147	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table C7. Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Any alcohol-related diagnoses																	
Any mental health-related diagnoses																	
2010	6.5350	0.3866	8.7526	0.5512	4.4163	0.2542	0.5678	0.0488	2.4178	0.2078	7.5272	0.5108	11.1231	0.6465	2.7194	0.1418	
2009	6.0007	0.3879	7.9627	0.5338	4.1303	0.2653	0.5512	0.0465	2.2661	0.2127	7.2380	0.5369	9.7751	0.6089	2.7581	0.2135	
2008	5.9566	0.3784	7.7163	0.4861	4.2765	0.2925	0.6118	0.0918	2.2754	0.2106	7.2373	0.5247	9.7436	0.5858	2.5451	0.1281	
2007	5.3257	0.3271	6.9659	0.4539	3.7598	0.2272	0.5687	0.0473	1.9600	0.1906	6.6678	0.4698	8.5652	0.5072	2.1964	0.1132	
2006	5.0575	0.3507	6.6099	0.4769	3.5770	0.2434	0.5243	0.0460	1.7599	0.1870	6.3669	0.5168	8.1241	0.5341	2.1652	0.1184	
Adjustment disorder																	
2010	0.1225	0.0112	0.1564	0.0158	0.0901	0.0090	0.0189	0.0061	0.0805	0.0222	0.1459	0.0167	0.1828	0.0182	0.0701	0.0110	
2009	0.1416	0.0169	0.1926	0.0233	0.0931	0.0123	0.0403	0.0079	0.0981	0.0188	0.1831	0.0295	0.1974	0.0238	0.0613	0.0103	
2008	0.1392	0.0162	0.1890	0.0223	0.0918	0.0126	0.0332	0.0082	0.0547	0.0131	0.1591	0.0214	0.2182	0.0296	0.0805	0.0129	
2007	0.1370	0.0156	0.1870	0.0242	0.0890	0.0096	0.0422	0.0080	0.0660	0.0198	0.1747	0.0245	0.1964	0.0213	0.0631	0.0115	
2006	0.1283	0.0129	0.1649	0.0177	0.0935	0.0109	0.0355	0.0073	0.0562	0.0155	0.1486	0.0167	0.1952	0.0233	0.0777	0.0118	
Anxiety disorder																	
2010	1.5416	0.0964	1.9337	0.1213	1.1678	0.0794	0.1237	0.0176	0.7730	0.0855	2.0263	0.1471	2.3860	0.1399	0.5374	0.0380	
2009	1.5025	0.1253	1.8819	0.1631	1.1405	0.0964	0.1229	0.0175	0.7376	0.0963	2.0240	0.1851	2.2732	0.1891	0.5462	0.0478	
2008	1.3837	0.1056	1.7101	0.1325	1.0724	0.0879	0.1138	0.0305	0.6329	0.0769	1.9308	0.1613	2.0665	0.1526	0.4432	0.0365	
2007	1.1701	0.0772	1.4353	0.0942	0.9173	0.0672	0.0949	0.0135	0.4928	0.0573	1.6178	0.1222	1.7667	0.1118	0.3875	0.0299	
2006	1.0539	0.0922	1.3259	0.1152	0.7946	0.0753	0.0952	0.0150	0.4153	0.0647	1.4256	0.1557	1.6248	0.1255	0.3623	0.0308	
Bipolar disorder																	
2010	1.3611	0.1049	1.8407	0.1560	0.9031	0.0644	0.1293	0.0165	0.5532	0.0624	1.8048	0.1574	2.2401	0.1696	0.2076	0.0199	
2009	1.2246	0.1050	1.6452	0.1543	0.8235	0.0657	0.1500	0.0192	0.5353	0.0671	1.7572	0.1676	1.8259	0.1532	0.2559	0.0399	
2008	1.2306	0.1001	1.6096	0.1380	0.8691	0.0707	0.1445	0.0275	0.6096	0.0787	1.7374	0.1550	1.8764	0.1450	0.2091	0.0227	
2007	1.0412	0.0881	1.3638	0.1197	0.7336	0.0656	0.1075	0.0164	0.4489	0.0681	1.5597	0.1447	1.5270	0.1232	0.1459	0.0187	
2006	0.9767	0.0928	1.2919	0.1275	0.6763	0.0649	0.1094	0.0195	0.4342	0.0802	1.4873	0.1614	1.3972	0.1179	0.1418	0.0187	
Depressive disorder																	
2010	3.8549	0.2256	5.0076	0.3043	2.7529	0.1638	0.2380	0.0237	1.1986	0.1110	4.0853	0.2722	6.8262	0.3959	1.9799	0.1150	
2009	3.5795	0.2246	4.5943	0.2919	2.6125	0.1688	0.2488	0.0257	1.1069	0.1150	3.9302	0.2847	6.1580	0.3780	1.9704	0.1532	
2008	3.5862	0.2309	4.5091	0.2806	2.7049	0.1941	0.2729	0.0470	1.0918	0.1020	4.0585	0.3008	6.1311	0.3797	1.8472	0.1019	
2007	3.1789	0.1879	4.0233	0.2514	2.3728	0.1405	0.2696	0.0236	0.9912	0.1008	3.6226	0.2476	5.4177	0.3150	1.6207	0.0904	
2006	3.0163	0.1972	3.7954	0.2529	2.2726	0.1518	0.2424	0.0253	0.8697	0.0894	3.4836	0.2559	5.1297	0.3336	1.5677	0.0904	
Personality disorder																	
2010	0.4437	0.0813	0.6051	0.1148	0.2898	0.0524	0.0785	0.0158	0.3261	0.0615	0.6441	0.1224	0.6240	0.1155	0.0726	0.0258	
2009	0.3824	0.0506	0.5232	0.0733	0.2483	0.0323	0.0471	0.0098	0.2291	0.0387	0.5859	0.0818	0.5220	0.0734	0.0737	0.0177	
2008	0.3424	0.0546	0.4550	0.0738	0.2348	0.0390	0.0580	0.0127	0.2574	0.0584	0.5340	0.0863	0.4367	0.0674	0.0678	0.0193	
2007	0.3630	0.0495	0.4927	0.0743	0.2394	0.0287	0.0444	0.0088	0.2878	0.0542	0.5618	0.0774	0.4727	0.0690	0.0673	0.0125	
2006	0.3502	0.0509	0.4558	0.0725	0.2497	0.0344	0.0658	0.0138	0.2154	0.0401	0.5366	0.0813	0.4615	0.0722	0.0684	0.0146	
Schizophrenia and other psychotic disorders																	
2010	0.4694	0.0415	0.7576	0.0723	0.1946	0.0176	—	—	0.1271	0.0206	0.5246	0.0490	0.8570	0.0817	0.1602	0.0185	
2009	0.4191	0.0493	0.6693	0.0816	0.1807	0.0214	0.0216	0.0063	0.1436	0.0294	0.4877	0.0675	0.7322	0.0818	0.1521	0.0198	
2008	0.3795	0.0311	0.5997	0.0540	0.1694	0.0128	0.0137	0.0041	0.1146	0.0185	0.4353	0.0458	0.6655	0.0551	0.1651	0.0179	
2007	0.3760	0.0343	0.5993	0.0591	0.1629	0.0147	0.0163	0.0044	0.0853	0.0182	0.4617	0.0452	0.6457	0.0627	0.1395	0.0169	
2006	0.4210	0.0534	0.6586	0.0867	0.1948	0.0238	0.0171	0.0047	0.1242	0.0355	0.5516	0.0908	0.6906	0.0746	0.1411	0.0153	
All other mental disorders																	
2010	0.2691	0.0279	0.3222	0.0352	0.2180	0.0237	0.1847	0.0204	0.3975	0.0556	0.4388	0.0513	0.2261	0.0273	0.0374	0.0084	
2009	0.2654	0.0309	0.3220	0.0416	0.2114	0.0241	0.1600	0.0230	0.3150	0.0530	0.4454	0.0556	0.2315	0.0302	0.0432	0.0101	
2008	0.2309	0.0241	0.2627	0.0266	0.2005	0.0245	0.2196	0.0516	0.3200	0.0442	0.3375	0.0353	0.1947	0.0200	0.0501	0.0089	
2007	0.2115	0.0179	0.2484	0.0222	0.1760	0.0170	0.2003	0.0228	0.2906	0.0455	0.3030	0.0284	0.1842	0.0191	0.0440	0.0091	
2006	0.1716	0.0169	0.2054	0.0229	0.1393	0.0142	0.1590	0.0194	0.2262	0.0369	0.2468	0.0305	0.1502	0.0158	0.0358	0.0076	

See footnotes at end of table.

Table C7. Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcoholic psychoses																
Any mental health-related diagnoses																
2010	2.9547	0.2426	4.1668	0.3415	1.7989	0.1563	0.0832	0.0140	0.8141	0.0973	3.4755	0.3226	5.2053	0.4136	1.0117	0.0691
2009	2.7269	0.2205	3.8291	0.3031	1.6766	0.1503	0.0980	0.0160	0.8352	0.0998	3.3218	0.2959	4.5899	0.3613	1.1201	0.0968
2008	2.8265	0.2423	3.8616	0.3223	1.8397	0.1751	0.0969	0.0193	0.9175	0.1274	3.5110	0.3272	4.7578	0.3942	1.0374	0.0815
2007	2.3498	0.1957	3.2323	0.2667	1.5086	0.1372	0.0806	0.0176	0.6577	0.0931	3.0080	0.2799	3.8866	0.3093	0.8737	0.0653
2006	2.1275	0.1949	2.8991	0.2512	1.3925	0.1484	0.0757	0.0134	0.5222	0.0698	2.6879	0.2606	3.5474	0.3273	0.8763	0.0785
Adjustment disorder																
2010	0.0392	0.0042	0.0538	0.0063	0.0252	0.0037	—	—	—	—	0.0407	0.0062	0.0707	0.0088	0.0200	0.0055
2009	0.0416	0.0046	0.0587	0.0071	0.0253	0.0037	—	—	—	—	0.0531	0.0067	0.0661	0.0088	0.0174	0.0046
2008	0.0505	0.0088	0.0748	0.0129	0.0273	0.0060	—	—	—	—	0.0533	0.0117	0.0893	0.0155	0.0321	0.0087
2007	0.0479	0.0069	0.0723	0.0114	0.0246	0.0039	—	—	—	—	0.0670	0.0120	0.0749	0.0107	0.0152	0.0046
2006	0.0461	0.0091	0.0596	0.0111	0.0332	0.0084	—	—	—	—	0.0534	0.0108	0.0763	0.0177	0.0265	0.0067
Anxiety disorder																
2010	0.7152	0.0558	0.9534	0.0689	0.4881	0.0468	0.0309	0.0071	0.2824	0.0430	0.9767	0.0866	1.1266	0.0837	0.1926	0.0190
2009	0.7262	0.0897	0.9712	0.1244	0.4927	0.0621	0.0291	0.0089	0.2905	0.0487	0.9802	0.1246	1.1421	0.1444	0.2302	0.0294
2008	0.6965	0.0698	0.9295	0.0970	0.4745	0.0489	0.0265	0.0077	0.2597	0.0409	0.9785	0.1033	1.0730	0.1080	0.1990	0.0249
2007	0.5237	0.0405	0.6921	0.0525	0.3632	0.0333	0.0205	0.0056	0.1700	0.0266	0.7319	0.0629	0.8189	0.0646	0.1437	0.0172
2006	0.4467	0.0405	0.5975	0.0518	0.3032	0.0334	0.0196	0.0054	0.1331	0.0240	0.6171	0.0570	0.7113	0.0678	0.1205	0.0175
Bipolar disorder																
2010	0.6224	0.0677	0.8880	0.0988	0.3691	0.0407	0.0179	0.0051	0.1592	0.0290	0.8170	0.1064	1.0752	0.1066	0.0881	0.0125
2009	0.5390	0.0638	0.7606	0.0989	0.3278	0.0356	0.0281	0.0086	0.2041	0.0388	0.7417	0.0864	0.8646	0.1056	0.1059	0.0194
2008	0.5895	0.0683	0.8138	0.0975	0.3757	0.0441	0.0273	0.0088	0.2144	0.0482	0.8262	0.1006	0.9489	0.1068	0.0875	0.0140
2007	0.4559	0.0535	0.6192	0.0743	0.3003	0.0367	0.0176	0.0057	0.1307	0.0417	0.6888	0.0872	0.6926	0.0760	0.0616	0.0115
2006	0.4041	0.0441	0.5611	0.0613	0.2547	0.0317	—	—	0.0983	0.0237	0.5955	0.0710	0.6277	0.0675	0.0747	0.0140
Depressive disorder																
2010	1.7460	0.1461	2.3840	0.1986	1.1376	0.1018	0.0355	0.0082	0.3887	0.0570	1.8951	0.1778	3.1903	0.2633	0.7409	0.0555
2009	1.6534	0.1340	2.2654	0.1742	1.0702	0.1002	0.0442	0.0085	0.4203	0.0585	1.8532	0.1699	2.9125	0.2310	0.8024	0.0737
2008	1.7265	0.1504	2.2865	0.1913	1.1925	0.1179	0.0446	0.0102	0.4714	0.0706	2.0127	0.1947	3.0013	0.2539	0.7746	0.0653
2007	1.4158	0.1166	1.8986	0.1541	0.9557	0.0875	0.0347	0.0088	0.3601	0.0507	1.6331	0.1531	2.4917	0.1982	0.6426	0.0538
2006	1.3185	0.1270	1.7312	0.1556	0.9252	0.1043	0.0299	0.0078	0.2753	0.0432	1.5543	0.1581	2.2912	0.2242	0.6430	0.0598
Personality disorder																
2010	0.1962	0.0514	0.2762	0.0748	0.1200	0.0302	0.0167	0.0054	0.1055	0.0328	0.2754	0.0716	0.3031	0.0835	0.0303	0.0098
2009	0.1651	0.0368	0.2328	0.0515	0.1005	0.0237	—	—	0.0819	0.0182	0.2433	0.0604	0.2447	0.0534	0.0308	0.0083
2008	0.1527	0.0321	0.2110	0.0448	0.0971	0.0209	—	—	0.0848	0.0317	0.2262	0.0491	0.2202	0.0441	0.0352	0.0124
2007	0.1391	0.0252	0.1981	0.0382	0.0829	0.0145	—	—	0.0708	0.0250	0.2138	0.0381	0.1896	0.0372	0.0396	0.0089
2006	0.1233	0.0174	0.1665	0.0260	0.0822	0.0114	0.0196	0.0062	0.0529	0.0157	0.1769	0.0284	0.1732	0.0249	0.0434	0.0094
Schizophrenia and other psychotic disorders																
2010	0.1927	0.0199	0.3213	0.0338	0.0700	0.0094	—	—	0.0388	0.0107	0.2174	0.0262	0.3567	0.0379	0.0602	0.0097
2009	0.1759	0.0158	0.2968	0.0277	0.0606	0.0071	—	—	0.0436	0.0114	0.1999	0.0213	0.3143	0.0307	0.0731	0.0111
2008	0.1597	0.0156	0.2660	0.0273	0.0584	0.0065	—	—	0.0526	0.0127	0.1923	0.0210	0.2846	0.0307	0.0419	0.0075
2007	0.1566	0.0157	0.2581	0.0260	0.0600	0.0077	—	—	—	—	0.1967	0.0223	0.2674	0.0289	0.0644	0.0105
2006	0.1447	0.0129	0.2333	0.0214	0.0604	0.0067	—	—	0.0310	0.0092	0.1815	0.0197	0.2526	0.0238	0.0433	0.0087
All other mental disorders																
2010	0.0988	0.0097	0.1250	0.0125	0.0738	0.0093	0.0183	0.0048	0.1073	0.0207	0.1683	0.0199	0.1042	0.0120	0.0205	0.0072
2009	0.0955	0.0109	0.1123	0.0135	0.0795	0.0109	—	—	0.1005	0.0266	0.1645	0.0201	0.1009	0.0116	0.0201	0.0053
2008	0.0923	0.0115	0.1081	0.0150	0.0772	0.0098	0.0196	0.0062	0.1313	0.0264	0.1530	0.0240	0.0894	0.0113	0.0252	0.0065
2007	0.0734	0.0082	0.0871	0.0090	0.0601	0.0097	0.0152	0.0057	0.0679	0.0192	0.1169	0.0141	0.0826	0.0109	0.0222	0.0062
2006	0.0567	0.0069	0.0749	0.0086	0.0393	0.0071	0.0151	0.0044	0.0534	0.0137	0.0894	0.0137	0.0613	0.0086	0.0194	0.0056

See footnotes at end of table.

Table C7. Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Alcohol dependence syndrome																	
Any mental health-related diagnoses																	
2010	2.3244	0.2274	3.1635	0.3369	1.5205	0.1432	0.1612	0.0261	1.0369	0.1334	2.8983	0.3011	3.7691	0.3777	0.8606	0.0842	
2009	2.1793	0.2552	2.9374	0.3577	1.4565	0.1663	0.1860	0.0291	0.9240	0.1286	2.9054	0.3624	3.3081	0.3943	0.8883	0.1340	
2008	2.0449	0.2233	2.6518	0.2767	1.4647	0.1840	0.2358	0.0520	0.9310	0.1302	2.7232	0.3171	3.1249	0.3412	0.7213	0.0606	
2007	2.0229	0.2198	2.6775	0.3146	1.3981	0.1441	0.1621	0.0236	0.8984	0.1222	2.7406	0.3217	3.0979	0.3344	0.6844	0.0663	
2006	2.0082	0.2504	2.6958	0.3510	1.3518	0.1613	0.1670	0.0280	0.8388	0.1500	2.7945	0.3965	3.0404	0.3502	0.6227	0.0536	
Adjustment disorder																	
2010	0.0517	0.0081	0.0676	0.0115	0.0367	0.0060	—	—	0.0372	0.0139	0.0638	0.0117	0.0772	0.0134	0.0276	0.0077	
2009	0.0667	0.0139	0.0967	0.0191	0.0382	0.0097	—	—	0.0375	0.0113	0.0946	0.0246	0.0942	0.0197	0.0224	0.0057	
2008	0.0568	0.0107	0.0793	0.0134	0.0355	0.0095	—	—	—	—	0.0700	0.0142	0.0883	0.0203	0.0306	0.0084	
2007	0.0574	0.0095	0.0799	0.0148	0.0359	0.0060	—	—	0.0370	0.0153	0.0806	0.0157	0.0794	0.0125	0.0216	0.0070	
2006	0.0528	0.0068	0.0737	0.0104	0.0329	0.0050	—	—	—	—	0.0597	0.0101	0.0840	0.0119	0.0298	0.0064	
Anxiety disorder																	
2010	0.5354	0.0562	0.6715	0.0727	0.4055	0.0453	0.0428	0.0126	0.3189	0.0554	0.7550	0.0853	0.7783	0.0796	0.1629	0.0232	
2009	0.5212	0.0625	0.6466	0.0778	0.4014	0.0503	0.0437	0.0093	0.3135	0.0605	0.7713	0.0994	0.7230	0.0874	0.1531	0.0259	
2008	0.4615	0.0588	0.5431	0.0657	0.3837	0.0549	0.0410	0.0138	0.2770	0.0542	0.6991	0.0976	0.6347	0.0789	0.1093	0.0147	
2007	0.4487	0.0514	0.5400	0.0617	0.3614	0.0451	0.0317	0.0078	0.2319	0.0391	0.6714	0.0831	0.6296	0.0704	0.1204	0.0176	
2006	0.4316	0.0757	0.5427	0.0921	0.3257	0.0630	0.0343	0.0079	0.1841	0.0554	0.6336	0.1350	0.6255	0.0931	0.1164	0.0167	
Bipolar disorder																	
2010	0.5357	0.0615	0.7301	0.0936	0.3497	0.0367	0.0475	0.0101	0.2742	0.0453	0.7488	0.0899	0.8352	0.1016	0.0770	0.0114	
2009	0.5090	0.0722	0.6841	0.1029	0.3421	0.0466	0.0541	0.0108	0.2536	0.0452	0.7953	0.1249	0.6918	0.0965	0.1023	0.0250	
2008	0.4680	0.0564	0.6078	0.0781	0.3349	0.0400	0.0703	0.0175	0.3026	0.0511	0.7121	0.0921	0.6397	0.0750	0.0740	0.0123	
2007	0.4424	0.0587	0.5863	0.0807	0.3054	0.0430	0.0375	0.0099	0.2200	0.0407	0.6953	0.0982	0.6149	0.0816	0.0556	0.0117	
2006	0.4435	0.0739	0.5857	0.1009	0.3078	0.0508	0.0543	0.0165	0.2471	0.0721	0.7215	0.1341	0.5822	0.0812	0.0400	0.0088	
Depressive disorder																	
2010	1.3660	0.1292	1.8049	0.1776	0.9446	0.0934	0.0704	0.0160	0.5403	0.0709	1.5617	0.1566	2.3088	0.2207	0.6569	0.0701	
2009	1.2545	0.1364	1.6273	0.1823	0.8992	0.0976	0.0842	0.0164	0.4328	0.0635	1.5116	0.1720	2.0302	0.2291	0.6549	0.0944	
2008	1.1985	0.1350	1.5093	0.1535	0.9012	0.1233	0.1032	0.0277	0.3922	0.0593	1.4693	0.1741	1.9600	0.2279	0.5339	0.0468	
2007	1.1824	0.1216	1.5153	0.1701	0.8645	0.0849	0.0806	0.0123	0.4355	0.0635	1.4554	0.1634	1.9296	0.1993	0.5321	0.0536	
2006	1.1354	0.1179	1.4743	0.1597	0.8113	0.0821	0.0706	0.0117	0.4057	0.0598	1.4297	0.1633	1.8588	0.1915	0.4593	0.0405	
Personality disorder																	
2010	0.2029	0.0399	0.2789	0.0570	0.1305	0.0268	0.0343	0.0105	0.1718	0.0379	0.3056	0.0645	0.2689	0.0501	0.0361	0.0174	
2009	0.1836	0.0264	0.2511	0.0387	0.1194	0.0177	0.0252	0.0069	0.0990	0.0217	0.2856	0.0445	0.2436	0.0382	0.0429	0.0128	
2008	0.1621	0.0280	0.2171	0.0375	0.1093	0.0228	0.0285	0.0085	0.1586	0.0393	0.2618	0.0470	0.1903	0.0318	0.0291	0.0105	
2007	0.1896	0.0303	0.2531	0.0457	0.1291	0.0181	0.0218	0.0058	0.1675	0.0395	0.2916	0.0479	0.2535	0.0415	0.0196	0.0065	
2006	0.1899	0.0372	0.2519	0.0501	0.1308	0.0277	0.0307	0.0089	0.1044	0.0259	0.3001	0.0597	0.2547	0.0542	0.0188	0.0088	
Schizophrenia and other psychotic disorders																	
2010	0.1609	0.0251	0.2710	0.0466	0.0558	0.0076	—	—	0.0384	0.0115	0.1973	0.0313	0.2895	0.0498	0.0318	0.0077	
2009	0.1621	0.0429	0.2634	0.0701	0.0655	0.0182	—	—	0.0721	0.0254	0.2168	0.0615	0.2634	0.0675	0.0372	0.0119	
2008	0.1342	0.0221	0.2171	0.0382	0.0547	0.0085	—	—	0.0329	0.0107	0.1825	0.0345	0.2139	0.0345	0.0453	0.0100	
2007	0.1321	0.0248	0.2170	0.0426	0.0513	0.0097	—	—	0.0473	0.0128	0.1874	0.0333	0.2063	0.0429	0.0288	0.0101	
2006	0.1874	0.0480	0.3069	0.0774	0.0736	0.0211	—	—	0.0670	0.0296	0.2939	0.0832	0.2684	0.0630	0.0314	0.0070	
All other mental disorders																	
2010	0.1160	0.0229	0.1351	0.0292	0.0978	0.0184	0.0384	0.0097	0.1725	0.0400	0.2109	0.0409	0.0990	0.0227	—	—	
2009	0.1274	0.0265	0.1548	0.0362	0.1013	0.0193	0.0570	0.0149	0.1517	0.0405	0.2344	0.0475	0.1022	0.0266	0.0153	0.0062	
2008	0.0921	0.0140	0.1033	0.0150	0.0814	0.0150	0.0922	0.0283	0.1419	0.0274	0.1385	0.0205	0.0704	0.0115	0.0160	0.0050	
2007	0.0911	0.0117	0.1096	0.0149	0.0735	0.0104	0.0440	0.0097	0.1512	0.0302	0.1471	0.0196	0.0808	0.0122	—	—	
2006	0.0718	0.0132	0.0817	0.0190	0.0624	0.0096	0.0390	0.0112	0.1067	0.0286	0.1194	0.0238	0.0602	0.0110	—	—	

See footnotes at end of table.

Table C7. Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Nondependent abuse of alcohol																
Any mental health-related diagnoses																
2010	0.3471	0.0232	0.4401	0.0324	0.2581	0.0180	0.2170	0.0245	0.3492	0.0397	0.4253	0.0339	0.4334	0.0326	0.1379	0.0168
2009	0.2980	0.0232	0.3476	0.0296	0.2503	0.0196	0.1668	0.0171	0.3374	0.0466	0.3983	0.0365	0.3482	0.0309	0.1003	0.0123
2008	0.2820	0.0199	0.3247	0.0231	0.2403	0.0201	0.1875	0.0314	0.2294	0.0327	0.3432	0.0286	0.3448	0.0264	0.1431	0.0162
2007	0.2863	0.0224	0.3307	0.0283	0.2432	0.0194	0.2167	0.0229	0.2597	0.0426	0.3843	0.0377	0.2959	0.0251	0.1363	0.0158
2006	0.2809	0.0232	0.3395	0.0310	0.2247	0.0181	0.1806	0.0197	0.2671	0.0364	0.3542	0.0397	0.3250	0.0305	0.1395	0.0145
Adjustment disorder																
2010	0.0124	0.0021	0.0167	0.0033	0.0083	0.0019	—	—	—	—	0.0209	0.0041	0.0075	0.0023	—	—
2009	0.0183	0.0029	0.0218	0.0043	0.0149	0.0029	0.0196	0.0053	0.0452	0.0137	0.0247	0.0052	0.0080	0.0024	—	—
2008	0.0127	0.0019	0.0135	0.0027	0.0120	0.0024	0.0193	0.0058	—	—	0.0141	0.0034	0.0107	0.0025	—	—
2007	0.0155	0.0023	0.0166	0.0032	0.0141	0.0024	0.0200	0.0053	—	—	0.0159	0.0040	0.0128	0.0031	0.0170	0.0050
2006	0.0154	0.0022	0.0156	0.0030	0.0152	0.0027	0.0141	0.0046	—	—	0.0230	0.0046	0.0108	0.0027	—	—
Anxiety disorder																
2010	0.0797	0.0061	0.0926	0.0085	0.0674	0.0067	0.0332	0.0066	0.1189	0.0198	0.1041	0.0111	0.0942	0.0092	0.0289	0.0064
2009	0.0715	0.0072	0.0802	0.0083	0.0633	0.0082	0.0343	0.0073	0.0790	0.0191	0.1046	0.0130	0.0815	0.0092	0.0162	0.0044
2008	0.0588	0.0062	0.0573	0.0061	0.0600	0.0082	0.0391	0.0142	0.0511	0.0135	0.0859	0.0102	0.0586	0.0080	0.0249	0.0060
2007	0.0614	0.0086	0.0648	0.0096	0.0581	0.0087	0.0266	0.0060	0.0676	0.0163	0.0924	0.0156	0.0619	0.0101	0.0257	0.0065
2006	0.0563	0.0065	0.0623	0.0073	0.0502	0.0073	0.0277	0.0083	0.0559	0.0134	0.0777	0.0125	0.0652	0.0091	0.0208	0.0054
Bipolar disorder																
2010	0.0687	0.0058	0.0864	0.0087	0.0519	0.0057	0.0458	0.0090	0.0733	0.0148	0.0964	0.0104	0.0792	0.0091	—	—
2009	0.0642	0.0055	0.0712	0.0074	0.0572	0.0057	0.0322	0.0074	0.0578	0.0132	0.1023	0.0103	0.0688	0.0087	—	—
2008	0.0531	0.0052	0.0576	0.0065	0.0484	0.0060	0.0302	0.0074	0.0422	0.0128	0.0808	0.0089	0.0588	0.0079	—	—
2007	0.0543	0.0057	0.0640	0.0080	0.0451	0.0055	0.0339	0.0078	0.0612	0.0177	0.0820	0.0114	0.0529	0.0069	0.0149	0.0045
2006	0.0501	0.0056	0.0610	0.0074	0.0398	0.0053	0.0230	0.0059	0.0658	0.0142	0.0765	0.0106	0.0545	0.0079	—	—
Depressive disorder																
2010	0.1903	0.0142	0.2284	0.0204	0.1540	0.0118	0.0846	0.0121	0.1457	0.0251	0.2227	0.0209	0.2646	0.0217	0.0945	0.0139
2009	0.1625	0.0146	0.1805	0.0188	0.1452	0.0129	0.0764	0.0110	0.1562	0.0301	0.1983	0.0220	0.2165	0.0209	0.0660	0.0096
2008	0.1615	0.0125	0.1828	0.0148	0.1408	0.0129	0.0741	0.0164	0.1267	0.0223	0.1843	0.0176	0.2188	0.0188	0.0998	0.0132
2007	0.1570	0.0139	0.1670	0.0170	0.1475	0.0132	0.0997	0.0132	0.1102	0.0249	0.2065	0.0212	0.1804	0.0199	0.0815	0.0112
2006	0.1553	0.0122	0.1812	0.0163	0.1305	0.0106	0.0932	0.0137	0.0999	0.0189	0.1804	0.0214	0.1962	0.0186	0.1063	0.0123
Personality disorder																
2010	0.0273	0.0043	0.0335	0.0057	0.0213	0.0037	0.0211	0.0056	—	—	0.0431	0.0076	0.0266	0.0054	—	—
2009	0.0202	0.0028	0.0251	0.0042	0.0155	0.0032	—	—	0.0455	0.0116	0.0324	0.0053	0.0178	0.0041	—	—
2008	0.0148	0.0024	0.0169	0.0029	0.0127	0.0029	0.0168	0.0058	—	—	0.0256	0.0049	0.0116	0.0027	—	—
2007	0.0222	0.0040	0.0293	0.0054	0.0153	0.0036	—	—	0.0495	0.0140	0.0377	0.0085	0.0153	0.0036	—	—
2006	0.0233	0.0052	0.0225	0.0068	0.0240	0.0046	—	—	0.0468	0.0143	0.0385	0.0094	0.0176	0.0062	—	—
Schizophrenia and other psychotic disorders																
2010	0.0336	0.0036	0.0530	0.0067	0.0151	0.0025	—	—	0.0316	0.0094	0.0460	0.0063	0.0462	0.0073	—	—
2009	0.0216	0.0024	0.0297	0.0040	0.0137	0.0024	—	—	—	—	0.0312	0.0044	0.0264	0.0044	—	—
2008	0.0225	0.0027	0.0346	0.0046	0.0109	0.0020	—	—	—	—	0.0269	0.0044	0.0335	0.0060	—	—
2007	0.0240	0.0027	0.0374	0.0046	0.0109	0.0022	—	—	—	—	0.0355	0.0058	0.0334	0.0050	—	—
2006	0.0229	0.0039	0.0360	0.0062	0.0104	0.0025	—	—	—	—	0.0329	0.0064	0.0264	0.0057	—	—
All other mental disorders																
2010	0.0291	0.0029	0.0356	0.0044	0.0226	0.0031	0.0889	0.0124	0.0649	0.0148	0.0293	0.0047	0.0067	0.0020	—	—
2009	0.0214	0.0024	0.0314	0.0041	0.0119	0.0021	0.0507	0.0085	0.0444	0.0114	0.0253	0.0049	0.0082	0.0023	—	—
2008	0.0229	0.0039	0.0267	0.0042	0.0193	0.0050	0.0851	0.0221	—	—	0.0162	0.0039	0.0103	0.0025	—	—
2007	0.0285	0.0032	0.0332	0.0046	0.0239	0.0032	0.0997	0.0141	0.0470	0.0135	0.0233	0.0038	—	—	—	—
2006	0.0236	0.0031	0.0297	0.0048	0.0178	0.0030	0.0710	0.0108	0.0522	0.0128	0.0188	0.0049	0.0075	0.0023	—	—

See footnotes at end of table.

Table C7. Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
All chronic liver disease and cirrhosis																
Any mental health-related diagnoses																
2010	0.7374	0.0309	0.7846	0.0371	0.6923	0.0307	0.0263	0.0081	0.0938	0.0250	0.5177	0.0264	1.4704	0.0682	0.6577	0.0378
2009	0.6710	0.0277	0.7125	0.0328	0.6314	0.0281	—	—	0.0582	0.0142	0.4444	0.0258	1.3797	0.0624	0.6203	0.0362
2008	0.6717	0.0304	0.7255	0.0365	0.6204	0.0299	0.0212	0.0068	0.0802	0.0152	0.4900	0.0274	1.3459	0.0664	0.6038	0.0385
2007	0.5460	0.0229	0.5979	0.0285	0.4962	0.0228	0.0138	0.0047	0.0345	0.0118	0.3841	0.0223	1.1387	0.0544	0.4677	0.0310
2006	0.5276	0.0215	0.5529	0.0259	0.5034	0.0222	—	—	—	—	0.3861	0.0216	1.0773	0.0491	0.4991	0.0340
Adjustment disorder																
2010	0.0129	0.0019	0.0119	0.0026	0.0140	0.0027	—	—	—	—	0.0104	0.0026	0.0233	0.0043	0.0151	0.0047
2009	0.0120	0.0019	0.0113	0.0023	0.0128	0.0025	—	—	—	—	0.0091	0.0026	0.0244	0.0043	—	—
2008	0.0137	0.0022	0.0149	0.0030	0.0126	0.0023	—	—	—	—	0.0147	0.0035	0.0249	0.0048	—	—
2007	0.0101	0.0016	0.0132	0.0024	0.0072	0.0017	—	—	—	—	—	—	0.0219	0.0039	—	—
2006	0.0083	0.0015	0.0096	0.0021	0.0071	0.0017	—	—	—	—	—	—	0.0161	0.0035	—	—
Anxiety disorder																
2010	0.1783	0.0099	0.1787	0.0118	0.1780	0.0113	—	—	—	—	0.1465	0.0120	0.3413	0.0220	0.1439	0.0140
2009	0.1562	0.0078	0.1569	0.0097	0.1555	0.0096	—	—	—	—	0.1241	0.0108	0.3004	0.0183	0.1411	0.0138
2008	0.1414	0.0080	0.1516	0.0097	0.1317	0.0088	—	—	—	—	0.1257	0.0097	0.2701	0.0181	0.1049	0.0137
2007	0.1157	0.0065	0.1190	0.0087	0.1127	0.0080	—	—	—	—	0.0930	0.0092	0.2328	0.0151	0.0930	0.0121
2006	0.1033	0.0060	0.1079	0.0082	0.0989	0.0071	—	—	—	—	0.0807	0.0080	0.2033	0.0142	0.0961	0.0120
Bipolar disorder																
2010	0.0969	0.0061	0.0967	0.0076	0.0972	0.0078	—	—	—	—	0.0925	0.0096	0.1946	0.0138	0.0297	0.0061
2009	0.0797	0.0058	0.0926	0.0082	0.0673	0.0063	—	—	—	—	0.0706	0.0078	0.1664	0.0137	0.0316	0.0075
2008	0.0923	0.0074	0.1016	0.0099	0.0835	0.0076	—	—	—	—	0.0809	0.0097	0.1931	0.0168	0.0359	0.0093
2007	0.0640	0.0053	0.0706	0.0070	0.0577	0.0065	—	—	—	—	0.0616	0.0077	0.1359	0.0151	—	—
2006	0.0586	0.0047	0.0630	0.0068	0.0545	0.0055	—	—	—	—	0.0621	0.0076	0.1159	0.0110	0.0214	0.0054
Depressive disorder																
2010	0.4531	0.0208	0.4740	0.0248	0.4332	0.0218	—	—	0.0541	0.0197	0.2852	0.0171	0.9175	0.0465	0.4501	0.0312
2009	0.4313	0.0187	0.4393	0.0219	0.4236	0.0207	—	—	0.0347	0.0119	0.2631	0.0164	0.8980	0.0442	0.4268	0.0290
2008	0.4157	0.0194	0.4319	0.0230	0.4003	0.0213	—	—	0.0413	0.0116	0.2886	0.0185	0.8347	0.0435	0.4096	0.0288
2007	0.3475	0.0160	0.3651	0.0194	0.3304	0.0175	—	—	—	—	0.2312	0.0168	0.7215	0.0371	0.3391	0.0251
2006	0.3341	0.0145	0.3338	0.0169	0.3344	0.0167	—	—	—	—	0.2294	0.0156	0.6902	0.0334	0.3345	0.0268
Personality disorder																
2010	0.0079	0.0014	0.0079	0.0019	0.0078	0.0020	—	—	—	—	—	—	0.0152	0.0034	—	—
2009	0.0076	0.0013	0.0090	0.0021	0.0062	0.0015	—	—	—	—	0.0096	0.0028	0.0146	0.0031	—	—
2008	0.0063	0.0011	0.0051	0.0014	0.0074	0.0017	—	—	—	—	0.0076	0.0023	0.0106	0.0025	—	—
2007	0.0070	0.0012	0.0074	0.0019	0.0066	0.0017	—	—	—	—	0.0095	0.0025	0.0101	0.0027	—	—
2006	0.0056	0.0012	0.0059	0.0017	0.0053	0.0014	—	—	—	—	0.0088	0.0023	0.0082	0.0025	—	—
Schizophrenia and other psychotic disorders																
2010	0.0605	0.0046	0.0849	0.0073	0.0373	0.0043	—	—	—	—	0.0393	0.0052	0.1271	0.0116	0.0495	0.0086
2009	0.0506	0.0043	0.0673	0.0072	0.0347	0.0044	—	—	—	—	0.0254	0.0054	0.1182	0.0113	0.0378	0.0071
2008	0.0531	0.0044	0.0678	0.0066	0.0391	0.0048	—	—	—	—	0.0251	0.0046	0.1143	0.0107	0.0637	0.0106
2007	0.0545	0.0048	0.0743	0.0076	0.0356	0.0051	—	—	—	—	0.0305	0.0046	0.1289	0.0136	0.0312	0.0063
2006	0.0581	0.0048	0.0702	0.0072	0.0465	0.0048	—	—	—	—	0.0329	0.0054	0.1305	0.0127	0.0530	0.0096
All other mental disorders																
2010	0.0125	0.0019	0.0116	0.0025	0.0134	0.0027	—	—	—	—	0.0145	0.0033	0.0151	0.0035	—	—
2009	0.0106	0.0016	0.0123	0.0026	0.0089	0.0019	—	—	—	—	0.0092	0.0027	0.0189	0.0036	—	—
2008	0.0163	0.0021	0.0179	0.0029	0.0149	0.0026	—	—	—	—	0.0195	0.0036	0.0226	0.0041	—	—
2007	0.0093	0.0016	0.0077	0.0019	0.0107	0.0022	—	—	—	—	0.0089	0.0027	0.0133	0.0030	—	—
2006	0.0112	0.0017	0.0114	0.0024	0.0109	0.0020	—	—	—	—	0.0146	0.0037	0.0179	0.0037	—	—

See footnotes at end of table.

Table C7. Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Alcoholic liver disease																	
Any mental health-related diagnoses																	
2010	0.4962	0.0210	0.5886	0.0277	0.4080	0.0204	—	—	0.0577	0.0157	0.4222	0.0230	1.0204	0.0487	0.2458	0.0187	
2009	0.4428	0.0185	0.5307	0.0249	0.3590	0.0175	—	—	—	—	0.3568	0.0223	0.9466	0.0431	0.2111	0.0180	
2008	0.4423	0.0193	0.5292	0.0261	0.3595	0.0169	—	—	0.0465	0.0115	0.3942	0.0223	0.9089	0.0438	0.2155	0.0177	
2007	0.3594	0.0168	0.4398	0.0227	0.2825	0.0157	—	—	—	—	0.3116	0.0195	0.7480	0.0390	0.1901	0.0185	
2006	0.3534	0.0159	0.4135	0.0207	0.2962	0.0158	—	—	—	—	0.3161	0.0198	0.7349	0.0358	0.1888	0.0189	
Adjustment disorder																	
2010	0.0083	0.0014	0.0080	0.0023	0.0086	0.0017	—	—	—	—	0.0091	0.0023	0.0154	0.0034	—	—	
2009	0.0068	0.0014	0.0084	0.0020	0.0054	0.0015	—	—	—	—	0.0073	0.0024	0.0139	0.0030	—	—	
2008	0.0101	0.0019	0.0126	0.0027	0.0077	0.0017	—	—	—	—	0.0124	0.0032	0.0192	0.0042	—	—	
2007	0.0064	0.0013	0.0089	0.0020	—	—	—	—	—	—	—	—	0.0134	0.0030	—	—	
2006	0.0057	0.0012	0.0076	0.0018	—	—	—	—	—	—	—	—	0.0119	0.0029	—	—	
Anxiety disorder																	
2010	0.1232	0.0076	0.1389	0.0097	0.1082	0.0086	—	—	—	—	0.1238	0.0111	0.2353	0.0169	0.0559	0.0090	
2009	0.1092	0.0061	0.1208	0.0080	0.0980	0.0072	—	—	—	—	0.1030	0.0099	0.2171	0.0146	0.0507	0.0087	
2008	0.0967	0.0057	0.1154	0.0079	0.0788	0.0064	—	—	—	—	0.1069	0.0090	0.1879	0.0134	0.0235	0.0053	
2007	0.0788	0.0049	0.0928	0.0073	0.0655	0.0059	—	—	—	—	0.0764	0.0076	0.1578	0.0116	0.0363	0.0075	
2006	0.0703	0.0048	0.0845	0.0071	0.0567	0.0051	—	—	—	—	0.0683	0.0072	0.1432	0.0116	0.0293	0.0064	
Bipolar disorder																	
2010	0.0714	0.0050	0.0779	0.0068	0.0653	0.0061	—	—	—	—	0.0756	0.0083	0.1400	0.0115	0.0152	0.0043	
2009	0.0555	0.0046	0.0649	0.0066	0.0467	0.0048	—	—	—	—	0.0536	0.0065	0.1193	0.0114	—	—	
2008	0.0628	0.0047	0.0719	0.0069	0.0541	0.0053	—	—	—	—	0.0597	0.0078	0.1292	0.0111	0.0192	0.0053	
2007	0.0382	0.0037	0.0477	0.0052	0.0292	0.0042	—	—	—	—	0.0450	0.0065	0.0756	0.0094	—	—	
2006	0.0434	0.0040	0.0489	0.0056	0.0381	0.0047	—	—	—	—	0.0538	0.0073	0.0788	0.0082	—	—	
Depressive disorder																	
2010	0.3023	0.0139	0.3553	0.0188	0.2517	0.0143	—	—	—	—	0.2332	0.0148	0.6437	0.0339	0.1592	0.0147	
2009	0.2827	0.0126	0.3357	0.0175	0.2323	0.0125	—	—	—	—	0.2152	0.0149	0.6140	0.0303	0.1452	0.0151	
2008	0.2741	0.0135	0.3217	0.0187	0.2287	0.0127	—	—	—	—	0.2315	0.0158	0.5697	0.0316	0.1515	0.0153	
2007	0.2334	0.0124	0.2718	0.0162	0.1964	0.0127	—	—	—	—	0.1887	0.0151	0.4914	0.0285	0.1414	0.0157	
2006	0.2226	0.0109	0.2524	0.0138	0.1942	0.0118	—	—	—	—	0.1877	0.0144	0.4702	0.0249	0.1292	0.0153	
Personality disorder																	
2010	0.0062	0.0011	0.0064	0.0017	0.0060	0.0016	—	—	—	—	—	—	0.0123	0.0030	—	—	
2009	0.0063	0.0012	0.0075	0.0020	0.0051	0.0014	—	—	—	—	0.0090	0.0028	0.0109	0.0028	—	—	
2008	0.0052	0.0010	0.0047	0.0013	0.0056	0.0015	—	—	—	—	—	—	0.0093	0.0023	—	—	
2007	0.0055	0.0011	0.0067	0.0018	0.0043	0.0013	—	—	—	—	0.0082	0.0022	—	—	—	—	
2006	0.0041	0.0011	0.0048	0.0016	—	—	—	—	—	—	0.0065	0.0019	—	—	—	—	
Schizophrenia and other psychotic disorders																	
2010	0.0409	0.0035	0.0612	0.0058	0.0216	0.0030	—	—	—	—	0.0318	0.0047	0.0853	0.0087	0.0230	0.0056	
2009	0.0305	0.0032	0.0431	0.0053	0.0184	0.0033	—	—	—	—	0.0175	0.0036	0.0728	0.0085	0.0146	0.0041	
2008	0.0316	0.0030	0.0453	0.0050	0.0186	0.0030	—	—	—	—	0.0203	0.0041	0.0698	0.0077	0.0240	0.0059	
2007	0.0342	0.0036	0.0542	0.0068	0.0152	0.0025	—	—	—	—	0.0235	0.0038	0.0799	0.0100	—	—	
2006	0.0354	0.0035	0.0452	0.0056	0.0262	0.0035	—	—	—	—	0.0247	0.0049	0.0811	0.0090	0.0199	0.0050	
All other mental disorders																	
2010	0.0066	0.0013	0.0064	0.0015	0.0069	0.0020	—	—	—	—	0.0085	0.0024	0.0083	0.0025	—	—	
2009	0.0070	0.0013	0.0087	0.0023	0.0053	0.0014	—	—	—	—	0.0067	0.0024	0.0125	0.0030	—	—	
2008	0.0094	0.0014	0.0091	0.0019	0.0098	0.0021	—	—	—	—	0.0154	0.0032	0.0114	0.0028	—	—	
2007	0.0043	0.0011	—	—	0.0058	0.0015	—	—	—	—	—	—	—	—	—	—	
2006	0.0082	0.0015	0.0082	0.0021	0.0082	0.0017	—	—	—	—	0.0134	0.0035	0.0112	0.0029	—	—	

See footnotes at end of table.

Table C7. Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Alcohol poisoning																	
Any mental health-related diagnoses																	
2010	0.1714	0.0181	0.1975	0.0227	0.1466	0.0155	0.0801	0.0122	0.1238	0.0207	0.2104	0.0200	0.2449	0.0352	0.0515	0.0111	
2009	0.1255	0.0112	0.1362	0.0130	0.1154	0.0118	0.0913	0.0141	0.1113	0.0184	0.1681	0.0166	0.1492	0.0195	0.0291	0.0062	
2008	0.1315	0.0086	0.1527	0.0118	0.1114	0.0091	0.0703	0.0112	0.1172	0.0180	0.1699	0.0145	0.1702	0.0142	0.0395	0.0070	
2007	0.1207	0.0086	0.1275	0.0100	0.1136	0.0103	0.0954	0.0129	0.1098	0.0216	0.1509	0.0127	0.1460	0.0140	0.0344	0.0073	
2006	0.1133	0.0074	0.1226	0.0105	0.1045	0.0076	0.0936	0.0156	0.1050	0.0210	0.1441	0.0119	0.1340	0.0122	0.0276	0.0065	
Adjustment disorder																	
2010	0.0062	0.0012	0.0064	0.0018	0.0060	0.0015	—	—	—	—	0.0100	0.0027	—	—	—	—	
2009	0.0030	0.0008	0.0041	0.0013	—	—	—	—	—	—	—	—	—	—	—	—	
2008	0.0055	0.0011	0.0066	0.0017	0.0045	0.0014	—	—	—	—	0.0070	0.0020	—	—	—	—	
2007	0.0061	0.0012	0.0051	0.0014	0.0072	0.0019	—	—	—	—	—	—	0.0074	0.0024	—	—	
2006	0.0058	0.0013	0.0064	0.0019	0.0052	0.0016	—	—	—	—	0.0072	0.0021	0.0079	0.0024	—	—	
Anxiety disorder																	
2010	0.0331	0.0041	0.0375	0.0054	0.0288	0.0042	—	—	—	—	0.0441	0.0061	0.0456	0.0079	—	—	
2009	0.0273	0.0041	0.0269	0.0038	0.0277	0.0060	—	—	0.0400	0.0115	0.0437	0.0077	0.0262	0.0053	—	—	
2008	0.0255	0.0024	0.0286	0.0036	0.0225	0.0031	—	—	—	—	0.0416	0.0057	0.0300	0.0044	—	—	
2007	0.0207	0.0026	0.0194	0.0031	0.0219	0.0035	0.0147	0.0045	—	—	0.0291	0.0048	0.0236	0.0041	—	—	
2006	0.0161	0.0020	0.0155	0.0026	0.0167	0.0027	—	—	—	—	0.0165	0.0035	0.0196	0.0037	—	—	
Bipolar disorder																	
2010	0.0374	0.0044	0.0396	0.0061	0.0353	0.0043	0.0141	0.0041	—	—	0.0502	0.0069	0.0559	0.0089	—	—	
2009	0.0328	0.0038	0.0366	0.0054	0.0291	0.0037	0.0344	0.0071	—	—	0.0472	0.0064	0.0343	0.0075	—	—	
2008	0.0276	0.0028	0.0287	0.0039	0.0266	0.0037	0.0144	0.0045	0.0332	0.0098	0.0373	0.0052	0.0359	0.0052	—	—	
2007	0.0247	0.0028	0.0237	0.0042	0.0252	0.0033	0.0173	0.0048	—	—	0.0321	0.0047	0.0307	0.0048	—	—	
2006	0.0203	0.0022	0.0212	0.0031	0.0195	0.0031	0.0206	0.0056	—	—	0.0318	0.0052	0.0169	0.0036	—	—	
Depressive disorder																	
2010	0.0995	0.0104	0.1164	0.0134	0.0834	0.0092	0.0371	0.0076	0.0698	0.0150	0.1206	0.0131	0.1449	0.0192	0.0374	0.0085	
2009	0.0779	0.0073	0.0818	0.0083	0.0742	0.0083	0.0411	0.0074	0.0630	0.0134	0.1039	0.0118	0.1008	0.0129	0.0203	0.0053	
2008	0.0840	0.0061	0.0987	0.0083	0.0700	0.0064	0.0424	0.0075	0.0602	0.0133	0.1035	0.0104	0.1163	0.0111	0.0293	0.0062	
2007	0.0761	0.0064	0.0772	0.0074	0.0747	0.0078	0.0495	0.0092	0.0681	0.0140	0.0964	0.0100	0.0945	0.0114	0.0254	0.0065	
2006	0.0730	0.0052	0.0749	0.0076	0.0712	0.0057	0.0448	0.0095	0.0711	0.0167	0.0899	0.0084	0.0933	0.0093	0.0246	0.0061	
Personality disorder																	
2010	0.0094	0.0014	0.0085	0.0020	0.0102	0.0020	—	—	—	—	0.0138	0.0029	0.0103	0.0026	—	—	
2009	0.0060	0.0011	0.0052	0.0015	0.0067	0.0016	—	—	—	—	0.0151	0.0032	—	—	—	—	
2008	0.0067	0.0015	0.0049	0.0016	0.0083	0.0021	—	—	—	—	0.0128	0.0037	—	—	—	—	
2007	0.0051	0.0013	0.0048	0.0014	0.0054	0.0021	—	—	—	—	0.0092	0.0033	—	—	—	—	
2006	0.0081	0.0017	0.0089	0.0027	0.0074	0.0019	—	—	—	—	0.0122	0.0033	0.0078	0.0024	—	—	
Schizophrenia and other psychotic disorders																	
2010	0.0217	0.0081	0.0273	0.0094	0.0164	0.0072	—	—	—	—	0.0246	0.0058	0.0376	0.0167	—	—	
2009	0.0090	0.0013	0.0120	0.0023	0.0061	0.0016	—	—	—	—	0.0143	0.0031	0.0099	0.0024	—	—	
2008	0.0101	0.0018	0.0142	0.0031	0.0063	0.0016	—	—	—	—	0.0085	0.0023	0.0192	0.0041	—	—	
2007	0.0087	0.0014	0.0125	0.0024	0.0051	0.0014	—	—	—	—	0.0115	0.0027	0.0096	0.0025	—	—	
2006	0.0080	0.0016	0.0123	0.0031	—	—	—	—	—	—	0.0105	0.0029	0.0127	0.0042	—	—	
All other mental disorders																	
2010	0.0126	0.0016	0.0149	0.0024	0.0104	0.0020	0.0323	0.0065	0.0343	0.0108	0.0157	0.0033	—	—	—	—	
2009	0.0105	0.0020	0.0112	0.0033	0.0099	0.0019	0.0366	0.0116	—	—	0.0119	0.0030	—	—	—	—	
2008	0.0072	0.0013	0.0067	0.0016	0.0076	0.0018	0.0137	0.0048	—	—	0.0103	0.0025	—	—	—	—	
2007	0.0093	0.0016	0.0108	0.0020	0.0078	0.0023	0.0364	0.0072	—	—	0.0067	0.0022	—	—	—	—	
2006	0.0083	0.0015	0.0077	0.0021	0.0090	0.0021	0.0328	0.0079	—	—	—	—	—	—	—	—	

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table C8. Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Any alcohol-related diagnoses																	
Any mental health-related diagnoses																	
2010	35.2896	1.3012	43.2274	1.7392	27.6971	0.9571	7.6270	0.5555	21.0920	1.1617	36.9771	1.6442	55.0610	1.9922	24.4835	0.7904	
2009	33.3409	1.2197	40.8137	1.6131	26.2025	0.9076	6.9514	0.4690	20.0882	1.0792	36.2418	1.5900	50.8853	1.8181	23.4639	0.8119	
2008	31.2389	1.3534	37.7902	1.6854	24.9843	1.0728	7.9246	1.1379	20.1108	1.2189	35.5603	1.7517	46.3621	1.8451	19.7301	0.6546	
2007	27.8408	1.0531	33.7860	1.3970	22.1637	0.7827	7.0746	0.6508	17.7630	0.9581	32.9260	1.4777	40.2827	1.4460	17.2779	0.5652	
2006	26.6380	1.1047	32.9845	1.4539	20.5847	0.8132	5.9056	0.4757	16.4869	0.9354	32.9879	1.5955	37.9709	1.4990	15.8264	0.5619	
Adjustment disorder																	
2010	1.0116	0.0775	1.2656	0.1012	0.7689	0.0621	0.5908	0.0900	1.2665	0.1289	1.1830	0.1061	1.2111	0.0868	0.5564	0.0493	
2009	1.0029	0.0791	1.2741	0.1020	0.7433	0.0623	0.5382	0.0616	1.2491	0.1320	1.2696	0.1142	1.1484	0.0930	0.5070	0.0426	
2008	0.9503	0.0719	1.1659	0.0907	0.7448	0.0592	0.5628	0.1177	1.0845	0.0982	1.2226	0.1042	1.0665	0.0827	0.4678	0.0432	
2007	1.0281	0.0837	1.2585	0.1066	0.8078	0.0679	0.6284	0.0864	1.1523	0.1187	1.4229	0.1353	1.0678	0.0848	0.4424	0.0369	
2006	0.9578	0.0804	1.1860	0.1005	0.7401	0.0652	0.4819	0.0540	1.1202	0.1192	1.2956	0.1197	1.0580	0.0906	0.4274	0.0360	
Anxiety disorder																	
2010	8.3145	0.3213	9.3702	0.3624	7.3074	0.2967	1.7296	0.1671	5.0529	0.3234	9.1892	0.4183	12.4597	0.4649	5.8653	0.2263	
2009	7.7011	0.3217	8.6420	0.3625	6.8037	0.2971	1.5666	0.1381	4.8373	0.3291	8.7900	0.4381	11.4166	0.4560	5.1872	0.2084	
2008	6.7632	0.3340	7.5871	0.3631	5.9773	0.3169	1.6651	0.3284	4.3640	0.3240	8.0916	0.4478	9.7260	0.4278	4.1142	0.1623	
2007	5.7895	0.2497	6.4353	0.2802	5.1737	0.3169	1.3982	0.1749	3.7985	0.2648	6.9784	0.3504	8.2256	0.3285	3.6428	0.1493	
2006	5.1354	0.2229	5.8607	0.2565	4.4441	0.2043	1.0918	0.1046	3.1577	0.2230	6.3415	0.3394	7.3445	0.2904	3.1001	0.1315	
Bipolar disorder																	
2010	8.5819	0.4219	10.2843	0.5497	6.9530	0.3205	2.6849	0.2356	7.0888	0.4651	11.2695	0.6174	12.1464	0.5739	2.2109	0.1009	
2009	8.1248	0.3897	9.6286	0.4972	6.6844	0.3090	2.4619	0.2306	6.5151	0.4383	11.1179	0.5785	11.0330	0.5087	2.2925	0.1524	
2008	7.9013	0.4313	9.3300	0.5255	6.5390	0.3529	2.8332	0.3902	6.8100	0.4818	10.9809	0.6362	10.3345	0.5233	2.0059	0.1183	
2007	6.5627	0.3270	7.6691	0.4084	5.5050	0.2653	2.2119	0.2987	5.3845	0.3635	9.4927	0.5170	8.2851	0.3854	1.6691	0.1041	
2006	6.1890	0.3376	7.4080	0.4227	5.0251	0.2690	1.9227	0.2364	4.9156	0.3578	9.3594	0.5482	7.5716	0.3793	1.3733	0.0790	
Depressive disorder																	
2010	18.4058	0.6472	21.6189	0.8087	15.3298	0.5256	3.1650	0.2485	8.4530	0.4829	17.0690	0.7189	30.3831	1.0777	15.7703	0.5477	
2009	17.4192	0.6139	20.4425	0.7584	14.5327	0.5039	2.9960	0.2002	8.4570	0.4682	16.8378	0.7163	28.1027	0.9913	15.0372	0.5335	
2008	16.4346	0.7196	19.1030	0.8498	13.8852	0.6192	3.4216	0.5952	8.7378	0.5683	16.9486	0.8683	25.8852	1.0379	12.6437	0.4403	
2007	14.5949	0.5375	17.0310	0.6771	12.2673	0.4354	3.1677	0.2795	7.6722	0.4328	15.6870	0.7042	22.5378	0.7980	10.8833	0.3820	
2006	13.8435	0.5502	16.3982	0.6837	11.4061	0.4438	2.6406	0.2233	7.1485	0.4239	15.5642	0.7267	21.0918	0.8144	10.0758	0.3751	
Personality disorder																	
2010	2.8132	0.2403	3.2922	0.3054	2.3564	0.1883	0.9330	0.1003	3.2555	0.3075	4.3711	0.3946	3.2137	0.2752	0.4560	0.0538	
2009	2.7500	0.2111	3.1575	0.2602	2.3616	0.1729	0.9448	0.0841	3.2307	0.2708	4.2794	0.3428	3.0706	0.2480	0.4992	0.0476	
2008	2.6978	0.2231	3.0800	0.2664	2.3322	0.1923	0.9904	0.1260	3.1214	0.2903	4.2827	0.3660	2.9210	0.2377	0.4135	0.0404	
2007	2.6147	0.2128	2.9682	0.2666	2.2780	0.1715	0.8717	0.0870	3.0598	0.2775	4.2594	0.3679	2.7302	0.2238	0.3894	0.0397	
2006	2.6414	0.2221	3.0187	0.2727	2.2823	0.1861	0.9411	0.1127	2.9166	0.2794	4.3803	0.3801	2.6518	0.2291	0.4060	0.0402	
Schizophrenia and other psychotic disorders																	
2010	4.7560	0.3140	7.1944	0.5072	2.4260	0.1427	0.6266	0.0616	2.9778	0.2758	5.3087	0.4185	7.6633	0.4992	2.4763	0.1119	
2009	4.7976	0.3022	7.2358	0.4824	2.4711	0.1452	0.6144	0.0596	2.7331	0.2618	5.3927	0.3966	7.6972	0.4858	2.6960	0.1348	
2008	4.0841	0.2487	6.1038	0.3874	2.1566	0.1229	0.5491	0.0716	2.4585	0.2138	4.7632	0.3259	6.3825	0.3949	2.2504	0.1546	
2007	4.0000	0.2446	5.9882	0.3913	2.1040	0.1160	0.5314	0.0539	2.4072	0.1992	4.7967	0.3205	6.1861	0.3981	2.0906	0.1189	
2006	4.3449	0.2842	6.5701	0.4478	2.2246	0.1384	0.4412	0.0470	2.6547	0.2449	5.7084	0.4225	6.3743	0.4149	2.0473	0.1086	
All other mental disorders																	
2010	2.1246	0.1106	2.2007	0.1224	2.0516	0.1095	2.6267	0.2555	3.7453	0.2336	2.9318	0.1602	1.4997	0.0809	0.5784	0.0400	
2009	1.9075	0.1019	1.9901	0.1158	1.8288	0.0982	2.0833	0.2058	3.3674	0.2145	2.7385	0.1536	1.3433	0.0786	0.5266	0.0371	
2008	1.9551	0.1831	1.9984	0.1960	1.9127	0.1787	2.9056	0.6948	3.3037	0.2549	2.5232	0.1673	1.2815	0.0862	0.5688	0.0417	
2007	1.7649	0.1100	1.7025	0.1259	1.8240	0.1124	2.5944	0.3774	2.9049	0.2036	2.3143	0.1342	1.1086	0.0667	0.5415	0.0422	
2006	1.4926	0.0831	1.4739	0.0918	1.5101	0.0850	1.7705	0.1899	2.4527	0.1617	2.1323	0.1232	0.9601	0.0562	0.4242	0.0358	

See footnotes at end of table.

Table C8. Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcoholic psychoses																
Any mental health-related diagnoses																
2010	6.5904	0.3839	9.1859	0.5327	4.1151	0.2537	0.2419	0.0262	1.9584	0.1934	7.0164	0.4950	11.5147	0.6473	3.8308	0.1716
2009	6.1586	0.3279	8.5726	0.4498	3.8578	0.2242	0.2683	0.0302	1.9188	0.1714	6.7952	0.4258	10.3944	0.5429	3.8786	0.1771
2008	6.1794	0.4066	8.4099	0.5339	4.0537	0.2958	0.3017	0.0506	2.0820	0.2476	7.1497	0.5684	10.3549	0.6301	3.3581	0.1549
2007	5.3122	0.3232	7.2494	0.4420	3.4664	0.2217	0.2257	0.0341	1.5658	0.1771	6.3601	0.4776	8.7458	0.4924	2.9382	0.1382
2006	4.7210	0.3068	6.4910	0.4111	3.0354	0.2178	0.2384	0.0317	1.2626	0.1339	5.6915	0.4346	7.7355	0.4822	2.7073	0.1455
Adjustment disorder																
2010	0.1234	0.0109	0.1747	0.0155	0.0745	0.0082	—	—	0.0742	0.0178	0.1370	0.0152	0.1923	0.0191	0.0867	0.0119
2009	0.1270	0.0112	0.1831	0.0164	0.0735	0.0082	0.0241	0.0060	0.0544	0.0127	0.1405	0.0158	0.2025	0.0196	0.0784	0.0114
2008	0.1360	0.0154	0.1913	0.0227	0.0833	0.0101	0.0151	0.0067	0.0656	0.0159	0.1554	0.0203	0.2141	0.0267	0.0888	0.0136
2007	0.1311	0.0135	0.1855	0.0217	0.0793	0.0085	—	—	0.0480	0.0135	0.1650	0.0208	0.2031	0.0220	0.0711	0.0099
2006	0.1293	0.0162	0.1765	0.0231	0.0844	0.0121	—	—	0.0882	0.0183	0.1611	0.0212	0.1948	0.0294	0.0659	0.0113
Anxiety disorder																
2010	1.6176	0.0920	2.1350	0.1151	1.1243	0.0749	0.0761	0.0127	0.6255	0.0693	1.9469	0.1334	2.6052	0.1428	0.8530	0.0464
2009	1.5621	0.1153	2.0624	0.1534	1.0853	0.0877	0.0808	0.0150	0.5876	0.0657	1.9206	0.1608	2.4964	0.1851	0.8030	0.0496
2008	1.4469	0.1068	1.8928	0.1351	1.0221	0.0875	0.0710	0.0185	0.5647	0.0763	1.8613	0.1567	2.3012	0.1618	0.6046	0.0418
2007	1.1918	0.0735	1.5484	0.0964	0.8521	0.0581	0.0527	0.0101	0.3835	0.0421	1.5583	0.1095	1.8734	0.1159	0.5368	0.0371
2006	0.9808	0.0633	1.3036	0.0831	0.6735	0.0506	0.0543	0.0104	0.3232	0.0418	1.2659	0.0919	1.5376	0.1005	0.4850	0.0380
Bipolar disorder																
2010	1.4432	0.1190	1.9971	0.1654	0.9149	0.0786	0.0646	0.0121	0.4899	0.0660	1.8242	0.1813	2.4607	0.1846	0.3394	0.0290
2009	1.2976	0.0951	1.7788	0.1383	0.8391	0.0619	0.0983	0.0164	0.5077	0.0689	1.7315	0.1355	2.0512	0.1506	0.3913	0.0348
2008	1.3753	0.1261	1.8628	0.1687	0.9108	0.0896	0.1064	0.0250	0.6147	0.1052	1.8900	0.2029	2.1473	0.1731	0.3262	0.0280
2007	1.1125	0.0959	1.4735	0.1285	0.7686	0.0688	0.0568	0.0129	0.3741	0.0758	1.6167	0.1641	1.6895	0.1280	0.2531	0.0268
2006	0.9262	0.0786	1.2851	0.1109	0.5845	0.0524	0.0587	0.0122	0.3277	0.0497	1.3460	0.1305	1.3955	0.1109	0.2193	0.0234
Depressive disorder																
2010	3.7933	0.2202	5.1517	0.2995	2.4975	0.1531	0.1067	0.0149	0.9628	0.1121	3.6905	0.2546	6.8798	0.3952	2.5033	0.1245
2009	3.5880	0.1935	4.8651	0.2562	2.3706	0.1416	0.1147	0.0154	0.9686	0.0936	3.6482	0.2308	6.3075	0.3408	2.4992	0.1289
2008	3.6079	0.2423	4.7552	0.3084	2.5143	0.1871	0.1334	0.0263	0.9902	0.1244	3.8975	0.3186	6.2634	0.3947	2.2489	0.1187
2007	3.0864	0.1856	4.1092	0.2460	2.1118	0.1356	0.0951	0.0150	0.8240	0.0899	3.3827	0.2493	5.3295	0.3069	1.9583	0.1046
2006	2.8121	0.1896	3.7098	0.2414	1.9571	0.1468	0.1104	0.0188	0.6254	0.0733	3.1727	0.2512	4.7951	0.3160	1.8075	0.1037
Personality disorder																
2010	0.4394	0.0637	0.6076	0.0916	0.2791	0.0399	0.0418	0.0088	0.2606	0.0467	0.6395	0.0946	0.6379	0.0991	0.0894	0.0177
2009	0.4037	0.0521	0.5533	0.0736	0.2611	0.0339	0.0376	0.0087	0.2285	0.0421	0.5908	0.0854	0.5717	0.0707	0.1111	0.0153
2008	0.3601	0.0528	0.4823	0.0696	0.2436	0.0381	0.0368	0.0088	0.2516	0.0557	0.5236	0.0837	0.5130	0.0685	0.0755	0.0156
2007	0.3713	0.0499	0.4963	0.0715	0.2522	0.0316	0.0329	0.0076	0.2028	0.0458	0.5694	0.0790	0.5022	0.0677	0.0959	0.0149
2006	0.3409	0.0406	0.4645	0.0586	0.2232	0.0266	0.0513	0.0118	0.1637	0.0288	0.5099	0.0655	0.4614	0.0578	0.1039	0.0173
Schizophrenia and other psychotic disorders																
2010	0.5638	0.0371	0.9233	0.0621	0.2210	0.0179	—	—	0.1437	0.0223	0.5663	0.0481	1.0015	0.0695	0.3814	0.0279
2009	0.5409	0.0317	0.8895	0.0541	0.2086	0.0143	0.0141	0.0046	0.1190	0.0193	0.5214	0.0417	0.9661	0.0618	0.4197	0.0290
2008	0.4998	0.0326	0.8140	0.0540	0.2005	0.0156	—	—	0.1390	0.0246	0.5297	0.0419	0.8750	0.0616	0.3234	0.0306
2007	0.4855	0.0347	0.7810	0.0577	0.2041	0.0158	0.0213	0.0053	0.1061	0.0211	0.5314	0.0483	0.8438	0.0627	0.3026	0.0267
2006	0.4557	0.0310	0.7352	0.0514	0.1896	0.0148	0.0150	0.0043	0.0884	0.0164	0.4914	0.0453	0.7996	0.0532	0.3065	0.0291
All other mental disorders																
2010	0.2391	0.0163	0.2860	0.0198	0.1943	0.0165	0.0539	0.0089	0.2631	0.0371	0.3641	0.0309	0.2636	0.0191	0.1032	0.0148
2009	0.2252	0.0165	0.2678	0.0215	0.1847	0.0155	0.0531	0.0097	0.2513	0.0382	0.3641	0.0317	0.2207	0.0174	0.1045	0.0126
2008	0.2284	0.0230	0.2691	0.0265	0.1896	0.0219	0.0713	0.0199	0.3061	0.0488	0.3292	0.0381	0.2291	0.0230	0.1371	0.0189
2007	0.1845	0.0137	0.2136	0.0158	0.1564	0.0150	0.0488	0.0115	0.1889	0.0354	0.2748	0.0239	0.1939	0.0174	0.1064	0.0146
2006	0.1453	0.0115	0.1776	0.0144	0.1146	0.0114	0.0437	0.0082	0.1143	0.0208	0.2322	0.0226	0.1413	0.0130	0.0805	0.0122

See footnotes at end of table.

Table C8. Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Alcohol dependence syndrome																	
Any mental health-related diagnoses																	
2010	18.1576	0.8349	24.1878	1.1603	12.3990	0.5687	1.4641	0.1166	7.8236	0.5478	19.7753	1.0812	30.4718	1.3523	10.3908	0.4077	
2009	17.4108	0.7863	23.0996	1.0794	11.9847	0.5435	1.6441	0.1306	7.6283	0.5050	19.7094	1.0666	28.2092	1.2165	10.4960	0.4625	
2008	16.7376	0.8856	21.8505	1.1400	11.8588	0.6706	1.9418	0.3926	7.9373	0.6211	20.1230	1.2552	26.3658	1.2618	8.7621	0.3398	
2007	14.5654	0.6717	19.0570	0.9260	10.2789	0.4658	1.3644	0.1262	6.5353	0.4681	18.0972	0.9981	22.6111	0.9711	7.6424	0.2977	
2006	14.1034	0.7202	18.6434	0.9940	9.7761	0.4844	1.2681	0.1102	6.0930	0.4436	18.1533	1.0841	21.5365	1.0372	7.0821	0.2909	
Adjustment disorder																	
2010	0.4574	0.0433	0.6111	0.0555	0.3108	0.0347	0.0797	0.0128	0.3580	0.0547	0.5484	0.0621	0.6666	0.0595	0.2545	0.0287	
2009	0.4593	0.0447	0.6322	0.0593	0.2944	0.0335	0.1085	0.0198	0.3970	0.0598	0.5776	0.0661	0.6344	0.0613	0.2311	0.0224	
2008	0.4473	0.0414	0.5932	0.0563	0.3083	0.0310	0.1153	0.0265	0.3114	0.0432	0.5805	0.0589	0.6026	0.0592	0.2431	0.0273	
2007	0.4719	0.0466	0.6411	0.0665	0.3108	0.0314	0.1103	0.0247	0.3606	0.0552	0.6561	0.0757	0.6147	0.0564	0.2012	0.0211	
2006	0.4493	0.0460	0.5892	0.0595	0.3161	0.0362	0.0688	0.0124	0.3192	0.0501	0.6090	0.0672	0.6098	0.0660	0.2257	0.0242	
Anxiety disorder																	
2010	4.2751	0.2110	5.2553	0.2524	3.3400	0.1822	0.3824	0.0471	2.1417	0.1857	5.0876	0.2965	6.7400	0.3112	2.2841	0.1109	
2009	4.0635	0.2182	4.9220	0.2648	3.2452	0.1854	0.4167	0.0417	2.0934	0.1727	4.9778	0.3136	6.2705	0.3253	2.1339	0.1068	
2008	3.6214	0.2209	4.3630	0.2513	2.9148	0.2015	0.4586	0.1361	1.8081	0.1724	4.6865	0.3260	5.4341	0.2951	1.6592	0.0819	
2007	3.0298	0.1515	3.6383	0.1800	2.4495	0.1355	0.2749	0.0331	1.4553	0.1173	3.9694	0.2338	4.5456	0.2161	1.4306	0.0710	
2006	2.7239	0.1508	3.3489	0.1859	2.1288	0.1276	0.2624	0.0328	1.2443	0.1275	3.5830	0.2470	4.0942	0.2008	1.2800	0.0679	
Bipolar disorder																	
2010	4.6601	0.2778	5.9735	0.3747	3.4066	0.2002	0.5684	0.0567	2.6605	0.2098	6.2054	0.4193	7.2078	0.4098	1.1463	0.0694	
2009	4.4102	0.2451	5.5904	0.3299	3.2833	0.1786	0.6311	0.0602	2.5250	0.1963	6.0971	0.3803	6.4699	0.3412	1.2696	0.1085	
2008	4.3823	0.2841	5.4918	0.3626	3.3251	0.2188	0.6748	0.0991	2.8775	0.2563	6.3049	0.4585	6.1801	0.3637	1.0427	0.0721	
2007	3.5352	0.2094	4.3784	0.2752	2.7299	0.1585	0.4425	0.0451	2.0183	0.1889	5.2769	0.3533	4.8985	0.2668	0.8197	0.0618	
2006	3.4013	0.2147	4.3256	0.2879	2.5198	0.1534	0.4431	0.0517	2.0163	0.1926	5.2517	0.3668	4.5290	0.2649	0.7203	0.0541	
Depressive disorder																	
2010	9.8230	0.4357	12.8107	0.5861	6.9668	0.3133	0.5858	0.0511	3.4011	0.2698	9.5874	0.5025	17.2578	0.7588	6.8673	0.2872	
2009	9.4585	0.4175	12.2535	0.5458	6.7930	0.3120	0.7023	0.0617	3.3984	0.2452	9.6660	0.5079	16.0979	0.6986	6.8042	0.3060	
2008	9.0837	0.4936	11.5770	0.6101	6.7037	0.4019	0.8855	0.2490	3.4953	0.2919	9.9925	0.6489	15.0571	0.7418	5.7345	0.2423	
2007	8.0156	0.3602	10.2608	0.4804	5.8723	0.2663	0.5995	0.0599	3.0814	0.2226	9.0584	0.4883	13.1917	0.5668	5.0312	0.2135	
2006	7.6140	0.3697	9.7386	0.4827	5.5882	0.2751	0.5702	0.0624	2.7030	0.1987	8.9505	0.5059	12.3328	0.5829	4.6687	0.2005	
Personality disorder																	
2010	1.6877	0.1714	2.1238	0.2320	1.2719	0.1216	0.2710	0.0358	1.4939	0.1914	2.5717	0.2762	2.2069	0.2172	0.2846	0.0422	
2009	1.6190	0.1434	2.0097	0.1872	1.2466	0.1083	0.2864	0.0325	1.4058	0.1423	2.4774	0.2355	2.0614	0.1835	0.3459	0.0385	
2008	1.5879	0.1530	1.9307	0.1930	1.2602	0.1205	0.2931	0.0474	1.3750	0.1545	2.4925	0.2519	1.9779	0.1841	0.2722	0.0337	
2007	1.4991	0.1353	1.7974	0.1817	1.2149	0.0984	0.2346	0.0299	1.2625	0.1407	2.4326	0.2308	1.8027	0.1631	0.2521	0.0271	
2006	1.5275	0.1375	1.8813	0.1805	1.1907	0.1055	0.2465	0.0351	1.1532	0.1226	2.5833	0.2391	1.7364	0.1647	0.2643	0.0305	
Schizophrenia and other psychotic disorders																	
2010	2.1268	0.1454	3.3460	0.2410	0.9644	0.0628	0.1065	0.0145	0.8461	0.0963	2.3280	0.1929	3.7099	0.2493	1.0013	0.0564	
2009	2.1850	0.1520	3.4405	0.2500	0.9882	0.0678	0.1164	0.0177	0.8790	0.1055	2.4221	0.2035	3.7223	0.2548	1.1769	0.0685	
2008	1.9502	0.1286	3.0394	0.2071	0.9098	0.0584	0.1364	0.0238	0.7797	0.0895	2.2939	0.1811	3.2202	0.2099	0.9821	0.0803	
2007	1.7534	0.1173	2.7246	0.1917	0.8274	0.0523	0.0980	0.0141	0.6779	0.0775	2.1718	0.1646	2.8168	0.1930	0.8585	0.0584	
2006	2.0615	0.1645	3.2241	0.2633	0.9544	0.0762	0.1107	0.0183	0.9019	0.1138	2.7166	0.2501	3.2121	0.2461	0.8380	0.0582	
All other mental disorders																	
2010	0.8866	0.0626	1.0081	0.0731	0.7707	0.0603	0.4296	0.0447	1.2707	0.1245	1.3855	0.1101	0.8360	0.0569	0.2513	0.0222	
2009	0.8491	0.0610	0.9779	0.0762	0.7264	0.0529	0.4605	0.0525	1.1794	0.1205	1.3459	0.1056	0.7560	0.0552	0.2482	0.0238	
2008	0.8119	0.0872	0.8927	0.0898	0.7346	0.0894	0.6471	0.2294	1.1991	0.1209	1.1908	0.1100	0.6855	0.0564	0.2607	0.0241	
2007	0.6748	0.0435	0.7449	0.0528	0.6076	0.0438	0.3698	0.0522	0.9392	0.0934	1.0206	0.0741	0.6115	0.0432	0.2458	0.0265	
2006	0.6053	0.0416	0.6652	0.0491	0.5483	0.0407	0.2872	0.0349	0.8136	0.0833	0.9762	0.0761	0.5239	0.0380	0.1838	0.0206	

See footnotes at end of table.

Table C8. Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Nondependent abuse of alcohol																	
Any mental health-related diagnoses																	
2010	12.4016	0.5299	15.2899	0.7140	9.6328	0.3783	5.6626	0.4649	12.1650	0.7470	14.3759	0.7211	16.3287	0.6824	7.0259	0.2674	
2009	11.5356	0.4973	14.1104	0.6580	9.0700	0.3650	4.8704	0.3649	11.3623	0.6836	13.9216	0.6782	14.9243	0.6654	6.3612	0.2564	
2008	10.7143	0.5023	12.7900	0.6151	8.7304	0.4094	5.5836	0.7961	11.3135	0.6863	12.9141	0.6268	13.3573	0.5909	5.5902	0.2369	
2007	10.4212	0.4463	12.3993	0.5742	8.5318	0.3481	5.4060	0.5494	10.5274	0.5831	13.0220	0.6032	12.6189	0.5423	5.3900	0.2193	
2006	10.1195	0.4737	12.3731	0.6195	7.9681	0.3575	4.3366	0.3819	9.8321	0.5891	13.2048	0.6936	12.2463	0.5551	5.1256	0.2177	
Adjustment disorder																	
2010	0.4692	0.0382	0.5777	0.0511	0.3654	0.0321	0.4753	0.0802	0.8598	0.0921	0.5794	0.0515	0.4130	0.0299	0.1879	0.0211	
2009	0.4593	0.0357	0.5635	0.0454	0.3588	0.0305	0.3953	0.0449	0.8121	0.0885	0.6274	0.0534	0.3908	0.0332	0.1608	0.0212	
2008	0.4345	0.0352	0.5147	0.0416	0.3581	0.0326	0.4195	0.0959	0.7413	0.0701	0.5840	0.0562	0.3623	0.0290	0.1446	0.0178	
2007	0.4927	0.0413	0.5662	0.0474	0.4218	0.0390	0.4842	0.0701	0.7355	0.0777	0.7122	0.0685	0.3727	0.0331	0.1589	0.0179	
2006	0.4634	0.0383	0.5601	0.0469	0.3711	0.0326	0.3833	0.0459	0.7774	0.0841	0.6469	0.0604	0.3857	0.0303	0.1547	0.0173	
Anxiety disorder																	
2010	2.8833	0.1116	3.2381	0.1210	2.5450	0.1115	1.2589	0.1370	2.6671	0.1741	3.3360	0.1437	3.7778	0.1420	1.8076	0.0901	
2009	2.5874	0.1092	2.8999	0.1195	2.2892	0.1074	1.0534	0.1055	2.4826	0.1832	3.0990	0.1457	3.3673	0.1417	1.5021	0.0737	
2008	2.3154	0.1195	2.5608	0.1253	2.0809	0.1203	1.1292	0.2090	2.3662	0.1830	2.7988	0.1516	2.9085	0.1318	1.2589	0.0645	
2007	2.1281	0.1068	2.3224	0.1148	1.9431	0.1082	1.0542	0.1499	2.2057	0.1707	2.5318	0.1408	2.6581	0.1209	1.2398	0.0675	
2006	1.9180	0.0863	2.1443	0.0949	1.7021	0.0864	0.7776	0.0780	1.8041	0.1386	2.4114	0.1232	2.4217	0.1067	1.0439	0.0547	
Bipolar disorder																	
2010	3.2655	0.1729	3.7810	0.2202	2.7694	0.1373	2.0098	0.1955	4.2057	0.3083	4.4701	0.2574	3.7370	0.1907	0.6722	0.0418	
2009	3.0744	0.1675	3.4950	0.2063	2.6685	0.1398	1.7271	0.1805	3.7614	0.2834	4.4444	0.2475	3.3681	0.1961	0.6693	0.0501	
2008	2.9596	0.1735	3.3312	0.2027	2.6046	0.1508	2.0856	0.3138	3.7432	0.2730	4.1543	0.2380	3.1194	0.1798	0.6368	0.0471	
2007	2.6446	0.1455	2.9657	0.1696	2.3377	0.1292	1.7299	0.2689	3.1914	0.2168	3.8575	0.2123	2.6842	0.1446	0.6171	0.0509	
2006	2.4923	0.1508	2.8313	0.1763	2.1681	0.1339	1.4281	0.1934	2.8023	0.2084	3.8347	0.2381	2.5016	0.1408	0.4603	0.0327	
Depressive disorder																	
2010	5.7017	0.2100	6.7014	0.2602	4.7441	0.1742	2.3267	0.2143	4.4560	0.2704	5.8976	0.2540	8.1031	0.2983	4.2200	0.1756	
2009	5.3083	0.2064	6.1761	0.2549	4.4778	0.1724	2.0816	0.1545	4.4686	0.2790	5.7324	0.2637	7.3333	0.2931	3.8654	0.1612	
2008	5.0308	0.2282	5.7588	0.2609	4.3345	0.2082	2.3265	0.3743	4.7461	0.3157	5.4893	0.2671	6.7634	0.2808	3.3927	0.1559	
2007	4.8847	0.1997	5.5071	0.2404	4.2894	0.1742	2.3951	0.2309	4.2063	0.2637	5.6447	0.2703	6.3175	0.2528	3.1742	0.1357	
2006	4.7625	0.2091	5.5704	0.2586	3.9912	0.1740	1.9081	0.1734	4.1008	0.2692	5.6627	0.2836	6.2129	0.2638	3.1060	0.1421	
Personality disorder																	
2010	1.0412	0.0789	1.1070	0.0908	0.9785	0.0733	0.6331	0.0751	1.6878	0.1470	1.7044	0.1372	0.8803	0.0703	0.1369	0.0180	
2009	1.0366	0.0764	1.0773	0.0865	0.9979	0.0721	0.6304	0.0576	1.7397	0.1519	1.6798	0.1270	0.8825	0.0769	0.1131	0.0156	
2008	1.0356	0.0846	1.0887	0.0937	0.9846	0.0831	0.6705	0.0915	1.7087	0.1720	1.6956	0.1455	0.8408	0.0676	0.1032	0.0138	
2007	1.0533	0.0901	1.1144	0.1044	0.9952	0.0821	0.6310	0.0698	1.7478	0.1636	1.7423	0.1575	0.8381	0.0812	0.1151	0.0198	
2006	1.0642	0.0990	1.1006	0.1129	1.0297	0.0914	0.6840	0.0828	1.7462	0.1862	1.7398	0.1665	0.8365	0.0824	0.1122	0.0169	
Schizophrenia and other psychotic disorders																	
2010	2.2012	0.1912	3.3691	0.3046	1.0826	0.0885	0.4890	0.0535	2.0746	0.2186	2.7861	0.2751	3.1143	0.2749	0.8653	0.0544	
2009	2.1900	0.1730	3.3109	0.2693	1.1192	0.0871	0.4754	0.0508	1.7828	0.1901	2.7851	0.2398	3.1377	0.2604	0.8995	0.0635	
2008	1.7840	0.1322	2.6674	0.2021	0.9411	0.0691	0.4078	0.0544	1.6347	0.1547	2.2856	0.1812	2.4956	0.1978	0.7270	0.0617	
2007	1.9029	0.1389	2.8625	0.2209	0.9876	0.0679	0.4264	0.0476	1.6741	0.1537	2.4507	0.1832	2.6761	0.2169	0.7558	0.0558	
2006	1.9835	0.1527	3.0023	0.2442	1.0124	0.0725	0.3245	0.0361	1.7067	0.1696	2.8181	0.2379	2.6091	0.2042	0.7196	0.0486	
All other mental disorders																	
2010	1.0683	0.0602	1.0405	0.0620	1.0945	0.0645	2.0511	0.2228	2.3020	0.1531	1.3708	0.0709	0.4744	0.0296	0.1874	0.0183	
2009	0.9107	0.0491	0.8714	0.0514	0.9481	0.0527	1.4969	0.1696	2.0375	0.1299	1.2399	0.0644	0.4205	0.0281	0.1597	0.0186	
2008	0.9924	0.1029	0.9631	0.1151	1.0196	0.0966	2.1591	0.4900	1.9942	0.1578	1.1795	0.0713	0.4131	0.0322	0.1581	0.0175	
2007	0.9826	0.0753	0.8668	0.0841	1.0929	0.0800	2.1500	0.3332	1.8742	0.1389	1.1849	0.0744	0.3786	0.0282	0.1722	0.0197	
2006	0.8033	0.0475	0.7299	0.0511	0.8728	0.0529	1.4076	0.1620	1.5859	0.1093	1.0734	0.0616	0.3335	0.0228	0.1688	0.0186	

See footnotes at end of table.

Table C8. Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
All chronic liver disease and cirrhosis																	
Any mental health-related diagnoses																	
2010	8.1646	0.2802	8.3616	0.2991	7.9768	0.2830	0.3565	0.0438	1.2246	0.0931	5.4507	0.2226	15.6275	0.5568	9.0363	0.3265	
2009	7.2279	0.2306	7.4350	0.2486	7.0303	0.2312	0.2808	0.0363	0.9627	0.0754	4.8302	0.1813	13.9063	0.4636	8.2057	0.3127	
2008	6.1269	0.2276	6.3035	0.2588	5.9582	0.2139	0.2857	0.0369	0.9055	0.0807	4.5345	0.2060	11.6542	0.4483	6.4626	0.2358	
2007	4.8670	0.1601	5.0997	0.1844	4.6439	0.1523	0.1765	0.0249	0.6451	0.0557	3.5370	0.1447	9.4173	0.3244	5.2082	0.1991	
2006	4.3604	0.1690	4.6437	0.2002	4.0904	0.1525	0.1509	0.0226	0.4642	0.0547	3.3528	0.1698	8.3792	0.3286	4.6251	0.1902	
Adjustment disorder																	
2010	0.1368	0.0087	0.1539	0.0112	0.1204	0.0093	0.0233	0.0060	—	—	0.0940	0.0086	0.2476	0.0200	0.1579	0.0171	
2009	0.1198	0.0096	0.1333	0.0124	0.1069	0.0097	0.0145	0.0053	—	—	0.0851	0.0081	0.2141	0.0214	0.1467	0.0192	
2008	0.1007	0.0086	0.1051	0.0111	0.0966	0.0085	0.0193	0.0081	0.0316	0.0100	0.0744	0.0087	0.1833	0.0181	0.1013	0.0137	
2007	0.0861	0.0068	0.0961	0.0092	0.0766	0.0070	0.0154	0.0060	—	—	0.0669	0.0080	0.1535	0.0138	0.0922	0.0153	
2006	0.0778	0.0066	0.0906	0.0091	0.0656	0.0070	—	—	—	—	0.0640	0.0073	0.1362	0.0136	0.0849	0.0119	
Anxiety disorder																	
2010	1.9952	0.0776	1.9597	0.0837	2.0291	0.0793	0.0740	0.0118	0.3675	0.0385	1.5132	0.0696	3.6342	0.1483	2.1971	0.1022	
2009	1.7054	0.0634	1.6666	0.0652	1.7425	0.0692	0.0669	0.0136	0.2555	0.0314	1.3256	0.0622	3.1221	0.1220	1.8597	0.0935	
2008	1.3349	0.0544	1.3285	0.0608	1.3406	0.0552	0.0647	0.0099	0.2177	0.0331	1.1625	0.0594	2.3675	0.1017	1.3737	0.0733	
2007	1.0605	0.0409	1.0558	0.0459	1.0646	0.0434	0.0405	0.0100	0.1629	0.0234	0.8978	0.0459	1.9007	0.0790	1.1540	0.0577	
2006	0.8734	0.0359	0.8630	0.0395	0.8830	0.0389	0.0257	0.0065	0.0768	0.0155	0.7388	0.0406	1.6082	0.0678	0.9311	0.0537	
Bipolar disorder																	
2010	1.2651	0.0536	1.3324	0.0648	1.2010	0.0518	0.0823	0.0196	0.2634	0.0310	1.1497	0.0613	2.5161	0.1118	0.5315	0.0327	
2009	1.1126	0.0459	1.1680	0.0568	1.0598	0.0452	0.0596	0.0142	0.2050	0.0295	1.0136	0.0530	2.2133	0.0955	0.5147	0.0392	
2008	0.9955	0.0499	1.0763	0.0631	0.9186	0.0440	0.0533	0.0106	0.1908	0.0349	0.9443	0.0555	1.9615	0.1039	0.4456	0.0374	
2007	0.7062	0.0318	0.7714	0.0414	0.6437	0.0304	0.0271	0.0058	0.1559	0.0247	0.7117	0.0422	1.3769	0.0669	0.2725	0.0234	
2006	0.6065	0.0340	0.6873	0.0443	0.5293	0.0298	0.0208	0.0055	0.0702	0.0162	0.6471	0.0507	1.1488	0.0618	0.2732	0.0251	
Depressive disorder																	
2010	4.9224	0.1805	4.8067	0.1827	5.0326	0.1926	0.1584	0.0208	0.6274	0.0673	2.9968	0.1326	9.4746	0.3617	6.0304	0.2355	
2009	4.3765	0.1495	4.3117	0.1529	4.4379	0.1598	0.1302	0.0196	0.4953	0.0505	2.6821	0.1088	8.4563	0.3061	5.4755	0.2213	
2008	3.7144	0.1429	3.6210	0.1520	3.8034	0.1450	0.1346	0.0197	0.4666	0.0467	2.5719	0.1291	7.1071	0.2818	4.2844	0.1638	
2007	2.9135	0.1044	2.9042	0.1146	2.9214	0.1066	0.0808	0.0153	0.3434	0.0345	1.9345	0.0892	5.7297	0.2124	3.3737	0.1446	
2006	2.6392	0.1034	2.6491	0.1123	2.6297	0.1042	0.0757	0.0149	0.2841	0.0406	1.8700	0.0933	5.1543	0.2095	3.0013	0.1351	
Personality disorder																	
2010	0.2232	0.0279	0.2544	0.0388	0.1934	0.0216	0.0257	0.0114	0.0948	0.0178	0.2524	0.0349	0.3967	0.0519	0.0572	0.0112	
2009	0.1857	0.0186	0.2165	0.0266	0.1564	0.0145	—	—	0.0637	0.0169	0.2262	0.0312	0.3170	0.0310	0.0609	0.0090	
2008	0.1571	0.0168	0.1783	0.0217	0.1370	0.0145	0.0151	0.0047	0.0686	0.0229	0.1843	0.0260	0.2708	0.0285	0.0507	0.0090	
2007	0.1439	0.0115	0.1725	0.0167	0.1168	0.0101	—	—	—	—	0.1892	0.0178	0.2450	0.0227	0.0380	0.0077	
2006	0.1215	0.0114	0.1401	0.0154	0.1038	0.0104	—	—	—	—	0.1625	0.0186	0.2052	0.0211	0.0352	0.0076	
Schizophrenia and other psychotic disorders																	
2010	0.7436	0.0343	0.9726	0.0505	0.5252	0.0268	0.0224	0.0061	0.0822	0.0168	0.4128	0.0258	1.5471	0.0821	0.7648	0.0433	
2009	0.6854	0.0327	0.8981	0.0497	0.4826	0.0243	0.0162	0.0044	0.0483	0.0134	0.3638	0.0270	1.4576	0.0733	0.7206	0.0480	
2008	0.5807	0.0348	0.7558	0.0512	0.4139	0.0244	—	—	0.0827	0.0208	0.3746	0.0336	1.1570	0.0735	0.6435	0.0513	
2007	0.5588	0.0280	0.7314	0.0438	0.3943	0.0223	—	—	0.0662	0.0227	0.3476	0.0274	1.1562	0.0630	0.5915	0.0459	
2006	0.5451	0.0382	0.7365	0.0625	0.3625	0.0215	—	—	0.0441	0.0144	0.3763	0.0435	1.1051	0.0804	0.5763	0.0433	
All other mental disorders																	
2010	0.2264	0.0116	0.2222	0.0142	0.2304	0.0131	0.1014	0.0161	0.2004	0.0315	0.2573	0.0180	0.3001	0.0189	0.1459	0.0161	
2009	0.1980	0.0114	0.2021	0.0128	0.1941	0.0144	0.0880	0.0174	0.1188	0.0192	0.2226	0.0165	0.2734	0.0212	0.1366	0.0146	
2008	0.1869	0.0162	0.1844	0.0154	0.1892	0.0197	0.0952	0.0171	0.1120	0.0211	0.2091	0.0235	0.2519	0.0248	0.1328	0.0144	
2007	0.1362	0.0075	0.1323	0.0097	0.1399	0.0089	0.0455	0.0100	0.0817	0.0155	0.1476	0.0113	0.1967	0.0143	0.1058	0.0133	
2006	0.1212	0.0079	0.1255	0.0099	0.1171	0.0095	0.0461	0.0100	0.0440	0.0120	0.1479	0.0145	0.1704	0.0134	0.0755	0.0106	

See footnotes at end of table.

Table C8. Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Alcoholic liver disease																	
Any mental health-related diagnoses																	
2010	3.6287	0.1436	4.7526	0.1929	2.5570	0.1077	0.0222	0.0060	0.3779	0.0479	2.7867	0.1375	7.4330	0.2962	2.4909	0.1128	
2009	3.2713	0.1203	4.2685	0.1614	2.3206	0.0907	0.0145	0.0044	0.2802	0.0423	2.5681	0.1174	6.6989	0.2514	2.2782	0.1007	
2008	2.9167	0.1259	3.7620	0.1706	2.1113	0.0916	0.0256	0.0077	0.3935	0.0532	2.4860	0.1341	5.8813	0.2516	1.8328	0.0880	
2007	2.4000	0.0935	3.1553	0.1307	1.6796	0.0676	0.0195	0.0051	0.2325	0.0317	2.0832	0.0992	4.8402	0.1923	1.5364	0.0753	
2006	2.2428	0.1045	2.9462	0.1467	1.5731	0.0732	0.0168	0.0050	0.1677	0.0268	1.9928	0.1177	4.5024	0.2066	1.4884	0.0832	
Adjustment disorder																	
2010	0.0592	0.0047	0.0816	0.0072	0.0379	0.0044	—	—	—	—	0.0466	0.0059	0.1184	0.0115	0.0458	0.0081	
2009	0.0538	0.0060	0.0724	0.0091	0.0361	0.0047	—	—	—	—	0.0403	0.0058	0.1111	0.0146	0.0398	0.0080	
2008	0.0505	0.0057	0.0647	0.0085	0.0370	0.0045	—	—	—	—	0.0413	0.0060	0.1036	0.0134	0.0250	0.0065	
2007	0.0441	0.0047	0.0599	0.0069	0.0291	0.0041	—	—	—	—	0.0414	0.0066	0.0853	0.0098	0.0316	0.0072	
2006	0.0467	0.0048	0.0635	0.0075	0.0308	0.0046	—	—	—	—	0.0392	0.0056	0.0935	0.0113	0.0358	0.0078	
Anxiety disorder																	
2010	0.8480	0.0395	1.0593	0.0507	0.6466	0.0340	—	—	0.1352	0.0237	0.7426	0.0432	1.6565	0.0793	0.5332	0.0369	
2009	0.7317	0.0335	0.9242	0.0432	0.5482	0.0300	—	—	0.0874	0.0208	0.6703	0.0401	1.4300	0.0687	0.4373	0.0296	
2008	0.6193	0.0318	0.7836	0.0438	0.4628	0.0253	—	—	0.0898	0.0193	0.6385	0.0406	1.1533	0.0605	0.3388	0.0261	
2007	0.4989	0.0228	0.6411	0.0325	0.3631	0.0190	—	—	0.0616	0.0151	0.5044	0.0318	0.9499	0.0461	0.2748	0.0221	
2006	0.4198	0.0211	0.5217	0.0272	0.3227	0.0201	—	—	—	—	0.4273	0.0290	0.8046	0.0411	0.2337	0.0213	
Bipolar disorder																	
2010	0.6162	0.0325	0.7888	0.0439	0.4517	0.0277	—	—	0.0721	0.0173	0.5883	0.0406	1.2693	0.0693	0.1713	0.0176	
2009	0.5501	0.0278	0.7015	0.0399	0.4058	0.0228	—	—	0.0592	0.0152	0.5386	0.0350	1.1079	0.0603	0.1949	0.0229	
2008	0.5328	0.0324	0.6613	0.0451	0.4104	0.0254	—	—	0.0910	0.0237	0.5329	0.0400	1.0662	0.0674	0.1726	0.0213	
2007	0.3818	0.0214	0.4895	0.0306	0.2791	0.0186	—	—	0.0571	0.0155	0.4220	0.0314	0.7441	0.0440	0.0874	0.0145	
2006	0.3528	0.0250	0.4645	0.0346	0.2464	0.0195	—	—	—	—	0.4155	0.0389	0.6619	0.0433	0.0987	0.0142	
Depressive disorder																	
2010	2.1961	0.0921	2.8247	0.1237	1.5968	0.0706	—	—	0.2112	0.0355	1.5565	0.0825	4.5454	0.1932	1.6925	0.0852	
2009	2.0019	0.0767	2.5560	0.1009	1.4735	0.0621	—	—	0.1428	0.0276	1.4572	0.0731	4.1448	0.1612	1.5506	0.0764	
2008	1.7532	0.0784	2.2093	0.1024	1.3185	0.0623	—	—	0.1845	0.0277	1.4040	0.0839	3.5708	0.1569	1.2500	0.0660	
2007	1.4609	0.0619	1.8726	0.0840	1.0678	0.0479	—	—	0.1224	0.0196	1.1778	0.0624	2.9996	0.1288	1.0381	0.0591	
2006	1.3614	0.0626	1.7195	0.0826	1.0204	0.0506	—	—	0.1061	0.0207	1.1100	0.0644	2.7984	0.1305	0.9908	0.0600	
Personality disorder																	
2010	0.1302	0.0245	0.1767	0.0364	0.0859	0.0149	—	—	—	—	0.1524	0.0318	0.2422	0.0439	0.0259	0.0080	
2009	0.1091	0.0151	0.1540	0.0234	0.0662	0.0089	—	—	—	—	0.1350	0.0257	0.1924	0.0245	0.0330	0.0068	
2008	0.0953	0.0128	0.1298	0.0189	0.0624	0.0087	—	—	0.0369	0.0131	0.1129	0.0190	0.1733	0.0229	0.0202	0.0053	
2007	0.0883	0.0086	0.1193	0.0135	0.0588	0.0064	—	—	—	—	0.1213	0.0135	0.1460	0.0176	0.0251	0.0063	
2006	0.0739	0.0083	0.0965	0.0121	0.0523	0.0067	—	—	—	—	0.1041	0.0138	0.1216	0.0152	0.0191	0.0054	
Schizophrenia and other psychotic disorders																	
2010	0.3177	0.0172	0.4889	0.0288	0.1545	0.0112	—	—	0.0367	0.0112	0.2041	0.0162	0.6871	0.0421	0.2251	0.0203	
2009	0.3002	0.0180	0.4587	0.0302	0.1492	0.0111	—	—	—	—	0.1905	0.0193	0.6625	0.0412	0.2105	0.0208	
2008	0.2708	0.0199	0.4123	0.0326	0.1359	0.0109	—	—	0.0400	0.0154	0.2089	0.0235	0.5724	0.0427	0.1615	0.0176	
2007	0.2504	0.0156	0.3822	0.0270	0.1248	0.0094	—	—	—	—	0.1800	0.0196	0.5258	0.0345	0.1979	0.0193	
2006	0.2779	0.0252	0.4362	0.0462	0.1271	0.0102	—	—	—	—	0.2160	0.0287	0.5908	0.0537	0.1926	0.0235	
All other mental disorders																	
2010	0.0754	0.0057	0.0862	0.0074	0.0652	0.0068	—	—	0.0666	0.0216	0.0946	0.0100	0.1111	0.0104	0.0379	0.0069	
2009	0.0690	0.0052	0.0796	0.0074	0.0589	0.0059	—	—	—	—	0.0941	0.0097	0.1008	0.0102	0.0382	0.0075	
2008	0.0680	0.0059	0.0791	0.0076	0.0573	0.0067	—	—	0.0481	0.0164	0.0868	0.0101	0.0987	0.0097	0.0335	0.0070	
2007	0.0551	0.0045	0.0639	0.0066	0.0467	0.0051	—	—	—	—	0.0705	0.0076	0.0881	0.0096	0.0232	0.0059	
2006	0.0541	0.0059	0.0642	0.0070	0.0444	0.0074	—	—	—	—	0.0825	0.0124	0.0743	0.0088	0.0208	0.0055	

See footnotes at end of table.

Table C8. Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring mental health-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring mental health-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcohol poisoning																
Any mental health-related diagnoses																
2010	0.7494	0.0375	0.7368	0.0422	0.7614	0.0380	0.2981	0.0256	0.7877	0.0618	1.0791	0.0560	0.9145	0.0566	0.1629	0.0185
2009	0.7079	0.0339	0.6558	0.0328	0.7575	0.0396	0.3382	0.0288	0.7684	0.0562	1.0348	0.0530	0.8157	0.0475	0.1498	0.0155
2008	0.7434	0.0391	0.7047	0.0391	0.7803	0.0437	0.3270	0.0287	0.8122	0.0655	1.1005	0.0628	0.8619	0.0494	0.1339	0.0127
2007	0.6191	0.0363	0.5513	0.0341	0.6829	0.0424	0.2940	0.0286	0.7116	0.0599	0.9108	0.0568	0.6893	0.0443	0.1333	0.0151
2006	0.6062	0.0308	0.5743	0.0317	0.6365	0.0343	0.3151	0.0286	0.7630	0.0631	0.8905	0.0515	0.6573	0.0364	0.1039	0.0121
Adjustment disorder																
2010	0.0401	0.0040	0.0352	0.0045	0.0447	0.0050	0.0230	0.0059	0.0721	0.0161	0.0686	0.0079	0.0313	0.0047	—	—
2009	0.0378	0.0043	0.0346	0.0051	0.0409	0.0053	0.0291	0.0067	0.0453	0.0124	0.0542	0.0075	0.0406	0.0059	—	—
2008	0.0437	0.0043	0.0445	0.0054	0.0428	0.0052	0.0297	0.0064	0.0625	0.0140	0.0597	0.0076	0.0475	0.0064	—	—
2007	0.0406	0.0040	0.0349	0.0050	0.0460	0.0049	0.0315	0.0065	0.0538	0.0134	0.0582	0.0078	0.0397	0.0056	—	—
2006	0.0452	0.0050	0.0432	0.0056	0.0471	0.0061	0.0359	0.0070	0.0643	0.0164	0.0672	0.0093	0.0427	0.0063	—	—
Anxiety disorder																
2010	0.1508	0.0099	0.1369	0.0106	0.1641	0.0121	0.0517	0.0088	0.1861	0.0261	0.2302	0.0176	0.1678	0.0145	0.0355	0.0070
2009	0.1404	0.0101	0.1133	0.0085	0.1662	0.0140	0.0595	0.0101	0.1672	0.0250	0.2198	0.0177	0.1480	0.0138	0.0287	0.0061
2008	0.1448	0.0114	0.1247	0.0113	0.1639	0.0142	0.0547	0.0095	0.1298	0.0201	0.2395	0.0244	0.1521	0.0132	0.0262	0.0056
2007	0.1163	0.0111	0.0894	0.0102	0.1419	0.0138	0.0473	0.0102	0.1222	0.0238	0.1831	0.0192	0.1223	0.0125	0.0269	0.0068
2006	0.0978	0.0072	0.0820	0.0074	0.1128	0.0100	0.0477	0.0099	0.1539	0.0237	0.1377	0.0132	0.1060	0.0110	0.0191	0.0048
Bipolar disorder																
2010	0.1911	0.0120	0.1828	0.0144	0.1990	0.0131	0.0703	0.0106	0.2162	0.0293	0.3039	0.0213	0.2175	0.0179	0.0139	0.0042
2009	0.1735	0.0107	0.1521	0.0115	0.1938	0.0133	0.0938	0.0129	0.1883	0.0259	0.2903	0.0206	0.1660	0.0149	0.0182	0.0051
2008	0.1777	0.0113	0.1574	0.0119	0.1970	0.0137	0.0693	0.0115	0.2147	0.0259	0.2932	0.0233	0.1881	0.0141	—	—
2007	0.1391	0.0094	0.1164	0.0092	0.1603	0.0129	0.0538	0.0083	0.1750	0.0268	0.2368	0.0193	0.1337	0.0120	—	—
2006	0.1230	0.0083	0.1118	0.0094	0.1337	0.0100	0.0722	0.0116	0.1662	0.0238	0.2040	0.0165	0.1080	0.0096	—	—
Depressive disorder																
2010	0.4551	0.0232	0.4353	0.0258	0.4740	0.0246	0.1572	0.0168	0.4329	0.0420	0.6266	0.0349	0.5917	0.0350	0.1259	0.0158
2009	0.4462	0.0224	0.4047	0.0219	0.4857	0.0269	0.1849	0.0188	0.4438	0.0390	0.6140	0.0343	0.5654	0.0347	0.1148	0.0135
2008	0.4705	0.0264	0.4360	0.0262	0.5033	0.0306	0.1958	0.0207	0.4747	0.0482	0.6775	0.0391	0.5701	0.0378	0.1035	0.0115
2007	0.4006	0.0255	0.3497	0.0249	0.4487	0.0298	0.1814	0.0229	0.4380	0.0414	0.5640	0.0384	0.4759	0.0336	0.0997	0.0128
2006	0.3897	0.0203	0.3511	0.0210	0.4266	0.0237	0.1696	0.0182	0.4705	0.0440	0.5524	0.0335	0.4585	0.0277	0.0825	0.0103
Personality disorder																
2010	0.0543	0.0052	0.0405	0.0049	0.0674	0.0074	0.0253	0.0056	0.1066	0.0220	0.0835	0.0094	0.0529	0.0070	—	—
2009	0.0570	0.0061	0.0392	0.0055	0.0739	0.0080	0.0290	0.0059	0.0921	0.0184	0.0985	0.0120	0.0481	0.0071	—	—
2008	0.0468	0.0054	0.0353	0.0053	0.0579	0.0071	0.0345	0.0068	0.0529	0.0150	0.0879	0.0113	0.0294	0.0047	—	—
2007	0.0475	0.0066	0.0366	0.0058	0.0579	0.0084	0.0212	0.0055	0.0534	0.0139	0.0815	0.0117	0.0453	0.0084	—	—
2006	0.0446	0.0055	0.0377	0.0062	0.0512	0.0066	0.0158	0.0052	0.0799	0.0154	0.0765	0.0111	0.0360	0.0063	—	—
Schizophrenia and other psychotic disorders																
2010	0.0565	0.0094	0.0731	0.0108	0.0407	0.0091	—	—	0.0358	0.0111	0.0741	0.0089	0.0859	0.0191	—	—
2009	0.0456	0.0035	0.0597	0.0056	0.0321	0.0039	—	—	0.0523	0.0133	0.0750	0.0075	0.0505	0.0062	—	—
2008	0.0391	0.0033	0.0527	0.0053	0.0262	0.0033	—	—	0.0452	0.0118	0.0494	0.0058	0.0604	0.0069	—	—
2007	0.0307	0.0028	0.0368	0.0042	0.0249	0.0034	—	—	0.0509	0.0123	0.0442	0.0055	0.0346	0.0051	—	—
2006	0.0369	0.0032	0.0528	0.0055	0.0219	0.0030	—	—	0.0485	0.0128	0.0579	0.0069	0.0435	0.0062	—	—
All other mental disorders																
2010	0.0510	0.0038	0.0452	0.0047	0.0566	0.0051	0.0887	0.0126	0.1316	0.0207	0.0750	0.0078	0.0156	0.0030	—	—
2009	0.0474	0.0044	0.0442	0.0055	0.0505	0.0053	0.0877	0.0151	0.0953	0.0184	0.0674	0.0084	0.0199	0.0039	—	—
2008	0.0445	0.0050	0.0411	0.0059	0.0478	0.0056	0.0784	0.0131	0.1010	0.0209	0.0632	0.0080	0.0160	0.0035	—	—
2007	0.0397	0.0050	0.0349	0.0048	0.0442	0.0063	0.0772	0.0137	0.0749	0.0165	0.0536	0.0070	0.0151	0.0042	—	—
2006	0.0344	0.0038	0.0336	0.0045	0.0352	0.0048	0.0748	0.0111	0.0821	0.0164	0.0429	0.0081	0.0099	0.0027	—	—

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table C9. Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Any alcohol-related diagnoses																
Any injury-related diagnoses																
2010	1.6345	0.0798	2.4187	0.1234	0.8860	0.0459	0.3889	0.0444	0.7032	0.0562	1.5244	0.0834	2.7659	0.1494	1.1621	0.0592
2009	1.5276	0.0644	2.2277	0.0987	0.8598	0.0409	0.3490	0.0276	0.7496	0.0600	1.5424	0.0763	2.4410	0.1143	1.1414	0.0558
2008	1.4602	0.0595	2.1271	0.0915	0.8230	0.0378	0.3879	0.0347	0.7022	0.0568	1.4201	0.0711	2.3559	0.1008	1.1402	0.0575
2007	1.2832	0.0490	1.8695	0.0774	0.7224	0.0305	0.3878	0.0311	0.5985	0.0528	1.3112	0.0642	1.9792	0.0834	1.0314	0.0494
2006	1.2789	0.0543	1.8686	0.0855	0.7171	0.0319	0.4401	0.0575	0.6040	0.0596	1.3757	0.0706	1.9359	0.0836	0.9155	0.0452
Unintentional injuries																
2010	1.0937	0.0594	1.6485	0.0932	0.5642	0.0337	0.2448	0.0375	0.3662	0.0363	0.9063	0.0567	1.9355	0.1153	0.8962	0.0519
2009	1.0227	0.0483	1.5515	0.0771	0.5188	0.0283	0.2150	0.0225	0.3954	0.0369	0.8928	0.0518	1.7338	0.0921	0.9167	0.0471
2008	0.9916	0.0437	1.4792	0.0684	0.5259	0.0269	0.2201	0.0250	0.3759	0.0355	0.8661	0.0493	1.6631	0.0766	0.9421	0.0527
2007	0.7930	0.0339	1.2013	0.0558	0.4027	0.0197	0.2064	0.0201	0.2994	0.0346	0.7204	0.0399	1.2837	0.0617	0.7752	0.0433
2006	0.8020	0.0411	1.2100	0.0659	0.4135	0.0226	0.2627	0.0493	0.2970	0.0409	0.7425	0.0487	1.2993	0.0646	0.7191	0.0400
Falls																
2010	0.5514	0.0301	0.8449	0.0499	0.2716	0.0168	0.0485	0.0101	0.0823	0.0164	0.3562	0.0277	1.0374	0.0596	0.6479	0.0424
2009	0.5272	0.0251	0.7984	0.0401	0.2687	0.0162	0.0288	0.0065	0.1087	0.0184	0.3518	0.0222	0.9515	0.0521	0.7022	0.0393
2008	0.5022	0.0231	0.7497	0.0375	0.2656	0.0148	0.0373	0.0101	0.0929	0.0184	0.3384	0.0215	0.8971	0.0440	0.6962	0.0426
2007	0.3934	0.0188	0.5937	0.0312	0.2023	0.0118	0.0272	0.0059	0.0612	0.0145	0.2619	0.0184	0.7107	0.0395	0.5589	0.0350
2006	0.3758	0.0176	0.5548	0.0275	0.2055	0.0129	0.0381	0.0080	0.0555	0.0139	0.2815	0.0202	0.6608	0.0341	0.5063	0.0323
Struck by or against objects/persons																
2010	0.0241	0.0024	0.0342	0.0037	0.0145	0.0025	—	—	—	—	0.0292	0.0041	0.0342	0.0050	0.0176	0.0048
2009	0.0228	0.0030	0.0371	0.0050	0.0093	0.0022	—	—	—	—	0.0289	0.0051	0.0333	0.0055	—	—
2008	0.0204	0.0025	0.0305	0.0041	0.0108	0.0023	—	—	—	—	0.0281	0.0050	0.0305	0.0050	—	—
2007	0.0169	0.0024	0.0261	0.0040	0.0081	0.0020	—	—	—	—	0.0207	0.0041	0.0243	0.0042	—	—
2006	0.0202	0.0024	0.0301	0.0040	0.0108	0.0021	—	—	—	—	0.0225	0.0041	0.0354	0.0054	—	—
Motor vehicle traffic																
2010	0.0318	0.0033	0.0492	0.0057	0.0148	0.0027	—	—	0.0460	0.0122	0.0320	0.0050	0.0517	0.0066	—	—
2009	0.0282	0.0027	0.0427	0.0049	0.0145	0.0024	—	—	—	—	0.0316	0.0049	0.0411	0.0052	0.0181	0.0048
2008	0.0331	0.0041	0.0539	0.0070	0.0129	0.0027	—	—	—	—	0.0388	0.0057	0.0458	0.0066	0.0226	0.0055
2007	0.0275	0.0027	0.0416	0.0049	0.0140	0.0024	—	—	—	—	0.0323	0.0047	0.0400	0.0055	—	—
2006	0.0266	0.0027	0.0437	0.0049	0.0103	0.0020	—	—	—	—	0.0349	0.0053	0.0369	0.0053	0.0150	0.0046
Cut or pierce																
2010	0.0119	0.0017	0.0176	0.0028	0.0065	0.0017	—	—	—	—	0.0139	0.0029	0.0178	0.0038	—	—
2009	0.0127	0.0017	0.0184	0.0028	0.0073	0.0016	—	—	—	—	0.0189	0.0034	0.0120	0.0028	—	—
2008	0.0131	0.0017	0.0201	0.0029	0.0064	0.0015	—	—	—	—	0.0148	0.0030	0.0145	0.0030	—	—
2007	0.0104	0.0016	0.0147	0.0028	0.0062	0.0017	—	—	—	—	0.0182	0.0036	0.0113	0.0026	—	—
2006	0.0141	0.0018	0.0258	0.0036	—	—	—	—	—	—	0.0194	0.0038	0.0199	0.0035	—	—
Poisoning																
2010	0.2294	0.0310	0.3095	0.0452	0.1531	0.0192	0.1492	0.0334	0.1595	0.0234	0.2272	0.0254	0.3556	0.0652	0.0854	0.0142
2009	0.1803	0.0153	0.2401	0.0214	0.1232	0.0117	0.1449	0.0190	0.1417	0.0211	0.1952	0.0184	0.2471	0.0279	0.0653	0.0107
2008	0.1754	0.0162	0.2370	0.0263	0.1166	0.0092	0.1183	0.0156	0.1569	0.0218	0.1877	0.0156	0.2458	0.0326	0.0720	0.0160
2007	0.1481	0.0093	0.2026	0.0138	0.0951	0.0079	0.1260	0.0158	0.1443	0.0232	0.1774	0.0142	0.1639	0.0140	0.0762	0.0108
2006	0.1595	0.0181	0.2170	0.0294	0.1048	0.0101	0.1899	0.0448	0.1314	0.0310	0.1593	0.0185	0.1939	0.0197	0.0713	0.0107
Intentional injuries																
2010	0.2205	0.0135	0.2925	0.0198	0.1515	0.0113	0.0686	0.0102	0.2083	0.0309	0.3209	0.0228	0.2852	0.0195	0.0366	0.0071
2009	0.2302	0.0125	0.2960	0.0176	0.1670	0.0118	0.0788	0.0102	0.2417	0.0341	0.3455	0.0226	0.2782	0.0178	0.0378	0.0067
2008	0.2314	0.0137	0.2952	0.0191	0.1702	0.0126	0.1052	0.0133	0.2112	0.0318	0.3179	0.0215	0.3008	0.0212	0.0427	0.0075
2007	0.2042	0.0133	0.2485	0.0174	0.1614	0.0128	0.0955	0.0126	0.1811	0.0304	0.2803	0.0206	0.2618	0.0211	0.0432	0.0085
2006	0.2035	0.0126	0.2540	0.0184	0.1550	0.0106	0.0691	0.0112	0.1495	0.0255	0.3232	0.0231	0.2374	0.0171	0.0335	0.0076

See footnotes at end of table.

Table C9. Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcoholic psychoses																
Any injury-related diagnoses																
2010	0.6482	0.0397	1.0486	0.0666	0.2663	0.0182	0.0145	0.0043	0.1430	0.0217	0.5914	0.0478	1.2407	0.0771	0.3882	0.0284
2009	0.6336	0.0381	1.0069	0.0659	0.2779	0.0183	—	—	0.1800	0.0275	0.6278	0.0441	1.1401	0.0730	0.4270	0.0311
2008	0.5664	0.0303	0.8881	0.0468	0.2598	0.0186	0.0228	0.0064	0.1428	0.0259	0.5668	0.0400	1.0196	0.0545	0.3787	0.0267
2007	0.4781	0.0284	0.7687	0.0486	0.2013	0.0139	0.0137	0.0044	0.0838	0.0171	0.5111	0.0377	0.8354	0.0518	0.3324	0.0251
2006	0.4741	0.0270	0.7539	0.0440	0.2077	0.0151	0.0141	0.0046	0.1172	0.0245	0.5164	0.0351	0.8220	0.0480	0.3175	0.0258
Unintentional injuries																
2010	0.4723	0.0298	0.7678	0.0507	0.1905	0.0140	—	—	0.0777	0.0148	0.4025	0.0342	0.9267	0.0608	0.3128	0.0251
2009	0.4614	0.0298	0.7542	0.0527	0.1823	0.0137	—	—	0.0752	0.0157	0.4185	0.0326	0.8580	0.0599	0.3630	0.0274
2008	0.4255	0.0233	0.6748	0.0367	0.1879	0.0144	—	—	0.0896	0.0182	0.3957	0.0302	0.7858	0.0433	0.3242	0.0245
2007	0.3284	0.0205	0.5432	0.0362	0.1237	0.0092	—	—	0.0496	0.0132	0.3176	0.0260	0.6014	0.0395	0.2488	0.0214
2006	0.3316	0.0204	0.5379	0.0340	0.1353	0.0109	—	—	0.0550	0.0141	0.3234	0.0248	0.6069	0.0382	0.2591	0.0231
Falls																
2010	0.2851	0.0183	0.4555	0.0315	0.1227	0.0095	—	—	—	—	0.2100	0.0203	0.5707	0.0386	0.2399	0.0215
2009	0.2777	0.0171	0.4436	0.0296	0.1195	0.0100	—	—	0.0341	0.0102	0.2124	0.0167	0.5300	0.0364	0.2787	0.0232
2008	0.2404	0.0124	0.3766	0.0205	0.1106	0.0085	—	—	0.0322	0.0113	0.1906	0.0142	0.4546	0.0258	0.2433	0.0200
2007	0.1899	0.0125	0.3076	0.0222	0.0778	0.0066	—	—	—	—	0.1533	0.0145	0.3707	0.0267	0.1719	0.0169
2006	0.1879	0.0117	0.2981	0.0193	0.0830	0.0073	—	—	—	—	0.1676	0.0147	0.3442	0.0231	0.1888	0.0185
Struck by or against objects/persons																
2010	0.0125	0.0017	0.0179	0.0028	0.0073	0.0016	—	—	—	—	0.0174	0.0033	0.0197	0.0037	—	—
2009	0.0110	0.0018	0.0182	0.0034	0.0041	0.0012	—	—	—	—	0.0120	0.0028	0.0197	0.0045	—	—
2008	0.0114	0.0019	0.0170	0.0031	0.0060	0.0017	—	—	—	—	0.0187	0.0041	0.0167	0.0032	—	—
2007	0.0083	0.0017	0.0144	0.0028	—	—	—	—	—	—	0.0104	0.0030	0.0128	0.0031	—	—
2006	0.0084	0.0013	0.0123	0.0024	0.0046	0.0013	—	—	—	—	0.0076	0.0021	0.0196	0.0036	—	—
Motor vehicle traffic																
2010	0.0138	0.0019	0.0242	0.0037	0.0039	0.0012	—	—	—	—	0.0106	0.0027	0.0297	0.0048	—	—
2009	0.0115	0.0018	0.0191	0.0033	0.0043	0.0013	—	—	—	—	0.0130	0.0035	0.0178	0.0037	—	—
2008	0.0111	0.0016	0.0192	0.0030	—	—	—	—	—	—	0.0121	0.0030	0.0175	0.0032	—	—
2007	0.0107	0.0016	0.0170	0.0030	0.0046	0.0015	—	—	—	—	0.0143	0.0031	0.0158	0.0034	—	—
2006	0.0101	0.0016	0.0170	0.0028	—	—	—	—	—	—	0.0119	0.0029	0.0206	0.0042	—	—
Cut or pierce																
2010	0.0051	0.0010	0.0076	0.0018	—	—	—	—	—	—	—	—	0.0098	0.0026	—	—
2009	0.0053	0.0010	0.0081	0.0018	—	—	—	—	—	—	0.0093	0.0025	—	—	—	—
2008	0.0045	0.0009	0.0064	0.0016	—	—	—	—	—	—	—	—	0.0084	0.0023	—	—
2007	0.0042	0.0011	0.0073	0.0020	—	—	—	—	—	—	0.0083	0.0025	—	—	—	—
2006	0.0061	0.0012	0.0109	0.0024	—	—	—	—	—	—	0.0077	0.0023	0.0104	0.0027	—	—
Poisoning																
2010	0.0246	0.0032	0.0396	0.0056	0.0103	0.0022	—	—	—	—	0.0189	0.0037	0.0521	0.0082	—	—
2009	0.0233	0.0028	0.0349	0.0048	0.0122	0.0025	—	—	—	—	0.0235	0.0046	0.0442	0.0061	—	—
2008	0.0216	0.0025	0.0301	0.0040	0.0135	0.0023	—	—	—	—	0.0244	0.0042	0.0409	0.0057	—	—
2007	0.0150	0.0022	0.0220	0.0038	0.0084	0.0019	—	—	—	—	0.0229	0.0043	0.0169	0.0039	—	—
2006	0.0163	0.0030	0.0246	0.0045	0.0084	0.0024	—	—	—	—	0.0145	0.0033	0.0290	0.0061	0.0153	0.0050
Intentional injuries																
2010	0.0541	0.0057	0.0831	0.0099	0.0264	0.0036	—	—	0.0378	0.0111	0.0793	0.0103	0.0751	0.0090	—	—
2009	0.0677	0.0067	0.0923	0.0102	0.0442	0.0058	—	—	0.0646	0.0147	0.0977	0.0112	0.0960	0.0112	—	—
2008	0.0638	0.0061	0.0899	0.0091	0.0390	0.0050	—	—	0.0420	0.0132	0.0963	0.0113	0.0886	0.0097	—	—
2007	0.0515	0.0065	0.0700	0.0101	0.0339	0.0048	—	—	—	—	0.0798	0.0110	0.0747	0.0109	—	—
2006	0.0471	0.0051	0.0646	0.0082	0.0305	0.0044	—	—	—	—	0.0778	0.0100	0.0614	0.0081	—	—

See footnotes at end of table.

Table C9. Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcohol dependence syndrome																
Any injury-related diagnoses																
2010	0.3486	0.0237	0.5047	0.0355	0.1997	0.0167	0.0353	0.0074	0.1302	0.0238	0.3376	0.0283	0.5813	0.0401	0.2940	0.0256
2009	0.3615	0.0214	0.5277	0.0315	0.2026	0.0154	0.0364	0.0071	0.1613	0.0237	0.3634	0.0303	0.5771	0.0357	0.3266	0.0248
2008	0.3363	0.0273	0.4879	0.0415	0.1916	0.0184	0.0517	0.0147	0.1630	0.0250	0.3268	0.0326	0.5431	0.0458	0.2994	0.0259
2007	0.2911	0.0182	0.4189	0.0282	0.1691	0.0122	0.0261	0.0066	0.0900	0.0203	0.2959	0.0270	0.4688	0.0316	0.2811	0.0222
2006	0.2852	0.0212	0.4052	0.0303	0.1709	0.0155	0.0257	0.0088	0.1016	0.0196	0.3467	0.0351	0.4266	0.0305	0.2162	0.0187
Unintentional injuries																
2010	0.2257	0.0169	0.3309	0.0245	0.1255	0.0132	0.0184	0.0052	0.0532	0.0123	0.1826	0.0181	0.3939	0.0302	0.2457	0.0238
2009	0.2335	0.0145	0.3535	0.0231	0.1191	0.0093	0.0178	0.0046	0.0798	0.0166	0.1962	0.0181	0.3927	0.0268	0.2669	0.0208
2008	0.2227	0.0187	0.3354	0.0298	0.1150	0.0115	0.0228	0.0121	0.0652	0.0148	0.1849	0.0202	0.3762	0.0325	0.2615	0.0249
2007	0.1787	0.0122	0.2633	0.0195	0.0978	0.0081	—	—	0.0418	0.0141	0.1512	0.0152	0.2955	0.0237	0.2377	0.0206
2006	0.1732	0.0145	0.2532	0.0213	0.0971	0.0104	—	—	0.0439	0.0113	0.1717	0.0221	0.2839	0.0237	0.1785	0.0167
Falls																
2010	0.1336	0.0098	0.1990	0.0155	0.0713	0.0074	—	—	—	—	0.0856	0.0092	0.2363	0.0186	0.1977	0.0212
2009	0.1317	0.0081	0.1974	0.0133	0.0691	0.0060	—	—	—	—	0.0746	0.0081	0.2266	0.0164	0.2316	0.0193
2008	0.1349	0.0122	0.1992	0.0201	0.0737	0.0077	—	—	—	—	0.0834	0.0106	0.2362	0.0235	0.2187	0.0221
2007	0.1058	0.0071	0.1513	0.0113	0.0621	0.0057	—	—	—	—	0.0594	0.0068	0.1842	0.0160	0.1978	0.0186
2006	0.0918	0.0071	0.1225	0.0100	0.0626	0.0069	—	—	—	—	0.0632	0.0085	0.1600	0.0142	0.1480	0.0155
Struck by or against objects/persons																
2010	0.0063	0.0011	0.0075	0.0017	0.0052	0.0015	—	—	—	—	0.0076	0.0021	0.0094	0.0024	—	—
2009	0.0086	0.0021	0.0131	0.0033	0.0044	0.0016	—	—	—	—	0.0130	0.0040	0.0084	0.0024	—	—
2008	0.0052	0.0011	0.0080	0.0019	—	—	—	—	—	—	—	—	0.0105	0.0028	—	—
2007	0.0044	0.0012	0.0056	0.0020	—	—	—	—	—	—	—	—	—	—	—	—
2006	0.0062	0.0014	0.0099	0.0024	—	—	—	—	—	—	0.0099	0.0030	—	—	—	—
Motor vehicle traffic																
2010	0.0052	0.0011	0.0083	0.0019	—	—	—	—	—	—	0.0080	0.0022	0.0067	0.0022	—	—
2009	0.0062	0.0011	0.0085	0.0019	—	—	—	—	—	—	—	—	0.0109	0.0026	—	—
2008	0.0101	0.0019	0.0159	0.0032	0.0043	0.0016	—	—	—	—	0.0076	0.0022	0.0159	0.0038	—	—
2007	0.0061	0.0013	0.0100	0.0024	—	—	—	—	—	—	0.0087	0.0026	0.0093	0.0027	—	—
2006	0.0073	0.0013	0.0124	0.0023	—	—	—	—	—	—	0.0100	0.0025	0.0095	0.0027	—	—
Cut or pierce																
2010	0.0030	0.0008	0.0049	0.0014	—	—	—	—	—	—	—	—	—	—	—	—
2009	0.0035	0.0008	0.0055	0.0015	—	—	—	—	—	—	—	—	—	—	—	—
2008	0.0050	0.0011	0.0074	0.0018	—	—	—	—	—	—	0.0066	0.0021	—	—	—	—
2007	0.0036	0.0009	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	0.0046	0.0011	0.0080	0.0019	—	—	—	—	—	—	0.0077	0.0021	—	—	—	—
Poisoning																
2010	0.0130	0.0017	0.0157	0.0028	0.0104	0.0020	—	—	—	—	0.0148	0.0032	0.0202	0.0036	—	—
2009	0.0148	0.0019	0.0171	0.0029	0.0125	0.0024	—	—	—	—	0.0229	0.0040	0.0204	0.0035	—	—
2008	0.0132	0.0018	0.0213	0.0031	0.0056	0.0015	—	—	—	—	0.0163	0.0033	0.0225	0.0039	—	—
2007	0.0086	0.0014	0.0134	0.0025	—	—	—	—	—	—	0.0119	0.0027	0.0108	0.0027	—	—
2006	0.0082	0.0013	0.0119	0.0022	0.0048	0.0014	—	—	—	—	0.0094	0.0023	0.0152	0.0034	—	—
Intentional injuries																
2010	0.0570	0.0061	0.0785	0.0094	0.0365	0.0047	—	—	0.0512	0.0175	0.0842	0.0094	0.0789	0.0104	—	—
2009	0.0608	0.0054	0.0834	0.0083	0.0388	0.0046	—	—	0.0605	0.0159	0.0933	0.0106	0.0774	0.0078	—	—
2008	0.0572	0.0062	0.0707	0.0097	0.0444	0.0059	0.0196	0.0050	0.0642	0.0160	0.0789	0.0095	0.0758	0.0104	—	—
2007	0.0524	0.0059	0.0668	0.0078	0.0388	0.0057	0.0148	0.0049	—	—	0.0739	0.0109	0.0744	0.0098	—	—
2006	0.0551	0.0068	0.0726	0.0093	0.0384	0.0063	—	—	0.0425	0.0122	0.0946	0.0140	0.0642	0.0077	—	—

See footnotes at end of table.

Table C9. Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Nondependent abuse of alcohol																
Any injury-related diagnoses																
2010	0.1574	0.0104	0.2278	0.0171	0.0895	0.0075	0.1066	0.0142	0.1600	0.0231	0.1603	0.0144	0.1920	0.0153	0.1292	0.0137
2009	0.1355	0.0103	0.1835	0.0154	0.0893	0.0079	0.0746	0.0105	0.1672	0.0250	0.1708	0.0154	0.1343	0.0157	0.1109	0.0125
2008	0.1383	0.0096	0.1930	0.0147	0.0845	0.0076	0.1078	0.0155	0.1424	0.0218	0.1649	0.0139	0.1325	0.0131	0.1222	0.0162
2007	0.1334	0.0075	0.1791	0.0108	0.0899	0.0072	0.1145	0.0139	0.1785	0.0277	0.1390	0.0108	0.1332	0.0111	0.1211	0.0141
2006	0.1170	0.0075	0.1748	0.0125	0.0621	0.0057	0.1021	0.0134	0.1383	0.0221	0.1310	0.0111	0.1094	0.0112	0.1074	0.0126
Unintentional injuries																
2010	0.1066	0.0081	0.1606	0.0137	0.0548	0.0055	0.0743	0.0113	0.0842	0.0165	0.0902	0.0101	0.1387	0.0126	0.1157	0.0130
2009	0.0883	0.0075	0.1250	0.0113	0.0534	0.0058	0.0460	0.0086	0.1018	0.0189	0.0863	0.0093	0.1032	0.0141	0.0987	0.0118
2008	0.0947	0.0077	0.1356	0.0118	0.0549	0.0058	0.0695	0.0115	0.0810	0.0156	0.1020	0.0098	0.0931	0.0112	0.1134	0.0155
2007	0.0795	0.0055	0.1114	0.0085	0.0491	0.0049	0.0642	0.0097	0.0879	0.0174	0.0732	0.0075	0.0814	0.0083	0.1013	0.0133
2006	0.0671	0.0051	0.1026	0.0088	0.0332	0.0039	0.0547	0.0094	0.0793	0.0154	0.0598	0.0069	0.0688	0.0085	0.0872	0.0111
Falls																
2010	0.0600	0.0051	0.0932	0.0088	0.0283	0.0036	0.0289	0.0073	—	—	0.0325	0.0051	0.0916	0.0094	0.0960	0.0117
2009	0.0508	0.0052	0.0720	0.0082	0.0307	0.0040	0.0140	0.0042	0.0503	0.0126	0.0376	0.0057	0.0637	0.0111	0.0888	0.0110
2008	0.0521	0.0054	0.0767	0.0082	0.0280	0.0038	0.0213	0.0060	0.0317	0.0095	0.0388	0.0056	0.0627	0.0090	0.0990	0.0142
2007	0.0434	0.0035	0.0607	0.0057	0.0270	0.0033	0.0230	0.0054	—	—	0.0277	0.0042	0.0509	0.0061	0.0933	0.0124
2006	0.0360	0.0034	0.0533	0.0059	0.0196	0.0028	0.0302	0.0064	—	—	0.0216	0.0039	0.0427	0.0067	0.0648	0.0093
Struck by or against objects/persons																
2010	0.0023	0.0007	0.0043	0.0014	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	0.0104	0.0015	0.0132	0.0022	0.0074	0.0018	—	—	0.0304	0.0091	0.0117	0.0029	0.0106	0.0025	—	—
2009	0.0090	0.0014	0.0123	0.0022	0.0058	0.0015	—	—	—	—	0.0131	0.0028	0.0080	0.0022	—	—
2008	0.0099	0.0019	0.0161	0.0034	—	—	—	—	—	—	0.0185	0.0037	0.0074	0.0021	—	—
2007	0.0086	0.0014	0.0129	0.0024	0.0045	0.0013	—	—	—	—	0.0080	0.0024	0.0106	0.0025	—	—
2006	0.0067	0.0013	0.0103	0.0025	—	—	—	—	—	—	0.0095	0.0025	—	—	—	—
Cut or pierce																
2010	0.0026	0.0008	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	0.0023	0.0007	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	0.0023	0.0006	0.0046	0.0013	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	0.0095	0.0014	0.0112	0.0022	0.0079	0.0019	—	—	—	—	0.0136	0.0031	0.0110	0.0027	—	—
2009	0.0074	0.0013	0.0088	0.0020	0.0060	0.0015	—	—	—	—	0.0090	0.0025	0.0089	0.0026	—	—
2008	0.0080	0.0014	0.0096	0.0021	0.0064	0.0016	—	—	—	—	0.0124	0.0031	—	—	—	—
2007	0.0055	0.0011	0.0063	0.0017	0.0047	0.0014	—	—	—	—	0.0075	0.0021	—	—	—	—
2006	0.0038	0.0010	0.0062	0.0018	—	—	—	—	—	—	—	—	—	—	—	—
Intentional injuries																
2010	0.0301	0.0035	0.0367	0.0046	0.0235	0.0042	0.0153	0.0044	0.0602	0.0139	0.0487	0.0070	0.0267	0.0042	—	—
2009	0.0258	0.0031	0.0326	0.0047	0.0194	0.0030	0.0160	0.0046	0.0502	0.0126	0.0483	0.0070	0.0127	0.0032	—	—
2008	0.0271	0.0029	0.0346	0.0044	0.0197	0.0031	0.0247	0.0061	0.0448	0.0122	0.0414	0.0060	0.0218	0.0037	—	—
2007	0.0243	0.0028	0.0252	0.0036	0.0235	0.0036	0.0206	0.0055	0.0667	0.0184	0.0308	0.0048	0.0214	0.0041	—	—
2006	0.0226	0.0024	0.0322	0.0040	0.0134	0.0022	0.0142	0.0046	—	—	0.0402	0.0050	0.0165	0.0032	—	—

See footnotes at end of table.

Table C9. Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
All chronic liver disease and cirrhosis																
Any injury-related diagnoses																
2010	0.1480	0.0082	0.2051	0.0123	0.0936	0.0071	—	—	—	—	0.0753	0.0080	0.2781	0.0170	0.2307	0.0189
2009	0.1477	0.0075	0.1941	0.0113	0.1036	0.0074	—	—	—	—	0.0781	0.0077	0.2978	0.0175	0.1948	0.0176
2008	0.1584	0.0081	0.2134	0.0127	0.1060	0.0076	—	—	—	—	0.0684	0.0064	0.3248	0.0196	0.2359	0.0200
2007	0.1324	0.0067	0.1807	0.0108	0.0865	0.0061	—	—	—	—	0.0708	0.0066	0.2644	0.0172	0.1895	0.0161
2006	0.1449	0.0074	0.2001	0.0119	0.0923	0.0067	—	—	—	—	0.0809	0.0080	0.2961	0.0174	0.1951	0.0183
Unintentional injuries																
2010	0.1051	0.0064	0.1440	0.0099	0.0680	0.0055	—	—	—	—	0.0511	0.0064	0.2079	0.0138	0.1504	0.0148
2009	0.1055	0.0059	0.1382	0.0094	0.0743	0.0056	—	—	—	—	0.0517	0.0064	0.2159	0.0141	0.1426	0.0138
2008	0.1163	0.0067	0.1570	0.0108	0.0775	0.0062	—	—	—	—	0.0461	0.0053	0.2363	0.0156	0.1861	0.0181
2007	0.0886	0.0054	0.1214	0.0087	0.0573	0.0052	—	—	—	—	0.0404	0.0047	0.1807	0.0136	0.1341	0.0142
2006	0.1022	0.0060	0.1422	0.0096	0.0641	0.0054	—	—	—	—	0.0551	0.0066	0.2088	0.0141	0.1427	0.0159
Falls																
2010	0.0619	0.0044	0.0833	0.0073	0.0415	0.0042	—	—	—	—	0.0228	0.0047	0.1229	0.0098	0.1024	0.0120
2009	0.0581	0.0039	0.0733	0.0063	0.0435	0.0041	—	—	—	—	0.0212	0.0036	0.1179	0.0100	0.0954	0.0112
2008	0.0676	0.0045	0.0874	0.0072	0.0488	0.0047	—	—	—	—	0.0216	0.0036	0.1353	0.0103	0.1245	0.0137
2007	0.0483	0.0035	0.0669	0.0057	0.0307	0.0036	—	—	—	—	0.0163	0.0030	0.0986	0.0089	0.0858	0.0116
2006	0.0554	0.0038	0.0744	0.0060	0.0373	0.0041	—	—	—	—	0.0236	0.0039	0.1074	0.0090	0.1025	0.0131
Struck by or against objects/persons																
2010	0.0029	0.0008	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	0.0022	0.0007	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	0.0027	0.0008	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	0.0029	0.0009	0.0043	0.0013	—	—	—	—	—	—	—	—	0.0091	0.0028	—	—
Motor vehicle traffic																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	0.0077	0.0013	0.0108	0.0020	0.0047	0.0013	—	—	—	—	0.0067	0.0020	0.0148	0.0031	—	—
2009	0.0084	0.0013	0.0091	0.0018	0.0078	0.0016	—	—	—	—	0.0087	0.0022	0.0176	0.0031	—	—
2008	0.0076	0.0013	0.0091	0.0019	0.0062	0.0017	—	—	—	—	—	—	0.0166	0.0034	—	—
2007	0.0086	0.0013	0.0106	0.0021	0.0066	0.0015	—	—	—	—	—	—	0.0172	0.0035	—	—
2006	0.0089	0.0013	0.0095	0.0020	0.0083	0.0017	—	—	—	—	0.0069	0.0020	0.0199	0.0038	—	—
Intentional injuries																
2010	0.0055	0.0011	0.0076	0.0018	—	—	—	—	—	—	0.0071	0.0022	0.0086	0.0022	—	—
2009	0.0054	0.0010	0.0071	0.0016	—	—	—	—	—	—	—	—	0.0105	0.0025	—	—
2008	0.0064	0.0012	0.0103	0.0022	—	—	—	—	—	—	—	—	0.0135	0.0030	—	—
2007	0.0049	0.0010	0.0063	0.0017	—	—	—	—	—	—	0.0074	0.0021	0.0068	0.0022	—	—
2006	0.0067	0.0013	0.0069	0.0019	0.0064	0.0015	—	—	—	—	0.0087	0.0024	0.0101	0.0029	—	—

See footnotes at end of table.

Table C9. Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcoholic liver disease																
Any injury-related diagnoses																
2010	0.1073	0.0064	0.1643	0.0105	0.0529	0.0051	—	—	—	—	0.0678	0.0076	0.2238	0.0143	0.0959	0.0119
2009	0.1092	0.0061	0.1580	0.0100	0.0627	0.0053	—	—	—	—	0.0703	0.0073	0.2357	0.0151	0.0869	0.0112
2008	0.1107	0.0059	0.1656	0.0101	0.0584	0.0051	—	—	—	—	0.0567	0.0059	0.2502	0.0152	0.0997	0.0120
2007	0.0978	0.0055	0.1452	0.0091	0.0526	0.0047	—	—	—	—	0.0614	0.0060	0.2117	0.0144	0.0865	0.0112
2006	0.1053	0.0060	0.1570	0.0100	0.0560	0.0052	—	—	—	—	0.0698	0.0075	0.2290	0.0146	0.0887	0.0113
Unintentional injuries																
2010	0.0783	0.0052	0.1172	0.0087	0.0413	0.0043	—	—	—	—	0.0486	0.0062	0.1670	0.0118	0.0670	0.0095
2009	0.0780	0.0050	0.1104	0.0084	0.0470	0.0045	—	—	—	—	0.0452	0.0061	0.1726	0.0123	0.0644	0.0096
2008	0.0812	0.0049	0.1193	0.0085	0.0450	0.0043	—	—	—	—	0.0391	0.0050	0.1851	0.0125	0.0761	0.0105
2007	0.0659	0.0045	0.0995	0.0075	0.0339	0.0039	—	—	—	—	0.0358	0.0044	0.1474	0.0121	0.0617	0.0095
2006	0.0758	0.0047	0.1128	0.0081	0.0406	0.0041	—	—	—	—	0.0486	0.0063	0.1650	0.0115	0.0678	0.0102
Falls																
2010	0.0471	0.0038	0.0682	0.0065	0.0269	0.0035	—	—	—	—	0.0222	0.0047	0.1043	0.0089	0.0470	0.0077
2009	0.0439	0.0035	0.0610	0.0058	0.0277	0.0035	—	—	—	—	0.0188	0.0034	0.1001	0.0094	0.0443	0.0077
2008	0.0468	0.0034	0.0676	0.0058	0.0269	0.0034	—	—	—	—	0.0181	0.0033	0.1073	0.0087	0.0512	0.0091
2007	0.0360	0.0030	0.0546	0.0050	0.0184	0.0027	—	—	—	—	0.0151	0.0029	0.0837	0.0081	0.0377	0.0072
2006	0.0403	0.0031	0.0590	0.0052	0.0225	0.0030	—	—	—	—	0.0219	0.0038	0.0872	0.0079	0.0450	0.0083
Struck by or against objects/persons																
2010	0.0022	0.0007	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	0.0021	0.0007	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	0.0071	0.0012	0.0108	0.0020	—	—	—	—	—	—	0.0067	0.0020	0.0143	0.0030	—	—
2009	0.0074	0.0012	0.0091	0.0018	0.0057	0.0014	—	—	—	—	0.0069	0.0020	0.0166	0.0031	—	—
2008	0.0061	0.0012	0.0075	0.0018	0.0047	0.0015	—	—	—	—	—	—	0.0136	0.0031	—	—
2007	0.0074	0.0012	0.0102	0.0021	0.0047	0.0013	—	—	—	—	—	—	0.0159	0.0034	—	—
2006	0.0072	0.0012	0.0075	0.0017	0.0068	0.0016	—	—	—	—	—	—	0.0154	0.0032	—	—
Intentional injuries																
2010	0.0051	0.0011	0.0072	0.0017	—	—	—	—	—	—	—	—	0.0086	0.0022	—	—
2009	0.0046	0.0009	0.0063	0.0015	—	—	—	—	—	—	—	—	0.0091	0.0023	—	—
2008	0.0051	0.0011	0.0084	0.0020	—	—	—	—	—	—	—	—	0.0099	0.0027	—	—
2007	0.0039	0.0010	0.0047	0.0015	—	—	—	—	—	—	—	—	—	—	—	—
2006	0.0049	0.0012	0.0049	0.0015	0.0050	0.0014	—	—	—	—	0.0075	0.0023	0.0075	0.0024	—	—

See footnotes at end of table.

Table C9. Rate of hospitalizations with first-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

First-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcohol poisoning																
Any injury-related diagnoses																
2010	0.3323	0.0405	0.4324	0.0569	0.2369	0.0265	0.2312	0.0365	0.2563	0.0314	0.3597	0.0356	0.4738	0.0824	0.1200	0.0205
2009	0.2494	0.0186	0.3154	0.0248	0.1864	0.0157	0.2252	0.0234	0.2385	0.0277	0.3023	0.0248	0.2918	0.0312	0.0821	0.0106
2008	0.2609	0.0206	0.3447	0.0329	0.1810	0.0125	0.2044	0.0212	0.2452	0.0292	0.2932	0.0210	0.3359	0.0394	0.1040	0.0203
2007	0.2482	0.0145	0.3222	0.0202	0.1756	0.0125	0.2323	0.0232	0.2405	0.0328	0.2944	0.0207	0.2774	0.0221	0.1075	0.0133
2006	0.2578	0.0212	0.3346	0.0343	0.1842	0.0128	0.2981	0.0515	0.2409	0.0404	0.3006	0.0235	0.2818	0.0236	0.0793	0.0114
Unintentional injuries																
2010	0.1839	0.0305	0.2452	0.0443	0.1255	0.0190	0.1483	0.0329	0.1457	0.0220	0.1800	0.0244	0.2683	0.0645	0.0716	0.0146
2009	0.1340	0.0141	0.1805	0.0198	0.0897	0.0106	0.1472	0.0189	0.1386	0.0204	0.1402	0.0174	0.1640	0.0247	0.0454	0.0079
2008	0.1325	0.0158	0.1764	0.0256	0.0907	0.0088	0.1175	0.0156	0.1343	0.0207	0.1374	0.0134	0.1716	0.0319	0.0570	0.0163
2007	0.1178	0.0084	0.1619	0.0127	0.0748	0.0072	0.1243	0.0153	0.1178	0.0210	0.1379	0.0130	0.1247	0.0118	0.0532	0.0092
2006	0.1279	0.0180	0.1742	0.0297	0.0837	0.0093	0.1901	0.0449	0.1159	0.0331	0.1327	0.0181	0.1308	0.0181	0.0515	0.0089
Falls																
2010	0.0108	0.0016	0.0139	0.0024	0.0079	0.0020	—	—	—	—	—	—	0.0159	0.0034	—	—
2009	0.0089	0.0020	0.0121	0.0030	0.0059	0.0016	—	—	—	—	—	—	0.0133	0.0035	—	—
2008	0.0071	0.0012	0.0098	0.0021	0.0046	0.0013	—	—	—	—	—	—	0.0082	0.0023	—	—
2007	0.0060	0.0011	0.0073	0.0017	0.0047	0.0014	—	—	—	—	—	—	—	—	—	—
2006	0.0047	0.0010	0.0065	0.0017	—	—	—	—	—	—	—	—	—	—	—	—
Struck by or against objects/persons																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	0.1747	0.0300	0.2322	0.0436	0.1198	0.0186	0.1375	0.0326	0.1426	0.0219	0.1732	0.0242	0.2575	0.0635	0.0595	0.0133
2009	0.1265	0.0133	0.1702	0.0183	0.0847	0.0104	0.1387	0.0186	0.1328	0.0201	0.1311	0.0162	0.1562	0.0241	0.0418	0.0074
2008	0.1250	0.0154	0.1670	0.0252	0.0850	0.0083	0.1094	0.0148	0.1314	0.0205	0.1317	0.0132	0.1609	0.0313	0.0510	0.0151
2007	0.1104	0.0078	0.1502	0.0118	0.0714	0.0067	0.1185	0.0151	0.1118	0.0206	0.1299	0.0120	0.1168	0.0111	0.0457	0.0085
2006	0.1222	0.0174	0.1648	0.0284	0.0817	0.0093	0.1862	0.0448	0.1099	0.0304	0.1243	0.0173	0.1253	0.0173	0.0504	0.0089
Intentional injuries																
2010	0.0738	0.0052	0.0866	0.0076	0.0615	0.0056	0.0380	0.0078	0.0530	0.0120	0.1017	0.0093	0.0959	0.0091	0.0153	0.0050
2009	0.0704	0.0045	0.0805	0.0063	0.0608	0.0057	0.0436	0.0075	0.0636	0.0144	0.1011	0.0083	0.0816	0.0085	0.0136	0.0041
2008	0.0768	0.0058	0.0896	0.0081	0.0645	0.0062	0.0484	0.0081	0.0570	0.0129	0.0956	0.0095	0.1013	0.0110	0.0244	0.0058
2007	0.0711	0.0061	0.0803	0.0082	0.0616	0.0062	0.0568	0.0090	0.0631	0.0143	0.0886	0.0097	0.0846	0.0107	0.0238	0.0066
2006	0.0721	0.0052	0.0778	0.0072	0.0662	0.0058	0.0420	0.0083	0.0541	0.0123	0.1018	0.0093	0.0852	0.0086	0.0188	0.0053

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table C10. Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010.

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Any alcohol-related diagnoses																
Any injury-related diagnoses																
2010	15.2261	0.5742	21.5065	0.9109	9.2267	0.2952	3.9888	0.2108	12.3761	0.6913	14.8136	0.6607	21.5462	0.8479	15.2959	0.4721
2009	13.8577	0.4754	19.3301	0.7244	8.6261	0.2737	3.6887	0.2074	11.2769	0.5957	13.6772	0.5648	19.1827	0.6776	14.5702	0.4451
2008	13.4472	0.5184	18.5792	0.7917	8.5425	0.2935	4.0770	0.2952	11.8538	0.7214	13.8890	0.6613	18.0042	0.6705	13.4044	0.3877
2007	12.6328	0.4604	17.5496	0.7184	7.9284	0.2542	3.9705	0.2562	11.0420	0.6255	13.5357	0.6033	16.4511	0.5827	12.5156	0.3639
2006	12.5419	0.4860	17.8551	0.7732	7.4724	0.2433	3.9000	0.2441	11.1865	0.6628	13.8741	0.6692	15.9588	0.5977	12.3048	0.3792
Unintentional injuries																
2010	9.2709	0.3873	13.5719	0.6141	5.1635	0.1903	1.8693	0.1183	6.2212	0.4218	7.3683	0.3969	13.9289	0.5983	12.1281	0.4205
2009	8.3997	0.3071	12.2122	0.4734	4.7569	0.1651	1.7326	0.1177	5.4669	0.3508	6.6212	0.3143	12.4290	0.4700	11.7539	0.3898
2008	8.0998	0.3244	11.6844	0.5019	4.6732	0.1705	1.8389	0.1439	5.3278	0.3829	6.7821	0.3818	11.7152	0.4596	11.0852	0.3475
2007	6.9723	0.2995	10.1300	0.4796	3.9515	0.1450	1.7320	0.1280	4.8755	0.3612	6.0086	0.3413	9.8591	0.4131	9.5248	0.3313
2006	7.0884	0.3084	10.5288	0.4955	3.8063	0.1437	1.8240	0.1354	5.1812	0.3874	6.5027	0.3779	9.7082	0.4152	9.4499	0.3273
Falls																
2010	4.2967	0.1721	5.9752	0.2650	2.6941	0.1004	0.3175	0.0303	1.1888	0.1199	2.0322	0.1227	6.8744	0.2948	8.8304	0.3181
2009	3.9747	0.1367	5.5179	0.2023	2.5009	0.0875	0.3075	0.0273	1.0861	0.0833	1.8410	0.0908	6.1820	0.2290	8.7821	0.3052
2008	3.6438	0.1301	4.9621	0.1953	2.3835	0.0804	0.2827	0.0293	0.8635	0.0854	1.7669	0.0930	5.6178	0.2205	8.2268	0.2680
2007	3.1034	0.1178	4.2301	0.1812	2.0260	0.0717	0.2662	0.0297	0.8366	0.0773	1.5262	0.0962	4.7900	0.1908	7.0396	0.2461
2006	2.9484	0.1099	4.0698	0.1672	1.8782	0.0680	0.2440	0.0244	0.7463	0.0713	1.5039	0.0887	4.4895	0.1852	6.8616	0.2397
Struck by or against objects/persons																
2010	0.1752	0.0091	0.2735	0.0155	0.0811	0.0060	0.0494	0.0099	0.1079	0.0193	0.1687	0.0134	0.2679	0.0163	0.1504	0.0143
2009	0.1611	0.0085	0.2531	0.0138	0.0731	0.0065	0.0414	0.0087	0.1410	0.0224	0.1508	0.0128	0.2454	0.0152	0.1384	0.0141
2008	0.1560	0.0092	0.2460	0.0149	0.0702	0.0066	0.0755	0.0161	0.0962	0.0189	0.1604	0.0124	0.2097	0.0146	0.1447	0.0141
2007	0.1332	0.0085	0.2117	0.0146	0.0578	0.0051	0.0366	0.0117	0.0747	0.0194	0.1435	0.0117	0.2010	0.0146	0.0981	0.0119
2006	0.1285	0.0073	0.2075	0.0124	0.0530	0.0056	0.0295	0.0070	0.0924	0.0182	0.1456	0.0122	0.1895	0.0132	0.0869	0.0109
Motor vehicle traffic																
2010	1.5645	0.1151	2.5261	0.1888	0.6441	0.0490	0.7648	0.0656	2.8572	0.2431	2.1175	0.1728	1.6371	0.1223	0.5151	0.0390
2009	1.2970	0.0999	2.0756	0.1617	0.5498	0.0429	0.7046	0.0749	2.2788	0.2314	1.7446	0.1426	1.3577	0.1026	0.4077	0.0345
2008	1.3557	0.1213	2.1503	0.1924	0.5927	0.0563	0.7203	0.0793	2.4303	0.2523	1.8918	0.2001	1.3585	0.1100	0.3830	0.0326
2007	1.2353	0.1032	1.9813	0.1697	0.5202	0.0425	0.7590	0.0738	2.3422	0.2392	1.7035	0.1532	1.1654	0.0932	0.3543	0.0343
2006	1.3880	0.1148	2.2794	0.1903	0.5359	0.0448	0.7913	0.0760	2.5544	0.2546	1.9718	0.1807	1.2582	0.0983	0.4488	0.0407
Cut or pierce																
2010	0.1235	0.0088	0.1975	0.0147	0.0529	0.0053	0.0491	0.0088	0.1481	0.0202	0.1681	0.0169	0.1446	0.0115	0.0511	0.0083
2009	0.1164	0.0080	0.1854	0.0133	0.0504	0.0053	0.0469	0.0093	0.2021	0.0283	0.1512	0.0133	0.1306	0.0112	0.0469	0.0081
2008	0.1169	0.0078	0.1935	0.0142	0.0431	0.0042	0.0538	0.0086	0.1447	0.0232	0.1509	0.0139	0.1369	0.0113	0.0553	0.0104
2007	0.1085	0.0094	0.1760	0.0168	0.0435	0.0045	0.0582	0.0099	0.1659	0.0266	0.1577	0.0159	0.1052	0.0121	0.0342	0.0069
2006	0.1247	0.0108	0.2071	0.0184	0.0463	0.0058	0.0437	0.0083	0.2071	0.0277	0.1772	0.0189	0.1377	0.0154	0.0291	0.0060
Poisoning																
2010	1.1602	0.0636	1.4951	0.0920	0.8409	0.0415	0.3862	0.0454	0.9216	0.0629	1.2021	0.0654	1.7782	0.1179	0.6706	0.0414
2009	1.0917	0.0526	1.4204	0.0765	0.7785	0.0376	0.3834	0.0376	0.9404	0.0703	1.1703	0.0642	1.6315	0.0898	0.5977	0.0347
2008	1.0454	0.0457	1.3471	0.0656	0.7578	0.0326	0.3824	0.0286	0.9077	0.0670	1.1747	0.0587	1.5358	0.0786	0.5040	0.0320
2007	0.8791	0.0415	1.1342	0.0579	0.6346	0.0310	0.3559	0.0313	0.7463	0.0600	1.0595	0.0581	1.1833	0.0650	0.4635	0.0319
2006	0.9266	0.0511	1.2638	0.0794	0.6055	0.0295	0.4508	0.0615	0.7796	0.0650	1.1040	0.0659	1.2422	0.0734	0.4567	0.0316
Intentional injuries																
2010	3.6834	0.1631	4.7132	0.2481	2.6974	0.1130	1.7104	0.1119	4.9418	0.2924	5.5168	0.2473	4.0662	0.1899	0.5461	0.0361
2009	3.5623	0.1476	4.4607	0.2139	2.7008	0.1067	1.6372	0.0998	4.7807	0.2591	5.3927	0.2311	3.8694	0.1683	0.5164	0.0341
2008	3.6372	0.1677	4.4706	0.2378	2.8412	0.1270	1.8020	0.1415	5.4175	0.3339	5.4804	0.2552	3.7887	0.1711	0.4879	0.0290
2007	3.2774	0.1576	3.9840	0.2139	2.6003	0.1281	1.5887	0.1284	4.3458	0.2515	5.1199	0.2550	3.3051	0.1578	0.4661	0.0321
2006	3.1870	0.1479	4.0478	0.2241	2.3640	0.0976	1.4059	0.1011	4.3175	0.2596	5.0285	0.2555	3.2035	0.1392	0.4089	0.0307

See footnotes at end of table.

Table C10. Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcoholic psychoses																
Any injury-related diagnoses																
2010	2.5545	0.1107	4.0370	0.1810	1.1409	0.0534	0.0862	0.0118	0.5073	0.0514	1.9618	0.1078	4.6071	0.2119	2.8489	0.1179
2009	2.3733	0.0989	3.7198	0.1628	1.0898	0.0503	0.0778	0.0102	0.5311	0.0500	1.9009	0.1005	4.1729	0.1857	2.7598	0.1111
2008	2.2311	0.0890	3.4801	0.1425	1.0409	0.0479	0.0849	0.0135	0.5288	0.0568	1.8298	0.0975	3.9239	0.1590	2.5548	0.0955
2007	1.9587	0.0821	3.0661	0.1363	0.9029	0.0401	0.0709	0.0109	0.3538	0.0430	1.7287	0.0954	3.3590	0.1439	2.2665	0.0924
2006	1.8695	0.0810	2.9485	0.1327	0.8423	0.0403	0.0770	0.0115	0.4157	0.0428	1.7346	0.0917	3.1387	0.1454	2.1302	0.0900
Unintentional injuries																
2010	1.7498	0.0794	2.8108	0.1322	0.7380	0.0369	0.0299	0.0064	0.2760	0.0334	1.1548	0.0683	3.2148	0.1585	2.2744	0.1022
2009	1.6314	0.0711	2.6099	0.1190	0.6989	0.0344	0.0297	0.0066	0.2220	0.0279	1.0939	0.0627	2.9526	0.1394	2.2525	0.0961
2008	1.5577	0.0639	2.4726	0.1044	0.6859	0.0332	0.0342	0.0076	0.2479	0.0318	1.0650	0.0606	2.8226	0.1214	2.1453	0.0866
2007	1.2747	0.0608	2.0447	0.1040	0.5407	0.0265	0.0260	0.0063	0.1586	0.0243	0.9360	0.0604	2.2811	0.1131	1.7464	0.0830
2006	1.2289	0.0596	1.9735	0.0994	0.5199	0.0281	0.0243	0.0064	0.1702	0.0252	0.9682	0.0622	2.1395	0.1086	1.7019	0.0814
Falls																
2010	1.0117	0.0444	1.5722	0.0728	0.4772	0.0245	—	—	0.0858	0.0161	0.4927	0.0325	1.8519	0.0914	1.7290	0.0821
2009	0.9656	0.0407	1.5008	0.0664	0.4556	0.0234	—	—	0.0769	0.0153	0.4748	0.0284	1.7316	0.0807	1.7537	0.0801
2008	0.8745	0.0340	1.3396	0.0559	0.4313	0.0203	—	—	0.0669	0.0170	0.4410	0.0259	1.5667	0.0670	1.6219	0.0697
2007	0.7246	0.0338	1.1211	0.0576	0.3467	0.0176	—	—	0.0479	0.0124	0.3731	0.0273	1.3308	0.0677	1.3028	0.0650
2006	0.6871	0.0328	1.0555	0.0536	0.3364	0.0187	—	—	0.0468	0.0137	0.4003	0.0294	1.1927	0.0633	1.3033	0.0640
Struck by or against objects/persons																
2010	0.0300	0.0029	0.0471	0.0050	0.0137	0.0022	—	—	—	—	0.0409	0.0054	0.0446	0.0060	0.0178	0.0048
2009	0.0319	0.0030	0.0528	0.0054	0.0121	0.0023	—	—	—	—	0.0316	0.0047	0.0582	0.0068	0.0219	0.0052
2008	0.0315	0.0033	0.0511	0.0055	0.0128	0.0025	—	—	—	—	0.0380	0.0054	0.0489	0.0070	0.0189	0.0048
2007	0.0245	0.0028	0.0405	0.0049	0.0092	0.0019	—	—	—	—	0.0254	0.0041	0.0467	0.0063	—	—
2006	0.0231	0.0023	0.0372	0.0042	0.0097	0.0021	—	—	—	—	0.0219	0.0038	0.0470	0.0058	—	—
Motor vehicle traffic																
2010	0.1345	0.0104	0.2399	0.0193	0.0340	0.0042	—	—	0.0607	0.0145	0.1291	0.0143	0.2461	0.0206	0.0738	0.0110
2009	0.1141	0.0096	0.2039	0.0180	0.0284	0.0038	—	—	0.0345	0.0098	0.1110	0.0116	0.2083	0.0186	0.0733	0.0107
2008	0.1096	0.0093	0.1943	0.0166	0.0289	0.0040	—	—	0.0369	0.0100	0.1049	0.0127	0.1943	0.0176	0.0840	0.0115
2007	0.0902	0.0082	0.1578	0.0149	0.0259	0.0035	—	—	0.0332	0.0106	0.0991	0.0105	0.1465	0.0159	0.0721	0.0102
2006	0.0962	0.0078	0.1720	0.0143	0.0241	0.0032	—	—	0.0350	0.0100	0.1139	0.0110	0.1609	0.0141	0.0514	0.0090
Cut or pierce																
2010	0.0135	0.0018	0.0229	0.0031	0.0046	0.0014	—	—	—	—	0.0173	0.0031	0.0220	0.0040	—	—
2009	0.0129	0.0018	0.0200	0.0030	0.0060	0.0017	—	—	—	—	0.0174	0.0036	0.0184	0.0036	—	—
2008	0.0165	0.0020	0.0266	0.0035	0.0069	0.0016	—	—	—	—	0.0172	0.0033	0.0267	0.0043	—	—
2007	0.0142	0.0022	0.0250	0.0040	—	—	—	—	—	—	0.0209	0.0043	0.0188	0.0037	—	—
2006	0.0128	0.0018	0.0235	0.0035	—	—	—	—	—	—	0.0165	0.0032	0.0220	0.0042	—	—
Poisoning																
2010	0.1620	0.0143	0.2482	0.0232	0.0799	0.0081	—	—	0.0589	0.0141	0.1522	0.0157	0.2989	0.0295	0.0987	0.0125
2009	0.1522	0.0127	0.2258	0.0200	0.0820	0.0084	—	—	0.0378	0.0114	0.1633	0.0162	0.2721	0.0249	0.0804	0.0108
2008	0.1412	0.0092	0.2103	0.0145	0.0753	0.0069	—	—	0.0413	0.0110	0.1493	0.0131	0.2506	0.0190	0.0787	0.0099
2007	0.1121	0.0091	0.1637	0.0138	0.0625	0.0072	—	—	—	—	0.1393	0.0149	0.1708	0.0159	0.0768	0.0114
2006	0.1132	0.0103	0.1786	0.0172	0.0509	0.0058	—	—	0.0334	0.0099	0.1352	0.0151	0.1815	0.0176	0.0693	0.0113
Intentional injuries																
2010	0.3548	0.0210	0.5038	0.0322	0.2127	0.0154	0.0342	0.0077	0.1607	0.0245	0.4624	0.0315	0.5678	0.0358	0.0954	0.0127
2009	0.3741	0.0223	0.5334	0.0330	0.2220	0.0168	0.0368	0.0071	0.2277	0.0306	0.5152	0.0354	0.5732	0.0371	0.0733	0.0102
2008	0.3627	0.0217	0.5205	0.0320	0.2123	0.0166	0.0417	0.0080	0.2131	0.0331	0.5190	0.0367	0.5379	0.0323	0.0639	0.0100
2007	0.3016	0.0199	0.4122	0.0291	0.1962	0.0150	0.0307	0.0071	0.1364	0.0257	0.4535	0.0340	0.4303	0.0307	0.0607	0.0103
2006	0.2855	0.0177	0.4011	0.0270	0.1754	0.0126	0.0325	0.0084	0.1631	0.0244	0.4221	0.0275	0.4098	0.0286	0.0497	0.0084

See footnotes at end of table.

Table C10. Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group										
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years		
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	
Alcohol dependence syndrome																	
Any injury-related diagnoses																	
2010	5.8450	0.2295	8.5175	0.3546	3.2960	0.1306	0.4147	0.0310	2.1026	0.1393	4.9475	0.2328	9.9937	0.4123	6.0859	0.2225	
2009	5.5622	0.2013	8.0797	0.3062	3.1616	0.1203	0.4583	0.0394	2.2881	0.1440	4.9226	0.2207	9.1885	0.3401	5.9760	0.2129	
2008	5.1541	0.1961	7.3877	0.2858	3.0244	0.1270	0.5380	0.0766	2.2424	0.1649	4.8673	0.2381	8.3003	0.3135	5.3033	0.1728	
2007	4.7035	0.1613	6.7649	0.2395	2.7380	0.1048	0.4177	0.0340	1.7897	0.1199	4.5561	0.2066	7.5003	0.2534	5.0387	0.1679	
2006	4.5755	0.1829	6.6323	0.2774	2.6166	0.1051	0.4159	0.0373	1.8233	0.1219	4.6394	0.2289	7.1458	0.2933	4.8203	0.1683	
Unintentional injuries																	
2010	3.6251	0.1508	5.4820	0.2403	1.8545	0.0784	0.1452	0.0157	0.8737	0.0702	2.3769	0.1244	6.5040	0.2860	4.8521	0.1940	
2009	3.4558	0.1325	5.2488	0.2108	1.7467	0.0701	0.1800	0.0204	0.9084	0.0669	2.3253	0.1194	6.0501	0.2395	4.8655	0.1851	
2008	3.1629	0.1211	4.7312	0.1869	1.6672	0.0681	0.1890	0.0391	0.7442	0.0688	2.2557	0.1195	5.4750	0.2151	4.4521	0.1594	
2007	2.6727	0.1005	4.0308	0.1607	1.3783	0.0550	0.1544	0.0173	0.5465	0.0534	1.9494	0.0973	4.5897	0.1774	3.8858	0.1516	
2006	2.6267	0.1206	3.9754	0.1916	1.3419	0.0609	0.1592	0.0191	0.6352	0.0597	2.0999	0.1339	4.3704	0.2051	3.7463	0.1486	
Falls																	
2010	1.9633	0.0800	2.8703	0.1238	1.0984	0.0491	0.0244	0.0057	0.2155	0.0299	0.8539	0.0503	3.5506	0.1559	3.6131	0.1527	
2009	1.8819	0.0707	2.7797	0.1103	1.0259	0.0428	0.0352	0.0072	0.2044	0.0251	0.8377	0.0463	3.2967	0.1294	3.7211	0.1473	
2008	1.6735	0.0619	2.4346	0.0970	0.9480	0.0368	0.0358	0.0110	0.1565	0.0244	0.7815	0.0441	2.8917	0.1166	3.4100	0.1289	
2007	1.3985	0.0516	2.0335	0.0803	0.7926	0.0332	0.0180	0.0048	0.1236	0.0229	0.6382	0.0369	2.4367	0.0959	2.9314	0.1173	
2006	1.3178	0.0499	1.8955	0.0749	0.7674	0.0330	0.0179	0.0064	0.0905	0.0162	0.6350	0.0345	2.2671	0.0980	2.8271	0.1127	
Struck by or against objects/persons																	
2010	0.0745	0.0048	0.1161	0.0085	0.0348	0.0037	—	—	—	—	0.0683	0.0073	0.1302	0.0103	0.0617	0.0086	
2009	0.0757	0.0061	0.1199	0.0099	0.0335	0.0046	—	—	0.0321	0.0105	0.0768	0.0100	0.1255	0.0110	0.0551	0.0084	
2008	0.0640	0.0050	0.0991	0.0082	0.0306	0.0039	0.0192	0.0069	—	—	0.0675	0.0077	0.0926	0.0093	0.0592	0.0083	
2007	0.0519	0.0042	0.0844	0.0072	0.0208	0.0029	—	—	—	—	0.0551	0.0067	0.0906	0.0086	0.0343	0.0070	
2006	0.0541	0.0042	0.0829	0.0070	0.0266	0.0035	—	—	—	—	0.0626	0.0075	0.0887	0.0085	0.0300	0.0062	
Motor vehicle traffic																	
2010	0.2594	0.0186	0.4332	0.0323	0.0937	0.0092	0.0425	0.0080	0.1976	0.0299	0.2880	0.0261	0.4048	0.0306	0.1418	0.0151	
2009	0.2514	0.0172	0.4206	0.0303	0.0901	0.0076	0.0405	0.0110	0.1972	0.0309	0.2699	0.0224	0.4041	0.0295	0.1345	0.0166	
2008	0.2211	0.0163	0.3577	0.0270	0.0898	0.0086	0.0289	0.0077	0.1771	0.0323	0.2458	0.0231	0.3529	0.0269	0.1138	0.0129	
2007	0.2065	0.0145	0.3409	0.0247	0.0785	0.0076	0.0475	0.0107	0.1343	0.0220	0.2520	0.0211	0.3081	0.0227	0.0959	0.0123	
2006	0.2067	0.0153	0.3475	0.0266	0.0727	0.0067	0.0483	0.0093	0.1335	0.0229	0.2537	0.0229	0.3035	0.0224	0.1048	0.0134	
Cut or pierce																	
2010	0.0425	0.0036	0.0681	0.0063	0.0180	0.0028	—	—	—	—	0.0500	0.0062	0.0647	0.0069	0.0258	0.0059	
2009	0.0414	0.0033	0.0656	0.0056	0.0183	0.0028	—	—	0.0434	0.0124	0.0520	0.0058	0.0585	0.0065	0.0192	0.0049	
2008	0.0414	0.0032	0.0662	0.0058	0.0177	0.0025	—	—	0.0320	0.0096	0.0443	0.0054	0.0672	0.0069	0.0212	0.0060	
2007	0.0345	0.0032	0.0529	0.0059	0.0169	0.0026	—	—	—	—	0.0508	0.0061	0.0436	0.0058	0.0147	0.0044	
2006	0.0363	0.0040	0.0589	0.0061	0.0148	0.0033	—	—	0.0415	0.0107	0.0477	0.0076	0.0529	0.0070	—	—	
Poisoning																	
2010	0.4334	0.0299	0.5923	0.0463	0.2818	0.0182	0.0291	0.0063	0.1829	0.0241	0.4256	0.0313	0.7769	0.0592	0.2492	0.0224	
2009	0.4159	0.0269	0.5732	0.0405	0.2661	0.0180	0.0385	0.0075	0.2290	0.0302	0.4434	0.0334	0.7051	0.0480	0.2252	0.0206	
2008	0.3847	0.0218	0.5204	0.0324	0.2554	0.0159	0.0381	0.0079	0.1512	0.0224	0.4176	0.0307	0.6753	0.0402	0.1764	0.0173	
2007	0.3293	0.0175	0.4476	0.0257	0.2166	0.0140	0.0470	0.0080	0.1153	0.0218	0.3799	0.0262	0.5353	0.0312	0.1854	0.0170	
2006	0.3444	0.0282	0.4955	0.0457	0.2005	0.0145	0.0462	0.0089	0.1800	0.0279	0.4158	0.0406	0.5394	0.0445	0.1768	0.0181	
Intentional injuries																	
2010	1.2780	0.0638	1.6366	0.0867	0.9354	0.0513	0.2097	0.0218	0.9587	0.0859	1.8070	0.0960	1.8327	0.0947	0.2430	0.0213	
2009	1.3046	0.0590	1.6370	0.0790	0.9870	0.0487	0.2395	0.0256	1.1308	0.0911	1.8880	0.0958	1.7905	0.0812	0.2335	0.0203	
2008	1.2969	0.0680	1.6032	0.0830	1.0051	0.0615	0.3001	0.0394	1.1969	0.1059	1.9466	0.1111	1.6698	0.0842	0.2083	0.0184	
2007	1.1401	0.0632	1.4042	0.0772	0.8879	0.0566	0.2171	0.0240	0.9281	0.0779	1.7709	0.1113	1.4436	0.0758	0.1912	0.0188	
2006	1.1004	0.0552	1.3790	0.0742	0.8352	0.0432	0.1779	0.0201	0.8658	0.0739	1.7011	0.0949	1.4207	0.0708	0.1862	0.0183	

See footnotes at end of table.

Table C10. Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Nondependent abuse of alcohol																
Any injury-related diagnoses																
2010	7.6119	0.3567	11.0712	0.5853	4.3037	0.1600	3.2177	0.1879	9.6386	0.5994	8.8905	0.4650	9.0348	0.4502	5.5027	0.2070
2009	6.5022	0.2869	9.3079	0.4541	3.8144	0.1443	2.8919	0.1839	8.2612	0.5211	7.7704	0.3838	7.4048	0.3374	4.8446	0.1887
2008	6.5129	0.3319	9.2247	0.5285	3.9161	0.1618	3.2196	0.2491	8.8679	0.6180	7.9509	0.4761	7.1315	0.3425	4.4966	0.1706
2007	6.5444	0.3064	9.3061	0.4927	3.8964	0.1488	3.2558	0.2259	8.5617	0.5469	8.1205	0.4255	7.0585	0.3362	4.5489	0.1694
2006	6.7139	0.3372	9.9272	0.5551	3.6453	0.1463	3.1370	0.2157	8.7962	0.5859	8.4426	0.5058	7.1636	0.3447	4.7558	0.1971
Unintentional injuries																
2010	4.5555	0.2413	6.8859	0.3899	2.3274	0.1094	1.5507	0.1036	5.0884	0.3820	4.5854	0.2918	5.8661	0.3201	4.5086	0.1904
2009	3.8067	0.1835	5.7041	0.2890	1.9899	0.0892	1.4292	0.1087	4.2866	0.3195	3.8574	0.2240	4.7216	0.2325	3.9844	0.1664
2008	3.7954	0.2070	5.6555	0.3277	2.0136	0.0986	1.5391	0.1277	4.2880	0.3476	4.0465	0.2981	4.5478	0.2311	3.7953	0.1495
2007	3.4963	0.2001	5.2143	0.3241	1.8482	0.0893	1.4695	0.1162	4.1098	0.3340	3.7171	0.2603	4.1287	0.2358	3.5410	0.1520
2006	3.7249	0.2078	5.7559	0.3428	1.7857	0.0862	1.5265	0.1168	4.3624	0.3559	4.1107	0.2905	4.3254	0.2307	3.6604	0.1575
Falls																
2010	1.7935	0.0909	2.5596	0.1447	1.0611	0.0484	0.2805	0.0287	0.9413	0.1057	1.0914	0.0789	2.6391	0.1404	3.3267	0.1468
2009	1.5022	0.0670	2.1369	0.1019	0.8947	0.0406	0.2607	0.0244	0.8668	0.0774	0.9009	0.0562	2.1186	0.1037	2.9968	0.1340
2008	1.3980	0.0658	1.9506	0.1011	0.8680	0.0387	0.2366	0.0257	0.6705	0.0741	0.8699	0.0602	1.9677	0.1012	2.8519	0.1192
2007	1.2963	0.0654	1.7981	0.1033	0.8150	0.0375	0.2390	0.0275	0.6989	0.0687	0.8085	0.0680	1.8299	0.0976	2.6281	0.1149
2006	1.2668	0.0643	1.8243	0.1035	0.7339	0.0343	0.2270	0.0231	0.6408	0.0686	0.8023	0.0637	1.7845	0.0993	2.6210	0.1151
Struck by or against objects/persons																
2010	0.0805	0.0057	0.1326	0.0102	0.0304	0.0037	0.0418	0.0093	0.0850	0.0174	0.0910	0.0097	0.1047	0.0099	0.0453	0.0078
2009	0.0664	0.0043	0.1106	0.0076	0.0240	0.0032	0.0294	0.0073	0.1029	0.0180	0.0664	0.0067	0.0859	0.0083	0.0481	0.0083
2008	0.0748	0.0057	0.1257	0.0096	0.0263	0.0039	0.0541	0.0127	0.0701	0.0148	0.0822	0.0079	0.0898	0.0086	0.0516	0.0084
2007	0.0643	0.0058	0.1037	0.0099	0.0260	0.0033	0.0316	0.0111	0.0594	0.0163	0.0778	0.0087	0.0819	0.0085	0.0345	0.0069
2006	0.0624	0.0046	0.1091	0.0085	0.0177	0.0032	0.0210	0.0061	0.0655	0.0136	0.0785	0.0077	0.0794	0.0086	0.0343	0.0069
Motor vehicle traffic																
2010	1.2149	0.0963	1.9661	0.1583	0.4952	0.0409	0.7080	0.0628	2.6129	0.2302	1.7663	0.1525	1.0774	0.0900	0.2678	0.0281
2009	0.9673	0.0832	1.5362	0.1330	0.4207	0.0375	0.6500	0.0710	2.0397	0.2183	1.4202	0.1255	0.8163	0.0727	0.1862	0.0203
2008	1.0502	0.1034	1.6662	0.1639	0.4589	0.0479	0.6751	0.0762	2.2145	0.2398	1.5813	0.1795	0.8666	0.0802	0.1653	0.0200
2007	0.9696	0.0880	1.5443	0.1432	0.4177	0.0374	0.7025	0.0685	2.1697	0.2275	1.4004	0.1351	0.7612	0.0701	0.1953	0.0231
2006	1.1341	0.1024	1.8655	0.1699	0.4349	0.0399	0.7383	0.0734	2.3902	0.2463	1.6846	0.1674	0.8668	0.0766	0.2972	0.0327
Cut or pierce																
2010	0.0744	0.0067	0.1233	0.0113	0.0277	0.0039	0.0437	0.0084	0.1177	0.0177	0.1137	0.0146	0.0696	0.0071	0.0151	0.0043
2009	0.0682	0.0060	0.1115	0.0102	0.0268	0.0037	0.0389	0.0082	0.1587	0.0252	0.0956	0.0108	0.0591	0.0074	0.0201	0.0058
2008	0.0677	0.0062	0.1149	0.0114	0.0219	0.0030	0.0412	0.0079	0.1157	0.0206	0.1005	0.0115	0.0612	0.0078	0.0167	0.0049
2007	0.0693	0.0073	0.1156	0.0126	0.0245	0.0037	0.0490	0.0089	0.1539	0.0257	0.1054	0.0124	0.0512	0.0088	—	—
2006	0.0802	0.0084	0.1371	0.0149	0.0259	0.0039	0.0360	0.0078	0.1655	0.0248	0.1239	0.0151	0.0674	0.0109	0.0161	0.0046
Poisoning																
2010	0.5427	0.0393	0.7083	0.0572	0.3849	0.0257	0.2301	0.0235	0.5751	0.0465	0.6378	0.0409	0.7287	0.0759	0.2602	0.0240
2009	0.4882	0.0253	0.6464	0.0377	0.3375	0.0188	0.2573	0.0280	0.5368	0.0502	0.5611	0.0328	0.6467	0.0429	0.2227	0.0178
2008	0.4833	0.0239	0.6240	0.0350	0.3492	0.0182	0.2762	0.0239	0.5792	0.0519	0.5971	0.0350	0.5897	0.0384	0.1927	0.0167
2007	0.4176	0.0235	0.5493	0.0336	0.2915	0.0178	0.2277	0.0223	0.4953	0.0450	0.5506	0.0344	0.4722	0.0349	0.1774	0.0175
2006	0.4503	0.0229	0.6187	0.0351	0.2900	0.0155	0.2791	0.0313	0.4940	0.0453	0.5799	0.0322	0.5345	0.0337	0.1509	0.0158
Intentional injuries																
2010	2.1328	0.1071	2.8312	0.1765	1.4634	0.0636	1.3685	0.1002	3.6828	0.2400	3.3233	0.1680	1.9160	0.1088	0.2295	0.0202
2009	1.9686	0.0955	2.5399	0.1498	1.4198	0.0591	1.2352	0.0835	3.2826	0.2108	3.1131	0.1541	1.7397	0.0936	0.2162	0.0200
2008	2.0161	0.1076	2.5705	0.1700	1.4859	0.0664	1.3365	0.1124	3.8583	0.2654	3.0827	0.1641	1.7395	0.0943	0.1935	0.0171
2007	1.8856	0.0986	2.3582	0.1472	1.4323	0.0716	1.2329	0.1061	3.0717	0.1995	2.9938	0.1579	1.5922	0.0910	0.2102	0.0186
2006	1.8447	0.1033	2.4603	0.1680	1.2555	0.0573	1.0792	0.0885	3.1357	0.2083	2.9785	0.1835	1.5348	0.0848	0.1669	0.0195

See footnotes at end of table.

Table C10. Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
All chronic liver disease and cirrhosis																
Any injury-related diagnoses																
2010	2.6798	0.0900	3.4606	0.1291	1.9350	0.0630	0.0652	0.0110	0.2594	0.0294	1.2701	0.0603	4.8597	0.1781	4.6765	0.1572
2009	2.4807	0.0769	3.1318	0.1030	1.8595	0.0610	0.0461	0.0079	0.1883	0.0256	1.1668	0.0513	4.4879	0.1555	4.5225	0.1561
2008	2.1755	0.0701	2.7187	0.0979	1.6575	0.0534	0.0487	0.0092	0.2371	0.0294	1.0820	0.0495	3.8960	0.1414	3.9975	0.1354
2007	1.8955	0.0588	2.3995	0.0876	1.4148	0.0426	0.0429	0.0073	0.1965	0.0268	0.9803	0.0466	3.4132	0.1166	3.4645	0.1194
2006	1.7863	0.0595	2.2768	0.0836	1.3186	0.0443	0.0329	0.0068	0.1697	0.0237	0.9327	0.0448	3.1839	0.1192	3.4177	0.1250
Unintentional injuries																
2010	1.8841	0.0675	2.4269	0.0966	1.3662	0.0477	0.0396	0.0086	0.1227	0.0188	0.7700	0.0407	3.4105	0.1321	3.5819	0.1309
2009	1.7830	0.0599	2.2491	0.0797	1.3382	0.0484	0.0209	0.0049	0.1120	0.0198	0.7352	0.0365	3.1787	0.1198	3.5827	0.1338
2008	1.6022	0.0548	1.9842	0.0753	1.2378	0.0437	0.0285	0.0069	0.1333	0.0210	0.6837	0.0340	2.8549	0.1111	3.2392	0.1188
2007	1.2778	0.0473	1.5961	0.0672	0.9743	0.0364	0.0308	0.0064	0.0896	0.0189	0.5627	0.0310	2.2920	0.0935	2.5847	0.1052
2006	1.2293	0.0463	1.5620	0.0635	0.9122	0.0361	0.0207	0.0057	0.1019	0.0184	0.5570	0.0315	2.1693	0.0913	2.5939	0.1074
Falls																
2010	1.0496	0.0383	1.2747	0.0527	0.8346	0.0317	—	—	0.0389	0.0107	0.3004	0.0190	1.7871	0.0737	2.5116	0.0946
2009	1.0220	0.0356	1.2192	0.0450	0.8338	0.0336	—	—	—	—	0.2852	0.0183	1.7038	0.0685	2.6050	0.1035
2008	0.8924	0.0309	1.0342	0.0408	0.7570	0.0286	—	—	0.0477	0.0130	0.2471	0.0151	1.4826	0.0608	2.3279	0.0893
2007	0.7121	0.0263	0.8208	0.0343	0.6082	0.0246	—	—	—	—	0.2144	0.0144	1.1941	0.0509	1.8528	0.0785
2006	0.6803	0.0255	0.8117	0.0345	0.5552	0.0233	—	—	—	—	0.1958	0.0140	1.1343	0.0509	1.8460	0.0786
Struck by or against objects/persons																
2010	0.0413	0.0033	0.0590	0.0051	0.0244	0.0032	—	—	—	—	0.0258	0.0042	0.0783	0.0072	0.0541	0.0080
2009	0.0327	0.0030	0.0471	0.0052	0.0191	0.0028	—	—	—	—	0.0233	0.0038	0.0575	0.0061	0.0458	0.0078
2008	0.0276	0.0024	0.0371	0.0041	0.0187	0.0027	—	—	—	—	0.0179	0.0033	0.0487	0.0055	0.0430	0.0079
2007	0.0302	0.0030	0.0461	0.0051	0.0150	0.0025	—	—	—	—	0.0195	0.0036	0.0611	0.0075	0.0292	0.0065
2006	0.0246	0.0023	0.0336	0.0039	0.0160	0.0024	—	—	—	—	0.0147	0.0030	0.0486	0.0059	0.0279	0.0066
Motor vehicle traffic																
2010	0.1120	0.0087	0.1646	0.0140	0.0620	0.0062	—	—	—	—	0.0706	0.0087	0.2209	0.0182	0.1170	0.0130
2009	0.0967	0.0075	0.1453	0.0121	0.0501	0.0051	—	—	—	—	0.0671	0.0082	0.1858	0.0151	0.0958	0.0121
2008	0.0883	0.0069	0.1300	0.0112	0.0482	0.0053	—	—	—	—	0.0641	0.0074	0.1679	0.0138	0.0900	0.0116
2007	0.0774	0.0068	0.1199	0.0116	0.0370	0.0043	—	—	—	—	0.0598	0.0084	0.1512	0.0142	0.0658	0.0104
2006	0.0711	0.0061	0.1059	0.0099	0.0377	0.0044	—	—	—	—	0.0602	0.0071	0.1320	0.0140	0.0680	0.0108
Cut or pierce																
2010	0.0161	0.0021	0.0227	0.0034	0.0097	0.0020	—	—	—	—	0.0105	0.0026	0.0293	0.0045	0.0217	0.0055
2009	0.0137	0.0017	0.0212	0.0030	0.0067	0.0016	—	—	—	—	0.0083	0.0023	0.0274	0.0046	—	—
2008	0.0130	0.0018	0.0193	0.0032	0.0071	0.0018	—	—	—	—	0.0116	0.0026	0.0219	0.0039	—	—
2007	0.0111	0.0016	0.0180	0.0029	0.0045	0.0013	—	—	—	—	0.0095	0.0026	0.0219	0.0040	—	—
2006	0.0130	0.0020	0.0177	0.0036	0.0084	0.0017	—	—	—	—	0.0091	0.0025	0.0281	0.0052	—	—
Poisoning																
2010	0.1934	0.0111	0.2314	0.0163	0.1571	0.0099	—	—	—	—	0.1257	0.0112	0.4053	0.0269	0.1556	0.0147
2009	0.1761	0.0099	0.2090	0.0146	0.1447	0.0092	—	—	—	—	0.1331	0.0120	0.3480	0.0216	0.1518	0.0163
2008	0.1569	0.0084	0.1852	0.0118	0.1299	0.0088	—	—	—	—	0.1086	0.0097	0.3328	0.0206	0.1121	0.0130
2007	0.1256	0.0073	0.1488	0.0102	0.1036	0.0075	—	—	—	—	0.0914	0.0091	0.2582	0.0165	0.1001	0.0118
2006	0.1135	0.0073	0.1399	0.0104	0.0884	0.0072	—	—	—	—	0.0816	0.0080	0.2294	0.0170	0.1022	0.0120
Intentional injuries																
2010	0.2080	0.0117	0.2846	0.0187	0.1350	0.0094	0.0165	0.0050	0.0732	0.0147	0.2277	0.0153	0.3809	0.0249	0.0595	0.0096
2009	0.1902	0.0103	0.2532	0.0157	0.1301	0.0087	—	—	0.0413	0.0118	0.1975	0.0135	0.3739	0.0237	0.0419	0.0074
2008	0.1862	0.0105	0.2471	0.0158	0.1282	0.0090	0.0179	0.0050	0.0652	0.0155	0.2060	0.0148	0.3404	0.0220	0.0540	0.0097
2007	0.1536	0.0098	0.2064	0.0153	0.1034	0.0075	—	—	0.0464	0.0119	0.1859	0.0149	0.2762	0.0202	0.0315	0.0067
2006	0.1451	0.0085	0.1919	0.0134	0.1007	0.0074	—	—	0.0364	0.0100	0.1659	0.0130	0.2676	0.0182	0.0417	0.0080

See footnotes at end of table.

Table C10. Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcoholic liver disease																
Any injury-related diagnoses																
2010	1.3959	0.0530	2.0992	0.0826	0.7253	0.0314	—	—	0.0970	0.0169	0.8042	0.0419	2.8422	0.1129	1.5602	0.0705
2009	1.3179	0.0480	1.9328	0.0716	0.7315	0.0318	—	—	0.0891	0.0174	0.7738	0.0391	2.6715	0.1047	1.5237	0.0656
2008	1.1607	0.0413	1.7068	0.0642	0.6402	0.0265	—	—	0.1111	0.0204	0.6907	0.0355	2.3534	0.0887	1.3560	0.0588
2007	1.0381	0.0362	1.5369	0.0592	0.5628	0.0223	0.0137	0.0041	0.0790	0.0162	0.6491	0.0344	2.1244	0.0797	1.1559	0.0539
2006	1.0084	0.0395	1.5055	0.0618	0.5352	0.0233	—	—	0.0879	0.0163	0.6705	0.0349	2.0107	0.0854	1.1939	0.0564
Unintentional injuries																
2010	0.9879	0.0404	1.4861	0.0628	0.5129	0.0245	—	—	0.0477	0.0119	0.4983	0.0279	2.0316	0.0869	1.2168	0.0609
2009	0.9431	0.0372	1.3864	0.0555	0.5204	0.0251	—	—	0.0510	0.0132	0.4955	0.0287	1.9055	0.0814	1.2303	0.0577
2008	0.8465	0.0322	1.2438	0.0497	0.4680	0.0212	—	—	0.0513	0.0128	0.4310	0.0251	1.7394	0.0714	1.1137	0.0514
2007	0.7000	0.0289	1.0270	0.0466	0.3883	0.0185	—	—	0.0302	0.0089	0.3820	0.0229	1.4432	0.0646	0.8889	0.0481
2006	0.6907	0.0297	1.0371	0.0470	0.3609	0.0176	—	—	0.0524	0.0123	0.4102	0.0251	1.3830	0.0642	0.9203	0.0482
Falls																
2010	0.5698	0.0241	0.8237	0.0365	0.3276	0.0173	—	—	—	—	0.2210	0.0146	1.1615	0.0528	0.8634	0.0458
2009	0.5599	0.0229	0.7973	0.0329	0.3333	0.0184	—	—	—	—	0.2197	0.0154	1.1190	0.0502	0.9215	0.0480
2008	0.4791	0.0187	0.6794	0.0285	0.2883	0.0143	—	—	—	—	0.1742	0.0120	0.9698	0.0426	0.8112	0.0422
2007	0.3891	0.0168	0.5492	0.0256	0.2363	0.0130	—	—	—	—	0.1556	0.0117	0.7989	0.0378	0.6375	0.0393
2006	0.3845	0.0168	0.5521	0.0265	0.2249	0.0118	—	—	—	—	0.1595	0.0118	0.7786	0.0402	0.6584	0.0371
Struck by or against objects/persons																
2010	0.0199	0.0021	0.0319	0.0036	0.0086	0.0019	—	—	—	—	0.0166	0.0032	0.0411	0.0053	—	—
2009	0.0156	0.0020	0.0271	0.0037	0.0047	0.0013	—	—	—	—	0.0157	0.0032	0.0283	0.0043	—	—
2008	0.0134	0.0017	0.0220	0.0031	0.0051	0.0014	—	—	—	—	0.0107	0.0026	0.0254	0.0040	—	—
2007	0.0161	0.0020	0.0272	0.0036	0.0055	0.0016	—	—	—	—	0.0096	0.0026	0.0399	0.0057	—	—
2006	0.0142	0.0017	0.0222	0.0030	0.0065	0.0016	—	—	—	—	0.0113	0.0025	0.0305	0.0047	—	—
Motor vehicle traffic																
2010	0.0372	0.0036	0.0649	0.0066	0.0108	0.0021	—	—	—	—	0.0224	0.0044	0.0827	0.0091	0.0258	0.0059
2009	0.0372	0.0034	0.0595	0.0057	0.0159	0.0027	—	—	—	—	0.0271	0.0047	0.0780	0.0079	0.0216	0.0051
2008	0.0335	0.0031	0.0528	0.0054	0.0151	0.0027	—	—	—	—	0.0248	0.0041	0.0685	0.0069	0.0240	0.0056
2007	0.0384	0.0037	0.0621	0.0065	0.0158	0.0026	—	—	—	—	0.0326	0.0053	0.0800	0.0087	0.0178	0.0048
2006	0.0331	0.0035	0.0554	0.0063	0.0119	0.0025	—	—	—	—	0.0321	0.0049	0.0610	0.0082	0.0275	0.0067
Cut or pierce																
2010	0.0090	0.0014	0.0146	0.0026	—	—	—	—	—	—	—	—	0.0182	0.0034	—	—
2009	0.0079	0.0013	0.0129	0.0023	—	—	—	—	—	—	0.0071	0.0021	0.0131	0.0029	—	—
2008	0.0080	0.0012	0.0122	0.0021	0.0040	0.0012	—	—	—	—	0.0068	0.0019	0.0159	0.0032	—	—
2007	0.0069	0.0012	0.0120	0.0024	—	—	—	—	—	—	0.0078	0.0022	0.0129	0.0030	—	—
2006	0.0058	0.0011	0.0089	0.0020	—	—	—	—	—	—	—	—	0.0138	0.0032	—	—
Poisoning																
2010	0.1101	0.0086	0.1538	0.0135	0.0685	0.0066	—	—	—	—	0.0879	0.0094	0.2295	0.0208	0.0616	0.0091
2009	0.0986	0.0072	0.1366	0.0122	0.0624	0.0051	—	—	—	—	0.0964	0.0106	0.1853	0.0156	0.0578	0.0095
2008	0.0900	0.0060	0.1188	0.0086	0.0626	0.0059	—	—	—	—	0.0709	0.0075	0.1898	0.0143	0.0527	0.0086
2007	0.0754	0.0053	0.1027	0.0081	0.0495	0.0050	—	—	—	—	0.0613	0.0072	0.1590	0.0121	0.0383	0.0073
2006	0.0722	0.0057	0.1018	0.0085	0.0440	0.0050	—	—	—	—	0.0631	0.0072	0.1473	0.0129	0.0372	0.0080
Intentional injuries																
2010	0.1210	0.0074	0.1744	0.0120	0.0702	0.0064	—	—	—	—	0.1359	0.0113	0.2250	0.0162	0.0358	0.0070
2009	0.1267	0.0077	0.1731	0.0120	0.0824	0.0066	—	—	—	—	0.1359	0.0108	0.2500	0.0183	0.0257	0.0057
2008	0.1225	0.0074	0.1707	0.0113	0.0765	0.0066	—	—	0.0449	0.0138	0.1424	0.0119	0.2229	0.0158	0.0283	0.0068
2007	0.1028	0.0070	0.1455	0.0114	0.0620	0.0057	—	—	—	—	0.1244	0.0115	0.1907	0.0150	0.0132	0.0040
2006	0.0977	0.0067	0.1358	0.0105	0.0614	0.0060	—	—	—	—	0.1128	0.0103	0.1845	0.0147	0.0240	0.0058

See footnotes at end of table.

Table C10. Rate of hospitalizations with all-listed alcohol-related diagnoses that had co-occurring injury-related diagnoses per 10,000 population for persons ages 12 years and older, by sex and age group, United States, 2006–2010. (Continued)

All-listed alcohol-related diagnoses by co-occurring injury-related diagnoses and year	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.	Rate	S.E.
Alcohol poisoning																
Any injury-related diagnoses																
2010	1.1394	0.0639	1.2837	0.0850	1.0019	0.0501	0.5355	0.0499	1.1971	0.0815	1.4895	0.0782	1.4536	0.1107	0.3484	0.0320
2009	1.0526	0.0468	1.1496	0.0553	0.9599	0.0457	0.5590	0.0413	1.1848	0.0783	1.4387	0.0689	1.2411	0.0649	0.2992	0.0232
2008	1.1453	0.0527	1.2660	0.0640	1.0304	0.0502	0.5851	0.0407	1.2953	0.0865	1.5489	0.0757	1.3760	0.0761	0.3196	0.0275
2007	0.9707	0.0455	1.0460	0.0492	0.8958	0.0482	0.5392	0.0405	1.1264	0.0714	1.3629	0.0700	1.0581	0.0564	0.3120	0.0239
2006	1.0037	0.0483	1.1183	0.0607	0.8942	0.0443	0.6292	0.0609	1.1889	0.0889	1.4034	0.0721	1.0840	0.0542	0.2598	0.0227
Unintentional injuries																
2010	0.4292	0.0393	0.5566	0.0571	0.3076	0.0252	0.2596	0.0392	0.4675	0.0454	0.4512	0.0364	0.5912	0.0766	0.2036	0.0227
2009	0.3719	0.0238	0.4826	0.0334	0.2660	0.0181	0.2483	0.0258	0.4268	0.0403	0.4366	0.0319	0.4641	0.0376	0.1489	0.0162
2008	0.3793	0.0235	0.4995	0.0352	0.2647	0.0159	0.2342	0.0226	0.4192	0.0401	0.4396	0.0262	0.4838	0.0424	0.1679	0.0204
2007	0.2936	0.0159	0.3720	0.0212	0.2179	0.0145	0.2015	0.0193	0.3347	0.0358	0.3909	0.0259	0.3026	0.0205	0.1397	0.0156
2006	0.3285	0.0257	0.4343	0.0395	0.2278	0.0166	0.2881	0.0487	0.3391	0.0499	0.3956	0.0311	0.3680	0.0295	0.1366	0.0160
Falls																
2010	0.0328	0.0049	0.0427	0.0080	0.0234	0.0035	0.0159	0.0043	—	—	0.0176	0.0044	0.0546	0.0089	0.0401	0.0085
2009	0.0257	0.0029	0.0354	0.0045	0.0165	0.0028	—	—	—	—	0.0238	0.0041	0.0376	0.0055	0.0233	0.0058
2008	0.0289	0.0030	0.0393	0.0046	0.0189	0.0028	0.0150	0.0049	0.0315	0.0105	0.0207	0.0036	0.0394	0.0055	0.0377	0.0071
2007	0.0182	0.0021	0.0224	0.0032	0.0143	0.0026	—	—	—	—	0.0183	0.0034	0.0233	0.0041	0.0223	0.0053
2006	0.0147	0.0018	0.0201	0.0030	0.0095	0.0018	—	—	—	—	0.0144	0.0031	0.0231	0.0041	—	—
Struck by or against objects/persons																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	0.0020	0.0006	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor vehicle traffic																
2010	0.0107	0.0024	0.0163	0.0039	0.0052	0.0016	—	—	0.0400	0.0143	0.0122	0.0032	0.0082	0.0024	—	—
2009	0.0115	0.0033	0.0182	0.0052	0.0048	0.0018	—	—	—	—	0.0119	0.0043	0.0131	0.0037	—	—
2008	0.0114	0.0024	0.0175	0.0039	0.0055	0.0017	0.0153	0.0053	—	—	0.0117	0.0032	0.0107	0.0030	—	—
2007	0.0081	0.0021	0.0142	0.0039	—	—	—	—	—	—	0.0132	0.0038	—	—	—	—
2006	0.0059	0.0011	0.0089	0.0020	—	—	—	—	—	—	0.0089	0.0024	—	—	—	—
Cut or pierce																
2010	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2009	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2008	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2007	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2006	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoning																
2010	0.3888	0.0372	0.5041	0.0538	0.2789	0.0240	0.2332	0.0387	0.4074	0.0405	0.4138	0.0351	0.5405	0.0729	0.1730	0.0207
2009	0.3304	0.0217	0.4262	0.0297	0.2390	0.0172	0.2177	0.0248	0.3826	0.0393	0.3917	0.0284	0.4097	0.0357	0.1311	0.0142
2008	0.3333	0.0213	0.4400	0.0324	0.2316	0.0143	0.1972	0.0200	0.3617	0.0371	0.3900	0.0238	0.4297	0.0394	0.1422	0.0190
2007	0.2638	0.0145	0.3303	0.0193	0.1995	0.0132	0.1894	0.0192	0.2965	0.0316	0.3511	0.0237	0.2708	0.0189	0.1215	0.0147
2006	0.3035	0.0246	0.4008	0.0374	0.2108	0.0160	0.2791	0.0487	0.2971	0.0462	0.3640	0.0295	0.3377	0.0279	0.1279	0.0155
Intentional injuries																
2010	0.5293	0.0253	0.4953	0.0262	0.5617	0.0289	0.2035	0.0204	0.5859	0.0496	0.8096	0.0437	0.6126	0.0326	0.0803	0.0105
2009	0.5453	0.0255	0.5066	0.0259	0.5822	0.0295	0.2486	0.0223	0.6236	0.0513	0.8283	0.0414	0.6128	0.0344	0.0803	0.0108
2008	0.6119	0.0331	0.5536	0.0320	0.6675	0.0383	0.2714	0.0242	0.7154	0.0588	0.9236	0.0546	0.6875	0.0418	0.0944	0.0109
2007	0.5052	0.0323	0.4509	0.0307	0.5559	0.0378	0.2329	0.0266	0.6303	0.0524	0.7660	0.0518	0.5367	0.0389	0.0970	0.0132
2006	0.5112	0.0271	0.4716	0.0271	0.5486	0.0313	0.2277	0.0209	0.6623	0.0560	0.8018	0.0476	0.5192	0.0319	0.0770	0.0108

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2006–2010.

Table D1-1. Median cost of hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2010.

First-listed alcohol-related diagnoses	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Median	S.E.	Median	S.E.	Median	S.E.	Median	S.E.	Median	S.E.	Median	S.E.	Median	S.E.	Median	S.E.
Any alcohol-related diagnoses	\$4,182	\$176	\$4,091	\$195	\$4,416	\$154	\$2,936	\$196	\$2,940	\$126	\$3,430	\$136	\$4,480	\$187	\$6,483	\$176
Alcoholic psychoses	\$3,777	\$195	\$3,842	\$209	\$3,596	\$179	\$2,455	\$250	\$2,765	\$166	\$3,310	\$145	\$4,045	\$214	\$5,639	\$224
Alcohol dependence syndrome	\$3,194	\$148	\$3,168	\$166	\$3,318	\$124	\$2,697	\$243	\$2,802	\$287	\$2,964	\$137	\$3,272	\$150	\$4,351	\$198
Nondependent abuse of alcohol	\$2,942	\$86	\$2,985	\$93	\$2,838	\$113	\$2,550	\$148	\$2,765	\$180	\$2,688	\$81	\$3,147	\$129	\$4,121	\$237
All chronic liver disease and cirrhosis ...	\$8,104	\$174	\$8,109	\$186	\$8,095	\$179	\$7,664	\$1,270	\$5,990	\$651	\$7,801	\$219	\$8,068	\$192	\$8,538	\$215
Alcoholic liver disease	\$8,059	\$164	\$8,043	\$182	\$8,101	\$188	—	—	\$4,834	\$898	\$7,813	\$212	\$8,065	\$180	\$8,586	\$285
Alcohol poisoning	\$4,829	\$260	\$5,002	\$301	\$4,510	\$253	\$4,053	\$639	\$4,159	\$475	\$4,921	\$377	\$5,037	\$328	\$4,949	\$379

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2010.

Table D1-2. Total cost (in millions) of hospitalizations with first-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2010.

First-listed alcohol-related diagnoses	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.
Any alcohol-related diagnoses	\$2,982.6	\$168.2	\$2,105.4	\$122.3	\$876.5	\$50.1	\$26.5	\$4.3	\$33.2	\$2.9	\$720.4	\$40.8	\$1,787.5	\$112.1	\$416.3	\$24.2
Alcoholic psychoses	\$987.2	\$58.6	\$784.0	\$48.4	\$202.8	\$12.4	\$1.9	\$0.4	\$10.1	\$1.1	\$288.3	\$20.2	\$593.7	\$35.7	\$93.8	\$5.7
Alcohol dependence syndrome	\$477.3	\$43.8	\$352.1	\$34.4	\$124.9	\$11.0	\$3.2	\$0.6	\$11.0	\$2.0	\$158.0	\$17.1	\$260.3	\$24.0	\$44.9	\$3.2
Nondependent abuse of alcohol	\$72.8	\$3.8	\$49.4	\$2.7	\$23.1	\$1.4	\$6.8	\$0.6	\$3.8	\$0.4	\$23.2	\$1.5	\$30.0	\$1.8	\$9.0	\$1.1
All chronic liver disease and cirrhosis ..	\$1,395.5	\$116.1	\$887.1	\$77.1	\$508.3	\$40.8	\$10.8	\$4.0	\$6.1	\$1.1	\$231.8	\$16.9	\$881.3	\$82.2	\$265.5	\$20.6
Alcoholic liver disease	\$833.4	\$54.5	\$588.7	\$40.9	\$244.6	\$16.4	—	—	\$1.5	\$0.4	\$175.9	\$12.6	\$563.7	\$38.1	\$92.1	\$8.2
Alcohol poisoning	\$50.8	\$3.4	\$33.4	\$2.5	\$17.4	\$1.4	\$3.7	\$0.4	\$2.2	\$0.4	\$19.1	\$1.6	\$22.8	\$2.1	\$3.0	\$0.5

— Less than or equal to 10 observations in the cell.

SOURCE: Nationwide Inpatient Sample, 2010.

Table D2-1. Median cost of hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2010.

All-listed alcohol-related diagnoses	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Median	S.E.	Median	S.E.	Median	S.E.	Median	S.E.	Median	S.E.	Median	S.E.	Median	S.E.	Median	S.E.
Any alcohol-related diagnoses	\$6,176	\$132	\$6,164	\$144	\$6,206	\$122	\$4,145	\$148	\$4,318	\$139	\$4,725	\$132	\$6,461	\$136	\$8,411	\$131
Alcoholic psychoses	\$5,618	\$248	\$5,772	\$261	\$5,233	\$216	\$3,037	\$223	\$3,245	\$217	\$4,103	\$214	\$5,980	\$246	\$10,375	\$259
Alcohol dependence syndrome	\$5,381	\$154	\$5,445	\$172	\$5,226	\$127	\$3,383	\$148	\$3,379	\$137	\$4,066	\$144	\$5,728	\$155	\$8,117	\$146
Nondependent abuse of alcohol	\$5,873	\$125	\$6,149	\$135	\$5,306	\$114	\$3,944	\$170	\$4,586	\$181	\$4,839	\$141	\$6,324	\$132	\$8,040	\$138
All chronic liver disease and cirrhosis ...	\$7,962	\$136	\$7,883	\$144	\$8,059	\$138	\$8,166	\$618	\$7,046	\$273	\$7,059	\$129	\$7,911	\$141	\$8,730	\$149
Alcoholic liver disease	\$7,614	\$139	\$7,578	\$147	\$7,698	\$139	\$5,873	\$1,445	\$5,098	\$249	\$6,451	\$154	\$7,729	\$138	\$8,780	\$168
Alcohol poisoning	\$4,465	\$114	\$4,810	\$131	\$4,127	\$107	\$3,781	\$255	\$3,900	\$137	\$4,318	\$130	\$4,825	\$175	\$6,339	\$397

SOURCE: Nationwide Inpatient Sample, 2010.

Table D2-2. Total cost (in millions) of hospitalizations with all-listed alcohol-related diagnoses for persons ages 12 years and older, by sex and age group, United States, 2010.

All-listed alcohol-related diagnoses	Total		Sex				Age group									
			Male		Female		12–20 years		21–24 years		25–44 years		45–64 years		65+ years	
	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.	Sum	S.E.
Any alcohol-related diagnoses	\$24,525.9	\$981.3	\$16,861.5	\$695.2	\$7,659.4	\$305.1	\$360.5	\$27.9	\$471.7	\$26.9	\$4,807.5	\$218.1	\$13,272.1	\$578.6	\$5,632.3	\$206.1
Alcoholic psychoses	\$4,432.0	\$186.9	\$3,538.8	\$154.1	\$892.5	\$39.7	\$10.1	\$2.3	\$31.6	\$2.7	\$897.5	\$44.9	\$2,618.5	\$117.0	\$878.1	\$35.4
Alcohol dependence syndrome	\$9,496.6	\$370.6	\$7,155.9	\$287.8	\$2,339.4	\$92.4	\$35.8	\$3.3	\$102.0	\$7.2	\$1,969.1	\$94.1	\$5,631.8	\$228.5	\$1,770.1	\$65.6
Nondependent abuse of alcohol	\$7,520.2	\$345.9	\$5,661.6	\$267.1	\$1,855.8	\$83.4	\$209.7	\$15.5	\$295.4	\$20.3	\$1,856.7	\$101.9	\$3,730.4	\$179.0	\$1,432.9	\$60.4
All chronic liver disease and cirrhosis ...	\$10,919.5	\$527.5	\$6,515.1	\$324.9	\$4,403.4	\$209.4	\$109.9	\$19.1	\$81.8	\$7.5	\$1,619.9	\$81.1	\$6,280.1	\$337.8	\$2,827.8	\$123.3
Alcoholic liver disease	\$4,403.1	\$189.7	\$3,225.8	\$141.7	\$1,177.1	\$53.6	\$1.7	\$0.5	\$12.9	\$1.9	\$740.4	\$36.2	\$2,921.3	\$133.1	\$727.5	\$31.8
Alcohol poisoning	\$187.9	\$9.8	\$109.5	\$6.7	\$78.4	\$4.3	\$9.1	\$0.9	\$11.4	\$1.4	\$73.2	\$4.3	\$82.2	\$5.0	\$12.1	\$1.3

SOURCE: Nationwide Inpatient Sample, 2010.